



**CITY OF CAMPBELL**  
Community Development Department

**COURTESY NOTICE OF NEW PLANNING APPLICATION**

July 14, 2022

Dear Campbell Resident,

The following provides a brief description of a proposed project in your neighborhood. As a courtesy notice, this letter is intended to provide members of the public an early opportunity to become engaged in the planning process. If you should have any questions about the project, the contact information of the Project Planner has been provided below. Alternatively, you may visit the Planning Division to view the project plans. Before a decision is reached you will receive a formal notice providing another opportunity for public comment.

**Project Address:** 621 E. Campbell Ave. Suite 1

**Zoning | Area Plan:** P-D | ECMP

**Neighborhood Association(s):** DCNA

**File No.:** PLN-2022-72


**APN:** 279-46-012

**Applicant:** Grace Ann Pulliam

**Property Owner:** Alan Hicks

**Application Type:** Admin. Planned Development Permit

**Project Description:** An Administrative Planned Development Permit to allow a change of use from an existing pharmacy to an "office, professional" (Mortgage Company).




**Project Planner:** Larissa Lomen, Assistant Planner

**Email Contact:** [larissal@campbellca.gov](mailto:larissal@campbellca.gov)



**Phone Contact:** (408) 866-2144

**Note:** This is a courtesy notice to all property owners within 300-feet of the project address. Applications may change after initial application submittal. To view the project plans, please scan the QR code:






# Location Map for 621 E Campbell Ave.



This map is based on GIS Information and reflects the most current information at the time of this printing. The map is intended for reference purposes only and the City and its staff is not responsible for errors.





ADAPTIVE ARCHITECTURE  
2011 STEVENS CREEK BLVD  
SUITE 270  
SAN FRANCISCO, CA 95014  
(415) 865-1089

GREYLANDS PROFESSIONAL OFFICE PARK  
TENANT IMPROVEMENTS  
621 E. CAMPBELL AVE.,  
SUITE 1  
CAMPBELL, CA 95008




REVISIONS		
NO.	DATE BY DESCRIPTION	
1	10/20	ISSUE FOR REVIEW

DRAWN: JJC  
CHECKED:  
DATE:  
SCALE: AS NOTED  
PROJECT NUMBER:

CODE ANALYSIS  
PLAN


DRAWING NUMBER: A0.2

**LEGEND**



**SIGNAGE NOTES**

□ TACTILE EXIT SIGN, SEE DETAIL 7/A7.1



1/4" = 1'-0" **1**  
CODE ANALYSIS PLAN (THIRD FLOOR)



**LEGEND**

- EXISTING FULL HEIGHT PARTITION TO REMAIN
- ===== EXISTING FULL HEIGHT PARTITION TO REMAIN
- ===== NEW FULL-HEIGHT PARTITION WITH SOUND INSULATION
- ===== NEW WINDOW, SEE DOOR SCHEDULE ON SHEET A2.1
- ===== NEW DOOR, SEE DOOR SCHEDULE ON SHEET A2.1
- ===== WALL, MOUNTED FIRE EXTINGUISHER, MINIMUM SIZE SHALL BE 2-A110BC EXTERIOR ELEVATION REFERENCE TAG
- ===== DETAIL NUMBER SHEET NUMBER

**DEMOLITION KEYNOTES**


- D1 REMOVE ALL FLOORING FINISHES
- D2 REMOVE ALL INTERIOR PARTITIONS, VERTICAL-SHEAR WALL LOCATIONS, NOTIFY ARCHITECT PRIOR TO DEMOLITION.
- D3 REMOVE ALL CEILING FINISHES INCLUDING ACQUISITIVE ATTACHED CEILING TILES AND "POPCORN" TEXTURE
- D4 REMOVE ALL PLUMBING FIXTURES AND CAP ALL PLUMBING PIPES
- D5 REMOVE EXISTING FURNACE
- D6 REMOVE EXISTING AIR CONDITIONING UNIT
- D7 REMOVE EXISTING FIREWOOD AND GLAZING
- D8 CUT NEW OPENING FOR NEW WINDOWS @ 5'-0" X 6'-2 1/4" (D) SLAB.
- D9 EXISTING 2" PLUMBING PIPES TO REMOVE AND CAP BELOW (D) SLAB.
- D10 EXISTING 6" DIA AFTER FIRE CONTRACTOR TO VERIFY IF EXISTING OR ELECTRICAL TO REMOVE - ELECTRICAL CONTRACTOR TO VERIFY IF NOT STRUCTURAL, REMOVE EXISTING AND/OR CAP ALL UNUSUED WIRING, CABLEING, CONDUTITS AS REQD. FOR NEW CONSTRUCTION
- D11 EXISTING POSTS TO REMAIN
- D12 EXISTING WINDOWS TO REMAIN
- D13 EXISTING DOORS TO REMAIN

**NEW FLOOR PLAN KEYNOTES**


- 1 PROVIDE NEW CARPET TILE THROUGHOUT.
- 2 PROVIDE NEW NEW PAINT THROUGHOUT INTERIOR & EXTERIOR, PROVIDE SKIM COAT OVER EXISTING GYP BOARD TO ACHIEVE LEVEL 4 SMOOTH FINISH.
- 3 PROVIDE LEVEL 4 SMOOTH FINISH AT ALL NEW WALLS AND PAINT.
- 4 SCHEDULE ON CONC. LEVEL LANDING TO SCOPE AT 28' MAX. MORE THAN 1/2" NEW CONCRETE CURB RAMP, 1:12 MAX. SLOPE AND 2% MAX CROSS SLOPE
- 5 NEW ADA COMPLIANT RESTROOM, SEE ENLARGED PLAN AND ELEVATIONS ON SHEET A2.2
- 6 NEW WALKLOCK AT KITCHENETTE
- 7 NEW WINDOWS AT 5'-0" X 6'-2 1/4" DIA. PANEL, LOW-E GLAZING (TINT-FREED), NEW WINDOW TRIMS TO MATCH EXISTING ADJACENT TRIM AND REPAIR INTERIOR AND EXTERIOR FINISHES TO MATCH EXISTING FINISHES TO MATCH AND ALIGN WITH ED ADI
- 8 PROVIDE STRAINLESS STEEL SCHLUTER TRANSITION STRIP BETWEEN CARPET AND TILE
- 9 PROVIDE NEW TILE FLOORING WITH 4" TILE BASE IN RESTROOM WITH SCHEDULE COVER-SHAVED PROFILE
- 10 REMOVE TILE AND FLOORING GLAZING TO REFLECT EXISTING (SAME SHEET)
- 11

**FINISH LEGEND**

- CHT CARPET TILE
- MAUFL MAUFL TILE
- STL TILE
- COLO COLOR
- SLC 24/24"
- STN SHEET METAL
- WTF WOOD TRIM FINISH
- STN TILE
- COLO COLOR
- TBD
- TYPE RUBBER BASE
- HEIGHT: 4"
- LOCATION: AT CARPET FLOOR AND KITCHENETTE



**DEMOLITION FLOOR PLAN**  
1/4" = 1'-0"



**FLOOR PLAN**  
1/4" = 1'-0"  
2

**ADAPTIVE ARCHITECTURE**  
201 S. EVANS CREEK BLVD  
SUITE 270  
CAMPBELL, CA 95014  
(408) 865-1089

**GREYLANDS PROFESSIONAL OFFICE PARK**  
**TENANT IMPROVEMENTS**  
621 E. CAMPBELL AVE.,  
SUITE 1  
CAMPBELL, CA 95008



NO	DATE	BY	DESCRIPTION
1	10/20		ISSUE FOR REVIEW
2			
3			
4			
5			

REVISIONS	CHECKED
DRAWN: JF	
DATE: TBD	
SCALE: AS NOTED	
PROJECT NUMBER:	


FLOOR PLAN	
DRAWING NUMBER:	<b>A2.1</b>




NO	DATE	BY	DESCRIPTION
1	10/20		ISSUE FOR REVIEW

DRAWN BY	CHECKED
DATE	SCALE AS NOTED
PROJECT NUMBER	
<b>ENLARGED TOILET AND MILLWORK PLAN &amp; ELEV</b>	

DRAWING NUMBER **A2.2**



	<b>MILWORK ELEVATION</b>	<b>ENLARGED RESTROOM AND MILLWORK PLAN</b>
	<b>1/4" = 1'-0"</b>	<b>1/4" = 1'-0"</b>
	<b>3</b>	<b>1</b>
<p><b>QUARTZ COUNTERTOP</b></p> <p>MANUF: CAMBRIL          SIZE: PER PLAN          COLOR: TBD          FINISH: POLISHED          LOCKING: 4" W/VENTILATION          BACKSPLASH</p> <p><b>CABINETS</b></p> <p>TYPE: PLASTIC LAMINATE          MANUF: WILSONART          STYLE: TBD          FINISH: W/DOORHANDLE          LOCATION: W/DOORHANDLE</p>	<p><b>TOILET ACCESSORY NOTES</b></p> <p>1 SURFACE MOUNTED PAPER TOWEL DISPENSER</p> <p>2 SURFACE MOUNTED TOILET TISSUE DISPENSER (B-2888)</p> <p>3 SOAP DISPENSER</p> <p>4 TOILET SEAT COOLER DISPENSER (B-221)</p> <p>5 24" X 36" GLASS MIRROR (B-1659)</p> <p>6 35" X 14 1/2" DIA. STAINLESS STEEL GRAB BAR (B-6106/99 X 30) SEE 1/4" FOR MOUNTING DETAIL</p> <p>7 42" X 1 1/2" DIA. STAINLESS STEEL GRAB BAR (B-6106/99 X 42) SEE 1/4" FOR MOUNTING DETAIL</p> <p>8 LINDSEUM WALL TILE SEE FLOOR PLAN</p> <p>9 ADA COMPLIANT WALL HUNG SINK SEE 6/4/71</p> <p>10 NEW ADA COMPLIANT TOILET FIXTURE SEE</p> <p>11 UNISEX RESTROOM SWAOL. REFER TO DETAIL 4A/7.3</p> <p>12 WALL MOUNTED RESTROOM SIGN. REFER TO DETAIL 5A/7.3</p>	<p><b>INTERIOR FINISHES</b></p> <p><b>TOILET ACCESSORY NOTES</b></p>



ADAPTIVE ARCHITECTURE  
2011 S'EVENS CREEK BLVD  
SUITE 270  
CAMPBELL, CA 95014  
(408) 865-1089

GREYLANDS PROFESSIONAL OFFICE PARK  
TENANT IMPROVEMENTS  
621 E. CAMPBELL AVE.,  
SUITE 1  
CAMPBELL, CA 95008



REVISIONS	
NO.	DESCRIPTION

DRAWN: JT	CHECKED:
DATE:	SCALE: AS NOTED
PROJECT NUMBER:	

REFLECTED  
CLG PLAN  
EXTERIOR ELEVS.


DRAWING  
NUMBER: **A3.1**

RCP LEGEND

- NEW 4" LONG SURFACE MOUNTED LED LIGHT FIXTURE  
LUMINA 5" SURFACE MOUNT VOLUMETRIC ST
- EXISTING 6" RCP ID. CEILING, RE-FINISH AND PAINT FOR A  
SMOOTH FINISH
- EXISTING SUPPLY / RETURN / EXHAUST DIFFUSER
- EXISTING CEILING HEIGHT


RCP NOTES

- APPROXIMATE LOCATIONS OF NEW SURFACE MOUNTED  
LED LIGHT FIXTURES. CONTRACTOR TO MOUNT NEW LIGHT  
FIXTURES WHERE EXISTING LIGHT FIXTURE WIRE REMOVED  
AND NEW WIRING IS REQUIRED. SEE DIMENSIONS  
FOR LIGHT FIXTURES. SEE DIMENSIONS
  - PATCH AND RE-FINISH EXISTING 6" RCP CEILING FOR  
LEVEL 4 SMOOTH FINISH. PAINT ALL CEILING SURFACES.
- MINIMAL LIGHT FIXTURES ARE PROVIDED FOR LIFE AND  
SAFETY FOR EXIT PURPOSES. THIS IS A MARKET  
READY TENANT IMPROVEMENT.
  - ADDITIONAL LIGHT FIXTURES WOULD BE PROPOSED  
NEAR FUTURE FOR TENANT IMPROVEMENTS.




DEMOLITION FLOOR PLAN  
1/4" = 1'-0"

1



DEMOLITION EXTERIOR ELEVATION  
1/4" = 1'-0"

2



EXTERIOR ELEVATION  
1/4" = 1'-0"

3

HARDWARE GROUP 2  
(SINGLE INTERIOR DOOR WITH PASSAGE LATCH & CLOSER)

ITEM	MODEL	FINISH	MANUF
PASSAGE SET	NDVIS SPA	526	SGH
SURFACE CLOSER	49KCP	889	LCN

DOOR SCHEDULE


DOOR NUMBER	ROOM	DOOR TYPE	HARDWARE GROUP	SIZE	THICKNESS	MATERIAL	FINISH	GLAZING	FIRE RATING	FRAME	FINISH	REMARKS
100	LOBBY	EXISTING	EXISTING	3'-0" X 6'-8"	1 3/4"	WOOD				WOOD	WOOD	
101	OPEN OFFICE	EXISTING	EXISTING	3'-0" X 6'-8"	1 3/4"	WOOD				WOOD	WOOD	
102	OPEN OFFICE	EXISTING	EXISTING	3'-0" X 6'-8"	1 3/4"	WOOD				WOOD	WOOD	
103	UNISEL RESTROOM	EXISTING	2	3'-0" X 6'-8"	1 3/4"	WOOD	TO MATCH EXISTING			WOOD	WOOD	
104	OPEN OFFICE	EXISTING	EXISTING	3'-0" X 6'-8"	1 3/4"	WOOD				WOOD	WOOD	
105	OPEN OFFICE	EXISTING	EXISTING	3'-0" X 6'-8"	1 3/4"	WOOD				WOOD	WOOD	
106	OPEN OFFICE	EXISTING	EXISTING	3'-0" X 6'-8"	1 3/4"	WOOD				WOOD	WOOD	

DOOR SCHEDULE

1/4"=1'-0"	1
------------	---


REMARKS

- DOOR NOTES
1. MAXIMUM DOOR OPERATING PRESSURE TO BE SLIPS. CBC 11B-404.2.9
  2. FLOOR IN THE DIRECTION OF TRAVEL SHALL NOT BE MORE THAN 1/2" LOWER THAN THE THRESHOLD OF THE DOOR OR MORE THAN 1/2" HIGHER THAN THE THRESHOLD OF THE ADJACENT FLOOR. CBC 11B-404.2.5
  3. INSTALL WEATHERSTRIP @ ALL EXTERIOR DOOR FRAMES
  4. ALL FIRE PROTECTED GLAZING SHALL BEAR A LABEL OR OTHER IDENTIFICATION SHOWING THE MAKE OF THE MANUFACTURER, THE TEST STANDARD AND INFORMATION REQUIRED PER CBC SECTION 715.5.9.1 THAT SHALL BE ISSUED BY AN APPROVED AGENCY AND SHALL BE PERMANENTLY AFFIXED TO THE GLAZING.
  5. ALL GLAZING IN FIRE WINDOW ASSEMBLIES SHALL COMPLY WITH CBC 715.5
  6. EGRESS DOORS AND GATES SHALL BE OBTAINABLE FROM THE EGRESS SIDE WITHOUT THE USE OF A KEY, THUMB TURN, OR AN SPECIAL KNOWLEDGE OR TRICK. MANUALLY OPERATED PUSH BOLTS OR SURFACE BOLTS ARE NOT PERMITTED, UNLESS ANY OF THE EXCEPTIONS TO CBC SECTION 109.5.1 IS APPLICABLE.
  7. SAFETY GLAZING (SG) REQUIRED AT ALL DOORS AND GLAZING PANELS WHERE THE LOWER EDGE IS LESS THAN 18" ABOVE WALKING SURFACE. SEE STOREFRONT ELEVATIONS.




DOOR TYPES

1/4"=1'-0"	2
------------	---



WINDOW TYPES

1/4"=1'-0"	3
------------	---



GREYLANDS PROFESSIONAL OFFICE PARK  
TENANT IMPROVEMENTS  
621 E. CAMPBELL AVE.,  
SUITE 1  
CAMPBELL, CA 95008



NO	DATE BY	DESCRIPTION
1	10/20	ISSUE FOR REVIEW

DRAWN BY: \_\_\_\_\_ CHECKED: \_\_\_\_\_  
DATE: \_\_\_\_\_ SCALE: AS NOTED  
PROJECT NUMBER: \_\_\_\_\_

DOOR & WINDOW SCHEDULES  
DRAWING NUMBER: A6.1





**ADAPTIVE ARCHITECTURE**  
 2011 S. EVANS CREEK BLVD  
 SUITE 270  
 CAMPBELL, CA 95008  
 (408) 865-1089

**GREYLANDS PROFESSIONAL OFFICE PARK**  
**TENANT IMPROVEMENTS**  
 621 E. CAMPBELL AVE.,  
 SUITE 1  
 CAMPBELL, CA 95008



NO	DATE	BY	REVISIONS
1	10/20	DA	ISSUE FOR REVIEW
2			
3			
4			

DRAWING NUMBER: **A7.3**

<p><b>9 ACCESSIBLE ENTRY SIGN</b>          SCALE: 1/4" = 1'-0"</p>	<p>INTERNATIONAL SYMBOL OF ACCESSIBILITY W/ WHITE SYMBOL GRAPHICS          NON GLARE BLUE BACKGROUND          MIN 1/32" AFB BACKGROUND COLOR - FEDERAL BLUE NO. 15990          1/4" WIDE WHITE BORDER</p>
<p><b>8 TACTILE EXIT SIGN</b>          SCALE: 1/2" = 1'-0"</p>	<p>NOTE: PROVIDE MECHANICAL MOUNTING W/ VANDAL RESISTANT PATTERNS. PROVIDE ACCESS MOUNTING SYSTEM WHEN ATTACHED TO GLASS. REFER TO SCHEDULE FOR LOCATIONS.</p>
<p><b>7 TACTILE EXIT SIGN</b>          SCALE: 1/2" = 1'-0"</p>	<p>NOTE: PROVIDE MECHANICAL MOUNTING W/ VANDAL RESISTANT PATTERNS. PROVIDE ACCESS MOUNTING SYSTEM WHEN ATTACHED TO GLASS. REFER TO SCHEDULE FOR LOCATIONS.</p>
<p><b>4 UNISEX RESTROOM SYMBOL</b>          SCALE: 1/2" = 1'-0"</p>	<p>NOTE: AT THIS SIGN USING FLATHEAD ANODAL RESISTANT BE ENTERED ON THE DOOR AND MOUNTED 5'-0" ABOVE FIN FLOOR LINE TO CENTER OF SIGN. REFER TO SCHEDULE FOR LOCATIONS.</p>
<p><b>1 GRAB BAR @ METAL STUD</b>          SCALE: 1/4" = 1'-0"</p>	<p>SEE FIXTURE MOUNTING HEIGHT SCHEDULE</p>

<p><b>5 SIGNAGE MOUNTING DETAIL</b>          SCALE: 1/2" = 1'-0"</p>	<p>RESTROOM</p> <p>RESTROOM</p>
<p><b>3 WALL WTD RESTRM SIGN</b>          SCALE: 1/2" = 1'-0"</p>	<p>RESTROOM</p>
<p><b>17 TYPICAL CASEWORK SECTION</b>          SCALE: 1/4" = 1'-0"</p>	
<p><b>7 TACTILE EXIT SIGN</b>          SCALE: 1/2" = 1'-0"</p>	
<p><b>9 ACCESSIBLE ENTRY SIGN</b>          SCALE: 1/4" = 1'-0"</p>	

<p><b>17 TYPICAL CASEWORK SECTION</b>          SCALE: 1/4" = 1'-0"</p>	<p><b>3 WALL WTD RESTRM SIGN</b>          SCALE: 1/2" = 1'-0"</p>
<p><b>7 TACTILE EXIT SIGN</b>          SCALE: 1/2" = 1'-0"</p>	<p><b>17 TYPICAL CASEWORK SECTION</b>          SCALE: 1/4" = 1'-0"</p>
<p><b>9 ACCESSIBLE ENTRY SIGN</b>          SCALE: 1/4" = 1'-0"</p>	<p><b>3 WALL WTD RESTRM SIGN</b>          SCALE: 1/2" = 1'-0"</p>

**CASEWORK SECTION THRU SINK**  
 SCALE: 1/4" = 1'-0"

MAX. TO COUNTER OR RIM

AS NOTED ON ELEVATION

AS NOTED ON ELEVATION

4" U.O.N.

2'-0"

9" MIN.

1'-5" MIN.

4" RIBBON TOPSET PAGE

6" MIN.

2'-3" MIN.

4"

CONVENTED DOOR & BASE

INSULATED TRAY & HOT WATER SUPPLY - TRUSCO

LAV GUARD UNDER-SINK

PROTECTIVE FHE COVER

ADA-COMPLIANT SINK UNIT - PROVIDE REOURDED CLEARANCE AS SHOWN REQUIRMENTS

FLAM CABINET DOORS W/ 1.0" SELF-CLOSING CONCEALED HINGES

ADJUSTABLE SHELVES METALWINE OVER 3/4"

PARTICLE BOARD

BRUSHED STAINLESS STEEL PULL BAR, TYP.

BRUSHED STAINLESS STEEL PULL BAR, TYP.

FLAM COUNTERTOP, PLAIN U.O.N.

ACCESSIBLE LEVER

SINK, IF SURFACE MOUNTED SINK, NO PART OF THE SINK INCLUDING ANY LP OR EDGE SHALL BE HIGHER THAN 3/4" A.F.F.

FLAM COUNTERTOP, PLAIN U.O.N.

BRUSHED STAINLESS STEEL PULL BAR, TYP.

**MOUNTING HEIGHT SCHEDULE**

FINISH	SUGGESTED DIMENSION
1	1'-4"
2	1'-7"
3	2'-2"
4	3'-0"
5	3'-6"
6	4'-0"
7	4'-6"
8	5'-0"
9	5'-6"
10	6'-0"
11	6'-6"
12	7'-0"
13	7'-6"
14	8'-0"
15	8'-6"
16	9'-0"
17	9'-6"
18	10'-0"
19	10'-6"
20	11'-0"
21	11'-6"
22	12'-0"
23	12'-6"
24	13'-0"
25	13'-6"
26	14'-0"
27	14'-6"
28	15'-0"
29	15'-6"
30	16'-0"
31	16'-6"
32	17'-0"
33	17'-6"
34	18'-0"
35	18'-6"
36	19'-0"
37	19'-6"
38	20'-0"
39	20'-6"
40	21'-0"
41	21'-6"
42	22'-0"
43	22'-6"
44	23'-0"
45	23'-6"
46	24'-0"
47	24'-6"
48	25'-0"
49	25'-6"
50	26'-0"
51	26'-6"
52	27'-0"
53	27'-6"
54	28'-0"
55	28'-6"
56	29'-0"
57	29'-6"
58	30'-0"
59	30'-6"
60	31'-0"
61	31'-6"
62	32'-0"
63	32'-6"
64	33'-0"
65	33'-6"
66	34'-0"
67	34'-6"
68	35'-0"
69	35'-6"
70	36'-0"
71	36'-6"
72	37'-0"
73	37'-6"
74	38'-0"
75	38'-6"
76	39'-0"
77	39'-6"
78	40'-0"
79	40'-6"
80	41'-0"
81	41'-6"
82	42'-0"
83	42'-6"
84	43'-0"
85	43'-6"
86	44'-0"
87	44'-6"
88	45'-0"
89	45'-6"
90	46'-0"
91	46'-6"
92	47'-0"
93	47'-6"
94	48'-0"
95	48'-6"
96	49'-0"
97	49'-6"
98	50'-0"
99	50'-6"
100	51'-0"
101	51'-6"
102	52'-0"
103	52'-6"
104	53'-0"
105	53'-6"
106	54'-0"
107	54'-6"
108	55'-0"
109	55'-6"
110	56'-0"
111	56'-6"
112	57'-0"
113	57'-6"
114	58'-0"
115	58'-6"
116	59'-0"
117	59'-6"
118	60'-0"
119	60'-6"
120	61'-0"
121	61'-6"
122	62'-0"
123	62'-6"
124	63'-0"
125	63'-6"
126	64'-0"
127	64'-6"
128	65'-0"
129	65'-6"
130	66'-0"
131	66'-6"
132	67'-0"
133	67'-6"
134	68'-0"
135	68'-6"
136	69'-0"
137	69'-6"
138	70'-0"
139	70'-6"
140	71'-0"
141	71'-6"
142	72'-0"
143	72'-6"
144	73'-0"
145	73'-6"
146	74'-0"
147	74'-6"
148	75'-0"
149	75'-6"
150	76'-0"
151	76'-6"
152	77'-0"
153	77'-6"
154	78'-0"
155	78'-6"
156	79'-0"
157	79'-6"
158	80'-0"
159	80'-6"
160	81'-0"
161	81'-6"
162	82'-0"
163	82'-6"
164	83'-0"
165	83'-6"
166	84'-0"
167	84'-6"
168	85'-0"
169	85'-6"
170	86'-0"
171	86'-6"
172	87'-0"
173	87'-6"
174	88'-0"
175	88'-6"
176	89'-0"
177	89'-6"
178	90'-0"
179	90'-6"
180	91'-0"
181	91'-6"
182	92'-0"
183	92'-6"
184	93'-0"
185	93'-6"
186	94'-0"
187	94'-6"
188	95'-0"
189	95'-6"
190	96'-0"
191	96'-6"
192	97'-0"
193	97'-6"
194	98'-0"
195	98'-6"
196	99'-0"
197	99'-6"
198	100'-0"
199	100'-6"
200	101'-0"
201	101'-6"
202	102'-0"
203	102'-6"
204	103'-0"
205	103'-6"
206	104'-0"
207	104'-6"
208	105'-0"
209	105'-6"
210	106'-0"
211	106'-6"
212	107'-0"
213	107'-6"
214	108'-0"
215	108'-6"
216	109'-0"
217	109'-6"
218	110'-0"
219	110'-6"
220	111'-0"
221	111'-6"
222	112'-0"
223	112'-6"
224	113'-0"
225	113'-6"
226	114'-0"
227	114'-6"
228	115'-0"
229	115'-6"
230	116'-0"
231	116'-6"
232	117'-0"
233	117'-6"
234	118'-0"
235	118'-6"
236	119'-0"
237	119'-6"
238	120'-0"
239	120'-6"
240	121'-0"
241	121'-6"
242	122'-0"
243	122'-6"
244	123'-0"
245	123'-6"
246	124'-0"
247	124'-6"
248	125'-0"
249	125'-6"
250	126'-0"
251	126'-6"
252	127'-0"
253	127'-6"
254	128'-0"
255	128'-6"
256	129'-0"
257	129'-6"
258	130'-0"
259	130'-6"
260	131'-0"
261	131'-6"
262	132'-0"
263	132'-6"
264	133'-0"
265	133'-6"
266	134'-0"
267	134'-6"
268	135'-0"
269	135'-6"
270	136'-0"
271	136'-6"
272	137'-0"
273	137'-6"
274	138'-0"
275	138'-6"
276	139'-0"
277	139'-6"
278	140'-0"
279	140'-6"
280	141'-0"
281	141'-6"
282	142'-0"
283	142'-6"
284	143'-0"
285	143'-6"
286	144'-0"
287	144'-6"
288	145'-0"
289	145'-6"
290	146'-0"
291	146'-6"
292	147'-0"
293	147'-6"
294	148'-0"
295	148'-6"
296	149'-0"
297	149'-6"
298	150'-0"
299	150'-6"
300	151'-0"
301	151'-6"
302	152'-0"
303	152'-6"
304	153'-0"
305	153'-6"
306	154'-0"
307	154'-6"
308	155'-0"
309	155'-6"
310	156'-0"
311	156'-6"
312	157'-0"
313	157'-6"
314	158'-0"
315	158'-6"
316	159'-0"
317	159'-6"
318	160'-0"
319	160'-6"
320	161'-0"
321	161'-6"
322	162'-0"
323	162'-6"
324	163'-0"
325	163'-6"
326	164'-0"
327	164'-6"
328	165'-0"
329	165'-6"
330	166'-0"
331	166'-6"
332	167'-0"
333	167'-6"
334	168'-0"
335	168'-6"
336	169'-0"
337	169'-6"
338	170'-0"
339	170'-6"
340	171'-0"
341	171'-6"
342	172'-0"
343	172'-6"
344	173'-0"
345	173'-6"
346	174'-0"
347	174'-6"
348	175'-0"
349	175'-6"
350	176'-0"
351	176'-6"
352	177'-0"
353	177'-6"
354	178'-0"
355	178'-6"
356	179'-0"
357	179'-6"
358	180'-0"
359	180'-6"
360	181



ADAPTIVE ARCHITECTURE  
 2011 S TEVENS CREEK BLVD  
 SUITE 100, CA 95014  
 (408) 865-1089

GREYLANDS PROFESSIONAL OFFICE PARK  
 TENANT IMPROVEMENTS  
 621 E. CAMPBELL AVE.,  
 SUITE 1  
 CAMPBELL, CA 95008



ENGINEERING CONSULTANTS INC.  
 1500 S. F STREET, SUITE 100  
 SAN JOSE, CA 95128  
 (408) 255-1000  
 www.eci-engineers.com

**Envelope Component Approach**

STATE OF CALIFORNIA  
 CALIFORNIA ENERGY COMMISSION  
 1500 S. F STREET, SUITE 100  
 SAN JOSE, CA 95128  
 (408) 255-1000  
 www.eci-engineers.com

Project Name: Greylands Professional Office Park, 621 East Campbell  
 Report Date: 05/21/2018

Registration Number: 2012 Nonresidential Compliance  
 Report Generated: 2018-05-21 13:14:48

Envelope Component Approach

Project Name: Greylands Professional Office Park, 621 East Campbell  
 Report Date: 05/21/2018

Registration Number: 2012 Nonresidential Compliance  
 Report Generated: 2018-05-21 13:14:48

**K. ENVELOPE AND GLAZED DOOR SCHEDULE**

U-Value	Shading Coefficient	Total Glazed Area (sq. ft.)	Area Weighted U-Value (Uw)	Area Weighted Shading Coefficient (Sc)	Area Weighted Uw x Sc
0.25	0.70	120	0.25	0.70	0.175
0.35	0.70	120	0.35	0.70	0.245
0.45	0.70	120	0.45	0.70	0.315
0.55	0.70	120	0.55	0.70	0.385
0.65	0.70	120	0.65	0.70	0.455
0.75	0.70	120	0.75	0.70	0.525
0.85	0.70	120	0.85	0.70	0.595
0.95	0.70	120	0.95	0.70	0.665
1.05	0.70	120	1.05	0.70	0.735
1.15	0.70	120	1.15	0.70	0.805
1.25	0.70	120	1.25	0.70	0.875
1.35	0.70	120	1.35	0.70	0.945
1.45	0.70	120	1.45	0.70	1.015
1.55	0.70	120	1.55	0.70	1.085
1.65	0.70	120	1.65	0.70	1.155
1.75	0.70	120	1.75	0.70	1.225
1.85	0.70	120	1.85	0.70	1.295
1.95	0.70	120	1.95	0.70	1.365
2.05	0.70	120	2.05	0.70	1.435
2.15	0.70	120	2.15	0.70	1.505
2.25	0.70	120	2.25	0.70	1.575
2.35	0.70	120	2.35	0.70	1.645
2.45	0.70	120	2.45	0.70	1.715
2.55	0.70	120	2.55	0.70	1.785
2.65	0.70	120	2.65	0.70	1.855
2.75	0.70	120	2.75	0.70	1.925
2.85	0.70	120	2.85	0.70	2.000
2.95	0.70	120	2.95	0.70	2.075
3.05	0.70	120	3.05	0.70	2.150
3.15	0.70	120	3.15	0.70	2.225
3.25	0.70	120	3.25	0.70	2.300
3.35	0.70	120	3.35	0.70	2.375
3.45	0.70	120	3.45	0.70	2.450
3.55	0.70	120	3.55	0.70	2.525
3.65	0.70	120	3.65	0.70	2.600
3.75	0.70	120	3.75	0.70	2.675
3.85	0.70	120	3.85	0.70	2.750
3.95	0.70	120	3.95	0.70	2.825
4.05	0.70	120	4.05	0.70	2.900
4.15	0.70	120	4.15	0.70	2.975
4.25	0.70	120	4.25	0.70	3.050
4.35	0.70	120	4.35	0.70	3.125
4.45	0.70	120	4.45	0.70	3.200
4.55	0.70	120	4.55	0.70	3.275
4.65	0.70	120	4.65	0.70	3.350
4.75	0.70	120	4.75	0.70	3.425
4.85	0.70	120	4.85	0.70	3.500
4.95	0.70	120	4.95	0.70	3.575
5.05	0.70	120	5.05	0.70	3.650
5.15	0.70	120	5.15	0.70	3.725
5.25	0.70	120	5.25	0.70	3.800
5.35	0.70	120	5.35	0.70	3.875
5.45	0.70	120	5.45	0.70	3.950
5.55	0.70	120	5.55	0.70	4.025
5.65	0.70	120	5.65	0.70	4.100
5.75	0.70	120	5.75	0.70	4.175
5.85	0.70	120	5.85	0.70	4.250
5.95	0.70	120	5.95	0.70	4.325
6.05	0.70	120	6.05	0.70	4.400
6.15	0.70	120	6.15	0.70	4.475
6.25	0.70	120	6.25	0.70	4.550
6.35	0.70	120	6.35	0.70	4.625
6.45	0.70	120	6.45	0.70	4.700
6.55	0.70	120	6.55	0.70	4.775
6.65	0.70	120	6.65	0.70	4.850
6.75	0.70	120	6.75	0.70	4.925
6.85	0.70	120	6.85	0.70	5.000
6.95	0.70	120	6.95	0.70	5.075
7.05	0.70	120	7.05	0.70	5.150
7.15	0.70	120	7.15	0.70	5.225
7.25	0.70	120	7.25	0.70	5.300
7.35	0.70	120	7.35	0.70	5.375
7.45	0.70	120	7.45	0.70	5.450
7.55	0.70	120	7.55	0.70	5.525
7.65	0.70	120	7.65	0.70	5.600
7.75	0.70	120	7.75	0.70	5.675
7.85	0.70	120	7.85	0.70	5.750
7.95	0.70	120	7.95	0.70	5.825
8.05	0.70	120	8.05	0.70	5.900
8.15	0.70	120	8.15	0.70	5.975
8.25	0.70	120	8.25	0.70	6.050
8.35	0.70	120	8.35	0.70	6.125
8.45	0.70	120	8.45	0.70	6.200
8.55	0.70	120	8.55	0.70	6.275
8.65	0.70	120	8.65	0.70	6.350
8.75	0.70	120	8.75	0.70	6.425
8.85	0.70	120	8.85	0.70	6.500
8.95	0.70	120	8.95	0.70	6.575
9.05	0.70	120	9.05	0.70	6.650
9.15	0.70	120	9.15	0.70	6.725
9.25	0.70	120	9.25	0.70	6.800
9.35	0.70	120	9.35	0.70	6.875
9.45	0.70	120	9.45	0.70	6.950
9.55	0.70	120	9.55	0.70	7.025
9.65	0.70	120	9.65	0.70	7.100
9.75	0.70	120	9.75	0.70	7.175
9.85	0.70	120	9.85	0.70	7.250
9.95	0.70	120	9.95	0.70	7.325
10.05	0.70	120	10.05	0.70	7.400
10.15	0.70	120	10.15	0.70	7.475
10.25	0.70	120	10.25	0.70	7.550
10.35	0.70	120	10.35	0.70	7.625
10.45	0.70	120	10.45	0.70	7.700
10.55	0.70	120	10.55	0.70	7.775
10.65	0.70	120	10.65	0.70	7.850
10.75	0.70	120	10.75	0.70	7.925
10.85	0.70	120	10.85	0.70	8.000
10.95	0.70	120	10.95	0.70	8.075
11.05	0.70	120	11.05	0.70	8.150
11.15	0.70	120	11.15	0.70	8.225
11.25	0.70	120	11.25	0.70	8.300
11.35	0.70	120	11.35	0.70	8.375
11.45	0.70	120	11.45	0.70	8.450
11.55	0.70	120	11.55	0.70	8.525
11.65	0.70	120	11.65	0.70	8.600
11.75	0.70	120	11.75	0.70	8.675
11.85	0.70	120	11.85	0.70	8.750
11.95	0.70	120	11.95	0.70	8.825
12.05	0.70	120	12.05	0.70	8.900
12.15	0.70	120	12.15	0.70	8.975
12.25	0.70	120	12.25	0.70	9.050
12.35	0.70	120	12.35	0.70	9.125
12.45	0.70	120	12.45	0.70	9.200
12.55	0.70	120	12.55	0.70	9.275
12.65	0.70	120	12.65	0.70	9.350
12.75	0.70	120	12.75	0.70	9.425
12.85	0.70	120	12.85	0.70	9.500
12.95	0.70	120	12.95	0.70	9.575
13.05	0.70	120	13.05	0.70	9.650
13.15	0.70	120	13.15	0.70	9.725
13.25	0.70	120	13.25	0.70	9.800
13.35	0.70	120	13.35	0.70	9.875
13.45	0.70	120	13.45	0.70	9.950
13.55	0.70	120	13.55	0.70	10.025
13.65	0.70	120	13.65	0.70	10.100
13.75	0.70	120	13.75	0.70	10.175
13.85	0.70	120	13.85	0.70	10.250
13.95	0.70	120	13.95	0.70	10.325
14.05	0.70	120	14.05	0.70	10.400
14.15	0.70	120	14.15	0.70	10.475
14.25	0.70	120	14.25	0.70	10.550
14.35	0.70	120	14.35	0.70	10.625
14.45	0.70	120	14.45	0.70	10.700
14.55	0.70	120	14.55	0.70	10.775
14.65	0.70	120	14.65	0.70	10.850
14.75	0.70	120	14.75	0.70	10.925
14.85	0.70	120	14.85	0.70	11.000
14.95	0.70	120	14.95	0.70	11.075
15.05	0.70	120	15.05	0.70	11.150
15.15	0.70	120	15.15	0.70	11.225
15.25	0.70	120	15.25	0.70	11.300
15.35	0.70	120	15.35	0.70	11.375
15.45	0.70	120	15.45	0.70	11.450
15.55	0.70	120	15.55	0.70	11.525
15.65	0.70	120	15.65	0.70	11.600
15.75	0.70	120	15.75	0.70	11.675
15.85	0.70	120	15.85	0.70	11.750
15.95	0.70	120	15.95	0.70	11.825
16.05	0.70	120	16.05	0.70	11.900
16.15	0.70	120	16.15	0.70	11.975
16.25	0.70	120	16.25	0.70	12.050
16.35	0.70	120	16.35	0.70	12.125
16.45	0.70	120	16.45	0.70	12.200
16.55	0.70	120	16.55	0.70	12.275
16.65	0.70	120	16.65	0.70	12.350
16.75	0.70	120	16.75	0.70	12.425
16.85	0.70	120	16.85	0.70	12.500
16.95	0.70	120	16.95	0.70	12.575
17.05	0.70	120	17.05	0.70	12.650
17.15	0.70	120	17.15	0.70	12.725
17.25					



Site Photography Sheet

621 E Campbell Ave, Campbell CA 95008



Exterior photo of site from Courtyard



Alternate angle of site from Courtyard showing front door



Full Room View taken from Interior Corner



Full room view taken from the back wall showing cubicle arrangement



View of Ceiling from Interior Corner



Alternate View of Ceiling and Clearance to cubicles from Side Wall