Measure O Civic Center Improvements Project

Prepared by CITY OF CAMPBELL THE ORCHARD CITY

July 2021*

In Consultation with
DAVID J. POWERS & ASSOCIATES, INC.
ENVIRONMENTAL CONSULTANTS & PLANNERS

CITY OF CAMPBELL
Public Works Department

MITIGATED NEGATIVE DECLARATION

The Public Works Director has reviewed the proposed project described below to determine whether it could have a significant effect on the environment as a result of the project completion. "Significant effect on the environment" means a substantial, or potentially substantial, adverse change in any of the physical conditions within the area affected by the project including land, air, water, minerals, flora, fauna, ambient noise, and objects of historic or aesthetic significance.

Project Title: Measure O Civic Center Improvements Project

Project Address: 70 North First Street, Campbell, CA 95008 and 77 Harrison Avenue, Campbell, CA 95008

City File No.: 21-MM

Zoning District (E): P-D (Planned Development)

Zoning District (P): P-D (Planned Development)

General Plan: *Institutional*

Project Sponsor: City of Campbell
70 N. First Street
Campbell, CA 95008

Property Owners: City of Campbell
70 N. First Street
Campbell, CA 95008

Lead Agency: City of Campbell, Public Works Department
70 N. First Street, Campbell, CA 95008

Contact Person: Roger Storz, Senior Civil Engineer
(408) 866-2190 | rogers@campbellca.gov

Date Posted: July 21, 2021

Other public agencies whose approval is required: None

Project Location and Surrounding Land Use: The project site is the Campbell Civic Center campus, bounded on the north by Grant Street, on the east by Harrison Avenue, on the south by Civic Center Drive, and on the West by North First Street. Surrounding land uses include single-family residential on the north, east and west sides, and commercial, museum and parking lot uses to the south, across

Civic Center Drive form the site. A church is located to the west, across North First Street from the site.

Project Description: The project proposes to remove the existing Police Department Annex structure (portable building) and construct a new, two-story, approximately 24,800-square-foot Police Operations Building and new secure parking lot in the northwest corner area of the Campbell Civic Center that is currently occupied by a surface parking lot. The project also includes reconfiguration of the existing public surface parking lot serving City Hall, improvement of the existing parking lot at the northeast corner of the Civic Center, and interior and exterior renovations of the existing Campbell Library, located at 77 Harrison Avenue.

Finding: The Public Works Director finds that the project described above will not have a significant effect on the environment in that the attached Initial Study identifies one or more potentially significant effects on the environment for which the City of Campbell, before public release of this draft Mitigated Negative Declaration, has made or agrees to make project revisions that clearly mitigate the effects to a less than significant level.

Mitigation Measures Included in the Project to Reduce Potentially Significant Environmental Effects to a Less Than Significant Level:

Air Quality - AQ

Mitigation Measure AIR-3.1: **Include measures to control dust and exhaust during construction:**

The following standard measures reflect BAAQMD best management practices and would be implemented by the project to reduce potential impacts from fugitive dust.:

- All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) shall be watered two times per day.
- All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
- All visible mud or dirt track-out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
- All vehicle speeds on unpaved roads shall be limited to 15 miles per hour (mph).
- All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
- Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.

- All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified mechanic and determined to be running in proper condition prior to operation.

- Post a publicly visible sign with the telephone number and person to contact at the Lead Agency regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Air District's phone number shall also be visible to ensure compliance with applicable regulations.

Mitigation Measure AIR-3.2: **Selection of equipment during construction to minimize emissions. Such equipment selection would include the following:**

The project shall develop a plan demonstrating that the off-road equipment used on-site to construct the project would achieve a fleet-wide average 70-percent reduction in DPM exhaust emissions or greater. One feasible plan to achieve this reduction would include the following:

- All construction equipment larger than 25 horsepower used at the site for more than two continuous days or 20 hours total shall meet U.S. EPA Tier 4 emission standards for particulate matter (PM10 and PM2.5), if feasible, otherwise;

- If use of Tier 4 equipment is not available, alternatively use equipment that meets U.S. EPA emission standards for Tier 2 or 3 engines and include particulate matter emissions control equivalent to CARB Level 3 verifiable diesel emission control devices that altogether achieve a 70 percent reduction in particulate matter exhaust in comparison to uncontrolled equipment.

- Use of alternatively fueled or electric equipment.

Biological Resources – BIO

Mitigation Measure BIO-1.1: **In compliance with the MBTA and California Fish and Game Code, the following mitigation measures shall be implemented during construction to reduce impacts to nesting birds to a less than significant level.**

Construction activities (or at least the commencement of such activities) shall be scheduled to avoid the nesting season. If construction activities are scheduled to take place outside of the nesting season, all impacts on nesting birds protected under the MBTA and California Fish and Game Code will be avoided. The nesting season for most birds in Santa Clara County extends from February 1st through August 31st.

Mitigation Measure BIO-1.2: If it is not possible to schedule construction activities between September 1 and January 31 then preconstruction surveys for nesting birds shall be conducted by a qualified ornithologist to ensure that no nests will be disturbed during project implementation. These surveys shall be conducted no more than 14 days prior to the initiation of construction. During this survey, the ornithologist shall inspect all trees and other potential nesting habitats (e.g., trees, shrubs, ruderal grasslands, buildings) in and immediately adjacent to the impact areas for nests).

Mitigation Measure BIO-1.3: If an active nest is found sufficiently close to work areas to be disturbed by these activities, the ornithologist shall determine the extent of a construction-free buffer zone to be established around the nest (typically 300 feet for raptors and 100 feet for other species), to ensure that

nests of species protected by the MBTA and California Fish and Game Code shall not be disturbed during project implementation. However, if the ornithologist has confirmed that the hatchlings have left the nest, construction may commence within the buffer zone.

Mitigation Measure BIO-1.4: If construction activities will not be initiated until after the start of the nesting season, all potential nesting substrates (e.g., bushes, trees, grasses, and other vegetation) that are scheduled to be removed by the project must be removed prior to the start of the nesting season (e.g., prior to February 1st).

Cultural Resources – CUL

Mitigation Measure CUL-2.1: **Implementation of the following mitigation measures in accordance with General Plan strategy CNR-1.1b would ensure that potential impacts to buried archaeological resources remain at a less than significant level.**

If suspected prehistoric or historic resources are encountered during excavation and/or grading of the site, construction personnel shall be instructed to immediately suspend all activity within a 50-foot radius and the City Planning Division shall be notified of the discovery. A licensed archaeologist shall be retained in order to 1) evaluate the find(s) to determine if they meet the definition of a historical or archaeological resource; and 2) submit a resource mitigation and monitoring reporting program with appropriate recommendations regarding the disposition of such finds prior to resumption of construction activities. A report of findings documenting any data recovery shall be submitted to the City Planning Division and the Northwest Information Center (if applicable). Project personnel shall not collect or move any cultural materials. The project applicant shall implement the recommendations of the qualified archaeologist.

Mitigation Measure CUL-3.1: **The project shall implement the following measures in the event that human remains are discovered during project implementation.**

In the event that human remains are discovered during excavation and/or grading of the site or public right-of-way, all activity within a 50-foot radius of the find shall be stopped. The City Planning Division and the Santa Clara County Coroner's office shall be notified. If the remains are determined to be Native American, the Coroner will notify the Native American Heritage Commission (NAHC) immediately. Once the NAHC identifies the most likely descendants, the descendants will make recommendations regarding proper burial, which will be implemented in accordance with Section 15064.5(e) of the CEQA Guidelines.

Geology and Soils – GEO

Mitigation Measure GEO-6.1: **Implementation of the following mitigation measures would ensure that potential impacts to buried paleontological resources or geological features are less than significant.**

Unique Paleontological and/or Geologic Features and Reporting. Should a unique paleontological resource or site or unique geological feature be identified at the project site during any phase of construction, all ground disturbing activities within 50 feet shall cease and the City's Public Works Director shall be notified immediately. A qualified paleontologist shall evaluate the find and prescribe mitigation measures to reduce impacts to a less than significant level. Upon completion of the

paleontological assessment, a report shall be submitted to the City and, if paleontological materials are recovered, provided to a paleontological repository such as the University of California Museum of Paleontology.

Hazards and Hazardous Materials – HAZ

Mitigation Measure HAZ-2.1: **The following mitigation measures shall be implemented to ensure that health hazards from exposure of construction workers and nearby sensitive receptors to contaminated soil are less than significant.**

Prior to issuance of grading permits, the City shall retain a qualified hazardous materials contractor to perform a soil investigation (i.e., Phase II Environmental Site Assessment) to determine the levels of contamination from lead, pesticides, and TPHg. If the residual contaminants are not detected and/or are found to be below the environmental screening levels for public health and the environment in accordance with Santa Clara County Department of Environmental Health (SCCDEH), Regional Water Quality Control Board (RWQCB), or the California Department of Toxic Substances Control (DTSC) requirements, no further mitigation is required. The results of the soil investigation shall be submitted to the Building Official.

Mitigation Measure HAZ-2.2: If residual contaminants are found and are above regulatory environmental screening levels for public health and the environment, the project proponent shall enter the Site Cleanup Program with the SCCDEH. The SCCDEH may require the project proponent to implement appropriate management procedures, such as removal of the contaminated soil and implementation of a Site Management Plan (SMP), Removal Action Workplan (RAP), or equivalent document. Copies of all environmental investigations and evidence of SCCDEH oversight shall be submitted to the Building Official.

Mitigation Measure HAZ-3.1: **The following mitigation measures shall be implemented to ensure that health hazards from exposure of construction workers and nearby sensitive receptors to asbestos-containing materials and lead-based paints are less than significant.**

To reduce the potential for construction worker and nearby sensitive receptor exposure to hazardous materials (ACMs and lead-based paint), the following measures are included in the project.

- In conformance with local, state, and federal laws, an asbestos building survey and a lead-based paint survey shall be completed by a qualified professional to determine the presence of asbestos-containing materials and/or lead-based paint on the structures proposed for demolition prior to issuance of a demolition permit for any site structure.

- A registered asbestos abatement contractor shall be retained to remove and dispose of all potentially friable asbestos-containing materials, in accordance with the NESHAP guidelines, prior to building demolition that may disturb the materials. All construction activities shall be undertaken in accordance with Cal/OSHA standards, contained in Title 8 of the California Code of Regulations (CCR), Section 1529, to protect workers from exposure to asbestos. Materials containing more than one percent asbestos are also subject to BAAQMD regulations.

- During demolition activities, all building materials containing lead-based paint shall be removed in accordance with Cal/OSHA Lead in Construction Standard, Title 8, CCR 1532.1,

including employee training, employee air monitoring and dust control. Any debris or soil containing lead-based paint or coatings shall be disposed of at landfills that meet acceptance criteria for the waste being disposed.

Noise - NOI

Mitigation Measure NOI-1.1: **Implementation of the following mitigation measures would ensure that potential impacts associated with operation of the project's mechanical equipment are less than significant.**

Prior to the issuance of building permits, Police Operations Building rooftop mechanical equipment shall be selected and designed to reduce impacts on nearby residential uses to meet the City's requirements. A qualified acoustical consultant shall be retained by the project applicant to review mechanical noise as the equipment systems are selected in order to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise limits at the property line. Noise reduction measures could include, but are not limited to, selection of equipment that emits low noise levels and/or installation of noise barriers such as mechanical equipment screens or enclosures.

PUBLIC REVIEW PERIOD

Any person may file a written protest of the draft Mitigated Negative Declaration during the public comment period running from July 21, 2021 to August 10, 2021 (concluding at 5:00 PM). Such protest must be filed via email sent to rogers@campbellca.gov. The written protest should make a "fair argument" that the project will have one or more significant effects on the environment based on substantial evidence.

Roger Storz
PROJECT ENGINEER

Senior Civil Engineer
TITLE

City of Campbell
AGENCY

July 19, 2021

SIGNATURE DATE

The Initial Study is available for review at the Campbell Library, 1 Campbell Avenue, Room E46, Campbell, CA 95008 and online at http://www.campbellca.gov/501/Public-Notices under 'Environmental Notices'.

TABLE OF CONTENTS

Section 1.0 Introduction and Purpose 1
1.1 Purpose of the Initial Study 1
1.2 Public Review Period 1
1.3 Consideration of the Initial Study and Project 1
1.4 Notice of Determination 1
Section 2.0 Project Information 2
2.1 Project Title 2
2.2 Lead Agency Contact 2
2.3 Project Proponent 2
2.4 Project Location 2
2.5 Assessor's Parcel Numbers 2
2.6 General Plan Designation and Zoning District 2
2.7 Habitat Plan Designation 2
2.8 Project-Related Approvals, Agreements, and Permits 2
Section 3.0 Project Description 6
3.1 Project Overview 6
3.2 Proposed Development 7
Section 4.0 Environmental Setting, Checklist, and Impact Discussion 16
4.1 Aesthetics 17
4.2 Agriculture and Forestry Resources 26
4.3 Air Quality 29
4.4 Biological Resources 46
4.5 Cultural Resources 55
4.6 Energy 64
4.7 Geology and Soils 71
4.8 Greenhouse Gas Emissions 79
4.9 Hazards and Hazardous Materials 87
4.10 Hydrology and Water Quality 99
4.11 Land Use and Planning 109
4.12 Mineral Resources 113
4.13 Noise 115
4.14 Population and Housing 126
4.15 Public Services 129

4.16 Recreation 136
4.17 Transportation 138
4.18 Tribal Cultural Resources 146
4.19 Utilities and Service Systems 149
4.20 Wildfire 156
4.21 Mandatory Findings of Significance 159
Section 5.0 References 163
Section 6.0 Lead Agency and Consultants 167
6.1 Lead Agency 167
6.2 Consultants 167
Section 7.0 Acronyms and Abbreviations 168

TABLE OF CONTENTS

Figures

Figure 2.4-1: Regional Map 3
Figure 2.4-2: Vicinity Map 4
Figure 2.4-3: Aerial Photograph and Surrounding Land Uses 5
Figure 3.2-1:Conceptual Site Plan 9
Figure 3.2-2: Police Operations Building Elevations (First Street) 10
Figure 3.2-3: Secure Parking Lot and Public Parking Lot 11
Figure 3.2-4: Library Building Site Plan 14
Figure 3.2-5: Library Building Conceptual Elevation (Civic Center Drive) 15
Figure 4.3-1: Location of Nearby Sensitive Receptors and Maximally Exposed Individual 40
Figure 4.3-2: Project Site and Nearby TAC and PM2.5 Sources 44
Figure 4.4-1: Existing Tree Locations 50

Photos

Photos 1 and 2 20
Photos 3 and 4 21
Photos 5 and 6 22

Tables

Table 4.3-1: Health Effects of Air Pollutants 29
Table 4.3-2: BAAQMD Air Quality Significance Thresholds 33
Table 4.3-3: Summary of Construction Period Emissions 35
Table 4.3-4: Summary of Operational Period Emissions 36
Table 4.3-5: Construction and Operational Risk Impacts at Offsite MEI 39
Table 4.3-6: Impacts from Combined Sources at Off-Site MEI 43
Table 4.4-1: Tree Survey Summary 48
Table 4.6-1: Estimated Annual Energy Use of Proposed Development 68
Table 4.8-1: Operational GHG Emissions 84
Table 4.13-1: Groundborne Vibration Impact Criteria 116
Table 4.13-2: Construction Vibration Levels by Distance 124

Appendices

Appendix A: Air Quality and Greenhouse Gas Assessment

Appendix B: Tree Survey

Appendix C: Historic Resources Effects Analysis

Appendix D: Phase I Environmental Site Assessment

Appendix E: Noise and Vibration Assessment

Appendix F: Site Access, Circulation and Parking Analysis

* After publication, pages seven and 12 of the Initial Study and pages one and six of Appendix F were revised in August 2021 to correct the discussion of the number of parking spaces pre- and post-implementation of the proposed project

SECTION 1.0 INTRODUCTION AND PURPOSE

1.1 PURPOSE OF THE INITIAL STUDY

The City of Campbell, as the Lead Agency, has prepared this Initial Study for the Measure O Civic Center Improvements in compliance with the California Environmental Quality Act (CEQA), the CEQA Guidelines (California Code of Regulations §15000 et. seq.) and the regulations and policies of the City of Campbell, California.

The project proposes to remove the existing Police Department Annex structure (portable building) and construct a new, two-story, approximately 24,800-square-foot Police Operations Building in the northwest corner area of the site that is currently occupied by a surface parking lot. The project additionally includes the renovation of the existing Campbell Library building and alteration of parking lots and pedestrian walkways within the Civic Center complex. This Initial Study evaluates the environmental impacts that might reasonably be anticipated to result from implementation of the proposed project.

1.2 PUBLIC REVIEW PERIOD

Publication of this Initial Study marks the beginning of a 20-day public review and comment period. During this period, the Initial Study will be available to local, state, and federal agencies and to interested organizations and individuals for review. Written comments concerning the environmental review contained in this Initial Study during the 20-day public review period should be sent to:

Roger Storz, PE
Senior Civil Engineer
Land Development Manager
City of Campbell, Public Works Dept.
70 North First Street
Campbell, CA 95008
(408) 866-2190
rogers@campbellca.gov

1.3 CONSIDERATION OF THE INITIAL STUDY AND PROJECT

Following the conclusion of the public review period, the City of Campbell will consider the adoption of the Initial Study/Mitigated Negative Declaration (MND) for the project at a regularly scheduled meeting. The City shall consider the Initial Study/MND together with any comments received during the public review process. Upon adoption of the MND, the City may proceed with project approval actions.

1.4 NOTICE OF DETERMINATION

If the project is approved, the City of Campbell will file a Notice of Determination (NOD), which will be available for public inspection and posted within 24 hours of receipt at the County Clerk's Office for 30 days. The filing of the NOD starts a 30-day statute of limitations on court challenges to the approval under CEQA (CEQA Guidelines Section 15075(g)).

SECTION 2.0 PROJECT INFORMATION

2.1 PROJECT TITLE

Measure O Civic Center Improvements Project

2.2 LEAD AGENCY CONTACT

Roger Storz, PE
Senior Civil Engineer
Land Development Manager
City of Campbell, Public Works Dept.
70 North First Street
Campbell, CA 95008
(408) 866-2190
rogers@campbellca.gov

2.3 PROJECT PROPONENT

City of Campbell

2.4 PROJECT LOCATION

The project site is located at 70 North First Street in the City of Campbell, at the southeast corner of North First and Grant Streets, on the Civic Center campus. Regional and vicinity maps of the site are shown on Figure 2.4-1 and Figure 2.4-2, respectively. An aerial photograph of the site and surrounding land uses is shown on Figure 2.4-3.

2.5 ASSESSOR'S PARCEL NUMBERS

APNs: 279-41-063, 067, 068

2.6 GENERAL PLAN DESIGNATION AND ZONING DISTRICT

General Plan Designation: Institutional
Zoning District: Planned Development (PD)

2.7 HABITAT PLAN DESIGNATION

There is no applicable habitat conservation plan (HCP) or natural community conservation plan (NCCP), or other approved local, regional, or state habitat conservation plan for the City of Campbell.

2.8 PROJECT-RELATED APPROVALS, AGREEMENTS, AND PERMITS

The project is a City of Campbell Capital Improvement Project. All design and construction work will be managed by the City, and the City Council will approve final plans and specifications. Building permits will be issued for the project, and a sewer connection permit will be required from the West Valley Sanitation District.



REGIONAL MAP | FIGURE 2.4-1

VICINITY MAP

FIGURE 2.4-2

AERIAL PHOTOGRAH AND SURROUNDING LAND USES | FIGURE 2.4-3

SECTION 3.0 PROJECT DESCRIPTION

3.1 PROJECT OVERVIEW

In July 2018, the Campbell City Council authorized a 50 million dollar general obligation bond measure (Measure O) to be placed on the general elections ballot to fund a program of building improvements at the Campbell Civic Center. The primary goals of the Measure O program were to construct a new Police Operations Building with 9-1-1 dispatch and Emergency Operations Center (EOC) that would withstand natural disasters, and make improvements to the existing library so that the building meets earthquake safety and fire building codes. The measure was approved by the voters in November 2018.

The Measure O Civic Center Improvements project would construct a new Police Operations Building, to be located at the northwest quadrant of the Civic Center Complex, and renovate the existing Campbell Library, located at 77 Harrison Avenue. Additional project elements include renovating the existing police facilities within the Civic Center Complex at 70 North First Street and parking lot improvements throughout the Complex. The proposed Police Operations Building, which includes a 9-1-1 dispatch center and emergency operations center, would not facilitate an increase in personnel or expansion of the Campbell Police Department's service area.

Police Building

The Campbell Police Department 9-1-1 Dispatch and Emergency Response Center is currently housed in a portion of Campbell City Hall that does not meet current seismic standards and lacks the space to provide essential emergency services. The police officers are currently working out of a modular/temporary facility that does not meet current seismic, operational, or accessibility standards, regularly experiences building system failures due to the age and condition of existing infrastructure and building systems, including HVAC, plumbing, electrical, and sewer systems, and does not contain a restroom facility. The City has determined that providing a state-of-the-art Police Operations Building will allow police officers to respond quickly and efficiently in the event of a major earthquake or other disaster, and allow them to utilize modern policing technology.

Library Building

The Campbell Library was built over 40 years ago, and like the portions of the Campbell City Hall building that currently house the Police Department 9-1-1 Dispatch and Emergency Response Center, does not meet current seismic, operational, or accessibility standards, regularly experiences building system failures due to the age and condition of existing infrastructure and building systems, including HVAC, plumbing, electrical, and sewer systems. In addition, it has an elevator system that is subject to an increasing amount of time out of service. The current configuration of the Campbell Library facility restricts space to provide library services to the community, including children and senior programs, and lacks adequate space for community programming activities and computer access. The intent of the proposed Library improvements is to provide a safer and more energy efficient library facility that includes a new technology center, improved access for senior and disabled residents, increased space and functionality to provide additional services, and potentially extend hours of service to the Campbell community. No specific extension of the current hours of operation have been proposed.

3.1.1 Existing Setting

The approximately 6.5-acre Campbell Civic Center campus is generally located in the north-central area of the City, bounded by Grant Street on the north, Harrison Avenue on the east, Civic Center Drive on the south, and North First Street on the west. The existing Police Department/City Hall building complex occupies the southwest portion of the campus site~~,~~. Parking for police and City Hall employees is provided by a 62~~ and has an 84~~ space ~~employee~~ parking lot that fronts North First Street and Grant Street in the northwest portion of the campus. Currently, the employee lot is open to the public outside normal operating hours. ~~The employee lot is utilized by police employees and by non-police City Hall employees~~ A 41-space mixed employee and public parking lot is located in the southwest corner of the campus along North First Street. There is also a secured Police Department surface lot containing approximately 27~~8~~ spaces for Police Department vehicles. At the northern end of the existing Police Department building is a prefabricated portable building used for Police Department office functions. In addition, there are two smaller accessory structures - a wood-framed storage shed and a concrete block structure containing a gun cleaning room, a motorcycle storage room, and lockers. The Campbell Library building is located on the southeast side of the site, with its 28-space surface parking lot fronting on Harrison Avenue. There is an additional parking lot on Harrison Avenue that provides shared parking for the Library, Campbell Historical Museum and Ainsley House. The Campbell Historical Museum and historic Ainsley House, Carriage House and Ainsley Garden are located on the Grant Street side of the site, with an unpaved surface parking area located at the northeast corner. The campus contains gardens and is landscaped with mature trees, shrubs and lawns throughout. Sidewalks provide pedestrian access to the site from the surrounding streets. A Veterans Memorial is located on the east side of the City Hall Building.

The project is located within the City's historic downtown district. The neighborhood surrounding the project site contains primarily residential and commercial land uses. There are apartment complexes and single-family residences surrounding the site to the north, single-family residences to the east, multi-family residential and commercial uses to the south, and single-family residences and a church to the west, across North First Street. East Campbell Avenue, containing bars, restaurants and shops, is located approximately one block south of the site, and the VTA Downtown Campbell light rail station is located approximately 1,075 feet south of the site.

3.2 PROPOSED DEVELOPMENT

The project proposes to remove the existing Police Department Annex structure (portable building) and construct a new, two-story, approximately 24,800-square-foot Police Operations Building in the northwest corner area of the site that is currently occupied by a surface parking lot. The first floor of the building would include public spaces, shared staff areas and a multi-purpose room, and house the Patrol, Intake and Processing, Traffic, and Records functions of the Police Department. The second floor would also contain shared staff areas, as well as house the Police Administration, Investigative Services, PRT/Patrol, and Dispatch and Communications functions. The Police Department is currently located in the northernmost of the two connected buildings that make up the City Hall complex. Under the proposed project, this building would be re-used as the Non-Essential Support Building, with approximately 7,066 square feet on the first floor being used for shared staff areas, and containing the Patrol and Evidence and Property functions of the Department. A secure connection between the proposed new building and the existing building is proposed with the project.

Public access to the new building will be from a lower courtyard area at the first floor, near the southeast corner of the building. There will also be a public access point for the existing building on the first floor. Ramps and stairs will provide access to the lower courtyard area and first floor entrances to the buildings. The conceptual site plan is shown on Figure 3.2-1, and conceptual renderings of the proposed Police Operations Building and parking lots are shown on Figures 3.2-2 and 3.2-3, respectively.

Source: LPA Design Studios, MWL; June 22, 2021.

CONCEPTUAL SITE PLAN

FIGURE 3.2-1

Source: LPA Design Studios, MWL; May 4, 2021.

POLICE DEPARTMENT BUILDING ELEVATIONS (FIRST STREET) | FIGURE 3.2-2

Source: LPA Design Studios, MWL; July, 2021.

POLICE BUILDING ELEVATIONS (EAST AND SOUTH) | FIGURE 3.2-3

The Campbell Library would not increase in size with the project. The proposed improvements would consist of interior modifications to the existing building to reconfigure the upper and lower floors by redesigning the lobby area, reconfiguring meeting and community rooms, and modifying staff areas. Changes to the exterior of the building would include a new at-grade entry, new clerestory windows for daylighting, and new exterior facades constructed of metal and wood. Figure 3.2-4 and Figure 3.2-5 show the proposed site plan and a conceptual elevation of the Library building, respectively.

3.2.1 Site Access, Parking and Circulation

Parking for the proposed Police Operations Building would be provided by a new, expanded secure surface parking lot adjacent to the buildings, with two-way gated vehicle access driveways located on North First Street and Grant Street. The project would ~~eliminate~~ remove the 62 spaces provided by the ~~existing~~ employee lot and allow police employees to park their personal vehicles in the new expanded secured lot. This secure parking lot would increase the number of spaces provided by the secured Police Department lot from 27 spaces to 61 spaces ~~provide 53 stalls~~, a net ~~reduction~~ decrease of ~~31 stalls~~ 28 spaces in comparison with the 89 spaces provided by the existing employee and Police Department lots.[1] A communication tower would be located within the parking lot. An emergency generator is proposed to be located at the northwest corner of the lot, adjacent to the access driveway on North First Street. A single consolidated trash enclosure for the Civic Center complex is proposed, with the final location yet to be determined.

The proposed new building and associated courtyard, access ramps and landscaping would eliminate existing parking along the North First Street frontage of the site. Public parking in the southwest ~~existing~~ parking lot, which currently serves the City Hall building, would be reduced from 41 ~~stalls~~ spaces to ~~27 stalls~~ 29 spaces. Combined with the parking displaced by the new building and secure parking lot to the north, there would be a net loss of ~~45 stalls~~ 40 spaces.[2] This lot would have a two-way access driveway and an exit-only driveway, both located on North First Street. New landscaping along the North First Street and Grant Street frontages adjacent to the new construction would include new meandering sidewalks to provide pedestrian access and maintain connectivity to the existing sidewalks surrounding the site.

The project also includes the repaving of the existing degraded asphalt and gravel-surfaced lot in the northeast corner of the Civic Center campus (near the southwest corner of Grant Street and Harrison Avenue) to provide additional parking. This parking lot would help reduce the parking shortfall resulting from the construction of the proposed Police Operations Building by providing an additional 24 parking spaces, for a net loss of 16 parking spaces from project implementation.[3]

The proposed Library improvements would include a reconfigured entry plaza at the front of the building, and minor alterations to the existing parking lot that would relocate the Americans with Disabilities Act (ADA)-compliant spaces, reconfigure lighting fixtures, and reduce the amount of

[1] Combined, the existing employee lot and secured Police Department lot provide 89 parking spaces; post-project, a total of 61 parking spaces would be provided. 89 minus 61 equals 28.
[2] 41 minus 29 equals 12; these 12 spaces when added to the 28 spaces lost from the existing northwest employee lot and Police Department lot equals a net loss of 40 parking spaces.
[3] 40 (the net number of spaces lost from the existing lots) minus 24 equals 16.

impervious surface. In addition, a new sidewalk would be constructed to provide direct access from the entry plaza to the bus stop on Civic Center Drive.

3.2.2 Green Building and Energy Efficiency Measures

The Police Operations Building would be designed for energy efficiency and water conservation in accordance with the latest California Building Energy Efficiency standards (Title 24). This includes mandatory installation of electric vehicle charging stations, low-flow plumbing fixtures, and low-water use landscaping. Additionally, the building itself would be fully electric and would include green building elements such as roofing, walls, and fenestration that exceeds Title 24 requirements, Variable Refrigerant Flow (VRF) heat recovery HVAC systems, limited building glazing, and skylights.

3.2.3 Construction

Construction of the project would occur over a period of approximately 12 months (equivalent to 246 workdays), with construction anticipated to begin in the spring of 2022.

Source: Jayson Architecure, June 29, 2021.

LIBRARY BUILDING SITE PLAN

FIGURE 3.2-4

Source: Jayson Architecure, April 6, 2021.

LIBRARY BUILDING CONCEPTUAL ELEVATION (CIVIC CENTER DRIVE) | FIGURE 3.2-5

SECTION 4.0 ENVIRONMENTAL SETTING, CHECKLIST, AND IMPACT DISCUSSION

This section presents the discussion of impacts related to the following environmental subjects in their respective subsections:

4.1	Aesthetics	4.12	Mineral Resources
4.2	Agriculture and Forestry Resources	4.13	Noise
4.3	Air Quality	4.14	Population and Housing
4.4	Biological Resources	4.15	Public Services
4.5	Cultural Resources	4.16	Recreation
4.6	Energy	4.17	Transportation
4.7	Geology and Soils	4.18	Tribal Cultural Resources
4.8	Greenhouse Gas Emissions	4.19	Utilities and Service Systems
4.9	Hazards and Hazardous Materials	4.20	Wildfire
4.10	Hydrology and Water Quality	4.21	Mandatory Findings of Significance
4.11	Land Use and Planning		

The discussion for each environmental subject includes the following subsections:

- **Environmental Setting** – This subsection 1) provides a brief overview of relevant plans, policies, and regulations that compose the regulatory framework for the project and 2) describes the existing, physical environmental conditions at the project site and in the surrounding area, as relevant.

- **Impact Discussion** – This subsection 1) includes the recommended checklist questions from Appendix G of the CEQA Guidelines to assess impacts and 2) discusses the project's impact on the environmental subject as related to the checklist questions. For significant impacts, feasible mitigation measures are identified. "Mitigation measures" are measures that will minimize, avoid, or eliminate a significant impact (CEQA Guidelines Section 15370). Each impact is numbered to correspond to the checklist question being answered. For example, Impact BIO-1 answers the first checklist question in the Biological Resources section. Mitigation measures are also numbered to correspond to the impact they address. For example, MM BIO-1.3 refers to the third mitigation measure for the first impact in the Biological Resources section.

4.1 AESTHETICS

4.1.1 Environmental Setting

4.1.1.1 *Regulatory Framework*

State

Streets and Highway Code Sections 260 through 263

The California Scenic Highway Program (Streets and Highway Code, Sections 260 through 263) is managed by the California Department of Transportation (Caltrans). The program is intended to protect and enhance the natural scenic beauty of California highways and adjacent corridors through special conservation treatment. There are no state-designated scenic highways in Campbell. Interstate 280 from the San Mateo County line to State Route (SR) 17, which includes segments in Campbell, is an eligible, but not officially designated, State Scenic Highway.[4]

California Building Code

The California Building Code has been codified in the California Code of Regulations (CCR) as Title 24, Part 2. Title 24 is administered by the California Building Standards Commission and updated every three years. The most current version went into effect in January 2020. The purpose of the California Building Code is to establish minimum standards to safeguard the public health, safety, and general welfare through structural strength, means of egress facilities, and general stability by regulating and controlling the design, construction, quality of materials, outdoor lighting standards, use and occupancy, location, and maintenance of all building and structures within its jurisdiction. The City of Campbell has adopted sections of the California Building Code Title 24, Part 10, according to Chapter 18, California Building Code, of the Campbell Municipal Code.

Local

City of Campbell General Plan

Various policies and actions in the General Plan have been adopted to avoid or mitigate impacts to aesthetic resources resulting from planned development within the City, including the following:

Policies	Description
LUT-5.3b	Minimal Setbacks: Design commercial and office buildings city-wide to have minimal setbacks from the sidewalk except to allow for pedestrian oriented features such as plazas, recessed entryways, and wider sidewalks for outdoor cafes. Discourage parking areas between the public right-of-way and the front façade of the building.
LUT-7.2g	Landscaped and Tree Lined Streets: Provide attractive, user friendly, tree-lined streets and install creative landscaping in street improvement projects, where feasible.

[4] California Department of Transportation. ”Scenic Highways.” Accessed February 12, 2021. https://dot.ca.gov/programs/design/lap-landscape-architecture-and-community-livability/lap-liv-i-scenic-highways.

Policies	Description
LUT-9.3d	Building Design: Design buildings to revitalize streets and public spaces by orienting the building to the street, including human scale details and massing that engages the pedestrian.
LUT-9.3e	Building Materials: Encourage the use of long-lasting, high quality building materials on all buildings to ensure the long-term quality of the built environment.
LUT-9.3f	Development Orientation: Orient new development toward public and private amenities or open space, in particular: • Orient front entrances, living/office area, and windows toward the amenity or open space. • Orient high activity areas such as outdoor dining areas and plazas, and major pedestrian routes toward the amenity or open space.
LUT-9.3g	Pedestrian Amenities: Incorporate pedestrian amenities such as plazas, landscaped areas with seating, pedestrian walkways into new developments.
LUT-9.3m	Location of Service Areas: Locate parking areas, truck loading areas, drive-thru lanes and drive-through windows away from streets, out of immediate public view, while minimizing land use conflicts and traffic impacts.
LUT-10.1c	Outdoor Common Areas: Encourage well-designed and landscaped outdoor common areas for eating, relaxing, or recreation for new projects, and if feasible when building are remodeled or expanded. When possible, the common outdoor areas should adjoin natural features.
LUT-10.1e	Parking Lot Screening: Plant landscaping or build decorative walls at the interior and perimeter of parking areas as a visual screen.
LUT-10.2d	Landscaping as a Theme: Use similar types of trees and landscaping to create a theme within districts or neighborhoods. Medians should also be used to create a theme to distinguish major thoroughfares and prominent streets.

Community Design Element

The Community Design Element of the General Plan identifies "Gateways", or primary location where people enter the City that provide initial impressions of Campbell and convey a "sense of arrival". Gateways are intended to be appealing and distinctive so that they evoke a positive impression of the City.

Streetscape Standards

The City's General Plan contains Streetscape Standards that regulate the landscaped boulevard treatment on arterial streets to provide a consistent streetscape on major streets that utilize street trees as a strong component of design. Campbell's arterial streets and freeways include Hamilton Avenue, Bascom Avenue, Camden Avenue, Winchester Boulevard, Campbell Avenue, Pollard Road, Highway 17, and San Tomas Expressway.

City of Campbell Municipal Code

Besides the General Plan, the City of Campbell Municipal Code is the primary tool that shapes the form and character of physical development within the city. However, per Section 21.03.030 of the Code, the land use permit requirements of the Zoning Code do not apply to City facilities.

4.1.1.2 *Existing Conditions*

The Campbell Civic Center campus site is relatively flat and does not contain any locally recognized scenic vistas. There are limited views of the Santa Cruz Mountains to the southwest across the site, but they are obscured by trees and buildings. The site is located in downtown Campbell, an urbanized area, and occupies an entire city block. The site contains the City Hall and Police Department buildings, the Campbell Library, the Ainsley House and associated structures, several large surface parking lots, and landscaping with numerous mature trees. It is located in a neighborhood that is predominantly residential. The two largest structures, the City Hall/Police Department building and the Library building are two-story structures that were constructed one story below grade, which essentially gives them the appearance of single-story structures when viewed from a distance. They are separated from the street by large parking lots containing trees, which provide partial screening of the view of the buildings from the surrounding areas. The Ainsley House and associated Carriage House are also two-story buildings. They are not separated from the street by parking lots, but the view of these buildings is similarly obstructed from surrounding areas by dense clusters of trees. Views of the site are shown on Photos 1 through 6 on the following pages.

Photo 1: Viewing northeast towards the existing City Hall building, from Civic Center Drive and North First Street.

Photo 2: Viewing southeast toward the proposed new Police Department building site, from North First Street and Grant Street.

PHOTOS 1 & 2

Photo 3: Viewing east toward the proposed new secure parking lot site from Grant Street.

Photo 4: Viewing south toward the existing Police department building and secure parking lot from Grant Street.

PHOTOS 3 & 4

Photo 5: View of the existing Library building from Civic Center Drive.

Photo 6: View of the existing Library building and parking lot from Harrison Avenue.

PHOTOS 5 & 6

4.1.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Except as provided in Public Resources Code Section 21099, would the project:				
1) Have a substantial adverse effect on a scenic vista?	☐	☐	☒	☐
2) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	☐	☐	☒	☐
3) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? [5] If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	☐	☐	☒	☐
4) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	☐	☐	☒	☐

Impact AES-1: The project would not have a substantial adverse effect on a scenic vista. **(Less than Significant Impact)**

As described in Section 4.1.1.2 Existing Conditions, the project site is relatively flat and does not contain any locally recognized scenic vistas. Views of the Santa Cruz Mountains from major thoroughfares throughout the City would not be substantially obstructed by the new Police Operations Building, as the structure would not exceed two stories in height, consistent with the surrounding buildings in the neighborhood. While public views of the project site from nearby public areas would be affected as build-out of the project occurs, the proposed Police Operations Building would be consistent with the size and scale of existing buildings on the site, as well as with the surrounding neighborhood, and would not detract from public enjoyment of any local scenic vistas. The renovation of the Library building would not alter the height or massing of that existing structure. For these reasons, the proposed project would not result in a substantial adverse effect on a scenic vista. **(Less than Significant Impact)**

[5] Public views are those that are experienced from publicly accessible vantage points.

Impact AES-2:	The project would not substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway. **(Less than Significant Impact)**

The nearest designated state scenic highway (SR 9) is located approximately 4.5 miles from the project site. The project would not damage any scenic resources within the SR 9 corridor. The proposed project could result in tree removal; trees can be considered scenic resources since they contribute to aesthetic interest and character. The project would include the planting of new trees that would replace any existing trees to be removed.

The site contains the Ainsley House, which is on the National Register of Historic Places, and is also a designated Historic Landmark on the City's Historic Resource Inventory. (refer to Section 4.5.1.2) The Ainsley House is setback a substantial distance from Grant Street and screened by numerous mature trees. The project does not propose any demolition, construction or alterations that would affect the Ainsley House in any way, as discussed in more detail in the Historic Resources Effects Analysis, Appendix C of this Initial Study. The Ainsley House is not readily visible from North First Street, and the existing limited views from Grant Street would not be affected in any way by the Police Operations Building. There are no other scenic resources on or near the project site. With implementation of existing policies and regulations, the project would result in a less than significant impact on scenic resources. **(Less than Significant Impact)**

Impact AES-3:	The project would not substantially degrade the existing visual character or quality of public views of the site and its surroundings. **(Less than Significant Impact)**

As discussed under Impacts AES-1 and AES-2, the project site is located in a developed urban area, is not near any scenic highways and would not detract from public enjoyment of any local scenic vistas.

The proposed Police Operations Building would be two stories in height, with the second story deeply recessed relative to North First Street. The building would be set back 14 feet and eight inches from North First Street, and 16 feet and four inches from Grant Street. The project would also construct a fence along the property line of North First Street. The fence would be constructed of layered metal perforated in an artistic manner to depict an orchard scene, and would be approximately eight feet in height. The majority of the existing trees on the Civic Center campus, as well as most of the existing street trees adjacent to the proposed Police Operations Building site would be retained with the project. The façade of the building would be board-form concrete and is anticipated to have a natural gray color and finish.

As illustrated in Figure 3.2-3, the proposed new Police Operations Building would be two stories in height (from grade), and would be taller than the existing City Hall/Police Building, which is also two stories, but set below grade so that it appears lower in height. This height differential between the two buildings would not be significant, from a visual impact standpoint. The size and scale of the proposed building and fence, which would be a half-block in length, would be considerably larger than surrounding residences. However, the visual effect of the proposed building would be softened

by the proposed setbacks and recession of the second-story, which would reduce the visual bulk of the proposed building. The visual effect would be further softened by the articulation and texture provided by the proposed fence. Additionally, the project includes street trees and landscaping, further reducing the visual impact of the proposed building. For these reasons, the project would therefore not substantially degrade the existing visual character or quality of public views of the site and its surroundings. **(Less than Significant Impact)**

Impact AES-4:	The project would not create a new source of substantial light or glare which would adversely affect day or nighttime views in the area. **(Less than Significant Impact)**

Sources of light and glare are abundant in the urban environment of the project site and project area, including but not limited to streetlights, vehicular headlights, internal/external building lights, security lights, and reflective building surfaces and windows.

Sources of light and glare on the project site include parking lot lights, security lights, external/internal building lights, walkway lighting, and reflective building surfaces and windows. The proposed Police Operations Building and renovated Library building would include external/internal building lights and landscape lighting (for the associated courtyards and pedestrian facilities), and the proposed alterations to the existing parking lots would also include lighting. The proposed project would comply with adopted plans and regulations to avoid substantial light and glare impacts, and the project design would reduce potential impacts to offsite properties. The placement of the proposed new two-story building along the western side of the property, for example, would shield adjacent residences across North First Street from the new parking lot lighting. Existing mature street trees along both sides of North First Street and Grant Street would provide further shielding of adjacent residences from on-site lighting sources. As a result, the proposed project would not significantly impact adjacent land uses with increased nighttime light levels or daytime glare. **(Less than Significant Impact)**

4.2 AGRICULTURE AND FORESTRY RESOURCES

4.2.1 Environmental Setting

4.2.1.1 *Regulatory Framework*

State

Farmland Mapping and Monitoring Program

The California Department of Conservation's Farmland Mapping and Monitoring Program (FMMP) assesses the location, quality, and quantity of agricultural land and conversion of these lands over time. Agricultural land is rated according to soil quality and irrigation status. The best quality land is called Prime Farmland. In CEQA analyses, the FMMP classifications and published county maps are used, in part, to identify whether agricultural resources that could be affected are present on-site or in the project area.[6]

California Land Conservation Act

The California Land Conservation Act (Williamson Act) enables local governments to enter into contracts with private landowners to restrict parcels of land to agricultural or related open space uses. In return, landowners receive lower property tax assessments. In CEQA analyses, identification of properties that are under a Williamson Act contract is used to also identify sites that may contain agricultural resources or are zoned for agricultural uses.[7]

Fire and Resource Assessment Program

The California Department of Forestry and Fire Protection (CAL FIRE) identifies forest land, timberland, and lands zoned for timberland production that can (or do) support forestry resources.[8] Programs such as CAL FIRE's Fire and Resource Assessment Program and are used to identify whether forest land, timberland, or timberland production areas that could be affected are located on or adjacent to a project site.[9]

4.2.1.2 *Existing Conditions*

The Civic Center site is fully developed with buildings and surface parking lots within an urbanized area of the City of Campbell. The site has an *Institutional* General Plan land use designation and is zoned as *Planned Development (P-D)*. The *Santa Clara County Important Farmlands Map 2018* designates the site as "Urban and Built-Up Land", defined as land with at least six structures per 10

[6] California Department of Conservation. "Farmland Mapping and Monitoring Program." Accessed February 16, 2021. http://www.conservation.ca.gov/dlrp/fmmp/Pages/Index.aspx.
[7] California Department of Conservation. "Williamson Act." http://www.conservation.ca.gov/dlrp/lca. Accessed February 16, 2021.
[8] Forest Land is land that can support 10 percent native tree cover and allows for management of forest resources (California Public Resources Code Section 12220(g)); Timberland is land not owned by the federal government or designated as experimental forest land that is available for, and capable of, growing trees to produce lumber and other products, including Christmas trees (California Public Resources Code Section 4526); and Timberland Production is land used for growing and harvesting timber and compatible uses (Government Code Section 51104(g)).
[9] California Department of Forestry and Fire Protection. "Fire and Resource Assessment Program." Accessed February 16, 2021. http://frap.fire.ca.gov/.

acres. Common examples of "Urban and Built-Up Land" are residential, institutional, industrial, commercial, landfill, golf course, airports, and other utility uses.[10] The site is not under a Williamson Act contract and there are no existing agricultural or forestry resources on or in the vicinity of the site.[11]

4.2.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	☐	☐	☐	☒
2) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	☐	☐	☐	☒
3) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code Section 12220(g)), timberland (as defined by Public Resources Code Section 4526), or timberland zoned Timberland Production (as defined by Government Code Section 51104(g))?	☐	☐	☐	☒
4) Result in a loss of forest land or conversion of forest land to non-forest use?	☐	☐	☐	☒
5) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland to non-agricultural use or conversion of forest land to non-forest use?	☐	☐	☐	☒

Impact AG-1: The project would not convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use. **(No Impact)**

The proposed project would redevelop two parcels that are designated as "Urban and Built-Up Land" on maps prepared by the California Resources Agency for Santa Clara County. Therefore, no

[10] California Natural Resources Agency. *Santa Clara County Important Farmland 2018.* September 2019. Accessed February 16, 2021. https://www.conservation.ca.gov/dlrp/fmmp/Pages/SantaClara.aspx

[11] California Department of Conservation, Division of Land Resource Protection. *Santa Clara County Williamson Act FY 2015/2016.* 2016.

farmland would be converted to non-agricultural use as a result of project implementation. **(No Impact)**

Impact AG-2:	The project would not conflict with existing zoning for agricultural use, or a Williamson Act contract. **(No Impact)**

The project site is zoned *P-D Planned Development*, and does not allow agricultural use. The site is fully developed with surface parking lots, is located in an urbanized area, and has an *Institutional* General Plan land use designation which is allows civic, social service, educational, cultural or charitable uses. The proposed project is consistent with the existing zoning, and is not under a Williamson Act contract. Therefore, the project will not conflict with existing zoning for an agricultural use or a Williamson Act contract. **(No Impact)**

Impact AG-3:	The project would not conflict with existing zoning for, or cause rezoning of, forest land, timberland, or timberland zoned Timberland Production. **(No Impact)**

The project site is not zoned, or adjacent to land zoned, for forest land, timberland, or Timberland Production. Therefore, the project would not conflict with existing zoning or require rezoning of forest land or timberland uses. **(No Impact)**

Impact AG-4:	The project would not result in a loss of forest land or conversion of forest land to non-forest use. **(No Impact)**

The project site is located in an urbanized area of the City and does not contain any forest lands. Therefore, no forest land would be lost as a result of the project. **(No Impact)**

Impact AG-5:	The project would not involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use. **(No Impact)**

The project site is located in an urbanized area of the City. The project would not result in impacts to agricultural lands or forest lands in the surrounding region. **(No Impact)**

4.3 AIR QUALITY

The following discussion is based, in part, on an Air Quality and Greenhouse Gas Assessment prepared for the project by *Illingworth & Rodkin, Inc.* The report, dated April 29, 2021, is attached to this Initial Study as Appendix A.

4.3.1 Environmental Setting

4.3.1.1 *Background Information*

Criteria Pollutants

Air quality in the Bay Area is assessed related to six common air pollutants (referred to as criteria pollutants), including ground-level ozone (O_3), nitrogen oxides (NO_x), particulate matter (PM), carbon monoxide (CO), sulfur oxides (SO_x), and lead.[12] Criteria pollutants are regulated because they result in health effects. An overview of the sources of criteria pollutants and their associated health are summarized in Table 4.3-1. The most commonly regulated criteria pollutants in the Bay Area are discussed further below.

Table 4.3-1: Health Effects of Air Pollutants

Pollutants	Sources	Primary Effects
Ozone (O_3)	Atmospheric reaction of organic gases with nitrogen oxides in sunlight	• Aggravation of respiratory and cardiovascular diseases • Irritation of eyes • Cardiopulmonary function impairment
Nitrogen Dioxide (NO_2)	Motor vehicle exhaust, high temperature stationary combustion, atmospheric reactions	• Aggravation of respiratory illness • Reduced visibility
Fine Particulate Matter ($PM_{2.5}$) and Coarse Particulate Matter (PM_{10})	Stationary combustion of solid fuels, construction activities, industrial processes, atmospheric chemical reactions	• Reduced lung function, especially in children • Aggravation of respiratory and cardiorespiratory diseases • Increased cough and chest discomfort • Reduced visibility
Toxic Air Contaminants (TACs)	Cars and trucks, especially diesel-fueled; industrial sources, such as chrome platers; dry cleaners and service stations; building materials and products	• Cancer • Chronic eye, lung, or skin irritation • Neurological and reproductive disorders

High O_3 levels are caused by the cumulative emissions of reactive organic gases (ROG) and NO_x. These precursor pollutants react under certain meteorological conditions to form high O_3 levels. Controlling the emissions of these precursor pollutants is the focus of the Bay Area's attempts to

[12] The area has attained both state and federal ambient air quality standards for CO. The project does not include substantial new emissions of sulfur dioxide or lead. These criteria pollutants are not discussed further.

reduce O_3 levels. The highest O_3 levels in the Bay Area occur in the eastern and southern inland valleys that are downwind of air pollutant sources.

PM is a problematic air pollutant of the Bay Area. PM is assessed and measured in terms of respirable particulate matter or particles that have a diameter of 10 micrometers or less (PM_{10}) and fine particulate matter where particles have a diameter of 2.5 micrometers or less ($PM_{2.5}$). Elevated concentrations of PM_{10} and $PM_{2.5}$ are the result of both region-wide emissions and localized emissions.

Toxic Air Contaminants

TACs are a broad class of compounds known to have health effects. They include but are not limited to criteria pollutants. TACs are found in ambient air, especially in urban areas, and are caused by industry, agriculture, diesel fuel combustion, and commercial operations (e.g., dry cleaners). TACs are typically found in low concentrations, even near their source (e.g., diesel particulate matter [DPM] near a freeway).

Diesel exhaust is the predominant TAC in urban air and is estimated to represent about three-quarters of the cancer risk from TACs. Diesel exhaust is a complex mixture of gases, vapors, and fine particles. Medium- and heavy-duty diesel trucks represent the bulk of DPM emissions from California highways. The majority of DPM is small enough to be inhaled into the lungs. Most inhaled particles are subsequently exhaled, but some deposit on the lung surface or are deposited in the deepest regions of the lungs (most susceptible to injury).[13] Chemicals in diesel exhaust, such as benzene and formaldehyde, have been previously identified as TACs by the California Air Resources Board (CARB).

Sensitive Receptors

Some groups of people are more affected by air pollution than others. CARB has identified the following persons who are most likely to be affected by air pollution: children under 16, the elderly over 65, athletes, and people with cardiovascular and chronic respiratory diseases. These groups are classified as sensitive receptors. Locations that may contain a high concentration of these sensitive population groups include residential areas, hospitals, daycare facilities, elder care facilities, and elementary schools.

4.3.1.2 *Regulatory Framework*

Federal and State

Clean Air Act

At the federal level, the United States Environmental Protection Agency (EPA) is responsible for overseeing implementation of the Clean Air Act and its subsequent amendments. The federal Clean Air Act requires the EPA to set national ambient air quality standards for the six common criteria pollutants (discussed previously), including PM, O_3, CO, SO_x, NO_x, and lead.

[13] California Air Resources Board. "Overview: Diesel Exhaust and Health." Accessed April 13, 2021. https://www.arb.ca.gov/research/diesel/diesel-health.htm.

CARB is the state agency that regulates mobile sources throughout the state and oversees implementation of the state air quality laws and regulations, including the California Clean Air Act. The EPA and the CARB have adopted ambient air quality standards establishing permissible levels of these pollutants to protect public health and the climate. Violations of ambient air quality standards are based on air pollutant monitoring data and are determined for each air pollutant. Attainment status for a pollutant means that a given air district meets the standard set by the EPA and/or CARB.

Risk Reduction Plan

To address the issue of diesel emissions in the state, CARB developed the Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles. In addition to requiring more stringent emission standards for new on-road and off-road mobile sources and stationary diesel-fueled engines to reduce particulate matter emissions by 90 percent, the plan involves application of emission control strategies to existing diesel vehicles and equipment to reduce DPM (in additional to other pollutants). Implementation of this plan, in conjunction with stringent federal and CARB-adopted emission limits for diesel fueled vehicles and equipment (including off-road equipment), will significantly reduce emissions of DPM and NO_X.

Regional

2017 Clean Air Plan

The Bay Area Air Quality Management District (BAAQMD) is the agency primarily responsible for assuring that the federal and state ambient air quality standards are maintained in the San Francisco Bay Area. Regional air quality management districts, such as BAAQMD, must prepare air quality plans specifying how state and federal air quality standards will be met. BAAQMD's most recently adopted plan is the Bay Area 2017 Clean Air Plan (2017 CAP). The 2017 CAP focuses on two related BAAQMD goals: protecting public health and protecting the climate. To protect public health, the 2017 CAP describes how BAAQMD will continue its progress toward attaining state and federal air quality standards and eliminating health risk disparities from exposure to air pollution among Bay Area communities. To protect the climate, the 2017 CAP includes control measures designed to reduce emissions of methane and other super-greenhouse gases (GHGs) that are potent climate pollutants in the near-term, and to decrease emissions of carbon dioxide by reducing fossil fuel combustion.[14]

CEQA Air Quality Guidelines

The BAAQMD CEQA Air Quality Guidelines are intended to serve as a guide for those who prepare or evaluate air quality impact analyses for projects and plans in the San Francisco Bay Area. Jurisdictions in the San Francisco Bay Area Air Basin utilize the thresholds and methodology for assessing air quality impacts developed by BAAQMD within their CEQA Air Quality Guidelines. The guidelines include information on legal requirements, BAAQMD rules, methods of analyzing impacts, and recommended mitigation measures.

[14] BAAQMD. *Final 2017 Clean Air Plan.* April 19, 2017. http://www.baaqmd.gov/plans-and-climate/air-quality-plans/current-plans.

Local

Campbell General Plan

The Campbell General Plan includes goals, policies, and actions to improve air quality and GHG emissions and meet the State and National ambient air quality standards and GHG goals. The following goals, policies, and actions are applicable to the project:

Policies	Description
CNR-11.1	Air Quality Impacts: Reduce adverse air quality impacts of City operations.
CNR-11.2	Effects of Development on Air Quality: Use the City's development review process and the California Environmental Quality Act to evaluate and mitigate the local and cumulative effects of new development on air quality.
CNR-11.3	Air Quality Improvement Programs: Support regional, State and federal programs to improve air quality.
Strategy CNR-11.3a	BAAQMD: Assist the BAAQMD in its efforts to achieve compliance with existing air quality regulations.
Strategy CNR-11.3b	Environmental Documents: Assess the adequacy of environmental documents for projects proposed in the City utilizing the thresholds established in the BAAQMD guidelines.

4.3.1.3 *Existing Conditions*

The Bay Area is considered a non-attainment area for ground-level O_3 and $PM_{2.5}$ under both the federal Clean Air Act and state Clean Air Act. The area is also considered nonattainment for PM_{10} under the state act, but not the federal act. The area has attained both state and federal ambient air quality standards for CO. As part of an effort to attain and maintain ambient air quality standards for O_3 and PM_{10}, BAAQMD has established thresholds of significance for these air pollutants and their precursors. These thresholds are for O_3 precursor pollutants (ROG and NO_X), PM_{10}, and $PM_{2.5}$, and apply to both construction period and operational period impacts.

Sensitive receptors in the vicinity of the project site include single-family residences immediately north and west of the project site. The nearest residences are located approximately 65 feet north of the project site.

4.3.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Conflict with or obstruct implementation of the applicable air quality plan?	☐	☐	☒	☐

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
2) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	☐	☐	☒	☐
3) Expose sensitive receptors to substantial pollutant concentrations?	☐	☒	☐	☐
4) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	☐	☐	☒	☐

Impacts from the Project

As discussed in CEQA Guidelines Section 15064(b), the determination of whether a project may have a significant effect on the environment calls for judgment on the part of the lead agency and must be based to the extent possible on scientific and factual data. The City of Campbell has considered the air quality thresholds updated by BAAQMD in May 2017 and regards these thresholds to be based on the best information available for the San Francisco Bay Area Air Basin and conservative in terms of the assessment of health effects associated with TACs and $PM_{2.5}$. The BAAQMD CEQA Air Quality thresholds used in this analysis are identified in Table 4.3-2 below.

Table 4.3-2: BAAQMD Air Quality Significance Thresholds[15]

Pollutant	Construction Thresholds	Operation Thresholds	
	Average Daily Emissions (pounds/day)	Annual Daily Emissions (pounds/year)	Annual Average Emissions (tons/year)
Criteria Air Pollutants			
ROG, NO_x	54	54	10
PM_{10}	82 (exhaust)	82	15
$PM_{2.5}$	54 (exhaust)	54	10
CO	Not Applicable	9.0 ppm (eight-hour) or 20.0 ppm (one-hour)	
Fugitive Dust	Dust Control Measures/Best Management Practices	Not Applicable	

[15] Bay Area Air Quality Management District. *California Environmental Quality Act Air Quality Guidelines*. May 2017.

Table 4.3-2: BAAQMD Air Quality Significance Thresholds[15]			
Pollutant	**Construction Thresholds**	**Operation Thresholds**	
	Average Daily Emissions (pounds/day)	**Annual Daily Emissions (pounds/year)**	**Annual Average Emissions (tons/year)**
Health Risks and Hazards for New Sources (within a 1,000-foot Zone of Influence)			
Health Hazard	**Single Source**	**Combined Cumulative Sources**	
Excess Cancer Risk	10 per one million	100 per one million	
Hazard Index	1.0	10.0	
Incremental Annual $PM_{2.5}$	0.3 $\mu g/m^3$	0.8 $\mu g/m^3$ (average)	

Impact AIR-1: The project would not conflict with or obstruct implementation of the applicable air quality plan. **(Less than Significant Impact)**

Consistency with 2017 CAP

The BAAQMD's 2017 CAP prepared for the Bay Area air basin defines an integrated, multi-pollutant control strategy to reduce emissions of particulate matter, TACs, ozone precursors, and GHGs. The proposed control strategy is designed to complement efforts to improve air quality and protect the climate that are being implemented by partner agencies at the state, regional, and local scale. The control strategy encompasses 85 individual control measures. The control measures describe specific actions to reduce emissions of air and climate pollutants from the full range of emission sources and is based on the following four key priorities:

- Reduce emissions of criteria air pollutants and TACs from all key sources.
- Reduce emissions of "super-GHGs" such as methane, black carbon, and fluorinated gases.
- Decrease demand for fossil fuels (gasoline, diesel, and natural gas).
- Decarbonize our energy system.

The proposed project supports the primary goals of the 2017 CAP in that it does not exceed the BAAQMD thresholds for construction and operational air pollutant emissions. In addition, the project would be considered urban infill and is located near employment centers and public transit. For these reasons, the project would not preclude implementation of the 2017 CAP control measures and would not conflict with or obstruct implementation of the 2017 CAP. The project, therefore, would not result in a significant impact related to consistency with the 2017 CAP. **(Less Than Significant Impact)**

Construction Period Emissions – Criteria Pollutants

The California Emissions Estimator Model (CalEEMod) Version 2016.3.2 was used to estimate annual emissions from construction activities. The project land use types and size, and anticipated

construction schedule were input to CalEEMod, which included a conservative assumption of 32,154-square-feet of "Government Office Building" and 24,400-square-feet of "Parking Lot".[16] The CARB Emission FACtors 2017 (EMFAC2017) model was used to predict emissions from construction traffic, which includes worker travel, vendor trucks and haul trucks.[17] The construction analysis assumed a conservative construction period of approximately 12 months beginning in January 2022, or an estimated 246 construction workdays. More information regarding the methodology and assumptions used to model construction period emissions can be found in Appendix A. Table 4.3-3 shows the estimated average daily air emissions from construction of the proposed project.

Table 4.3-3: Summary of Construction Period Emissions

Scenario	ROG	NOx	PM_{10} Exhaust	$PM_{2.5}$ Exhaust
Total construction emissions (tons)	0.19	1.16	0.02	0.02
Average daily emissions (pounds)[1]	1.52	9.42	0.14	0.14
BAAQMD Thresholds	*54 lbs./day*	*54 lbs./day*	*82 lbs./day*	*54 lbs./day*
Exceed Threshold?	**No**	**No**	**No**	**No**

[1] Assumes 246 workdays.

As shown in Table 4.3-3, the project's construction criteria pollutant emissions would not exceed BAAQMD thresholds. These emissions would be further reduced by adherence to the BAAQMD best management practices for construction dust control (refer to MM AIR-3.1), as described below under Impact AIR-3. Therefore, construction criteria air pollutant emissions would be less than significant. **(Less than Significant Impact)**

Operational Period Emissions – Criteria Air Pollutants

Operational air emissions from the project would be generated primarily from autos driven by employees, and to a lesser extent by the occasional operation of the emergency diesel generator for testing.[18] CalEEMod was used to estimate the emissions from operation of the project. This analysis assumed that the project would be fully built-out and operating in the year 2023. More information regarding the methodology and assumptions used to model operational period emissions can be found in Appendix A. Table 4.3-4 shows average daily operational emissions of ROG, NOX, total PM_{10}, and total $PM_{2.5}$ during operation of the project.

[16] Illingworth & Rodkin's analysis used a conservative assumption of 32,154 square feet; as the building would actually be 24,800 square feet, project emissions would likely be lower than stated here.
[17] See CARB's EMFAC2017 Web Database at https://www.arb.ca.gov/emfac/2017/
[18] The emergency diesel generator will not run for more than 50 hours per year in accordance with Regulation 9-8-110 of CARB's Airborne Toxic Control Measure for Stationary Diesel Engines.

Table 4.3-4: Summary of Operational Period Emissions				
Scenario	**ROG**	**NOx**	**PM_{10}**	**$PM_{2.5}$**
2023 Project Operational Emissions *(tons/year)*	0.46	0.57	0.51	0.14
BAAQMD Thresholds (tons/year)	*10 tons*	*10 tons*	*15 tons*	*10 tons*
Exceed Threshold?	**No**	**No**	**No**	**No**
2023 Project Operational Emissions *(pounds/day)*[1]	2.54	3.14	2.79	0.79
BAAQMD Thresholds (pounds/day)	*54 lbs.*	*54 lbs.*	*82 lbs.*	*54 lbs.*
Exceed Threshold?	**No**	**No**	**No**	**No**
[1] Assumes 365-day operation				

As shown in Table 4.3-4, the project's operational emissions would not exceed BAAQMD significance thresholds. Therefore, operational criteria air pollutant emissions would be less than significant. **(Less than Significant Impact)**

Impact AIR-2: The project would not result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard. **(Less than Significant Impact)**

As stated in the BAAQMD CEQA Air Quality Guidelines, air pollution by its nature is largely a cumulative impact. No single project is sufficient in size to, by itself, result in nonattainment of ambient air quality standards. If a project exceeds the identified significance thresholds, its emissions would be cumulatively considerable, resulting in significant adverse air quality impacts to the region's existing air quality conditions.

The Bay Area is considered a non-attainment area for ground-level O^3 and $PM_{2.5}$ under both the Federal Clean Air Act and the California Clean Air Act. The area is also considered non-attainment for PM_{10} under the California Clean Air Act, but not the federal act. The area has attained both State and federal ambient air quality standards for carbon monoxide. As part of an effort to attain and maintain ambient air quality standards for ozone and PM_{10}, BAAQMD has established thresholds of significance for these air pollutants and their precursors. These thresholds are for O^3 precursor pollutants (ROG and NO_X), PM_{10}, and $PM_{2.5}$ and apply to both construction period and operational period impacts. As described under Impact AIR-1, the project would not result in an exceedance of BAAQMD thresholds for these air pollutants during construction or operation. Therefore, the project would not result in a cumulatively considerable increase of any criteria pollutant for which the region is in nonattainment. **(Less than Significant Impact)**

Impact AIR-3:	The project would not expose sensitive receptors to substantial pollutant concentrations**. (Less than Significant Impact with Mitigation Incorporated)**

Fugitive Dust

Construction activities, particularly during site preparation and grading, would temporarily generate fugitive dust in the form of PM_{10} and $PM_{2.5}$. Sources of fugitive dust would include disturbed soils at the construction site and trucks carrying uncovered loads of soils. Unless properly controlled, vehicles leaving the site would deposit mud on local streets, which could be an additional source of airborne dust after it dries. Without implementation of the BAAQMD best management practices, the project could result in potentially significant air quality impacts due to fugitive dust. The BAAQMD CEQA Air Quality Guidelines consider these impacts to be less than significant if best management practices are implemented to reduce these emissions.

Impact AIR-3.1: Without implementation of the BAAQMD best management practices, the project could result in potentially significant air quality impacts due to fugitive dust.

Mitigation Measures:

MM AIR-3.1: The following standard measures reflect BAAQMD best management practices and would be implemented by the project to reduce potential impacts from fugitive dust.

- All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) shall be watered two times per day.
- All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
- All visible mud or dirt track-out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
- All vehicle speeds on unpaved roads shall be limited to 15 miles per hour (mph).
- All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
- Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.
- All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be

checked by a certified mechanic and determined to be running in proper condition prior to operation.

- Post a publicly visible sign with the telephone number and person to contact at the Lead Agency regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Air District's phone number shall also be visible to ensure compliance with applicable regulations.

The measures above are consistent with BAAQMD-recommended basic control measures for reducing fugitive particulate matter, as set forth in the BAAQMD CEQA Air Quality Guidelines. With implementation of the MM AIR-3.1 as described above, fugitive dust and other particulate matter during construction would have a less than significant air quality impact. **(Less than Significant Impact with Mitigation Incorporated)**

Community Risk from Construction Activity

Construction equipment and associated heavy-duty truck traffic generates diesel exhaust, which is a known TAC. Although construction exhaust air pollutant emissions would not contribute substantially to existing or projected regional air quality violations (see Impact AIR-1), construction exhaust emissions may still pose localized health risks for sensitive receptors such as surrounding residents. The primary community health risk impact issues associated with construction emissions are cancer risk and exposure to $PM_{2.5}$. Diesel exhaust particulate matter (DPM) poses both a potential health and nuisance impact to nearby receptors. A quantitative health risk assessment of the project construction activities was conducted to evaluate the potential health effects to nearby sensitive receptors from construction emissions of DPM and $PM_{2.5}$.

Construction period emissions were modeled using the CalEEMod model. The CalEEMod model provided total annual PM_{10} exhaust emissions (assumed to be DPM) for the off-road construction equipment and EMFAC2017 was used to estimate exhaust emissions from on-road vehicles. Total DPM emissions from the construction site were estimated to be 0.0717 tons (144 pounds). The on-road emissions are a result of haul truck travel during grading activities, worker travel, and vendor deliveries during construction. Due to the small size of the project site, a trip length of a half-mile was used to represent construction vehicle travel while at or near the construction site, which is where the construction emissions that nearby sensitive receptors would be exposed to would be generated. Fugitive $PM_{2.5}$ dust emissions were estimated to be 0.0084 tons (17 pounds) using the same methods and assumptions used to estimate site DPM emissions.

The U.S. EPA AERMOD dispersion model was used to predict DPM and $PM_{2.5}$ concentrations at sensitive receptors (i.e. nearby residents) in the vicinity of the project construction area. More information on the methodology and assumptions used to model the impacts of DPM and PM2.5 on nearby sensitive receptors can be found in Appendix A. Figure 4.3-1 shows the locations of sensitive receptors near the project site and the maximally exposed individual (MEI).[19] The maximum cancer risk would occur on the first floor (five feet above ground) of the closest residence to the north of the project site opposite Grant Street. Table 4.3-5 displays the maximum cancer risks, $PM_{2.5}$

[19] The project MEI is defined as the sensitive receptor that would be most impacted by the project's construction and operation.

concentrations, and hazard indexes (HIs) for project construction and operation activities affecting the off-site residential MEI.

Table 4.3-5: Construction and Operational Risk Impacts at Offsite MEI

Source		Cancer Risk (per million)	Annual $PM_{2.5}$ ($\mu g/m^3$)	Hazard Index
Project Construction (Years 0-1)	Unmitigated	**29.99 (infant)**	0.20	0.03
	Mitigated	7.28 (infant)	0.06	<0.01
Project Generator – 200 hp (Years 1-30)		0.08 (infant)	<0.01	<0.01
Total/Maximum Project Risks(Years 0-30)	Unmitigated	**30.07 (infant)**	0.20	0.03
	Mitigated	7.36 (infant)	0.06	<0.01
BAAQMD Single-Source Threshold		***10***	***0.3***	***1.0***
Significant?	Unmitigated	***Yes***	*No*	*No*
	Mitigated*	*No*	*No*	*No*

Numbers in excess of BAAQMD single-source thresholds identified in **bold.**

* Mitigation measures MM AIR-3.1 and MM AIR-3.2

Source: Illingworth & Rodkin, April 29, 2021.

LOCATION OF NEARBY SENSITIVE RECEPTORS AND MAXIMALLY EXPOSED INDIVIDUAL | FIGURE 4.3-1

As shown in Table 4.3-5, the unmitigated maximum increased cancer risks from construction exceed the BAAQMD single-source threshold of greater than 10.0 per million for cancer risk.

Impact AIR-3.2: Without mitigation, construction of the proposed project would result in cancer risk exposure at the MEI at levels above the BAAQMD significance threshold based on combined exhaust and fugitive dust emissions.

Mitigation Measure:

MM AIR-3.2: The project shall develop a plan demonstrating that the off-road equipment used on-site to construct the project would achieve a fleet-wide average 70-percent reduction in DPM exhaust emissions or greater. One feasible plan to achieve this reduction would include the following:

- All construction equipment larger than 25 horsepower used at the site for more than two continuous days or 20 hours total shall meet U.S. EPA Tier 4 emission standards for particulate matter (PM10 and PM2.5), if feasible, otherwise,
- If use of Tier 4 equipment is not available, alternatively use equipment that meets U.S. EPA emission standards for Tier 2 or 3 engines and include particulate matter emissions control equivalent to CARB Level 3 verifiable diesel emission control devices that altogether achieve a 70 percent reduction in particulate matter exhaust in comparison to uncontrolled equipment.
- Use of alternatively fueled or electric equipment.

Emissions reductions associated with this mitigation measure were modeled using CalEEMod. As shown above in Table 4.3-5, implementation of MM AIR-3.2 would substantially reduce the project cancer risk levels below the BAAQMD single-source significance thresholds. Construction-related community health risks would be further reduced with implementation of MM AIR-3.1 (discussed above under Fugitive Dust). With implementation of MM AIR-3.1 and MM AIR-3.2, the computed maximum increased cancer risk to nearby residential areas from construction, assuming infant exposure, would be 7.28 in one million or less. Therefore, with implementation of MM AIR-3.1 and MM AIR-3.2, community health risks due to construction would be less than significant. **(Less than Significant Impact with Mitigation Incorporated)**

Community Health Risk from Project Operation

Operation of the project would generate emissions from mobile sources (i.e., traffic) and stationary sources (i.e., emergency generator). While these emissions would not be as intensive at or near the site as construction activity, they would contribute to long-term effects to sensitive receptors.

Project Traffic

Based on the project's trip generation estimates, the project would generate a maximum of 1,100 daily trips.[20] This would be consistent with the number of trips generated by the existing police facilities and the Campbell Library, and therefore would not constitute a new source of TACs or $PM_{2.5}$. Additionally, project-related traffic would be primarily light-duty vehicle traffic, which is not a source of substantial TACs or $PM_{2.5}$. Accordingly, these emissions are anticipated to result in fairly low impacts in terms of TAC or $PM_{2.5}$ exposure compared to the surrounding traffic and would therefore not be an operational TAC source.[21]

Emergency Diesel Generator

The project would include a 200 hp, 750-kW emergency diesel generator. Stationary source diesel engines larger than 50 hp are subject to CARB's Stationary Diesel Airborne Toxics Control Measure and require permits from the BAAQMD. As part of the BAAQMD permit requirements for toxics screening analysis, the emergency generator engine emissions will have to meet Best Available Control Technology for Toxics and pass the toxic risk screening level of less than ten cancer cases per one million. The risk assessment would be prepared by BAAQMD. Depending on the results, BAAQMD would set limits for DPM emissions (e.g., more restricted engine operation periods). To obtain an estimate of potential cancer risks and $PM_{2.5}$ impacts from operation of the emergency generator, the U.S. EPA AERMOD dispersion model was used to calculate the maximum annual DPM concentration at the location of the construction MEI.

Total Project Community Health Risk from Construction and Operation

The cumulative risk impacts from this project are a combination of its construction-related emissions and the operation of the emergency generator. This impact is calculated by adding the construction cancer risk for an infant to the lifetime cancer risk for the project operational conditions for the generator at the MEI over a 30-year period. As shown in Table 4.3-6, the combined unmitigated project construction and operation community risks would exceed the BAAQMD single-source threshold for increased cancer risk. However, as discussed above, implementation of MM AIR-3.1 and MM AIR-3.2 the increased cancer risk and maximum $PM_{2.5}$ concentration from construction activities would be reduced and the total project cancer risk levels would be below the BAAQMD single-source thresholds.

Combined Impact of All TAC Sources on the Off-Site MEI

Community health risk assessments typically look at all substantial sources of TACs that can affect sensitive receptors that are located within 1,000 feet of the project site. These sources include railroads, freeways or highways, busy surface streets, and existing stationary sources identified by BAAQMD. Figure 4.3-2 shows the existing TAC sources with the potential to affect the off-site MEI. Table 4.3-6 reports both the project and cumulative community risk impacts at the sensitive receptors most affected by project construction and operation (i.e. the MEI).

[20] Gary Black, AICP, President, Hexagon Transportation Consultants, Inc. Personal Communication. April 23, 2021.
[21] Bay Area Air Quality Management District, 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0.* May 2012. https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/risk-modeling-approach-may-2012.pdf?la=en

Table 4.3-6: Impacts from Combined Sources at Off-Site MEI				
Source		**Cancer Risk (per million)**	**Annual $PM_{2.5}$ ($\mu g/m^3$)**	**Hazard Index**
Project (Construction & Operation)	Unmitigated	**30.07**	0.20	0.03
	Mitigated*	7.36	0.06	<0.01
BAAQMD Single-Source Threshold		***10***	***0.3***	***1.0***
Exceed Threshold?	*Unmitigated*	***Yes***	*No*	*No*
	*Mitigated**	*No*	*No*	*No*
Campbell Avenue (ADT 20,000)		0.86	0.04	<0.01
Orchard Valley Coffee (Coffee Roaster)		<0.01	<0.01	–
City of Campbell (Generator)		0.16	–	–
City of Campbell (Generator)		0.03	–	–
City of Campbell Police Station (Gas Dispensing Facility)		<0.01	–	–
Combined Sources	Unmitigated	<31.14	<0.25	<0.04
	Mitigated*	<8.43	<0.11	<0.02
BAAQMD Cumulative Sources Threshold		***100***	***0.8***	***10.0***
Exceed Threshold?	*Unmitigated*	*No*	*No*	*No*
	*Mitigated**	*No*	*No*	*No*

Notes:
ADT = Average Daily Traffic
* Mitigation measures MM AIR-3.1 and MM AIR-3.2

As shown in Table 4.3-6, without mitigation, the project would exceed the BAAQMD single-source threshold for increased cancer risk. However, both the unmitigated and mitigated cancer risk would not exceed the cumulative significance thresholds of 100 in a million. **(Less than Significant Impact with Mitigation Incorporated)**

Source: Illingworth & Rodkin, April 29, 2021.

PROJECT SITE AND NEARBY TAC AND $PM_{2.5}$ SOURCES | FIGURE 4.3-2

Health Effects from Criteria Pollutants

In a 2018 decision (*Sierra Club v. County of Fresno*), the state Supreme Court determined CEQA requires that when a project's criteria air pollutant emissions would exceed applicable thresholds and contribute a cumulatively considerable contribution to a significant cumulative regional criteria pollutant impact, the potential for the project's emissions to affect human health in the air basin must be disclosed. State and federal ambient air quality standards are health-based standards, and exceedances of those standards result in continued unhealthy levels of air pollutants. As stated in the 2017 BAAQMD CEQA Air Quality Guidelines, air pollution by its nature is largely a cumulative impact. No single project is sufficient in size, by itself, to result in nonattainment of ambient air quality standards. Instead, a project's individual emissions contribute to existing cumulatively significant adverse air quality impacts. In developing thresholds of significance for air pollutants, BAAQMD considered the emission levels for which a project's individual emissions would be cumulatively considerable. If a project has a less than significant impact for criteria pollutants, it is assumed to have no adverse health effect.

As described previously under Impact AIR-1, the proposed project would not exceed BAAQMD thresholds for operational and construction criteria air pollutants. Therefore, the project would not expose sensitive receptors to substantial pollutant concentrations. **(Less than Significant Impact)**

Impact AIR-4:	The project would not result in other emissions (such as those leading to odors) adversely affecting a substantial number of people. **(Less than Significant Impact)**

Construction activities for the proposed project would generate localized emissions of diesel exhaust during construction equipment operation and truck activity. These emissions may be noticeable from time to time by adjacent receptors; however, the odors would be localized and temporary and are not likely to affect people off-site. Odors associated with the application of paints and coatings may also be noticeable on occasion by adjacent receptors. Painting and coating of the proposed Police Operations Building may also be noticeable on occasion by adjacent receptors. Painting and coating of the building would occur during daytime hours only, would be localized, and would be generally confined to the project site. These odors would also be temporary.

Odors are generally considered an annoyance rather than a health hazard. Land uses that have the potential to be sources of odors that generate complaints include, but are not limited to, wastewater treatment plants, landfills, composting operations, and food manufacturing facilities. Police stations, such as the proposed project, do not typically generate objectionable odors. **(Less than Significant Impact)**

4.4 BIOLOGICAL RESOURCES

The following discussion is based, in part, on a Tree Survey prepared by *BrightView Tree Care Services*. A copy of this report, dated April 2020, is attached as Appendix B to this Initial Study.

4.4.1 Environmental Setting

4.4.1.1 *Regulatory Framework*

Federal and State

Endangered Species Act

Individual plant and animal species listed as rare, threatened, or endangered under state and federal Endangered Species Acts are considered special-status species. Federal and state endangered species legislation has provided the United States Fish and Wildlife Service (USFWS) and the California Department of Fish and Wildlife (CDFW) with a mechanism for conserving and protecting plant and animal species of limited distribution and/or low or declining populations. Permits may be required from both the USFWS and CDFW if activities associated with a proposed project would result in the take of a species listed as threatened or endangered. To "take" a listed species, as defined by the State of California, is "to hunt, pursue, catch, capture, or kill, or attempt to hunt, pursue, catch, capture, or kill" these species. Take is more broadly defined by the federal Endangered Species Act to include harm of a listed species.

In addition to species listed under state and federal Endangered Species Acts, Sections 15380(b) and (c) of the CEQA Guidelines provide that all potential rare or sensitive species, or habitats capable of supporting rare species, must be considered as part of the environmental review process. These may include plant species listed by the California Native Plant Society and CDFW-listed Species of Special Concern.

Migratory Bird Treaty Act

The federal Migratory Bird Treaty Act (MBTA) prohibits killing, capture, possession, or trade of migratory birds except in accordance with regulations prescribed by the Secretary of the Interior. Hunting and poaching are also prohibited. The taking and killing of birds resulting from an activity is not prohibited by the MBTA when the underlying purpose of that activity is not to take birds.[22] Nesting birds are considered special-status species and are protected by the USFWS. The CDFW also protects migratory and nesting birds under California Fish and Game Code Sections 3503, 3503.5, and 3800. The CDFW defines taking as causing abandonment and/or loss of reproductive efforts through disturbance.

[22] United States Department of the Interior. "Memorandum M-37050. The Migratory Bird Treaty Act Does Not Prohibit Incidental Take." Accessed February 16, 2021. https://www.doi.gov/sites/doi.gov/files/uploads/m-37050.pdf.

Local

Campbell General Plan

The Campbell General Plan includes the following policies that would be applicable to the project.

Policies	Description
CNR-4.1	Tree Planting: Plant additional trees to maintain and enhance the City's suburban forest.

City of Campbell Municipal Code Chapter 21.32

Municipal Code Chapter 21.32 protects trees on private properties, including trees on commercial, industrial, multi-family residential, mixed-use, and undeveloped single-family residential properties that have at least one trunk measuring 12 inches or more in diameter (38 inches circumference) 4 feet above the adjacent grade. The chapter provides other protections for trees on developed single-family residential properties and for heritage trees designated by the City's Historic Preservation Board.

4.4.1.2 *Existing Conditions*

Natural Communities/Sensitive-Status Species

As noted in the City of Campbell General Plan, there are no rare, threatened, endangered or sensitive animals, plants or natural communities within the City. There is no applicable habitat conservation plan (HCP) or natural community conservation plan (NCCP), or other approved local, regional, or state habitat conservation plan for the City of Campbell. The project site is within an urbanized area and is fully developed with buildings and surface parking lots. While the project site contains no natural communities or habitats that could support special-status species, there are 28 trees on-site (discussed below) which could be used for incidental foraging and nesting by birds protected under federal and state laws.

Trees

A tree survey of the entire Civic Center campus was prepared for the City by BrightView Tree Care Services in April 2020. A total of 174 trees were tagged and identified in the survey. Subsequent to the completion of the survey, four trees located adjacent to the existing Library building (tag numbers 5, 90, 91 and 95) have been removed. Of the remaining 170 trees tagged and identified in the survey, a total of 28 trees representing six different species appear to be located within and adjacent to the proposed Police Operations Building site. Table 4.4-1 provides a summary of the identification tag number, trunk diameter, general health rating and proposed disposition of these 28 trees. Eight of the identified trees are rated in poor health; the remainder are rated in fair to good condition. None of these trees were identified as Protected Trees or Heritage Trees. The locations of the trees (Tag # 11 – 25, 128 – 140) are shown on Figure 4.4-1.

Table 4.4-1: Tree Survey Summary				
Tag Number	**Species**	**Diameter at Breast Height**	**Health**	**Disposition**
11	Southern magnolia *(Magnolia grandiflora)*	25"-30"	Fair	retain
12	Southern magnolia *(Magnolia grandiflora)*	25"-30"	Poor	retain
13	Southern magnolia *(Magnolia grandiflora)*	19"-24"	Fair	retain
14	Southern magnolia *(Magnolia grandiflora)*	19"-24"	Fair	retain
15	Southern magnolia *(Magnolia grandiflora)*	13"-18"	Fair	retain
16	Southern magnolia *(Magnolia grandiflora)*	19"-24"	Fair	retain
17	Southern magnolia *(Magnolia grandiflora)*	19"-24"	Fair	retain
18	Southern magnolia *(Magnolia grandiflora)*	19"-24"	Poor	remove
19	Southern magnolia *(Magnolia grandiflora)*	19"-24"	Fair	retain
20	Southern magnolia *(Magnolia grandiflora)*	13"-18"	Poor	retain
21	Southern magnolia *(Magnolia grandiflora)*	13"-18"	Poor	retain
22	Southern magnolia *(Magnolia grandiflora)*	7"-12"	Poor	retain
23	Southern magnolia *(Magnolia grandiflora)*	13"-18"	Poor	remove
24	Southern magnolia *(Magnolia grandiflora)*	13"-18"	Poor	retain
25	Southern magnolia *(Magnolia grandiflora)*	13"-18"	Good	retain
128	Shamel ash *(Fraxinus uhdei)*	25"-30"	Good	retain
129	Shamel ash *(Fraxinus uhdei)*	25"-30"	Good	retain
130	Shamel ash *(Fraxinus uhdei)*	13"-18"	Fair	retain

Table 4.4-1: Tree Survey Summary				
Tag Number	**Species**	**Diameter at Breast Height**	**Health**	**Disposition**
131	Shamel ash *(Fraxinus uhdei)*	25"-30"	Good	remove
132	Shamel ash *(Fraxinus uhdei)*	25"-30"	Good	remove
133	Shamel ash *(Fraxinus uhdei)*	19"-24"	Fair	remove
134	Shamel ash *(Fraxinus uhdei)*	19"-24"	Fair	remove
135	Coast redwood *(Sequoia sempervirens)*	7"-12"	Good	remove
136	Coast redwood *(Sequoia sempervirens)*	7"-12"	Good	remove
137	Coast redwood *(Sequoia sempervirens)*	7"-12"	Good	remove
138	Olive *(Olea europaea)*	25"-30"	Poor	remove
139	Cork oak *(Quercus suber)*	1"-6"	Good	retain
140	Deodar cedar *(Cedrus deodara)*	31"-36"	Good	remove

- Southern Magnolia (42)
- Crapemyrtle (33)
- California Redwood (19)
- Callery Pear (13)
- Tipu (9)
- Shamel Ash (9)
- Red Ironbark (7)
- Prairie Fire Cracker (6)
- Chinese Pistache (6)
- Canary Island Pine (6)
- Red Maple (4)
- Sweet Cherry (3)
- Citrus Species (3)
- Olive Tree (2)
- Japanese Maple (2)
- Mexican Elderberry (1)
- Mayten (1)
- Hinoki False Cypress (1)
- Deodar Cedar (1)
- Cork Oak (1)
- Canary Island Date Palm (1)
- California Sycamore (1)
- Australian Brush Cherry (1)

Source: BrightView Tree Care Services.

EXISTING TREE LOCATIONS | FIGURE 4.4-1

4.4.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife (CDFW) or United States Fish and Wildlife Service (USFWS)?	☐	☒	☐	☐
2) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the CDFW or USFWS?	☐	☐	☐	☒
3) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	☐	☐	☐	☒
4) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	☐	☒	☐	☐
5) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	☐	☐	☒	☐
6) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	☐	☐	☐	☒

Impact BIO-1:	The project would not have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the CDFW or USFWS. **(Less than Significant Impact with Mitigation Incorporated)**

Special-Status Species

As discussed in Section 4.4.1.2 Existing Conditions, there are no natural communities or habitats at the project site suitable for special-status plant or wildlife species, nor are there any documented occurrences of special-status species within the City of Campbell. Los Gatos Creek is located approximately 1,350 feet southeast of the Civic Center, and contains riparian habitat that may support special status species. However, this habitat zone is separated from the project site several blocks of urban development (buildings, roads, etc.) and would not be significantly impacted by construction of the proposed project. Therefore, the project would not result in impacts to special-status species. **(Less than Significant Impact)**

Nesting Raptors and Migratory Birds

Trees are present at the project site that could be used by nesting raptors or migratory birds as nesting and foraging habitat. Raptors and nesting birds are protected by the MBTA and CDFW Code. The project proposes to remove a total of 11 trees from the site, as indicated on Table 4.4-1. Removal of the trees on-site could potentially lead to nest abandonment and/or loss of reproductive effort. This is considered a "taking" by the CDFW. Any loss of fertile eggs, nesting raptors, or any activities resulting in nest abandonment would be considered a significant impact. The following measures are included in the project to minimize impacts to nesting raptors and migratory birds.

Impact BIO-1: Without mitigation, the project could impact nesting birds, including raptors and other migratory birds, if present during the time of construction.

Mitigation Measures: In compliance with the MBTA and California Fish and Game Code, the following mitigation measures shall be implemented during construction to reduce impacts to nesting birds to a less than significant level.

MM BIO-1.1: Construction activities (or at least the commencement of such activities) shall be scheduled to avoid the nesting season. If construction activities are scheduled to take place outside of the nesting season, all impacts on nesting birds protected under the MBTA and California Fish and Game Code will be avoided. The nesting season for most birds in Santa Clara County extends from February 1st through August 31st.

MM BIO-1.2: If it is not possible to schedule construction activities between September 1 and January 31 then preconstruction surveys for nesting birds shall be conducted by a qualified ornithologist to ensure that no nests will be disturbed during project implementation. These surveys shall be conducted no more than 14 days prior to the initiation of construction. During this survey, the ornithologist shall inspect all trees and other potential nesting habitats

(e.g., trees, shrubs, ruderal grasslands, buildings) in and immediately adjacent to the impact areas for nests)

MM BIO-1.3: If an active nest is found sufficiently close to work areas to be disturbed by these activities, the ornithologist shall determine the extent of a construction-free buffer zone to be established around the nest (typically 300 feet for raptors and 100 feet for other species), to ensure that nests of species protected by the MBTA and California Fish and Game Code shall not be disturbed during project implementation. However, if the ornithologist has confirmed that the hatchlings have left the nest, construction may commence within the buffer zone.

MM BIO-1.4: If construction activities will not be initiated until after the start of the nesting season, all potential nesting substrates (e.g., bushes, trees, grasses, and other vegetation) that are scheduled to be removed by the project must be removed prior to the start of the nesting season (e.g., prior to February 1st).

With implementation of mitigation measures MM BIO-1.1 through MM BIO-1.4, nest abandonment or loss of reproductive effort will either be entirely avoided through the completion of construction activity outside the nesting season, or reduced to a less than significant level through the use of construction buffer zones that prevent disturbance of these species or by removing habitat suited for these activities prior to nesting season. Accordingly, with implementation of mitigation measures MM BIO-1.1 through MM BIO-1.4, impacts to special-status birds would be less than significant. **(Less than Significant Impact with Mitigation Incorporated)**

Impact BIO-2: The project would not have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the CDFW or USFWS. **(No Impact)**

As discussed under Impact BIO-1, there are no natural communities or habitats on or within approximately 1,350 feet of the project site that are suitable for sensitive-status species. The project site and surrounding area is heavily urbanized, but does contain potential nesting bird habitat. Any impacts to nesting birds, including raptors and other migratory birds, present at the project site and surrounding area, would be reduced to less than significant levels by the mitigation measures outlined in Impact BIO-1. Given that there are no riparian habitats or other sensitive natural communities identified, project implementation would not substantially adversely affect any natural communities. **(No Impact)**

Impact BIO-3: The project would not have a substantial adverse effect on state or federally protected wetlands through direct removal, filling, hydrological interruption, or other means. **(No Impact)**

The project site is fully developed with surface parking lots and is devoid of wetlands, marshes, or vernal pools. Therefore, construction and operation of the project would not impact any state or federally protected wetlands under the Clean Water Act. **(No Impact)**

Impact BIO-4:	The project would not interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites. **(Less than Significant Impact with Mitigation Incorporated)**

Migratory movements of animal species are most often associated with riparian corridors. As discussed under Impact BIO-2, there are no riparian habitats present on or adjacent to the project site. The absence of any waterways on-site precludes the potential to impact any resident or migratory fish species. Additionally, as the project site is fully developed with urban uses in a heavily urbanized area, there is limited potential for the site to serve as a corridor or nursery for resident or migratory wildlife, outside of the nesting birds and migratory raptors discussed in Impact BIO-1, which would be protected by mitigation measures MM BIO-1.1 through MM BIO-1.4. For these reasons, the project would not substantially interfere with the movement of any species or wildlife corridors or nurseries. **(Less than Significant Impact with Mitigation Incorporated)**

Impact BIO-5:	The project would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance. **(Less than Significant Impact)**

The trees to be removed with this project are urban landscape trees that are not considered sensitive habitat. Although Municipal Code Section 21.32 requiring the replacement of trees to be removed is not applicable to this public project, the project proposes to install landscape improvements and trees in the immediate vicinity of the new Police Operations Building and existing Library. A plan for tree replacement and other landscape plantings will be included in the project for approval by the Director of Public Works and will be presented to City Council for approval, prior to construction of the proposed project. **(Less Than Significant Impact)**

Impact BIO-6:	The project would not conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan. **(No Impact)**

There is no applicable habitat conservation plan (HCP) or natural community conservation plan (NCCP), or other approved local, regional, or state habitat conservation plan for the City of Campbell. As a result, there will be no impact with regard to conflict with the implementation of such plans. **(No Impact)**

4.5 CULTURAL RESOURCES

The following discussion is based, in part, on an Historic Resources Effects Analysis prepared for the project by Archaeological/Historical Consultants (A/HC). The report, dated April 2021, is attached to this Initial Study as Appendix C.

4.5.1 Environmental Setting

4.5.1.1 *Regulatory Framework*

Federal and State

National Historic Preservation Act

Federal protection of historical resources is legislated by the National Historic Preservation Act of 1966 (NHPA) and the Archaeological Resource Protection Act of 1979. These laws maintain processes for determination of the effects on historical properties eligible for listing in the National Register of Historic Places (NRHP). Section 106 of the NHPA and related regulations (36 Code of Federal Regulations [CFR] Part 800) constitute the primary federal regulatory framework guiding cultural resources investigations and require consideration of effects on properties that are listed or eligible for listing in the NRHP. Impacts to properties listed in the NRHP must be evaluated under CEQA.

California Register of Historical Resources

The California Register of Historical Resources (CRHR) is administered by the State Office of Historic Preservation and encourages protection of resources of architectural, historical, archaeological, and cultural significance. The CRHR identifies historic resources for state and local planning purposes and affords protections under CEQA. Under Public Resources Code Section 5024.1(c), a resource may be eligible for listing in the CRHR if it meets any of the NRHP criteria.[23]

Historical resources eligible for listing in the CRHR must meet the significance criteria described previously and retain enough of their historic character or appearance to be recognizable as historical resources and to convey the reasons for their significance. A resource that has lost its historic character or appearance may still have sufficient integrity for the CRHR if it maintains the potential to yield significant scientific or historical information or specific data.

The concept of integrity is essential to identifying the important physical characteristics of historical resources and, therefore, in evaluating adverse changes to them. Integrity is defined as "the authenticity of a historical resource's physical identity evidenced by the survival of characteristics that existed during the resource's period of significance." The processes of determining integrity are similar for both the CRHR and NRHP and use the same seven variables or aspects to define integrity that are used to evaluate a resource's eligibility for listing. These seven characteristics include 1) location, 2) design, 3) setting, 4) materials, 5) workmanship, 6) feeling, and 7) association.

[23] California Office of Historic Preservation. "CEQA Guidelines Section 15064.5(a)(3) and California Office of Historic Preservation Technical Assistance Series #6." March 14, 2006.

California Native American Historical, Cultural, and Sacred Sites Act

The California Native American Historical, Cultural, and Sacred Sites Act applies to both state and private lands. The act requires that upon discovery of human remains, construction or excavation activity must cease and the county coroner be notified.

Public Resources Code Sections 5097 and 5097.98

Section 15064.5 of the CEQA Guidelines specifies procedures to be used in the event of an unexpected discovery of Native American human remains on non-federal land. These procedures are outlined in Public Resources Code Sections 5097 and 5097.98. These codes protect such remains from disturbance, vandalism, and inadvertent destruction, establish procedures to be implemented if Native American skeletal remains are discovered during construction of a project, and establish the Native American Heritage Commission (NAHC) as the authority to resolve disputes regarding disposition of such remains.

Pursuant to Public Resources Code Section 5097.98, in the event of human remains discovery, no further disturbance is allowed until the county coroner has made the necessary findings regarding the origin and disposition of the remains. If the remains are of a Native American, the county coroner must notify the NAHC. The NAHC then notifies those persons most likely to be related to the Native American remains. The code section also stipulates the procedures that the descendants may follow for treating or disposing of the remains and associated grave goods.

Local

City of Campbell General Plan

Various policies and actions in the General Plan have been adopted for the purpose of avoiding or mitigating impacts to cultural resources resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
CNR-1.1a	Maintain and update an inventory of historic resources for use in evaluating development proposals and determining if sites or buildings are of local, state or federal significance.
CNR-1.1b:	In accordance with CEQA and the State Public Resources Code, require the discontinuation of all work in the immediate vicinity and the preparation of a resource mitigation plan and monitoring program by a licensed archaeologist if archaeological resources are found on any sites within the City.

City of Campbell Historic Resource Inventory List

The City's Historic Resource Inventory List is the official approved inventory of districts, sites, buildings, structures and objects significant in the City of Campbell's history, architecture, archaeology and culture, which is maintained by the Community Development Director. In addition to the Ainsley House, which is a nationally-designated historic resource and City Landmark, there are two City Landmarks and eight Structures of Merit within the project vicinity. These historic resources are discussed in greater detail under Historic Resources, below.

4.5.1.2 *Existing Conditions*

Archaeological Resources

Archaeological evidence indicates that humans began to settle in the Campbell area at least 12,000 years ago. The area between the Carquinez Straight and the Monterey area, which encompasses the project site, was historically inhabited by the Costanoan (Ohlone) people. This ethnographic group settled in large permanent groupings of households, forming large villages and tribal territories known as "tribelets." The Ohlone lived in domed structures built of woven tule, ferns, and grass, and were often constructed near bay shores and valleys providing access to waterways, increasing their ability to distribute trade goods, as well as access plant and animal life.[24] The closest waterway in the vicinity of the project site is Los Gatos Creek, located approximately 1,350 feet to the southeast.

The project site lies within the Santa Clara Valley, which is comprised of recent alluvial deposits dating back 5,000 to 7,000 years ago, and consists of unconsolidated silts, sands, and gravels, which are known to contain archaeological materials.[25] According to the Campbell General Plan EIR, only one prehistoric archaeological site has been discovered with the City of Campbell.

Historic Resources

Based on a review of the National Park Service's National Register of Historic Places, the California Office of Historic Preservation's California Register of Historical Resources and Historical Landmarks, and the City of Campbell General Plan, A/HC determined that there is one nationally-designated historic resource, the Ainsley House, on the project site (Campbell Civic Center). The Ainsley House property is also designated as a City Landmark. Additionally, as noted under Section 4.5.1.1 Regulatory Framework, there are two City Landmarks and eight Structures of Merit within the project vicinity. These historic resources are discussed in greater detail below. The existing Campbell Library building, proposed for renovation, is not a historic resource.

<u>Ainsley House and Carriage House</u>

The proposed Police Operations Building development site is approximately 250 feet west of the Ainsley House and its associated carriage house, located at 300 Grant Street, which are listed in the National Register of Historic Places under Criterion C.[26] The buildings were originally part of J.C. Ainsley's 83-acre orchard located at Hamilton Avenue and Bascom Avenue in the City of Campbell, before being moved to their current location in 1990. Character-defining features of these structures include their false-thatched roof with rolled-shingle eaves and eyebrow dormers and eaves; use of stucco cladding; multi-pane leaded-glass windows; brick chimneys; craftsman form and detailing; low proportions and low-pitched roof; bay windows; and flat trim boards. Pursuant to CEQA Guidelines Section 15064.5(3)(c), the Ainsley House and carriage house are considered historically

[24] Placeworks. *In-N-Out Burger Project Draft EIR*. February 13, 2019.
[25] Helley, E.J., K.R. La Joie, W.E. Spangle, and M.L. Blair. *Flatland Deposits of the San Francisco Bay Region*. 1979.
[26] Properties listed in the National Register under Criteria C are those that embody the distinctive characteristics of a type, period, or method of construction, or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.

significant as an excellent example of California Arts and Crafts residential architecture that utilizes historical antecedents of the Tudor cottages of rural England.

The Ainsley House is named for John Colpitts Ainsley, who is recognized as an important innovator in the local fruit canning industry and as Campbell's biggest employer at the beginning of the twentieth century. Pursuant to CEQA Guidelines Section 15064.5(3)(b), the Ainsley House is historically significant for its association with John Colpitts Ainsley and his contributions to the development of Campbell.

81 North First Street

81 North First Street, located approximately 175 feet southwest of the project site, is the site of a one-story hipped-roof Colonial Revival house with a hipped dormer, a recessed porch with square columns, and wooden siding, sash, and trim. Built in 1900, 81 North First Street is a designated City Landmark.

151 North First Street

151 North First Street, located approximately 115 feet northwest of the project site, is the site of a one-story, hipped-roof, Colonial Revival house with wood shingle siding, a hipped dormer, and a recessed porch with round and square columns. Windows are tripartite and single, with wooden sash. Built in 1900, 151 North First Street is a designated City Landmark.

51 North Central Avenue

51 North Central Avenue, located approximately 400 feet south of the project site, is the site of the former Campbell City Hall and Firehouse. Built in 1951, this is a brick and stucco, flat-roofed building with two large roll-up vehicle doors on its Central Avenue side and a low, wooden office annex on the north side. Its plain appearance is typical for its construction date. It now houses the Campbell Historical Museum. 51 North Central Avenue is a designated Structure of Merit.

149 North Harrison Avenue

149 North Harrison Avenue, located approximately 400 feet northeast of the project site, is the site of a one-story Queen Anne house whose porch at right was enclosed in later years. The house has altered window sash. Siding and trim are made of wood. Built circa 1896, 149 North Harrison Avenue is a designated Structure of Merit.

142 North Central Avenue

142 North Central Avenue, located approximately 300 feet northeast of the project site, is the site of a one-story Queen Anne residence with a recessed covered porch. Siding, trim, and sash are made of wood. Built in 1895, 142 North Central Avenue is a designated Structure of Merit.

63 North First Street

63 North First Street, located approximately 285 feet southwest of the project site, is the site of a one-story hipped-roof Colonial Revival house clad in wooden siding. It has a gabled dormer, a

recessed porch, and paired and single windows, all of wood. Built in 1900, 63 North First Street is a designated Structure of Merit.

75 North First Street

75 North First Street, located approximately 250 feet southwest of the project site, is the site of a one-story hipped-roof house that was originally Queen Anne in style, but was later altered with a coating of stucco. Surviving elements include its pedimented gable, a covered porch with columns, and wooden window sash and trim. Built in 1900, 75 North First Street is a designated Structure of Merit.

91 North First Street

91 North First Street, located approximately 165 feet southwest of the project site, is the site of a one-story hipped-roof Colonial Revival house with a hipped dormer, a recessed porch with Doric columns, replacement vinyl siding, and wooden sash and trim. Built in 1900, 91 North First Street is a designated Structure of Merit.

131 North First Street

131 North First Street, located approximately 100 feet west of the project site, is the site of a one-story side-gabled bungalow with overlapping wooden siding, a recessed porch, and a gabled dormer. Built in 1915, 131 North First Street is a designated Structure of Merit.

158 North First Street

158 North First Street, located approximately 175 feet north of the project site, is the site of a small, cross-gabled one-story house has rustic siding, except in the gables, which are shingled. Porches can be found on the west and south sides. Built in 1900, 158 North First Street is a designated Structure of Merit.

4.5.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines Section 15064.5?	☐	☐	☒	☐
2) Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines Section 15064.5?	☐	☒	☐	☐
3) Disturb any human remains, including those interred outside of dedicated cemeteries?	☐	☒	☐	☐

Impact CUL-1:	The project would not cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines Section 15064.5. **(Less than Significant Impact)**

CEQA Guidelines section 15064.5(b) defines a "substantial adverse change" in the significance of a historical resource as "physical demolition, destruction, relocation, or alteration of the resource or its immediate surroundings such that the significance of an historical resource would be materially impaired." Further, that the significance of an historical resource is "materially impaired" when a project:

- "demolishes or materially alters in an adverse manner those physical characteristics of an historical resource that convey its historical significance and that justify its inclusion in, or eligibility for inclusion in the California Register of Historical Resources; or
- "demolishes or materially alters in an adverse manner those physical characteristics that account for its inclusion in a local register of historical resources... or its identification in an historical resources survey..., unless the public agency reviewing the effects of the project establishes by a preponderance of evidence that the resource is not historically or culturally significant; or
- "demolishes or materially alters in an adverse manner those physical characteristics of a historical resource that convey its historical significance and that justify its eligibility for inclusion in the California Register of Historical Resources as determined by a lead agency for purposes of CEQA." (Guidelines Section 15064.5(b))

The project would remove the existing Police Department Annex structure (portable building) located at the southeast corner of North First Street and Grant Street, and construct a Police Operations Building in its place. Additionally, the project would complete renovations to the Campbell Library located at 77 Harrison Avenue. The project does not propose any physical changes to the historic resources within the project vicinity (refer to Section 4.5.1.2 Existing Conditions). As such, the project does not have the potential to affect nearby historic resources' integrity of location, design, materials, workmanship, feeling, and association. However, the project, specifically the construction of the Police Operations Building, does have the potential to affect their integrity of setting.

The proposed Police Operations Building would be two stories in height, with the second story deeply recessed relative to North First Street. The building would be set back 14 feet and eight inches from North First Street, and 16 feet and four inches from Grant Street. The project would also construct a fence along the property line of North First Street. The fence would be constructed of layered metal perforated in an artistic manner to depict an orchard scene, and would be approximately eight feet in height. Most of the existing street trees adjacent to the project site would be retained (see discussion in Section 4.4.1.2 *Existing Conditions*). The façade of the building would be board-form concrete and is anticipated to have a natural gray color and finish.

The Police Operations Building would be prominently visible from the Ainsley House property. However, since the Ainsley House and associated carriage house were moved from their original setting in 1990, they have already lost their integrity of setting. Therefore, the project would not affect the historic significance of the Ainsley House and associated carriage house.

The Police Operations Building would either be invisible or only distantly visible from 51 North Central Avenue, 142 North Central Avenue, 149 North Harrison Avenue, and 158 North First Street. Accordingly, the historic resources located at these properties and their integrity of setting would not be adversely affected.

The Police Operations Building would be prominently visible from 131 and 151 North First Street, and would be obliquely visible from 63, 75, 81, and 91 North First Street. The size and scale of the proposed building and fence, which would be a half-block in length, would be considerably larger than the single-story houses located at these addresses. However, the visual effect of the proposed building on these houses would be softened by the proposed setbacks and recession of the second-story, which would reduce the visual bulk of the proposed building. The visual effect would be further softened by the articulation and texture provided by the proposed fence. Additionally, the project includes street trees and landscaping that would visually separate the proposed building from the visible historic structures, further reducing the visual impact of the proposed building. Lastly, the integrity of setting of the historic structures within the project vicinity have already been partially compromised by the surrounding development of modern conventional construction. For these reasons, the project would not have a significant impact on the integrity of setting of these historic structures, and therefore would not cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines Section 15064.5. **(Less than Significant Impact)**

Impact CUL-2:	The project would not cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines Section 15064.5. **(Less than Significant Impact with Mitigation Incorporated)**

The project site is fully developed with surface parking lots and is located in a highly urbanized area. Additionally, only one prehistoric archaeological site has been discovered within the City of Campbell. However, as discussed under Section 4.5.1.2 Existing Conditions, Ohlone tribelets were typically located near bay shores and waterways, and the project site is located approximately 1,350 feet northwest of Los Gatos Creek. Accordingly, while archaeological resources are not anticipated to be discovered during project construction, the possibility remains that as-yet undiscovered resources could be unearthed during grading, excavation, or other site disturbances. Disturbance to these resources would constitute a significant impact.

Impact CUL-2: Ground-disturbing activities during project construction could result in significant impacts to unknown archaeological resources if present on-site.

Mitigation Measures: Implementation of the following mitigation measures in accordance with General Plan strategy CNR-1.1b would ensure that potential impacts to buried archaeological resources remain at a less than significant level.

MM CUL-2.1: If suspected prehistoric or historic resources are encountered during excavation and/or grading of the site, construction personnel shall be instructed to immediately suspend all activity within a 50-foot radius. A licensed archaeologist shall be retained in order to 1) evaluate the find(s) to determine if they meet the definition of a historical or archaeological resource; and 2) submit a resource

mitigation and monitoring reporting program with appropriate recommendations regarding the disposition of such finds prior to resumption of construction activities. A report of findings documenting any data recovery shall be submitted to the Northwest Information Center (if applicable). Project personnel shall not collect or move any cultural materials. The project applicant shall implement the recommendations of the qualified archaeologist.

With implementation of MM CUL-2.1, any unknown culturally significant archaeological resources encountered during construction would be evaluated and appropriately treated in accordance with the recommendations of a qualified archaeologist. Accordingly, the project would not cause a substantial adverse change in the significance of an archaeological resource. **(Less than Significant Impact with Mitigation Incorporated)**

Impact CUL-3:	The project would not disturb any human remains, including those interred outside of dedicated cemeteries. **(Less than Significant Impact with Mitigation Incorporated)**

Human remains associated with pre-contact archaeological deposits may exist on the project site, as sometimes previously unrecorded human remains are encountered during development projects. The proposed project would allow new construction, and the associated ground-disturbing activities would have the potential to uncover and adversely affect human remains. Descendant communities may ascribe religious or cultural significance to such remains, and may view their disturbance as an immitigable impact.

Any human remains encountered during ground-disturbing activities associated with the proposed project would be subject to federal and State regulations, such as the California Health and Safety Code Section 7050.5, PRC Section 5097.98, and the California Code of Regulations Section 15064.5(e) (CEQA), which state the mandated procedures of conduct following the discovery of human remains. Due to the potential for the discovery of human remains during ground-disturbing activities, the following mitigation measure is prescribed.

Impact CUL-3: Ground-disturbing activities during project construction could result in significant impacts to undiscovered human remains if present on-site.

Mitigation Measures: The project shall implement the following measures in the event that human remains are discovered during project implementation.

MM CUL-3.1: In the event that human remains are discovered during excavation and/or grading of the site or public right-of-way, all activity within a 50-foot radius of the find shall be stopped. The Santa Clara County Coroner's office shall be notified. If the remains are determined to be Native American, the Coroner will notify the Native American Heritage Commission (NAHC) immediately. Once the NAHC identifies the most likely descendants, the descendants will make recommendations regarding proper burial, which will be implemented in accordance with Section 15064.5(e) of the CEQA Guidelines.

Implementation of the mitigation measures described above would allow for timely identification, analysis, and documentation of any human remains, should they be discovered. By applying these measures, the project would result in a less than significant impact to human remains. **(Less than Significant Impact with Mitigation Incorporated)**

4.6 ENERGY

4.6.1 Environmental Setting

4.6.1.1 *Regulatory Framework*

Federal and State

Energy Star and Fuel Efficiency

At the federal level, energy standards set by the EPA apply to numerous consumer products and appliances (e.g., the EnergyStar™ program). The EPA also sets fuel efficiency standards for automobiles and other modes of transportation.

Renewables Portfolio Standard Program

In 2002, California established its Renewables Portfolio Standard Program, with the goal of increasing the percentage of renewable energy in the state's electricity mix to 20 percent of retail sales by 2010. Governor Schwarzenegger issued Executive Order (EO) S-3-05, requiring statewide emissions reductions to 80 percent below 1990 levels by 2050. In 2008, EO S-14-08 was signed into law, requiring retail sellers of electricity serve 33 percent of their load with renewable energy by 2020. In October 2015, Governor Brown signed SB 350 to codify California's climate and clean energy goals. A key provision of SB 350 requires retail sellers and publicly owned utilities to procure 50 percent of their electricity from renewable sources by 2030. SB 100, passed in 2018, requires 100 percent of electricity in California to be provided by 100 percent renewable and carbon-free sources by 2045.

Executive Order B-55-18 To Achieve Carbon Neutrality

In September 2018, Governor Brown issued an executive order, EO-B-55-18 To Achieve Carbon Neutrality, setting a statewide goal "to achieve carbon neutrality as soon as possible, and no later than 2045, and achieve and maintain net negative emissions thereafter." The executive order requires CARB to "ensure future Scoping Plans identify and recommend measures to achieve the carbon neutrality goal." EO-B-55-18 supplements EO S-3-05 by requiring not only emissions reductions, but also that, by no later than 2045, the remaining emissions be offset by equivalent net removals of CO2 from the atmosphere through sequestration.

California Building Standards Code

The Energy Efficiency Standards for Residential and Nonresidential Buildings, as specified in Title 24, Part 6 of the California Code of Regulations (Title 24), was established in 1978 in response to a legislative mandate to reduce California's energy consumption. Title 24 is updated approximately every three years.[27] Compliance with Title 24 is mandatory at the time new building permits are issued by city and county governments.[28]

[27] California Building Standards Commission. "California Building Standards Code." Accessed February 9, 2021. https://www.dgs.ca.gov/BSC/Codes#@ViewBag.JumpTo.
[28] California Energy Commission (CEC). "2019 Building Energy Efficiency Standards." Accessed February 9, 2021. https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2019-building-energy-efficiency.

California Green Building Standards Code

CALGreen establishes mandatory green building standards for buildings in California. CALGreen was developed to reduce GHG emissions from buildings, promote environmentally responsible and healthier places to live and work, reduce energy and water consumption, and respond to state environmental directives. CALGreen covers five categories: planning and design, energy efficiency, water efficiency and conservation, material and resource efficiency, and indoor environmental quality.

Advanced Clean Cars Program

CARB adopted the Advanced Clean Cars program in 2012 in coordination with the EPA and National Highway Traffic Safety Administration. The program combines the control of smog-causing pollutants and GHG emissions into a single coordinated set of requirements for vehicle model years 2015 through 2025. The program promotes development of environmentally superior passenger cars and other vehicles, as well as saving the consumer money through fuel savings.[29]

Local

City of Campbell General Plan

Various policies and actions in the General Plan have been adopted for the purpose of avoiding or mitigating energy-related impacts resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
CNR-12.1	Energy Consumption: Reduce City government energy consumption.
CNR-12.2	Advanced Energy Technology and Building Materials: Facilitate the use of advanced energy technology and building materials to create energy-efficient residences and buildings.
CNR-12.3	Landscaping Requirements: Continue to enforce landscaping requirements that facilitate energy efficient use or conservation.

City of Campbell Resolution No. 10850

In December 2007, the Campbell City Council adopted a resolution that enacted three green policy recommendations, including the requirement that all new or renovated municipal buildings over 5,000 square feet be constructed to meet LEED Silver certification. The City will not seek LEED Silver certification, but will construct the project to the comparable CALGreen building standard.

[29] California Air Resources Board. "The Advanced Clean Cars Program." Accessed August 31, 2020. https://www.arb.ca.gov/msprog/acc/acc.htm.

4.6.1.2 *Existing Conditions*

Total energy usage in California was approximately 7,875 trillion British thermal units (Btu) in the year 2018, the most recent year for which this data was available.[30] Out of the 50 states, California is ranked second in total energy consumption and 46th in energy consumption per capita. The breakdown by sector was approximately 18 percent (1,440 trillion Btu) for residential uses, 19 percent (1,510 trillion Btu) for commercial uses, 23 percent (1,847 trillion Btu) for industrial uses, and 39 percent (3,078 trillion Btu) for transportation.[31] This energy is primarily supplied in the form of natural gas, petroleum, nuclear electric power, and hydroelectric power.

Electricity

Electricity in Santa Clara County in 2019 was consumed primarily by the commercial sector (76 percent), followed by the residential sector consuming 24 percent. In 2019, a total of approximately 16,664 gigawatt hours (GWh) of electricity was consumed in Santa Clara County.[32]

The community-owned Silicon Valley Clean Energy (SVCE) is the electricity provider for the City of Campbell.[33] SVCE sources the electricity and the Pacific Gas and Electric Company (PG&E) delivers it to customers over their existing utility lines. Customers are automatically enrolled in the GreenStart plan and can upgrade to the GreenPrime plan. Both options are considered 100 percent GHG-emission free.

Natural Gas

PG&E provides natural gas services within the City of Campbell. In 2018, approximately one percent of California's natural gas supply came from in-state production, while the remaining supply was imported from other western states and Canada.[34] In 2018, California used approximately 2,210 trillion Btu of natural gas.[35] In 2019, Santa Clara County used approximately 46 trillion Btu of natural gas, approximately two percent of the state's total consumption of natural gas in 2018.[36]

Fuel for Motor Vehicles

In 2019, 15.4 billion gallons of gasoline were sold in California.[37] The average fuel economy for light-duty vehicles (autos, pickups, vans, and sport utility vehicles) in the U.S. has steadily increased

[30] United States Energy Information Administration. "State Profile and Energy Estimates, 2018." Accessed January 28, 2021. https://www.eia.gov/state/?sid=CA#tabs-2.
[31] United States Energy Information Administration. "State Profile and Energy Estimates, 2018." Accessed January 28, 2021. https://www.eia.gov/state/?sid=CA#tabs-2.
[32] California Energy Commission. Energy Consumption Data Management System. "Electricity Consumption by County." Accessed May 3, 2021. http://ecdms.energy.ca.gov/elecbycounty.aspx.
[33] Silicon Valley Clean Energy. "Frequently Asked Questions." Accessed May 3, 2021. https://www.svcleanenergy.org/faqs.
[34] California Gas and Electric Utilities. 2019 *California Gas Report.* Accessed May 3, 2021. https://www.socalgas.com/regulatory/documents/cgr/2019_CGR_Supplement_7-1-19.pdf.
[35] United States Energy Information Administration. "State Profile and Energy Estimates, 2018." Accessed May 3, 2021. https://www.eia.gov/state/?sid=CA#tabs-2.
[36] California Energy Commission. "Natural Gas Consumption by County." Accessed May 3, 2021. http://ecdms.energy.ca.gov/gasbycounty.aspx.
[37] California Department of Tax and Fee Administration. "Net Taxable Gasoline Gallons." Accessed May 3, 2021. https://www.cdtfa.ca.gov/dataportal/dataset.htm?url=VehicleTaxableFuelDist.

from about 13.1 miles per gallon (mpg) in the mid-1970s to 24.9 mpg in 2019.[38] Federal fuel economy standards have changed substantially since the Energy Independence and Security Act was passed in 2007. That standard, which originally mandated a national fuel economy standard of 35 miles per gallon by the year 2020, was updated in March 2020 to require all cars and light duty trucks achieve an overall industry average fuel economy of 40.4 mpg by model year 2026. [39,40]

4.6.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Result in a potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	☐	☐	☒	☐
2) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	☐	☐	☒	☐

Impact EN-1: The project would not result in a potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation. **(Less than Significant Impact)**

Construction

Construction of the project is estimated to occur over a period of 12 months and would require energy for the manufacture and transportation of building materials, preparation of the project site (i.e. demolition and grading), and the construction of the buildings. Energy usage associated with construction is temporary and would not result in excessive energy consumption because construction processes are generally designed to be efficient to avoid excess monetary costs. The project would be constructed in an urbanized area with close access to roadways, construction supplies, and workers, making the project more efficient than construction occurring in outlying, more isolated areas. Excessive energy would not be spent establishing new utility connections or transporting construction materials/workers to the site. The construction process is already efficient and opportunities for increasing energy efficiency during construction are limited.

The project would be required to implement BAAQMD Best Management Practices, which would restrict unnecessary idling of construction equipment and require the contractor to post signs on the project site reminding workers to shut off idle equipment, thus reducing the potential for energy

[38] United States Environmental Protection Agency. "The 2020 EPA Automotive Trends Report: Greenhouse Gas Emissions, Fuel Economy, and Technology since 1975." January 2021. https://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=P1010U68.pdf

[39] United States Department of Energy. *Energy Independence & Security Act of 2007.* Accessed May 3, 2021. http://www.afdc.energy.gov/laws/eisa.

[40] Public Law 110–140—December 19, 2007. *Energy Independence & Security Act of 2007.* Accessed May 3, 2021. http://www.gpo.gov/fdsys/pkg/PLAW-110publ140/pdf/PLAW-110publ140.pdf.

waste (refer to Section 4.3 Air Quality). For this reason, and those described above, the project would not result in wasteful, inefficient, or unnecessary consumption of energy resources during construction. **(Less than Significant Impact)**

Operation

The proposed location of the Police Operations Building is currently developed with a parking lot and an approximately 1,600-square foot modular building, generating minimal energy usage. The project would result in an increase in energy use at the new building site. Energy would be consumed via heating and cooling of the proposed new building, electricity use, water use, solid waste disposal and gasoline consumption of vehicles traveling to and from the site. No substantial changes in energy consumption are anticipated with the proposed renovation of the Campbell Library building, which consists mostly of interior remodeling and modifications of exterior building materials. Because the renovations would be subject to conformance with CALGreen building standards, it is expected that the renovations will result in increased energy efficiency compared to the existing building.

The project is in an urban area and would connect to existing utilities and use existing roadways for access. Table 4.6-1 shows the estimated annual energy use of the proposed Police Operations Building.

Table 4.6-1: Estimated Annual Energy Use of Proposed Development

Land Use	Electricity (kWh)	Natural Gas (kBtu)	Gasoline (gallons)
Government Office Building	585,846	528,933	53,742
Parking Lot	21,472	–	–
Total	607,318	528,933	53,742

Notes:
kWh = kilowatt per hour
kBtu = kilo-British thermal unit
Source: For electricity and natural gas use: Illingworth & Rodkin, Inc. *Measure O Civic Center Improvements Project Air Quality and Greenhouse Gas Assessment.* April 29, 2021. For gasoline use, an average fuel economy of 24.9 mpg and estimated VMT of 1,338,167 was assumed.

As shown in Table 4.6-1, operation of the proposed Police Operations Building would use approximately 607,318 kWh of electricity and approximately 528,933 kBtu of natural gas per year. This represents an increase of approximately 78 percent in electricity use and approximately 95 percent in natural gas use over the existing modular building.[41] Annual gasoline consumption as a result of the project would be approximately 53,742 gallons, but this would not represent an increase in comparison with existing conditions, since the proposed Police Operations Building would not result in additional vehicle trips (refer to Section 4.17 Transportation). Project-related energy usage is less than significant in comparison with state and county consumption of electricity, natural gas, and gasoline identified under Existing Conditions. Large portions of the project site are currently covered

[41] Based on estimated annual combined electricity and natural gas usage figures for the existing modular building of 131,269 kWh and 24,000 kBtu, respectively.

with paved parking areas. Redevelopment of these areas with an energy efficient building and landscaping would also reduce the heat island effect of the project and minimize the energy required to cool the proposed building. Additionally, the building itself would be fully electric and would include green building elements such as roofing, walls, and fenestration that exceeds Title 24 requirements, Variable Refrigerant Flow (VRF) heat recovery HVAC systems, limited building glazing, and skylights. Similarly, the proposed building renovations for the Library building and minor alterations of its existing parking lot, which would decrease the amount of impervious surface, would improve energy efficiency and reduce heat island effects.

Furthermore, although the project would use energy, the consumption would not be wasteful, inefficient, or unnecessary. The project would comply with the CALGreen Building Code and the City of Campbell General Plan and Municipal Code. As noted in Section 4.6.1.1 Regulatory Framework, CALGreen was developed to reduce GHG emissions from buildings, promote environmentally responsible and healthier places to live and work, reduce energy and water consumption, and respond to State environmental directives. By complying with the mandatory provisions of CALGreen that pertain to energy consumption and energy efficiency, and implementation of the proposed green building features, the project would not result in wasteful, inefficient, or unnecessary consumption or wasteful use of energy resources. **(Less than Significant Impact)**

Impact EN-2:	The project would not conflict with or obstruct a state or local plan for renewable energy or energy efficiency. **(Less than Significant Impact)**

Statewide energy efficiency and renewable energy goals are set forth in the California Renewables Portfolio Standard Program, which is one of California's key programs for advancing renewable energy. The CEC verifies the eligibility of renewable energy procured by all entities serving retail sales of electricity in California, as these entities are obligated to participate and report energy portfolios to the CEC to comply with the Renewables Portfolio Standard Program.[42] Electricity would be provided to the project by SVCE from sources of renewable and carbon-free power including wind, solar, geothermal, and hydroelectric. As described above, SVCE is subject to verification by the CEC as an electricity-providing entity. By sourcing electricity from SVCE, the project would be compliant with statewide energy goals as set forth in the California Renewables Portfolio Standard Program.

As discussed under Impact EN-1, construction of the new Police Operations Building and the Library building renovations would also comply with CALGreen and the City's General Plan and Municipal Code. As previously mentioned, the new Police Operations Building would be constructed in accordance with the CALGreen building standard equivalent of the LEED Silver certification standard, per City Council Resolution 10850. The project is required to comply with these regulations, but many of the details are to be determined during the building permit process as the design and operation details of the Police and Library buildings' electrical, mechanical, and plumbing systems are further refined. Compliance with the aforementioned regulations would be verified prior to issuance of building permits. As currently proposed, the proposed Police Operations

[42] California Energy Commission. "Renewables Portfolio Standard – Verification and Compliance." Accessed May 3, 2021. https://www.energy.ca.gov/programs-and-topics/programs/renewables-portfolio-standard/renewables-portfolio-standard

Building would be fully electric and would incorporate green building features. For these various reasons, the project would not conflict with a State or local plan for renewable energy or energy efficiency. **(Less than Significant Impact)**

4.7 GEOLOGY AND SOILS

4.7.1 Environmental Setting

4.7.1.1 *Regulatory Framework*

State

Alquist-Priolo Earthquake Fault Zoning Act

The Alquist-Priolo Earthquake Fault Zoning Act was passed following the 1971 San Fernando earthquake. The act regulates development in California near known active faults due to hazards associated with surface fault ruptures. Alquist-Priolo maps are distributed to affected cities, counties, and state agencies for their use in planning and controlling new construction. Areas within an Alquist-Priolo Earthquake Fault Zone require special studies to evaluate the potential for surface rupture to ensure that no structures intended for human occupancy are constructed across an active fault.

Seismic Hazards Mapping Act

The Seismic Hazards Mapping Act (SHMA) was passed in 1990 following the 1989 Loma Prieta earthquake. The SHMA directs the California Geological Survey (CGS) to identify and map areas prone to liquefaction, earthquake-induced landslides, and amplified ground shaking. CGS has completed seismic hazard mapping for the portions of California most susceptible to liquefaction, landslides, and ground shaking, including the central San Francisco Bay Area. The SHMA requires that agencies only approve projects in seismic hazard zones following site-specific geotechnical investigations to determine if the seismic hazard is present and identify measures to reduce earthquake-related hazards.

California Building Standards Code

The CBC prescribes standards for constructing safe buildings. The CBC contains provisions for earthquake safety based on factors including occupancy type, soil and rock profile, ground strength, and distance to seismic sources. The CBC requires that a site-specific geotechnical investigation report be prepared for most development projects to evaluate seismic and geologic conditions such as surface fault ruptures, ground shaking, liquefaction, differential settlement, lateral spreading, expansive soils, and slope stability. The CBC is updated every three years.

California Division of Occupational Safety and Health Regulations

Excavation, shoring, and trenching activities during construction are subject to occupational safety standards for stabilization by the California Department of Industrial Relations, Division of Occupational Safety and Health (Cal/OSHA) under Title 8 of the California Code of Regulations and Excavation Rules. These regulations minimize the potential for instability and collapse that could injure construction workers on the site.

Public Resources Code Section 5097.5

Paleontological resources are the fossilized remains of organisms from prehistoric environments found in geologic strata. They range from mammoth and dinosaur bones to impressions of ancient animals and plants, trace remains, and microfossils. These materials are valued for the information they yield about the history of the earth and its past ecological settings. California Public Resources Code Section 5097.5 specifies that unauthorized removal of a paleontological resource is a misdemeanor. Under the CEQA Guidelines, a project would have a significant impact on paleontological resources if it would disturb or destroy a unique paleontological resource or site or unique geologic feature.

Local

City of Campbell General Plan

Various policies and actions in the General Plan have been adopted for the purpose of avoiding or mitigating geology and soil impacts resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
HS-3.1a	Building and Fire Code Requirements: Require all new construction, including public facilities, to be built according to the most recent Building and Fire Codes.
HS-3.2a	Building Code Compliance: Require new development, remodels and redevelopment to comply with Uniform Building Code and California Building Code provisions regarding engineering and geotechnical analysis in order to minimize risk to the safety of occupants due to geologic and seismic hazards.
HS-3.2b	Excavation, Grading and Filling Requirements: Review and update City requirements for excavation, grading and filling to ensure they incorporate current and best available practices, standards and technology.
HS-3.2f	Compliance with Seismic Hazards Mapping Act: Require projects within Seismic Hazard Zones to comply with the provisions of the Seismic Hazards Map Act.
SA-1.4	Require an erosion and sediment control plan prepared by a civil engineer, or other professional who is qualified to prepare such a plan, as part of any grading permit application for new development. The erosion and sediment control plan shall delineate measures to appropriately and effectively minimize soil erosion and sedimentation.

4.7.1.2 *Existing Conditions*

Regional Geology

The City of Campbell is located within the Coast Ranges geomorphic province formed by the Franciscan, Merced, and Colma assemblages, which are principally composed of marine sedimentary and volcanic rocks, as well as deposits of sandstone, claystone, siltstone, gravel, sand, silt, and clay. The Coast Ranges is a geomorphic province of California that extends from the Oregon border nearly to Point Conception in Santa Barbara County. The Coast Ranges in the Bay Area have developed on a basement of tectonically mixed Cretaceous- and Jurassic-age rocks of the Franciscan Complex (70 – 200 million years old). Younger sedimentary and volcanic units cap these rocks in the local area,

and still younger surficial deposits that reflect geologic conditions of the last million years cover most of the Coast Ranges.

Seismicity and Seismic Hazards

As the San Francisco Bay Area contains numerous active and potentially active faults, there is a high potential for seismic events such as fault surface ruptures and ground shaking, which can cause ground failure (landslides), settlement, erosion, liquefaction, lateral spreading, and soil expansion.

The project site is located within the seismically active San Francisco Bay region. The faults in this region can generate earthquakes of magnitude 7.0 or higher. Major faults in the area include:

- Monte Vista-Shannon Fault, located approximately 2.5 miles southwest
- San Andreas Fault, located approximately 7.5 miles southwest
- Hayward Fault, located approximately 10.25 miles northeast
- Calaveras Fault, located approximately 12.5 miles northeast

During an earthquake, very strong ground shaking could occur at the project site. The project site is not located within an Alquist-Priolo Fault Zone or within any other seismic hazard zone (liquefaction, landslide, etc.) per the Earthquake Zone of Required Investigation (EZRI) maps prepared by the CGS.[43]

Topography and Soils

The project site is located in a relatively flat area on the floor of the Santa Clara Valley with an average slope between zero and two percent. The soil on-site is entirely Urban land-Flaskan complex, which consists of very deep, well drained sandy loam soils (Hydrologic Group C) that formed in alluvium from mixed rock sources. These soils have low infiltration rates when thoroughly wetted and consist chiefly of soils with a layer that impedes downward movement of water and soils with moderately fine to fine structure. Soils on-site have a plasticity index (PI) of 13.5.[44]

Groundwater

Groundwater in the area ranges from 75 to 125 feet below ground surface, with an estimated northern flow direction. Actual local groundwater flow direction can be influenced by factors such as local surface topography, underground structures, seasonal fluctuations, soil and bedrock geology, and production wells.[45]

[43] California Geological Survey. "Earthquake Zones of Required Investigation". https://maps.conservation.ca.gov/cgs/EQZApp/app/. Accessed February 17, 2021.
[44] United States Department of Agriculture. *Custom Soil Resource Report for Santa Clara Area California, Western Part*. May 13, 2021. Plasticity index is a measure of the plasticity of a soil. The plasticity index is the size of the range of water contents where the soil exhibits plastic properties.
[45] Cornerstone Earth Group. Phase I Environmental Site Assessment – New Police Operations Building and Secured parking Lot. May 12, 2021.

Paleontological Resources

Paleontological resources or fossils are the remains of prehistoric plant and animal life. Paleontological resources do not include human remains or artifacts. Fossil remains such as bones, teeth, shells, and wood are found in geologic formations. Paleontological resources are limited, non-renewable, sensitive scientific and educational resources. The potential for fossil remains at a location can be predicted based on whether or not previous fossil finds have been made in the vicinity, as well as based on the age of the geologic formations.

The surface geology of the City of Campbell consists of Quaternary Holocene alluvium in the western and eastern portions of the City and Quaternary Late Pleistocene alluvium in the central portion. The project site is located on the Quaternary Holocene portion of the City, which dates back 5,000 to 7,000 years, and consists of unconsolidated silts, sands, and gravels, which can contain invertebrate and vertebrate fossil faunas.[46,47] No fossil recovery locations have been recorded within the City of Campbell.[48]

4.7.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
– Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault (refer to Division of Mines and Geology Special Publication 42)?	☐	☐	☒	☐
– Strong seismic ground shaking?	☐	☐	☒	☐
– Seismic-related ground failure, including liquefaction?	☐	☐	☐	☒
– Landslides?	☐	☐	☐	☒
2) Result in substantial soil erosion or the loss of topsoil?	☐	☐	☒	☐
3) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	☐	☐	☒	☐

[46] City of Campbell. *Campbell General Plan EIR*. July 2001.
[47] Wentworth, C.M., M.C. Blake Jr., R.J. McLaughlin, R.W. Graymer. *Preliminary Geologic Map of the San José 30 X 60 Minute Quadrangle, California*. November 1999.
[48] Macrostrat. Date accessed February 17, 2021. https://macrostrat.org/#about

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
4) Be located on expansive soil, as defined in the current California Building Code, creating substantial direct or indirect risks to life or property?	☐	☐	☐	☒
5) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	☐	☐	☐	☒
6) Directly or indirectly destroy a unique paleontological resource or site or unique geological feature?	☐	☒	☐	☐

Impact GEO-1: The project would not directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault; strong seismic ground shaking; seismic-related ground failure, including liquefaction; or landslides. **(Less than Significant Impact)**

Fault Rupture

The project site is not located within an Alquist-Priolo Earthquake Fault Zone, making fault rupture at the site unlikely. While existing faults are located within 2.5 miles of the site, the proposed project is outside of the fault rupture zone, and significant impacts from fault ruptures are not anticipated to occur. **(Less than Significant Impact)**

Seismic Ground Shaking

The San Francisco Bay Area region contains both active and potentially active faults and is considered a region of high seismic activity. The 1997 Uniform Building Code locates the entire Bay Area within Seismic Risk Zone 4. Areas within Zone 4 are expected to experience maximum magnitudes and damage in the event of an earthquake.

The proposed Police Operations Building would be subject to the standard engineering and building practices and techniques specified in the CBC, as well as the applicable Building and Fire Codes adopted by the City of Campbell. Additionally, since police stations meet the definition of an "essential services building" as defined by California Health and Safety Code Section 16007, the proposed Police Operations Building would be constructed in accordance with the Essential Services Buildings Seismic Safety Act. Conformity with the aforementioned regulations would ensure less than significant impacts from seismically-induced ground shaking. **(Less than Significant Impact)**

Seismic Ground Failure

Liquefaction and Lateral Spreading

Soil liquefaction can be defined as ground failure or loss of strength that causes otherwise solid soil to take on the characteristics of a liquid. This phenomenon is triggered by earthquake or ground shaking that causes saturated or partially saturated soils to lose strength, potentially resulting in the soil's inability to support structures. This can lead to lateral spreading, where flat-lying alluvial material is horizontally displaced toward an open area.

The project site is not located within a CGS Liquefaction Hazard Zone and is not located next to an open-face geologic formation. The project, therefore, would not be at risk for liquefaction or lateral spreading. **(No Impact)**

Landsliding

The project site and surrounding area are relatively flat, and the area is not mapped within a Landslide Hazard Zone on maps prepared by CGS. The proposed project does not include any substantial earthwork that would create unstable slopes that would exacerbate any existing landslide risks, and there are no risks of landslides impacting the project. Accordingly, the project is not susceptible to future landslides, on or off the site. **(No Impact)**

Impact GEO-2:	The project would not result in substantial soil erosion or the loss of topsoil. **(Less than Significant Impact)**

Ground disturbance related to demolition, excavation, grading, and construction activities from the proposed project is expected, potentially resulting in an increased exposure of soil to wind and water erosion.

The City's General Plan policies, NPDES Municipal Permit, and Municipal Code are the primary means of enforcing erosion control measures through the grading and building permit processes. The General Plan includes Policy SA-1.4, which requires the preparation of an erosion and sediment control plan for new development that delineates measures to appropriately and effectively minimize soil erosion and sedimentation. Conformance with this Policy, as well as with the erosion control provisions of the NPDES Permit (discussed in Section 4.10 Hydrology and Water Quality) and with Chapter 20.80.020 of the Municipal Code (Grading and Erosion Control) would reduce potential impacts to a less than significant level. **(Less than Significant Impact)**

Impact GEO-3:	The project would not be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse. **(Less than Significant Impact)**

The project site is located on relatively flat terrain on the floor of the Santa Clara Valley. There are no unique geologic features on or adjacent to the project site. The near-surface deposits in the vicinity of the project site are comprised of Holocene alluvial fan deposits and alluvial fan levee

deposits consisting of sands, silt, and clays derived from erosion of local mountain ranges. The characteristics of the soils at the project site do not indicate the possibility of on- or off-site landslide, lateral spreading, or liquefaction, and the project site is not located within an Alquist-Priolo or Liquefaction Hazard zone. The use of standard building techniques and conformance with Building Code requirements would reduce the potential for land subsidence and collapse related to unstable soils. **(Less than Significant Impact)**

Impact GEO-4:	The project would not be located on expansive soil, as defined in the current California Building Code, creating substantial direct or indirect risks to life or property. **(No Impact)**

Pursuant to the 2019 CBC, soils with a PI of 15 or less are not considered expansive. As documented in Section 4.7.1.2 Existing Conditions, the soil on-site has a PI of 13.5. Therefore, the project would not be located on expansive soil as defined in the CBC that would create substantial direct or indirect risks to life or property. **(No Impact)**

Impact GEO-5:	The project would not have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater. **(No Impact)**

The disposal of wastewater from the project site will be facilitated by connection to the City's existing sewer system. The existing utilities in the project area would serve the proposed project. No on-site septic system would be constructed for the proposed project. By connecting to existing City sewer lines, as described above, the proposed project would avoid potential impacts related to wastewater disposal via an on-site septic system or alternative wastewater disposal system. **(No Impact)**

Impact GEO-6:	The project would not directly or indirectly destroy a unique paleontological resource or site or unique geological feature. **(Less than Significant Impact with Mitigation Incorporated)**

As mentioned under Section 4.7.1.2 Existing Conditions, the potential for fossil remains at a location can be predicted based on whether or not previous fossil finds have been made in the vicinity, as well as based on the age of the geologic formations.

Per United States Geological Survey (USGS) records, there are no known paleontological resources or unique geological features present at the project site. Additionally, the project site and surrounding area have been extensively disturbed and developed. However, within the larger Western Santa Clara County stratigraphic region, there have been 65 recorded fossil occurrences. Therefore, ground disturbing activities during construction could result in significant impacts, if any unknown subsurface paleontological resources were discovered.

Impact GEO-6: Without mitigation, ground-disturbing activities could result in significant impacts to unknown subsurface paleontological resources if present on-site.

Mitigation Measure: Implementation of the following mitigation measures would ensure that potential impacts to buried paleontological resources or geological features are less than significant.

MM GEO-6.1: *Unique Paleontological and/or Geologic Features and Reporting*. Should a unique paleontological resource or site or unique geological feature be identified at the project site during any phase of construction, all ground disturbing activities within 50 feet shall cease and the City's Public Works Director shall be notified immediately. A qualified paleontologist shall evaluate the find and prescribe mitigation measures to reduce impacts to a less than significant level. Upon completion of the paleontological assessment, a report shall be submitted to the City and, if paleontological materials are recovered, provided to a paleontological repository such as the University of California Museum of Paleontology.

With the implementation of the above mitigation measures, impacts to unknown unique paleontological resources or geological features would be less than significant. **(Less Than Significant Impact with Mitigation Incorporated)**

4.8 GREENHOUSE GAS EMISSIONS

The following discussion and analysis are based, in part on a greenhouse gas assessment prepared by *Illingworth & Rodkin, Inc.* for the project. A copy of the assessment, dated April 29, 2021, is included in Appendix A.

4.8.1 Environmental Setting

4.8.1.1 *Background Information*

Gases that trap heat in the atmosphere, GHGs, regulate the earth's temperature. This phenomenon, known as the greenhouse effect, is responsible for maintaining a habitable climate. In GHG emission inventories, the weight of each gas is multiplied by its global warming potential (GWP) and is measured in units of CO_2 equivalents (CO_2e). The most common GHGs are carbon dioxide (CO_2) and water vapor but there are also several others, most importantly methane (CH_4), nitrous oxide (N_2O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF_6). These are released into the earth's atmosphere through a variety of natural processes and human activities. Sources of GHGs are generally as follows:

- CO_2 and N_2O are byproducts of fossil fuel combustion.
- N_2O is associated with agricultural operations such as fertilization of crops.
- CH_4 is commonly created by off-gassing from agricultural practices (e.g., keeping livestock) and landfill operations.
- Chlorofluorocarbons (CFCs) were widely used as refrigerants, propellants, and cleaning solvents, but their production has been stopped by international treaty.
- HFCs are now used as a substitute for CFCs in refrigeration and cooling.
- PFCs and SF_6 emissions are commonly created by industries such as aluminum production and semiconductor manufacturing.

An expanding body of scientific research supports the theory that global climate change is currently causing changes in weather patterns, average sea level, ocean acidification, chemical reaction rates, and precipitation rates, and that it will increasingly do so in the future. The climate and several naturally occurring resources within California are adversely affected by the global warming trend. Increases in the number of extreme precipitation events and sea level rise will increase coastal flooding, saltwater intrusion, and degradation of wetlands. Mass migration and/or loss of plant and animal species could also occur. Potential effects of global climate change that could adversely affect human health include more extreme heat waves and heat-related stress; an increase in climate-sensitive diseases; more frequent and intense natural disasters such as flooding, hurricanes and drought; and increased levels of air pollution.

4.8.1.2 *Regulatory Framework*

State

Assembly Bill 32

Under the California Global Warming Solutions Act, also known as AB 32, CARB established a statewide GHG emissions cap for 2020, adopted mandatory reporting rules for significant sources of GHGs, and adopted a comprehensive plan, known as the Climate Change Scoping Plan, identifying how emission reductions would be achieved from significant GHG sources.

In 2016, SB 32 was signed into law, amending the California Global Warming Solution Act. SB 32, and accompanying Executive Order B-30-15, require CARB to ensure that statewide GHG emissions are reduced to 40 percent below the 1990 level by 2030. CARB updated its Climate Change Scoping Plan in December of 2017 to express the 2030 statewide target in terms of million metric tons of CO_2E ($MMTCO_2e$). Based on the emissions reductions directed by SB 32, the annual 2030 statewide target emissions level for California is 260 $MMTCO_2e$.

Senate Bill 375

SB 375, known as the Sustainable Communities Strategy and Climate Protection Act, was signed into law in September 2008. SB 375 builds upon AB 32 by requiring CARB to develop regional GHG reduction targets for automobile and light truck sectors for 2020 and 2035. The per-capita GHG emissions reduction targets for passenger vehicles in the San Francisco Bay Area include a seven percent reduction by 2020 and a 15 percent reduction by 2035.

Consistent with the requirements of SB 375, the Metropolitan Transportation Commission (MTC) partnered with the Association of Bay Area Governments (ABAG), BAAQMD, and the Bay Conservation and Development Commission to prepare the region's Sustainable Communities Strategy (SCS) as part of the Regional Transportation Plan process. The SCS is referred to as Plan Bay Area 2040. Plan Bay Area 2040 establishes a course for reducing per-capita GHG emissions through the promotion of compact, high-density, mixed-use neighborhoods near transit, particularly within identified Priority Development Areas (PDAs).

Regional

2017 Clean Air Plan

To protect the climate, the 2017 CAP (prepared by BAAQMD) includes control measures designed to reduce emissions of methane and other super-GHGs that are potent climate pollutants in the near-term, and to decrease emissions of carbon dioxide by reducing fossil fuel combustion.

CEQA Air Quality Guidelines

The BAAQMD CEQA Air Quality Guidelines are intended to serve as a guide for those who prepare or evaluate air quality impact analyses for projects and plans in the San Francisco Bay Area. The jurisdictions in the San Francisco Bay Area Air Basin utilize the thresholds and methodology for assessing GHG impacts developed by BAAQMD within the CEQA Air Quality Guidelines. The

guidelines include information on legal requirements, BAAQMD rules, methods of analyzing impacts, and recommended mitigation measures.

Local

Envision Campbell 2040 General Plan

Concurrently with the draft Envision Campbell 2040 General Plan, the City is developing a Climate Action Plan (CAP) that proactively outlines the City's strategy for reducing GHG emissions and climate change impacts. One key component of a Climate Action Plan is an existing greenhouse GHG baseline inventory. The inventory process requires the selection of a base year with which to compare current emissions. Campbell's community-wide GHG inventory assesses emissions resulting from sources located within the city limits and from activities by community members for which the local government has significant influence over. These activities include community activities such as vehicle miles traveled, energy consumption, water usage, and solid waste disposal, as well as municipal operations (energy use, fuel usage, etc.). While the General Plan outlines broad strategies and the City's commitment to GHG reduction, the CAP includes specific GHG reduction targets and programs, correlated with the GHG analysis in the Environmental Impact Report for the General Plan. There are many General Plan policies that will help the community meet its reduction targets, but the CAP goes a step beyond the General Plan and provides greater levels of specificity and quantifiable objectives.

4.8.1.3 *Existing Conditions*

Unlike emissions of criteria and toxic air pollutants, which have regional and local impacts, emissions of GHGs have a broader, global impact. Global warming is a process whereby GHGs accumulating in the upper atmosphere contribute to an increase in the temperature of the earth and changes in weather patterns. The project site (Civic Center Campus) is developed with municipal buildings and parking lots. The proposed Police Operations Building would replace an approximately 1,600-square foot modular building and surface parking lot. The proposed Library building renovations would not include added building square footage, but would include minor alterations to the existing surface parking lot that would change the location of existing ADA-compliant parking spaces, reconfigure lighting, and decrease the amount of impervious surface .

4.8.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Generate greenhouse gas (GHG) emissions, either directly or indirectly, that may have a significant impact on the environment?	☐	☒	☐	☐

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
2) Conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of GHGs?	☐	☐	☒	☐

4.8.2.1 *Thresholds of Significance*

The draft Envision Campbell 2040 General Plan has policies and actions directing conformance with the City's Climate Action Plan (CAP). However, at the time of this analysis, the City of Campbell does not have a draft or final CAP, a CAP Compliance Checklist, or a specific metric ton GHG threshold for project-level construction or operation to be compliant with. Therefore, the thresholds identified in BAAQMD's CEQA Air Quality Guidelines were used.

The BAAQMD's CEQA Air Quality Guidelines prepared for the statewide AB 32 2020 target recommended a GHG threshold of 1,100 metric tons or 4.6 metric tons (MT) per capita. These thresholds were developed based on meeting the 2020 GHG targets set in the scoping plan that addressed AB 32. The proposed Police Operations Building would be occupied in 2023, so a threshold that addresses a future target is appropriate, based on the targets established in SB 32 to reduce statewide emissions 40 percent below 2020 levels by 2030.

Although BAAQMD has not published a quantified threshold for 2030 yet, this assessment uses a "Substantial Progress" efficiency metric of 2.8 MT CO_2e/year/service population and a bright-line threshold of 660 MT CO_{2e}/year based on the GHG reduction goals of EO B-30-15. The service population metric of 2.8 is calculated for 2030 based on predictions from BAAQMD. The 2030 bright-line threshold of 660 MT CO_{2e}/year is a 40 percent reduction of the 2020 1,100 MT CO_{2e}/year threshold. To be considered significant, a project's emissions must exceed **both** the bright-line threshold, which assesses the magnitude of a project's emissions, and the service population threshold, which evaluates the efficiency of a project's emissions on a per capita or job basis.

Impact GHG-1:	The project would not generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment. **(Less than Significant Impact with Mitigation Incorporated)**

Construction Emissions

Construction-related activities that would generate GHG emissions include worker commute trips, haul trucks carrying supplies and materials to and from the project site, and off-road construction equipment (e.g., dozers, loaders, excavators). Construction-related GHG emissions were predicted using CalEEMod Version 2016.3.2 (refer to Appendix A for more information on the methodology used to model GHG emissions). GHG emissions associated with project construction were computed to be 222 MT/CO2e for the total construction period for the proposed Police Operations Building.

The project also proposes to renovate the interior of the existing library to provide a safer library facility. The proposed library renovations would occur over a short period of time and would not increase the size of the library. In addition, only light-duty construction equipment is anticipated to be used for the interior improvements, with no expectation of extensive use of heavy-duty construction equipment. Therefore, operational
emissions are not anticipated to change and interior construction emissions would be negligible from the renovation of the library and were not included in *Illingworth & Rodkin's* analysis.

Neither the City of Campbell nor BAAQMD have an adopted threshold of significance for construction-related GHG emissions; however, BAAQMD recommends disclosing that GHG emissions would occur during construction. BAAQMD also encourages the incorporation of best management practices to reduce GHG emissions during construction where feasible and applicable. As discussed in Section 4.3 Air Quality, the project would implement mitigation measures that follow BAAQMD best management practices and reduce project-generated DPM emissions (MM AIR-3.1 and MM AIR-3.2, refer to Impact AIR-3). Additionally, because construction would be temporary (approximately 12 months) and would not result in a permanent increase in emissions, the project would not interfere with the implementation of AB 32 or SB 32. **(Less than Significant Impact with Mitigation Incorporated)**

Operational Emissions

Operation of the proposed Police Operations Building would generate GHG emissions through heating and cooling, electricity use, water use, solid waste disposal and gasoline consumption of vehicles traveling to and from the site. Table 4.8-1 summarizes all the direct and indirect annual GHG emissions associated with the project.

Table 4.8-1: Operational GHG Emissions		
Emission Source	**Project CO2e Emissions (2023)**	**Project CO2e Emissions (2030)**
Area (landscaping)	0	0
Energy Consumption	28	28
Mobile Emissions (vehicles)*	468	407
Solid Waste Disposal	15	15
Water Consumption	8	8
Total (MT CO2e/year)	*520*	*458*
Significance Threshold	–	***660 MT CO_2e/year***
Service Population Emissions (MT CO2e/year/service population)	6.26	5.52
Significance Threshold	–	***2.8 in 2030***
Exceeds both thresholds?	–	*No*

Source: Illingworth & Rodkin, Inc. *Measure O Civic Center Improvements Project Air Quality and Greenhouse Gas Assessment.* April 29, 2021.

* Mobile emissions associated with the project were conservatively treated as net new emissions for purposes of calculating GHG emissions, however, in actuality, they do not represent an increase in GHG emissions in comparison with existing conditions, since the project would not result in additional vehicle trips beyond baseline conditions (refer to Section 4.17 Transportation.

To be considered significant, the project must exceed both the "bright-line" GHG significance threshold in metric tons per year and the service population significance threshold. As indicated in Table 4.8-1, the 2023 and 2030 emissions do not exceed the 2030 bright-line threshold of 660 MT of CO2e/year. As noted in Table 4.8-1, mobile source GHG emissions were conservatively treated as net new emissions, since the project would not result in additional vehicle trips (refer to Section 4.17). While the 2023 and 2030 per capita emissions, based on an assumption of 83 full-time police employees and that mobile source GHG emissions were all net new, do exceed the 2030 service population threshold of 2.8 MT CO2e/year/ service population, project emissions as a whole are well below the bright-line threshold, indicating the project would not provide a cumulatively considerable contribution to global GHG emissions. Discounting the mobile emissions associated with the project would reduce the project's per capita emissions to 0.63 and 0.62 MT CO2e/year/ service population in 2023 and 2030, respectively, which is well below the service population significance threshold.[49] Therefore, operation of the project would not generate GHG emissions, either directly or indirectly, that would have a significant impact on the environment. **(Less than Significant Impact)**

[49] The project's total GHG emissions in 2023 minus the mobile emissions would be 52 MT/CO2e/year, which divided by the service population (83 employees) is 0.63. The project's total GHG emissions in 2030 minus the mobile emissions would be 51 MT/CO2e/year, which divided by the service population is 0.62.

Impact GHG-2:	The project would not conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of GHGs. **(Less than Significant Impact)**

SB 32

As discussed under Impact GHG-1, construction and operation of the project would not generate GHG emissions in excess of the 660 MT CO_{2e}/year bright-line threshold, which is based on the GHG emissions reduction goal of 40 percent below 2020 levels by 2030 established by SB 32. Therefore, the project would not conflict with achievement of SB 32's GHG emission reduction targets. **(Less than Significant Impact**)

2017 CAP

As noted under Section 4.8.1.2 Regulatory Framework, the 2017 Bay Area CAP adopted by BAAQMD includes control measures designed to reduce emissions of methane and other super-GHGs, including transportation and mobile source measures, land use and local impact measures, and energy and climate measures. The project's consistency with these measures is described below.

Transportation and Mobile Source Measures

Transportation and mobile control measures are designed to reduce emissions from motor vehicles by reducing vehicle trips and vehicle miles traveled (VMT) in addition to vehicle idling and traffic congestion. As discussed under Impact TRN-2, the project would be within a half-mile of an existing major transit stop and therefore would have a less than significant impact on VMT. Additionally, the project is considered "infill development" as it proposes to redevelop a built-out property and enhance the physical design of the urban environment. Under Public Resources Code (PRC) Section 21061.3, an "infill site" is defined as a site that "has been previously developed for qualified urban uses." In turn, a "qualified urban use" is defined, pursuant to PRC section 21072, as "a residential, commercial, or public institutional, transit or transportation passenger facility, or retail use, or any combination of those uses." Additionally, the project site is located in an "urbanized area," which is defined under PRC Section 21071 as an incorporated city within a contiguous area with a population greater than 100,000 people. For these reasons, the project would not conflict with the transportation and mobile source control measures identified in the 2017 CAP.

Land Use and Local Impact Measures

Land use and local impact measures are designed to ensure that planned growth is focused in a way that protects the people and environment from exposure of emissions associated with stationary and mobile sources and to promote mixed-use, compact development to reduce motor vehicle travel. As discussed under Impact AIR-3, the project, with mitigation, would not expose sensitive receptors to substantial pollutant concentrations. As noted in the previous discussion, the project would qualify as urban infill development and would result in a less than significant VMT impact. Accordingly, the project would be consistent with the land use and local impact measures identified in the 2017 CAP.

Energy and Climate Control Measures

Energy and climate control measures are designed to reduce ambient concentrations of emissions of CO2. Implementation of these measures is intended to promote energy conservation and efficiency in buildings throughout the community, promote renewable forms of energy production, reduce the "urban heat island" effect by increasing reflectivity of roofs and parking lots, and promote the planting of trees to reduce biogenic emissions, lower air temperatures, provide shade, and absorb air pollutants.[50] As discussed in Section 4.6 Energy, energy consumption associated with the construction and operation of the Police Operations Building as well as the Library building renovations, would not be wasteful, inefficient, or unnecessary, nor would it conflict with or obstruct state and local plans for renewable energy and energy efficiency. Further, large portions of the project site are currently covered with paved parking areas. Redevelopment of these areas with an energy efficient building and landscaping would also reduce the heat island effect of the project and minimize the energy required to cool the proposed building. Additionally, the Police Operations Building itself would be fully electric and would include green building elements such as roofing, walls, and fenestration that exceeds Title 24 requirements, Variable Refrigerant Flow (VRF) heat recovery HVAC systems, limited building glazing, and skylights. For these reasons, the project would be consistent with the energy and climate control measures identified in the 2017 CAP.

Since the project would be consistent with the control measures designed to reduce emissions of methane and other super-GHGs, the project would not conflict with the 2017 CAP. **(Less than Significant Impact)**

[50] Biogenic emission sources are emissions that come from natural sources.

4.9 HAZARDS AND HAZARDOUS MATERIALS

The following discussion is based in part on a Phase I Environmental Site Assessment (ESA) prepared by *Cornerstone Earth Group*. A copy of this report, dated May 12, 2021, is attached as Appendix D to this Initial Study.

4.9.1 Environmental Setting

4.9.1.1 *Regulatory Framework*

Overview

The storage, use, generation, transport, and disposal of hazardous materials and waste are highly regulated under federal and state laws. In California, the EPA has granted most enforcement authority over federal hazardous materials regulations to the California Environmental Protection Agency (CalEPA). In turn, local agencies have been granted responsibility for implementation and enforcement of many hazardous materials regulations under the Certified Unified Program Agency (CUPA) program.

Worker health and safety and public safety are key issues when dealing with hazardous materials. Proper handling and disposal of hazardous material is vital if it is disturbed during project construction. Cal/OSHA enforces state worker health and safety regulations related to construction activities. Regulations include exposure limits, requirements for protective clothing, and training requirements to prevent exposure to hazardous materials. Cal/OSHA also enforces occupational health and safety regulations specific to lead and asbestos investigations and abatement.

Federal and State

Federal Aviation Regulations Part 77

Federal Aviation Regulations, Part 77 Objects Affecting Navigable Airspace (FAR Part 77) sets forth standards and review requirements for protecting the airspace for safe aircraft operation, particularly by restricting the height of potential structures and minimizing other potential hazards (such as reflective surfaces, flashing lights, and electronic interference) to aircraft in flight. These regulations require that the Federal Aviation Administration (FAA) be notified of certain proposed construction projects located within an extended zone defined by an imaginary slope radiating outward for several miles from an airport's runways, or which would otherwise stand at least 200 feet in height above the ground.

Comprehensive Environmental Response, Compensation, and Liability Act

The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), commonly known as Superfund, was enacted by Congress on December 11, 1980. This law created a tax on the chemical and petroleum industries and provided broad federal authority to respond directly to releases or threatened releases of hazardous substances that may endanger public health or the environment. Over five years, $1.6 billion was collected and the tax went to a trust fund for cleaning up abandoned or uncontrolled hazardous waste sites. CERCLA accomplished the following objectives:

- Established prohibitions and requirements concerning closed and abandoned hazardous waste sites;
- Provided for liability of persons responsible for releases of hazardous waste at these sites; and
- Established a trust fund to provide for cleanup when no responsible party could be identified.

The law authorizes two kinds of response actions:

- Short-term removals, where actions may be taken to address releases or threatened releases requiring prompt response; and
- Long-term remedial response actions that permanently and significantly reduce the dangers associated with releases or threats of releases of hazardous substances that are serious, but not immediately life-threatening. These actions can be completed only at sites listed on the EPA's National Priorities List.

CERCLA also enabled the revision of the National Contingency Plan (NCP). The NCP provided the guidelines and procedures needed to respond to releases and threatened releases of hazardous substances, pollutants, or contaminants. The NCP also established the National Priorities List. CERCLA was amended by the Superfund Amendments and Reauthorization Act on October 17, 1986.[51]

Resource Conservation and Recovery Act

The Resource Conservation and Recovery Act (RCRA), enacted in 1976, is the principal federal law in the United States governing the disposal of solid waste and hazardous waste. RCRA gives the EPA the authority to control hazardous waste from the "cradle to the grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also sets forth a framework for the management of non-hazardous solid wastes.

The Federal Hazardous and Solid Waste Amendments (HSWA) are the 1984 amendments to RCRA that focused on waste minimization, phasing out land disposal of hazardous waste, and corrective action for releases. Some of the other mandates of this law include increased enforcement authority for the EPA, more stringent hazardous waste management standards, and a comprehensive underground storage tank program.[52]

Government Code Section 65962.5

Section 65962.5 of the Government Code requires CalEPA to develop and update a list of hazardous waste and substances sites, known as the Cortese List. The Cortese List is used by state and local agencies and developers to comply with CEQA requirements. The Cortese List includes hazardous

[51] United States Environmental Protection Agency. "Superfund: CERCLA Overview." Accessed May 11, 2020. https://www.epa.gov/superfund/superfund-cercla-overview.
[52] United States Environmental Protection Agency. "Summary of the Resource Conservation and Recovery Act." Accessed May 11, 2020. https://www.epa.gov/laws-regulations/summary-resource-conservation-and-recovery-act.

substance release sites identified by the Department of Toxic Substances Control (DTSC) and State Water Resources Control Board (SWRCB).[53]

Toxic Substances Control Act

The Toxic Substances Control Act (TSCA) of 1976 provides the EPA with authority to require reporting, record-keeping and testing requirements, and restrictions relating to chemical substances and/or mixtures. Certain substances are generally excluded from TSCA, including, among others, food, drugs, cosmetics, and pesticides. The TSCA addresses the production, importation, use, and disposal of specific chemicals including polychlorinated biphenyls (PCBs), asbestos, radon, and lead-based paint.

California Accidental Release Prevention Program

The California Accidental Release Prevention (CalARP) Program aims to prevent accidental releases of regulated hazardous materials that represent a potential hazard beyond the boundaries of a property. Facilities that are required to participate in the CalARP Program use or store specified quantities of toxic and flammable substances (hazardous materials) that can have off-site consequences if accidentally released. The Santa Clara County Department of Environmental Health reviews CalARP risk management plans as the CUPA.

Asbestos-Containing Materials

Friable asbestos is any asbestos-containing material (ACM) that, when dry, can easily be crumbled or pulverized to a powder by hand, allowing the asbestos particles to become airborne. Common examples of products that have been found to contain friable asbestos include acoustical ceilings, plaster, wallboard, and thermal insulation for water heaters and pipes. Common examples of non-friable ACMs are asphalt roofing shingles, vinyl floor tiles, and transite siding made with cement. The EPA phased out use of friable asbestos products between 1973 and 1978. National Emission Standards for Hazardous Air Pollutants (NESHAP) guidelines require that potentially friable ACMs be removed prior to building demolition or remodeling that may disturb the ACMs.

CCR Title 8, Section 1532.1

The United States Consumer Product Safety Commission banned the use of lead-based paint in 1978. Removal of older structures with lead-based paint is subject to requirements outlined by the Cal/OSHA Lead in Construction Standard, CCR Title 8, Section 1532.1 during demolition activities. Requirements include employee training, employee air monitoring, and dust control. If lead-based paint is peeling, flaking, or blistered, it is required to be removed prior to demolition.

Regional and Local

Municipal Regional Permit Provision C.12.f

Polychlorinated biphenyls (PCBs) were produced in the United States between 1955 and 1978 and used in hundreds of industrial and commercial applications, including building and structure

[53] California Environmental Protection Agency. "Cortese List Data Resources." Accessed May 28, 2020. https://calepa.ca.gov/sitecleanup/corteselist/.

materials such as plasticizers, paints, sealants, caulk, and wood floor finishes. In 1979, the EPA banned the production and use of PCBs due to their potential harmful health effects and persistence in the environment. PCBs can still be released to the environment today during demolition of buildings that contain legacy caulks, sealants, or other PCB-containing materials.

With the adoption of the San Francisco Bay Region Municipal Regional Stormwater National Pollutant Discharge Elimination System (NPDES) Permit (MRP) by the San Francisco Bay Regional Water Quality Control Board on November 19, 2015, Provision C.12.f requires that permittees develop an assessment methodology for applicable structures planned for demolition to ensure PCBs do not enter municipal storm drain systems.[54] Municipalities throughout the Bay Area are currently modifying demolition permit processes and implementing PCB screening protocols to comply with Provision C.12.f. Buildings constructed between 1950 and 1980 that are proposed for demolition must be screened for the presence of PCBs prior to the issuance of a demolition permit. Single family homes and wood-frame structures are exempt from these requirements.

City of Campbell General Plan

Various policies and actions in the General Plan have been adopted for the purpose of avoiding or mitigating hazards and hazardous materials impacts resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
HS-1.1b	Emergency Operations. Coordinate among City departments to ensure that emergency operations will comply with the Standardized Emergency Management System.
HS-1.1f	Adequate Access: Require adequate access for emergency vehicles, including minimum street width and vertical clearance. The Uniform Fire Code currently sets the minimum street width at 20 feet. Larger buildings may require a minimum width of 30 feet.
HS-1.3a	Inter-Agency Coordination. Coordinate emergency preparedness, response, recovery and mitigation activities with Santa Clara County, surrounding cities, service agencies, voluntary organizations and State and federal agencies.
HS-1.3d	Information Sharing. Work with Santa Clara County and other government, academic and private organizations to obtain new data that can be used for emergency preparedness and response and share information with other nearby jurisdictions and private and public organizations.
HS-7.1d	Hazardous Materials Emergency Response Plan. Require any business that handles hazardous material to prepare an appropriate emergency response plan, including a transportation plan for using City streets to transport hazardous materials.
HS-7.1f	Hazardous Materials Emergency Response. Work with other agencies to help ensure adequate response capability for hazardous materials emergencies.

[54] California Regional Water Quality Control Board. *San Francisco Bay Region Municipal Regional Stormwater NPDES Permit.* November 2015.

City of Campbell Municipal Code

Besides the General Plan, the City of Campbell Municipal Code is the primary tool that guides development in the city. The City's Municipal Code identifies land use categories, site development regulations, and other general provisions that ensure consistency between the General Plan and proposed development projects. The following chapters regulate emergency response and hazardous materials in Campbell:

- Chapter 2.28 – Emergency Services/Citizen Corps Council. The purpose of this chapter is to outline emergency response planning procedures and responsibilities in Campbell.
- Chapter 17.06 – Aboveground Hazardous Materials Storage. The purpose of this chapter is the protection of health, life, resources, and property through prevention and control of unauthorized discharge of hazardous materials from aboveground structures (e.g., tanks, pipelines, etc.).
- Chapter 17.07 – Requirements for Facilities Where Materials Which Are or Which May Become Toxic Gases are Found. This chapter applies to all new and existing facilities where regulated materials subject to this chapter are present in concentrations that exceed the level of concern as determined in accordance with this chapter.
- Chapter 17.09 – Underground Hazardous Materials Storage. The purpose of this chapter is the protection of health, life, resources, and property through prevention and control of unauthorized discharges of hazardous materials from underground structures (e.g., tanks, sumps, pipelines, etc.).

City of Campbell Emergency Operations Plan

The City of Campbell Emergency Operations Plan (EOP) is an all-hazards document describing the City's incident management organization, compliance with relevant legal statutes, other relevant guidelines, whole community engagement, continuity of government focus, and critical components of the incident management structure.

City of Campbell Police Department

The City of Campbell Police Department is responsible for coordinating agency response to disasters or other large-scale emergencies in the City of Campbell with assistance from the Santa Clara County Office of Emergency Services and the SCCFD. The Campbell Police Department manages the City's emergency services program and provides planning, training, and coordination of city personnel for an effective response to natural, technological, and human-caused disasters. The manager of the emergency services program reviews and updates the city's emergency plan and maintains the City's Emergency Operations Center (EOC).[55]

4.9.1.2 *Existing Conditions*

Cornerstone Earth Group conducted a review of aerial photographs, Sanborn Fire Insurance Maps, historical city directories, and agency records to obtain information about the historical uses of the

[55] City of Campbell. "Emergency Preparedness". Date accessed February 12, 2021. https://www.ci.campbell.ca.us/265/Emergency-Preparedness

project site. *Cornerstone Earth Group* also reviewed records from local and state agencies, and completed a site reconnaissance to determine any potentially hazardous materials conditions affecting the project site. The historical uses and on- and off-site sources of contamination on the project site are discussed below.

Site History

The project site has been developed since at least the late 1800s, with the original development on-site being primarily residential in nature. A 1,500-gallon gasoline underground storage tank (UST) was installed in 1970. Residential and commercial structures were present until they were demolished in 1974 and replaced with surface parking lots and a concrete building associated with the Campbell City Hall. The 1,500-gallon UST was subsequently removed in 1998, and replaced with a 5,000-gallon, double-walled UST that is connected to a nearby fuel dispenser used for City and police vehicles.

Presently, the proposed Police Operations Building site is developed with a parking lot and a prefabricated portable building used for Police Department office functions. In addition, there are two smaller accessory structures: a wood-framed storage shed and a concrete block structure containing a gun cleaning room, a motorcycle storage room, and lockers. The concrete block structure was constructed at some point in the 1970s; the portable building and storage shed were added during the 1990s.

On-Site Sources of Contamination

The Phase I ESA identified one Recognized Environmental Concern (REC) in connection with the project site.[56] Since the concrete block structure was constructed prior to the banning of lead-containing paints and coatings in 1978, lead-based paint may have been used. Soil adjacent to structures that are painted with lead-containing paint can become impacted with lead as a result of the weathering and/or peeling of painted surfaces. Additionally, soil near wood-framed structures (like the storage shed) may also be impacted by pesticides used to control termites. Residual lead and pesticide concentrations may be present in the soil at the project site.

Additionally, the Phase I ESA identified one Historic REC (HREC) in connection with the project site.[57] The 1,500 gallon gasoline UST that was removed in 1998 reported a gasoline release of approximately one to five gallons of gasoline in 1988. A Leaking UST (LUST) case was subsequently opened. Neither gasoline total petroleum hydrocarbons (TPHg) or benzene, toluene, ethylbenzene, or xylene (BTEX) were detected in soil samples taken, and the LUST case was closed in 1991.

[56] An REC is defined as the presence of likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment.
[57] An HREC is defined as a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls.

No Controlled RECs (CRECs) were identified in connection with the project site.[58]

Off-Site Sources of Contamination

A review of databases and files from federal, state, and local environmental regulatory agencies was used to identify use, generation, storage, treatment, or disposal of hazardous substances and chemicals, or release incidents of such materials at surrounding facilities that may have impacted the subject site. The Phase I ESA did not identify any sites within the standard ASTM search radius of one mile that were of environmental concern.

Airport Hazards

No portion of the City of Campbell is within an airport land use area. The nearest public airport is the Norman Y. Mineta San José International Airport, which is located approximately five miles north of the project site. The project site is beyond the outer boundary of San José International Airport safety zones and noise contours.

Wildland Fire Hazards

CAL FIRE evaluates fire hazard severity risks according to areas of responsibility (i.e., federal, State, and local). There are no very high fire hazard severity zones within the City of Campbell, which is a Local Responsibility Area. As noted in Section 4.20 Wildfire, the project vicinity is not a wildland urban interface area where both wildland and structural fuels are present.

4.9.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	☐	☐	☒	☐
2) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	☐	☒	☐	☐
3) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	☐	☒	☐	☐

[58] A CREC is defined as a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls.

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
4) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	☐	☐	☐	☒
5) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, result in a safety hazard or excessive noise for people residing or working in the project area?	☐	☐	☐	☒
6) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	☐	☐	☐	☒
7) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires?	☐	☐	☐	☒

Impact HAZ-1: The project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. **(Less than Significant Impact)**

Construction of the project would involve the use of potentially hazardous materials, including vehicle fuels, oils, and fluids. All hazardous materials would be transported, contained, stored, used, and disposed of in accordance with manufacturers' instructions and would be handled in compliance with all applicable standards and regulations. Construction-related hazardous materials use would be temporary, and does not constitute routine transport, use, or disposal.

Small quantities of cleaning supplies, maintenance chemicals, and herbicides and pesticides for landscape maintenance would be stored and used in operation of the proposed project. Operation of the proposed project would also require the storage of diesel fuel associated with occasional testing and use of the emergency generator during power failures. Under Health and Safety Code 25507(a)(1)(A), the project would be required to establish and implement a Hazardous Materials Business Plan if the amount of diesel fuel stored on-site exceeds 55 gallons. No other hazardous materials would be used or stored on-site. These materials would be managed in accordance with existing laws and regulations that ensure that the routine transport, storage, use, and disposal of these materials would not result in a significant hazard to the public or environment. **(Less than Significant Impact)**

Impact HAZ-2:	The project would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. **(Less than Significant Impact with Mitigation Incorporated)**

Soil Contamination

As discussed under Section 4.9.1.2 Existing Conditions, soils at the project site may be contaminated with lead, pesticides, and TPHg. During construction, ground-disturbing activities (grading, excavation, etc.) contaminants in the soil may become airborne and pose a health hazard to construction workers and nearby sensitive receptors.

Impact HAZ-2: Without mitigation, ground-disturbing activities during construction could result in exposure of construction workers and nearby sensitive receptors to contaminated soil.

Mitigation Measures: The following mitigation measures shall be implemented to ensure that health hazards from exposure of construction workers and nearby sensitive receptors to contaminated soil are less than significant.

MM HAZ-2.1: Prior to issuance of building permits, the City shall retain a qualified hazardous materials contractor to perform a soil investigation (i.e., Phase II Environmental Site Assessment) to determine the levels of contamination from lead, pesticides, and TPHg. If the residual contaminants are not detected and/or are found to be below the environmental screening levels for public health and the environment in accordance with Santa Clara County Department of Environmental Health (SCCDEH), Regional Water Quality Control Board (RWQCB), or the California Department of Toxic Substances Control (DTSC) requirements, no further mitigation is required. The results of the soil investigation shall be submitted to the Building Official.

MM HAZ-2.2: If residual contaminants are found and are above regulatory environmental screening levels for public health and the environment, the project proponent shall enter the Site Cleanup Program with the SCCDEH. The SCCDEH may require the project proponent to implement appropriate management procedures, such as removal of the contaminated soil and implementation of a Site Management Plan (SMP), Removal Action Workplan (RAP), or equivalent document. Copies of all environmental investigations and evidence of SCCDEH oversight shall be submitted to the Building Official.

Implementation of MM HAZ-2.1 and MM HAZ-2.2 would ensure that any soil contaminated with lead, pesticides, or TPHg in excess of the appropriate environmental screening levels would be identified and remediated. This would ensure that construction workers and nearby sensitive receptors are not exposed to substantial health hazards due to the release of hazardous materials into the environment. **(Less than Significant Impact with Mitigation Incorporated)**

Demolition

Building demolition could result in the release of hazardous materials to the environment, if appropriate control measures are not implemented. Hazardous materials include ACMs, which could be present in the buildings on-site. Additionally, due to the age of the concrete block structure, lead-based paint may also be present in building materials.

Impact HAZ-3: Without mitigation, release of hazardous materials, specifically asbestos-containing materials and lead-based paint could pose a risk to construction workers and nearby sensitive receptors during building demolition.

Mitigation Measures: The following mitigation measures shall be implemented to ensure that health hazards from exposure of construction workers and nearby sensitive receptors to asbestos-containing materials and lead-based paints are less than significant.

MM HAZ-3.1: To reduce the potential for construction worker and nearby sensitive receptor exposure to hazardous materials (ACMs and lead-based paint), the following measures are included in the project.

- In conformance with local, state, and federal laws, an asbestos building survey and a lead-based paint survey shall be completed by a qualified professional to determine the presence of asbestos-containing materials and/or lead-based paint on the structures proposed for demolition prior to issuance of a demolition permit for any site structure.
- A registered asbestos abatement contractor shall be retained to remove and dispose of all potentially friable asbestos-containing materials, in accordance with the NESHAP guidelines, prior to building demolition that may disturb the materials. All construction activities shall be undertaken in accordance with Cal/OSHA standards, contained in Title 8 of the California Code of Regulations (CCR), Section 1529, to protect workers from exposure to asbestos. Materials containing more than one percent asbestos are also subject to BAAQMD regulations.
- During demolition activities, all building materials containing lead-based paint shall be removed in accordance with Cal/OSHA Lead in Construction Standard, Title 8, CCR 1532.1, including employee training, employee air monitoring and dust control. Any debris or soil containing lead-based paint or coatings shall be disposed of at landfills that meet acceptance criteria for the waste being disposed.

Implementation of MM HAZ-2.1 would remove all ACMs and lead-based paints from the buildings prior to demolition. This would reduce the exposure of construction workers and nearby sensitive receptors to these hazardous materials, thus ensuring that hazards associated with the release of ACMs and lead-based paint are less than significant. **(Less than Significant Impact with Mitigation Incorporated)**

Impact HAZ-3:	The project would not emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school. **(Less than Significant Impact with Mitigation Incorporated)**

The closest school to the project site is the Campbell School of Innovation, located approximately 0.9 mile southwest of the site. However, classes are regularly held at the Campbell Union High School District facilities located at 480 E Hamilton Avenue, approximately 830 feet northeast of the project site. As discussed under Impact HAZ-2, implementation of mitigation measures HAZ-2.1, HAZ-2.2, and HAZ-3.1 would ensure that the project would not result in significant releases of hazardous materials. Accordingly, the project would not result in hazards or hazardous materials impacts within ¼-mile of an existing or proposed school. **(Less than Significant Impact with Mitigation Incorporated)**

Impact HAZ-4:	The project would not be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, create a significant hazard to the public or the environment. **(No Impact)**

The project site is not on a list of hazardous material sites compiled pursuant to Government Code Section 65962.5. Thus, there would be no impact to the public or environment. **(No Impact)**

Impact HAZ-5:	The project would not be located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport. The project would not result in a safety hazard or excessive noise for people residing or working in the project area. The project would not result in a safety hazard or excessive noise for people residing or working in the project area. **(No Impact)**

No portion of the City of Campbell is within an airport land use area. There are no public or public use airports within two miles of the project site. The project site is beyond the outer boundary of San José International Airport safety zones and noise contours. Therefore, there would be no impact to future occupants of the project site as a result of airport operations. **(No Impact)**

Impact HAZ-6:	The project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan. **(No Impact)**

The proposed project would result in a significant impact if it would involve physical improvements that would impede emergency response to the project site or the immediate vicinity, or if it would otherwise interfere with emergency evacuation plans.

During construction and operation of the project, roadways would not be permanently blocked such that emergency vehicles would be unable to access the project site or surrounding parcels. The width

of the proposed driveways and drive aisles exceed the standard established by General Plan Policy HS-1.1f, and pursuant to Policy HS-3.1a, the project would be required to be built in accordance with the most recent Building and Fire codes. Prior to issuance of building permits, the Santa Clara County Fire Department (SCCFD) would review the site plans to ensure adequate emergency vehicle access and response times are maintained and for consistency with regulations regarding the provision of fire sprinklers, fire department access, fire hydrants, and water supply for fire protection.

As discussed under Section 4.7.1.2 Existing Conditions, the City of Campbell has prepared an EOP that identifies how the City would respond to emergencies, disasters, and catastrophes affecting the City. The project, which would renovate the existing Library and construct a new Police Operations Building, does not include any physical elements that would impair or interfere with implementation of the City's EOP, and this new Police Operations Building is anticipated to improve the Campbell Police Department's capabilities as relates to response times and performance objectives (refer to Impact PS-2).

For these reasons, the project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan. **(No Impact)**

Impact HAZ-7:	The project would not expose people or structures, either directly or indirectly, to a significant risk of loss, injury, or death involving wildland fires. **(No Impact)**

The project site is not located within a very high fire hazard severity zone or in an wildland urban interface area. Additionally, the project would be constructed in accordance with the most recent state and local fire and building codes. Therefore, the project would not expose people or structures to a significant risk of loss, injury, or death involving wildland fires. **(No Impact)**

4.10 HYDROLOGY AND WATER QUALITY

4.10.1 Environmental Setting

4.10.1.1 *Regulatory Framework*

Federal and State

The federal Clean Water Act and California's Porter-Cologne Water Quality Control Act are the primary laws related to water quality in California. Regulations set forth by the EPA and the SWRCB have been developed to fulfill the requirements of this legislation. EPA regulations include the National Pollutant Discharge Elimination System (NPDES) permit program, which controls sources that discharge pollutants into the waters of the United States (e.g., streams, lakes, bays, etc.). These regulations are implemented at the regional level by the Regional Water Quality Control Boards (RWQCBs). The project site is within the jurisdiction of the San Francisco Bay RWQCB.

National Flood Insurance Program

The Federal Emergency Management Agency (FEMA) established the National Flood Insurance Program (NFIP) to reduce impacts of flooding on private and public properties. The program provides subsidized flood insurance to communities that comply with FEMA regulations protecting development in floodplains. As part of the program, FEMA publishes Flood Insurance Rate Maps (FIRMs) that identify Special Flood Hazard Areas (SFHAs). An SFHA is an area that would be inundated by the one-percent annual chance flood, which is also referred to as the base flood or 100-year flood.

Statewide Construction General Permit

The State Water Resources Control Board (SWRCB) has implemented an NPDES General Construction Permit for the State of California (Construction General Permit). For projects disturbing one acre or more of soil, a Notice of Intent (NOI) must be filed with the RWQCB by the project sponsor, and a Storm Water Pollution Prevention Plan (SWPPP) must be prepared by a qualified professional prior to commencement of construction and filed with the RWQCB by the project sponsor. The Construction General Permit includes requirements for training, inspections, record keeping, and, for projects of certain risk levels, monitoring. The general purpose of the requirements is to minimize the discharge of pollutants and to protect beneficial uses and receiving waters from the adverse effects of construction-related storm water discharges.

Regional

San Francisco Bay Basin Plan

The San Francisco Bay RWQCB regulates water quality in accordance with the Water Quality Control Plan for the San Francisco Bay Basin (Basin Plan). The Basin Plan lists the beneficial uses that the San Francisco Bay RWQCB has identified for local aquifers, streams, marshes, rivers, and the San Francisco Bay, as well as the water quality objectives and criteria that must be met to protect these uses. The San Francisco Bay RWQCB implements the Basin Plan by issuing and enforcing waste discharge requirements, including permits for nonpoint sources such as the urban runoff

discharged by a City's stormwater drainage system. The Basin Plan also describes watershed management programs and water quality attainment strategies.

Municipal Regional Permit Provision C.3

The San Francisco Bay RWQCB re-issued the Municipal Regional Stormwater NPDES Permit (MRP) in 2015 to regulate stormwater discharges from municipalities and local agencies (co-permittees) in Alameda, Contra Costa, San Mateo, and Santa Clara Counties, and the cities of Fairfield, Suisun City, and Vallejo.[59] Under Provision C.3 of the MRP, new and redevelopment projects that create or replace 10,000 square feet or more of impervious surface area are required to implement site design, source control, and Low Impact Development (LID)-based stormwater treatment controls to treat post-construction stormwater runoff. LID-based treatment controls are intended to maintain or restore the site's natural hydrologic functions, maximizing opportunities for infiltration and evapotranspiration, and using stormwater as a resource (e.g. rainwater harvesting for non-potable uses). The MRP also requires that stormwater treatment measures are properly installed, operated, and maintained.

In addition to water quality controls, the MRP requires new development and redevelopment projects that create or replace one acre or more of impervious surface to manage development-related increases in peak runoff flow, volume, and duration, where such hydromodification is likely to cause increased erosion, silt pollutant generation, or other impacts to local rivers, streams, and creeks. Projects may be deemed exempt from these requirements if they do not meet the minimized size threshold, drain into tidally influenced areas or directly into the Bay, or drain into hardened channels, or if they are infill projects in subwatersheds or catchment areas that are greater than or equal to 65 percent impervious.

Municipal Regional Permit Provision C.12.f

Provision C.12.f of the MRP requires co-permittee agencies to implement a control program for PCBs that reduces PCB loads by a specified amount during the term of the permit, thereby making substantial progress toward achieving the urban runoff PCBs wasteload allocation in the Basin Plan by March 2030.[60] Programs must include focused implementation of PCB control measures, such as source control, treatment control, and pollution prevention strategies. Municipalities throughout the Bay Area are updating their demolition permit processes to incorporate the management of PCBs in demolition building materials to ensure PCBs are not discharged to storm drains during demolition. Buildings constructed between 1955 and 1978 that are proposed for demolition must be screened for the presence of PCBs prior to the issuance of a demolition permit.

Water Resources Protection Ordinance and District Well Ordinance

Valley Water operates as the flood control agency for Santa Clara County. Their stewardship also includes creek restoration, pollution prevention efforts, and groundwater recharge. Permits for well construction and destruction work, most exploratory boring for groundwater exploration, and projects

[59] MRP Number CAS612008

[60] San Francisco Bay Regional Water Quality Control Board. *Municipal Regional Stormwater Permit, Provision C.12.* November 19, 2015.

within Valley Water property or easements are required under Valley Water's Water Resources Protection Ordinance and District Well Ordinance.

2016 Groundwater Management Plan

This 2016 Groundwater Management Plan (GWMP) describes the Valley Water's comprehensive groundwater management framework, including existing and potential actions to achieve basin sustainability goals and ensure continued sustainable groundwater management. The GWMP covers the Santa Clara and Llagas subbasins, which are located entirely in Santa Clara County. Valley Water manages a diverse water supply portfolio, with sources including groundwater, local surface water, imported water, and recycled water. About half of the county's water supply comes from local sources and the other half comes from imported sources. Imported water includes the District's State Water Project and Central Valley contract supplies and supplies delivered by the San Francisco Public Utilities Commission (SFPUC) to cities in northern Santa Clara County. Local sources include natural groundwater recharge and surface water supplies. A small portion of the county's water supply is recycled water.

Local groundwater resources make up the foundation of the county's water supply, but they need to be augmented by the District's comprehensive water supply management activities to reliably meet the county's needs. These include the managed recharge of imported and local surface water and in-lieu recharge through the provision of treated surface water, acquisition of supplemental water supplies, and water conservation and recycling.[61]

Dam Safety

Since August 14, 1929, the State of California has regulated dams to prevent failure, safeguard life, and protect property. The California Water Code entrusts dam safety regulatory power to California Department of Water Resources, Division of Safety of Dams (DSOD). The DSOD provide oversight to the design, construction, and maintenance of over 1,200 jurisdictional sized dams in California.[62]

As part of its comprehensive dam safety program, Valley Water routinely monitors and studies the condition of each of its 10 dams. Valley Water also has its own Emergency Operations Center and a response team that inspects dams after significant earthquakes. These regulatory inspection programs reduce the potential for dam failure.

Construction Dewatering Waste Discharge Requirements

Each of the RWQCBs regulate construction dewatering discharges to storm drains or surface waters within its Region under the NPDES program and Waste Discharge Requirements.

[61] Valley Water. *2016 Groundwater Management Plan, Santa Clara and Llagas Subbasins*. November 2016.
[62] California Department of Water Resources, Division of Safety of Dams. https://water.ca.gov/Programs/All-Programs/Division-of-Safety-of-Dams#:~:text=Since%20August%2014%2C%201929%2C%20the,Safety%20of%20Dams%20(DSOD). Accessed June 9, 2020.

Local

Campbell General Plan

Various policies and strategies in the Campbell General Plan have been adopted for the purpose of avoiding or mitigating hydrology and water quality impacts resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies/Strategies	Description
Policy CNR-5.1	Water Quality Enhancement: Enhance the quality of surface water and groundwater resources and prevent their contamination.
Strategy CNR-5.1a	Regional Water Quality Control Board: Comply with the Regional Water Quality Control Board's regulations and standards to maintain and improve water quality.
Policy CNR-6.1	Water Conservation: Encourage residents and businesses to conserve water.
Strategy CNR-6.1b	Water Conservation Programs: Encourage water conservation programs for commercial, industrial and institutional uses offered through the San Jose Water Company and/or the Santa Clara Valley Water District.
Strategy CNR-6.1c	Water Use Reduction: Encourage efforts to reduce landscape water usage through landscape irrigation audits, water-efficient landscape awards program and landscape conservation programs offered through San Jose Water Company and/or the Santa Clara Valley Water District.
Strategy CNR-6.1e	Water Efficient Landscaping Guidelines: Require new development and remodels to follow the City's Water Efficient Landscaping Guidelines.
Strategy CNR-6.1f	City Water Conservation Program: Adopt and implement a comprehensive water conservation program to encourage efficient water use by City employees and other users of City facilities.

City of Campbell Municipal Code Section 14.02

Chapter 14.02 of the Campbell City Municipal Code relates to stormwater pollution control. The purpose of this chapter is to provide minimum requirements designed to control the discharge of pollutants into the city municipal storm drain system and to assure that discharges from the City municipal storm drain system comply with applicable provisions of the CWA and the current NPDES Permit No. CAS612008 including amendments and California RWQCB approvals.

4.10.1.2 *Existing Conditions*

The project site is located within the 170-square-mile Guadalupe Watershed, which drains the Guadalupe River and its tributaries (Guadalupe, Los Gatos, Ross, Alamitos, and Canoas Creeks) through downtown San José. Lexington Reservoir is located along the western border of this watershed. Los Gatos Creek, which flows out of Lexington Reservoir, is located approximately ¼-mile southeast of the site.

Groundwater

There are two groundwater subbasins underlying Santa Clara County, the Santa Clara subbasin and the Llagas subbasin. The City of Campbell is located within the Santa Clara subbasin. As stated in the GWMP, the groundwater subbasins provide multiple benefits to residents and businesses in Santa Clara County. Although most of the groundwater pumped is a result of Valley water- managed recharge programs, the subbasins provide some groundwater supply resulting from the percolation of rainfall in the recharge areas and natural seepage through local creeks and streams. In addition, the groundwater subbasins serve as an extensive conveyance network, allowing water to move from the recharge areas to individual groundwater wells. The groundwater subbasins also provide some natural filtration of surface water as it percolates through the soil and rock. The groundwater subbasins provide water storage, allowing water to be carried over from the wet season to the dry season and even from wet years to dry years. The subbasins are considered to be in long-term balance, due in part to the comprehensive groundwater management programs implemented by Valley Water, and groundwater quality is considered very good, with most public water supply wells not requiring any treatment beyond disinfection. There are no Valley Water designated recharge facilities located on or near the project site.

Storm Drainage

There are on-site storm drain inlets and lateral lines that collect and convey stormwater runoff from the project site northeasterly to a 24-inch City storm drain line in Grant Avenue. The Grant Avenue line is part of a network of storm drain lines, including in Harrison Avenue east of the site and Campbell Avenue south of the site, that ultimately discharge to Los Gatos Creek. Los Gatos Creek is a major tributary of the Guadalupe River, which flows to San Francisco Bay.

Flooding

According to the FEMA Flood Insurance Rate Map of the area (Map No. 06085C0237H, dated May 18, 2009), the project site is located in a designated Area of Minimal Flood Hazards (Zone X). Zone X is not a Special Flood Hazard Area subject to inundation by the 100-year flood, and is defined as an area determined to be outside the 0.2% annual chance floodplain.

Dam Failure

Based on the Valley Water 2016 Lenihan (Lexington) Dam Flood Inundation Maps, the project site is within the Dam Failure Inundation area of the Lexington Dam, located approximately 6.5 miles to the southwest. The maximum depth of flooding in the event of a dam failure would be approximately 31.3 to 34.6 feet.

4.10.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality? [63][64]	☐	☐	☒	☐
2) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	☐	☐	☒	☐
3) Substantially alter the existing drainage pattern of the site or area[65], including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:	☐	☐	☒	☐
– result in substantial erosion or siltation on- or off-site;	☐	☐	☒	☐
– substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;	☐	☐	☒	☐
– create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff[66]; or	☐	☐	☒	☐
– impede or redirect flood flows?	☐	☐	☐	☒

[63] The evaluation of a project's compliance with water quality standards should consider the project's potential effect on water bodies on the Section 303(d) list (http://www.waterboards.ca.gov/water_issues/programs/tmdl/integrated2010.shtml), as well as the potential for conflict with applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses.

[64] The evaluation of a project's potential to degrade water quality should consider whether a project has the potential to result in a significant impact to surface water quality, marine, fresh, or wetland waters, or to groundwater quality. As with every category of environmental impact, effects must be considered both during and after construction. The evaluation of water quality impacts should include a description of how the project will comply with the requirements of SCVURPPP's Municipal Regional Stormwater NPDES Permit and the State's Construction General Permit. The description should also include a statement that the project should avoid creation of mosquito larval sources that would subsequently require chemical treatment to protect human and animal health.

[65] The evaluation of a project's effect on drainage patterns should refer to the SCVURPPP Hydromodification Management Plan (2005), where applicable, to assess the significance of altering existing drainage patterns and to develop any mitigation measures. The evaluation of hydromodification effects should also consider any potential for streambed or bank erosion downstream from the project.

[66] The evaluation of a project's potential to create or contribute runoff should consider whether the project meets or exceeds the size thresholds for regulation under Provision C.3 (i.e., projects that create and/or replace 10,000 square feet of impervious surface, or 5,000 square feet for certain land uses[2]). The response to this question will indicate how Provision C.3 requirements will be met. Applicants must address Provision C.3 requirements in environmental documents for projects that meet or exceed the impervious surface thresholds.

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
4) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	☐	☐	☐	☒
5) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	☐	☐	☒	☐

Impact HYD-1: The project would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality. **(Less than Significant Impact)**

Construction

Implementation of the proposed project could result in the disturbance of approximately 1.6 acres. Since the project would disturb more than one acre of soil, it would be required to comply with the statewide Construction General Permit. The permit requires preparation and implementation of a SWPPP that includes sediment control measures and other stormwater pollution prevention practices specific to the project. The following measures, based on RWQCB Best Management Practices, will be included in the project to prevent stormwater pollution and minimize potential sedimentation during project construction:

- Install burlap bags filled with drain rock shall be installed around storm drains to route sediment and other debris away from the drains.
- Suspend earthmoving or other dust-producing activities shall be suspended during periods of high winds.
- Water all exposed or disturbed soil surfaces at least twice daily to control dust, as necessary.
- Water or cover stockpiles of soil or other materials that can be blown by the wind.
- Cover all trucks hauling soil, sand, and other loose materials and maintain at least two feet of freeboard on all trucks.
- Sweep all paved access roads, parking areas, staging areas and residential streets adjacent to the construction sites daily (with water sweepers).
- Replant vegetation in disturbed areas as quickly as possible.
- Fill with rock all unpaved entrances to the site to remove mud from truck tires prior to entering City streets. Install a tire wash system if requested by the City.
- Implement erosion and dust control during site preparation and keep adjacent streets free of dirt and mud during construction.

In addition, the proposed project shall adhere to the requirements of the Construction General Permit due to its disturbance of over one acre of soil, as outlined in the following conditions:

- Prior to construction grading for the proposed land uses, the project proponent will file an NOI to comply with the General Permit and prepare a SWPPP which addresses measures that would be included in the project to minimize and control construction and post-construction runoff. Measures will include, but are not limited to, the aforementioned RWQCB Best Management Practices.
- The certified SWPPP will be posted at the construction sites and will be updated to reflect current site conditions.
- When construction is complete, a Notice of Termination (NOT) for the General Permit for Construction will be filed with the SWRCB. The NOT will document that all elements of the SWPPP have been executed, construction materials and waste have been properly disposed of, and a post-construction stormwater management plan in place as described in the SWPPP for the site.

Construction of the proposed project, with implementation of the above RWQCB Best Management Practices and Construction General Permit conditions, would not result in significant construction-related water quality impacts. **(Less than Significant Impact)**

Post-Construction

The proposed project would create and/or replace more than 10,000 square feet of impervious surfaces, and is therefore subject to Provision C.3 of the MRP. Under Provision C.3, the project would be required to treat runoff from 100 percent of its impervious surface area.

The project will conform to the source control requirements of Provision C.3 by implementing site management measures for proper material storage, covering of any outdoor trash and recycling areas, and stenciling on-site storm drain inlets. Operational controls such as annual cleaning of on-site storm drains, landscape installations designed to minimize the use of irrigation, pesticides and fertilizers, and regular maintenance of refuse areas to keep them free of trash will also be included in the project.

The project will also conform with the on-site treatment control requirements of Provision C.3 by installing LID-based controls where appropriate to treat runoff from impervious surfaces such as rooftops, paved parking lots and walkways to the greatest extent feasible.

With the implementation of the post-construction stormwater management measures required by Provision C.3 described above, the proposed project would result in a less than significant post-construction water quality impact. **(Less than Significant Impact)**

Hydromodification Management

The project site is located in an area that is mapped as *Catchments and Subwatersheds ≥ 65% Imperviousness* on the HMP Applicability Map for the City of Campbell.[67] The project is therefore exempt from the hydromodification management requirements of Provision C.3 of the MRP, as it is

[67] Santa Clara Valley Urban Runoff Pollution Prevention Program. *Local Hydromodification Management Applicability Maps.* https://scvurppp.org/hmp-maps/ Accessed March 12, 2021.

located in a subwatershed or catchment area that is greater than or equal to 65 percent impervious. **(Less than Significant Impact)**

Impact HYD-2:	The project would not substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin. **(Less than Significant Impact)**

The proposed project is located within the Santa Clara Subbasin, one of two groundwater basins located within the Santa Clara Valley. Planned buildout within the scope of the General Plan does not include areas within any of the Santa Clara Valley Water District's 18 major groundwater recharge systems. The Santa Clara Subbasin has not been identified as a groundwater basin in a state of overdraft.

Groundwater has been estimated to occur at a depth of approximately of 75- 125 feet bgs, although the depth can vary. Dewatering would be required if groundwater were encountered during the excavation for the proposed new building. Any dewatering of groundwater required by the project would be conducted in accordance with local and regional policies and regulations for safe transport and disposal of groundwater, as well as all applicable safety measures set forth in the Site Management Plan implemented by mitigation measure MM HAZ-2.2 (refer to Section 3.9 Hazards and Hazardous Materials). Construction activities proposed by the project would not substantially decrease groundwater supplies or interfere with groundwater recharge. The proposed new building would increase water demand on-site but would rely on existing water delivery systems to meet its demand. The project would not establish or require additional groundwater pumping, actions which could impede efforts to sustainably manage the Santa Clara Subbasin. **(Less than Significant Impact)**

Impact HYD-3:	The project would not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would result in substantial erosion or siltation on- or off-site; substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site; create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or impede or redirect flood flows. **(Less than Significant Impact)**

The proposed project will likely result in a slight decrease in overall impervious surface area on the site, as it is currently mostly covered with impervious surfaces (paved parking lots). This decrease in impervious surface area will result in a net reduction in post-construction stormwater runoff. As a result, the potential impact to the flow capacity of the existing storm drain systems in Grant Avenue and Harrison Street adjacent to the site is anticipated to be minimal. On-site storm drain collection systems will be designed in accordance with City of Campbell standards. Adherence to the standard permit conditions described above for management of stormwater runoff during construction would function to reduce erosion and siltation on-site. Therefore, the proposed project would not alter the

drainage system in the area in a manner which would result in flooding, erosion/siltation, excess polluted runoff, or an exceedance of storm drain capacity.

In conformance with the NPDES Construction General Permit, the project would develop a SWPPP and install construction BMPs to reduce pollutant loads in stormwater runoff during construction. In addition, the project's on-site storm drain system would include LID-based treatment controls that will reduce pollutants in post-construction stormwater runoff in compliance with MRP and City standards. As a result, the project would not provide substantial sources of polluted runoff. **(Less Than Significant Impact)**

Impact HYD-4:	The project would not risk release of pollutants due to project inundation in flood hazard, tsunami, or seiche zones. **(No Impact)**

The project is located in a Flood Zone X according to FEMA Flood Insurance Rate Maps. A Flood Zone X indicates an area determined to be outside the 0.2% annual chance floodplain. The project site is located outside of the 100-year floodplain of Los Gatos Creek, the closest waterway to the site.

Based on the Valley Water dam failure inundation hazard maps, the project site is within the Lexington Dam failure flood inundation hazard zone. However, the risk of release of substantial amounts of pollutants in the event of a dam failure-induced flood would be minimal as the proposed new development does not include any hazardous materials storage or use areas. As described above, a SWPPP containing on-site source control and spill containment BMPs would be implemented during the construction phases of the project.

The project site is located inland of the San Francisco Bay and would not be subject to inundation following a tsunami or seiche. Therefore, the project would not risk release of pollutants due to inundation from flooding, tsunamis, or seiches. **(No Impact)**

Impact HYD-5:	The project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan. **(Less than Significant Impact)**

The previously-discussed GWMP Valley Water prepared for the Santa Clara and Llagas subbasins in 2016, provides a comprehensive groundwater management framework including objectives and strategies, programs and activities to support those objectives, and outcome measures to gauge performance. The GWMP is the guiding document for how Valley Water will ensure groundwater basins within its jurisdiction are managed sustainably. The Santa Clara subbasin in which the project site is located has not been identified as a groundwater basin in a state of overdraft.

The project site is not located within, or adjacent to, a Valley Water groundwater recharge pond or facility. Implementation of the proposed project would not interfere with any actions set forth by the SCVWD in its GWMP in regard to groundwater recharge, transport of groundwater, and/or groundwater quality. Therefore, the proposed project would not preclude the implementation of the GWMP. **(Less than Significant Impact)**

4.11 LAND USE AND PLANNING

4.11.1 Environmental Setting

4.11.1.1 *Regulatory Framework*

Regional

Plan Bay Area 2040

Plan Bay Area 2040 is a long-range transportation, land-use, and housing plan intended support a growing economy, provide more housing and transportation choices, and reduce transportation-related pollution and GHG emissions in the Bay Area. Plan Bay Area 2040 promotes compact, mixed-use residential and commercial neighborhoods near transit, particularly within identified Priority Development Areas (PDAs).[68]

ABAG allocates regional housing needs to each city and county within the nine-county San Francisco Bay Area, based on statewide goals. ABAG also develops forecasts for population, households, and economic activity in the Bay Area. ABAG, MTC, and local jurisdiction planning staff created the Regional Forecast of Jobs, Population, and Housing, which is an integrated land use and transportation plan through the year 2040 (upon which Plan Bay Area 2040 is based).

Local

City of Campbell General Plan

Various policies and actions in the City of Campbell General Plan have been adopted for the purpose of avoiding or mitigating land use impacts resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies/Strategies	Description
LUT-5.1	Neighborhood Integrity: Recognize that the City is composed of residential, industrial and commercial neighborhoods, each with its own individual character; and allow change consistent with reinforcing positive neighborhood values, while protecting the integrity of the city's neighborhoods.
LUT-5.3b	Minimal Setbacks: Design commercial and office buildings city-wide to have minimal setbacks from the sidewalk except to allow for pedestrian oriented features such as plazas, recessed entryways, and wider sidewalks for outdoor cafes. Discourage parking areas between the public right-of-way and the front façade of the building.
LUT-7.2n	Consistency with Plans: Ensure that new development and substantial remodeling projects are consistent with Specific Plans, Area Plans, City Standard Details and adopted Streetscape Standards to create cohesive design.
LUT-9.1c	Land Use Objectives and Redevelopment Plans: Permit only those uses that are compatible with land use objectives and redevelopment plans.

[68] Association of Bay Area Governments and Metropolitan Transportation Commission. "Project Mapper." http://projectmapper.planbayarea.org/. Accessed February 17, 2021.

Policies/Strategies	Description
Policy LUT-9.3:	Design and Planning Compatibility: Promote high quality, creative design and site planning that is compatible with surrounding development, public spaces and natural resources.
Strategy LUT-9.3d	Building Design: Design buildings to revitalize streets and public spaces by orienting the building to the street, including human scale details and masing that addressing the pedestrian.
Strategy LUT-9.3e	Building Materials: Encourage the use of long-lasting, high quality building materials on all buildings to ensure the long-term quality of the built environment.
Strategy LUT-9.3f	Development Orientation: Orient new development toward public and private amenities or open space, in particular: • Orient front entrances, living/office area and windows toward the amenity or open space. • Orient high activity areas such as outdoor dining areas and plazas, and major pedestrian routes toward the amenity por open space.

City of Campbell Municipal Code

In addition to the General Plan, the City of Campbell Municipal Code is the primary tool that regulates physical development in Campbell. The Municipal Code contains all ordinances for the City, and identifies land use categories, site development regulations, and other general provisions that ensure consistency between the General Plan and proposed development projects. The Municipal Code is organized by Title, Article, and Chapter. As noted earlier in this document, however, the land use permit requirements of the Zoning Code do not apply to City facilities, and would therefore not be applicable to the proposed project.

4.11.1.2 *Existing Conditions*

The project site is the Civic Center Complex, a six-acre block bounded by Civic Center Drive, North First Street, Grant Street, and Harrison Avenue in the City of Campbell's Historic Downtown District. The changes proposed by the project include the construction of a new, approximately 24,800-square-foot Police Operations Building in the northwest corner area of the site that is currently occupied by a surface parking lot, renovations to the existing Campbell Library building and parking lot, and repaving of the existing parking lot at the northeast corner of the site. Surrounding land uses include residential parcels to the north and west, commercial uses to the south, and institutional uses to the east.

The site, which is fully developed with surface parking lots, has an *Institutional* General Plan land use designation and is zoned *P-D (Planned Development)*. Sites with an *Institutional* land use designation are intended to provide civic, social service, educational, cultural or charitable uses. Sites zoned *P-D (Planned Development)* can allow any use or development that is consistent with City's General Plan, and are typically intended for development projects that would require development and performance standards necessary to implement the project that would not otherwise be available through the conventional zoning process. Such standards can be customized to also make a project more compatible with its surroundings.

4.11.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Physically divide an established community?	☐	☐	☐	☒
2) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	☐	☐	☐	☒

Impact LU-1: The project would not physically divide an established community. **(No Impact)**

The project proposes to construct a new Police Operations building, make modifications to the existing Library building, and repave an existing parking lot within the existing Civic Center complex. It does not propose the construction of any type of dividing infrastructure such as highways, freeways, or major arterials that could inhibit the access of residents to the site or surrounding areas. The project would not physically divide an established community within the City because it would not interfere with or modify the movement of residents throughout nearby neighborhoods. **(No Impact)**

Impact LU-2: The project would not cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect. **(No Impact)**

Land Use Compatibility

Potential incompatibility may arise from placing a particular development or land use at an inappropriate location, or from some aspect of the project's design or scope. Depending on the nature of the impacts and its severity, land use compatibility conflicts can range from minor irritation and nuisance to potentially significant effects on human health and safety. The proposed project would replace portions of existing surface parking lots with a Police Operations Building and new parking lot, and in addition, renovate the existing Library building and make minor alterations to its existing parking lot and pedestrian paths. No new land uses are proposed with the project at this location, and the scale and intensity of the proposed development and improvements are consistent with the existing development within the Civic Center complex.

Consistency with Plans

Land use and planning policies and regulations adopted for the purpose of avoiding or mitigating adverse environmental effects are contained in the City's General Plan and Municipal Code. The project site has an *Institutional* General Plan land use designation, which permits civic uses such as the proposed police station. As the project is zoned *Planned Development (PD)* and is consistent with the site's General Plan land use designation of *Institutional*, the proposed use is allowed by the City's

Municipal Code. No changes to the sites General Plan land use or zoning designations are proposed with the project.

In addition to the project's consistency with its existing General Plan Land Use and Zoning Code designations, the project would conform to the following General Plan Polices and Strategies.

> *Policy LUT-5.3b:* The project is consistent with this Policy in that the proposed Police Operations Building would replace an existing parking lot that currently extends to within a few feet of the existing sidewalk along the North First Street and Grant Street frontages of the site. The project's site design also allows for vertical separation between the public sidewalk along North First Street and the pedestrian oriented features of the project (lower plaza, building entrances and walkways). The proposed new secure parking lot is located on the opposite side of the new building from the North First Street sidewalk, and the reconfigured public parking lot has a wider landscaped setback from the sidewalk than many existing parking areas on properties surrounding the Civic Center site.
>
> *Strategy LUT-9.3d:* The project is consistent with this Strategy's intent to ensure that buildings are designed to revitalize streets and public spaces. The proposed Police Operations Building is oriented to provide pedestrian access via stairs and ADA-compliant ramps from the public parking lot down to an open lower level courtyard area that connects the new building to the existing Police Department building. A meandering sidewalk is proposed along the project frontage on North First Street, with a landscaped setback area between the back of the sidewalk and the building to facilitate pedestrian-friendly access to the new development.
>
> *Strategy LUT-9.3f:* The front entrance to the proposed Police Operations Building is located on the lower plaza, providing direct pedestrian access to the building from a public amenity. This would be consistent with Strategy LUT-9.3.f, which promotes the orientation of buildings toward project amenities or public open space areas. City Hall employees would also have access to the existing City Hall building from the lower plaza.

Land use and planning policies and regulations adopted for the purpose of avoiding or mitigating adverse environmental effects are contained in the City's General Plan and Municipal Code. The project is consistent with its existing General Plan land use and zoning designations. Consistency with other regional and local plans adopted to reduce specific environmental impacts, such as the BAAQMD 2017 CAP, is discussed in the applicable sections of this Initial Study (e.g., Section 4.3 Air Quality and Section 4.8 Greenhouse Gases). Furthermore, the project site is not subject to any adopted habitat conservation plans or natural community conservation plans. Implementation of the proposed project would be consistent with established local and regional plans and policies, and the project would not conflict with any plans adopted to reduce or prevent environmental impacts. **(No Impact)**

4.12 MINERAL RESOURCES

4.12.1 Environmental Setting

4.12.1.1 *Regulatory Framework*

State

Surface Mining and Reclamation Act

The Surface Mining and Reclamation Act (SMARA) was enacted by the California legislature in 1975 to address the need for a continuing supply of mineral resources, and to prevent or minimize the negative impacts of surface mining to public health, property, and the environment. As mandated under SMARA, the State Geologist has designated mineral land classifications in order to help identify and protect mineral resources in areas within the state subject to urban expansion or other irreversible land uses which would preclude mineral extraction. SMARA also allowed the State Mining and Geology Board (SMGB), after receiving classification information from the State Geologist, to designate lands containing mineral deposits of regional or statewide significance.

4.12.1.2 *Existing Conditions*

According to the Campbell General Plan EIR and USGS records, there are no known mineral resources within the City of Campbell.

4.12.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	☐	☐	☐	☒
2) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?	☐	☐	☐	☒

Impact MIN-1:	The project would not result in the loss of availability of a known mineral resource that would be of value to the region and residents of the state. **(No Impact)**

There are no identified mineral resources located within or adjacent to the project site. The proposed project would not result in the loss of availability of any known mineral resources. **(No Impact)**

Impact MIN-2:	The project would not result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan. **(No Impact)**

There are no identified mineral resource recovery sites located within or adjacent to the project site. The proposed project would not result in the loss of a mineral resource recovery site. **(No Impact)**

4.13 NOISE

The following discussion is based, in part, on a Noise and Vibration Assessment prepared for the project by Illingworth & Rodkin, Inc. The report, dated June 14, 2021, is attached to this Initial Study as Appendix E.

4.13.1 Environmental Setting

4.13.1.1 *Background Information*

Noise

Factors that influence sound as it is perceived by the human ear, include the actual level of sound, period of exposure, frequencies involved, and fluctuation in the noise level during exposure. Noise is measured on a decibel scale, which serves as an index of loudness. The zero on the decibel scale is based on the lowest sound level that the healthy, unimpaired human ear can detect. Each 10 decibel increase in sound level is perceived as approximately a doubling of loudness. Because the human ear cannot hear all pitches or frequencies, sound levels are frequently adjusted or weighted to correspond to human hearing. This adjusted unit is known as the A-weighted decibel, or dBA.

Since excessive noise levels can adversely affect human activities and human health, federal, state, and local governmental agencies have set forth criteria or planning goals to minimize or avoid these effects. Noise guidelines are generally expressed using one of several noise averaging methods, including L_{eq}, DNL, or CNEL.[69] These descriptors are used to measure a location's overall noise exposure, given that there are times when noise levels are higher (e.g., when a jet is taking off from an airport or when a leaf blower is operating) and times when noise levels are lower (e.g., during lulls in traffic flows on freeways or in the middle of the night). L_{max} is the maximum A-weighted noise level during a measurement period.

Vibration

Ground vibration consists of rapidly fluctuating motions or waves with an average motion of zero. Vibration amplitude can be quantified using Peak Particle Velocity (PPV), which is defined as the maximum instantaneous positive or negative peak of the vibration wave. PPV has been routinely used to measure and assess ground-borne construction vibration. Studies have shown that the threshold of perception for average persons is in the range of 0.008 to 0.012 inches/second (in/sec) PPV.

[69] L_{eq} is a measurement of average energy level intensity of noise over a given period of time. Day-Night Level (DNL) is a 24-hour average of noise levels, with a 10 dB penalty applied to noise occurring between 10:00 PM and 7:00 AM. Community Noise Equivalent Level (CNEL) includes an additional five dB applied to noise occurring between 7:00 PM and 10:00 PM. Where traffic noise predominates, the CNEL and DNL are typically within two dBA of the peak-hour L_{eq}.

4.13.1.2 *Regulatory Framework*

Federal

Federal Transit Administration Vibration Limits

The Federal Transit Administration (FTA) has developed vibration impact assessment criteria for evaluating vibration impacts associated with transit projects. The FTA has proposed vibration impact criteria based on maximum overall levels for a single event. The impact criteria for groundborne vibration are shown in Table 4.13-1 below. These criteria can be applied to development projects in jurisdictions that lack vibration impact standards.

Table 4.13-1: Groundborne Vibration Impact Criteria

Land Use Category	Groundborne Vibration Impact Levels (VdB inch/sec)		
	Frequent Event	Occasional Events	Infrequent Events
Category 1: Buildings where vibration would interfere with interior operations	65	65	65
Category 2: Residences and buildings where people normally sleep	72	75	80
Category 3: Institutional land uses with primarily daytime use	75	78	83
Source: Federal Transit Administration. *Transit Noise and Vibration Assessment Manual.* September 2018.			

State

California Green Building Standards Code

For commercial and office uses, CalGreen requires that wall and roof-ceiling assemblies exposed to the adjacent roadways have a composite STC rating of at least 50 or a composite OITC rating of no less than 40, with exterior windows of a minimum STC of 40 or OITC of 30 when the property falls within the 65 dBA L_{dn} or greater noise contour for a freeway or expressway, railroad, or industrial or stationary noise source. The state requires interior noise levels to be maintained at 50 dBA $L_{eq(1\text{-}hr)}$ or less during hours of operation at a proposed commercial use.

Regional and Local

Campbell General Plan

The Campbell General Plan provides goals, strategies and policies to guide compatible land uses and the incorporation of noise attenuation measures for new uses to protect people living and working in the City from an excessive noise environment. The following goals, strategies and policies are applicable to the proposed project.

Goals/Strategies/Policies	Description
Goal CNR-10	Protect the community, especially sensitive noise receptors such as schools, hospitals and senior facilities, from excessive noise.
Policy CNR-10.1	Noise Reduction: Reduce noise levels at the source.
Strategy CNR-10.1a	Noise Ordinance: Adopt and strictly enforce a Noise Ordinance that establishes noise standards for various noise-sensitive land uses and for all Zoning Districts.
Strategy CNR-10.1b	Minimization of Noise Exposure and Generation: Encourage practices and technologies that minimize noise exposure and noise generation in new development and redevelopment.
Strategy CNR-10.1c	Noise and New Development: Evaluate the potential for noise pollution and ways to reduce noise impacts when reviewing development proposals. *Noise from Stationary Sources:* New residential development shall conform to a stationary source noise exposure standard of 65 dBA for exterior noise levels and 45 dBA for interior noise levels. Acoustical studies shall be required for all new noise-sensitive projects that may be affected by existing noise from stationary sources. Where existing stationary noise sources exceed the City's noise standards, mitigation measures shall be implemented to reduce noise exposure to or below the allowable levels of the Noise Ordinance. *Traffic-Related Noise:* New residential development shall conform to a traffic-related noise exposure standard of 60 dBA CNEL for outdoor noise in noise-sensitive outdoor activity areas and 45 dBA CNEL for indoor noise. New development, which does not and cannot be made to conform to this standard shall not be permitted. Acoustical studies, describing how the Conservation and Natural Resources Element CNR-21 exterior and interior noise standards will be met, shall be required for all new residential developments with a noise exposure greater than 60 dBA CNEL. The studies should also satisfy the requirements set forth in Title 24, part 2, of the California Administrative Code, Noise Insulation Standards, for multiple-family attached residential projects, hotels, motels, etc., regulated by Title 24. Table CNR-2: Traffic-Related Noise Conditions at General Plan Buildout should be used as the basis to initially identify areas with potential excessive noise exposure.
Strategy CNR-10.1d	Noise Mitigation Measures: Review and require noise mitigation measures for development projects, including setbacks between uses, earth berms, sound walls, landscaping and site design that shields noise-sensitive uses with non-sensitive structures such as parking lots, utility areas and garages, or orients buildings to shield outdoor spaces from noise sources.
Strategy CNR-10.1e	Construction Noise Mitigation: Require mitigation measures during construction, including limits on operating times of noise producing activities (including vehicles).

City of Campbell Municipal Code

Chapter 18.04.052 of City of Campbell's Municipal Code states that construction activity shall be limited between the hours of 8 a.m. and 5 p.m. Monday through Friday, and between the hours of 9 a.m. and 4 p.m. Saturday. There shall be no construction activity on Sundays or public holidays. Construction activity, under contracts awarded by the city for public improvements, shall be allowed during the working hours specified by the city engineer, as described in the construction project contract documents. Such working hours shall be designed to prevent unnecessary hazard or inconvenience to members of the public.

Chapter 21.16.090 of City of Campbell's Municipal Code states that uses, activities, and processes shall not generate ground vibration that is perceptible without instruments by average person at any point along or beyond the property line of the parcel containing the activities. Vibrations from temporary construction, demolition and vehicles that enter and leave the subject parcel (e.g., construction equipment, trains, trucks, etc.) shall be exempt.

4.13.1.3 *Existing Conditions*

The Civic Center campus is located in the Downtown district of Campbell, at the southeast corner of North First Street and Grant Street. Surrounding land uses include residential parcels to the north and west, commercial uses to the south, and institutional uses to the east. The nearest sensitive receptors to the north and west would be located approximately 130 feet from the acoustic centers of the construction sites (i.e., center of buildings) and 65 feet from the exterior of the proposed Police Operations Building. The nearest buildings of normal conventional construction are located 65 feet north of the project site. There are several historic structures within the vicinity of the project site and library, including:

- The Ainsley House, located at 300 Grant Street, approximately 180 feet east of the proposed Police Operations Building and approximately 95 feet northwest of the library renovations
- The Ethel Swope Davis House, located at 131 North First Street, approximately 95 feet west of the proposed Police Operations Building and approximately 500 feet northwest of the library renovations
- The Gilman House, located at 151 North First Street, approximately 120 feet northwest of the proposed Police Operations Building and approximately 550 feet northwest of the library renovations

The predominant sources of ambient noise in the project vicinity include vehicle traffic along State Route 17 and local roadways (refer to Section 4.17.1.2 Existing Conditions). Based on General Plan noise contours and prior noise measurements, noise levels in the project vicinity are less than 60 dBA L_{dn}.

4.13.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project result in:				
1) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	☐	☒	☐	☐
2) Generation of excessive groundborne vibration or groundborne noise levels?	☐	☐	☒	☐
3) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	☐	☐	☐	☒

4.13.2.1 *Thresholds of Significance*

The CEQA Guidelines state that a project would normally be considered to have a significant impact if noise levels conflict with adopted environmental standards or plans, or if noise levels generated by the project will substantially increase existing noise levels at noise-sensitive receivers on a permanent or temporary basis. CEQA does not define what noise level increase would be substantial. As discussed in CEQA Guidelines Section 15064(b), the determination of whether a project may have a significant effect on the environment calls for judgment on the part of the lead agency and must be based to the extent possible on scientific and factual data The following criteria were used in the Illingworth & Rodkin report to evaluate the significance of environmental noise resulting from the project::

- **Temporary or Permanent Noise Increases in Excess of Established Standards:** A significant impact would be identified if project operations or construction would result in a substantial temporary or permanent increase in ambient noise levels at sensitive receivers in excess of the local noise standards contained in the Campbell General Plan or Municipal Code, as follows:
    - **Temporary Noise Increase:** A significant noise impact would be identified if construction-related noise would temporarily increase ambient noise levels at sensitive receptors.
    - **Operational Noise in Excess of Standards:** A significant noise impact would be identified if the project would expose persons to or generate noise levels that would exceed applicable noise standards presented in the Campbell General Plan or Municipal Code.

- **Permanent Noise Increase:** A noise increase of 5 dBA L_{dn} or greater would be considered significant when projected noise levels would continue to meet those considered satisfactory for the affected land use (60 dBA L_{dn}). A permanent increase of 3 dBA L_{dn} or greater at noise-sensitive receptors would be considered significant where existing noise levels range from 60 dB L_{dn} to 65 dB L_{dn}. A permanent increase of 1.5 dBA L_{dn} or greater at noise-sensitive receptors would be considered significant where existing noise levels exceed 65 dB L_{dn}.
- **Stationary Equipment:** Noise levels from stationary equipment are limited to 55 dBA L_{eq} during the daytime and 45 dBA L_{eq} at night. Maximum noise levels from stationary equipment are limited to 70 dBA L_{max} during the daytime and 65 dBA L_{max} at night.

- **Groundborne Vibration from Construction:** The City of Campbell Municipal Code has set forth vibration standards under Section 21.16.090 stating that uses, activities, and processes shall not generate ground vibration that is perceptible without instruments by the average person at any point along or beyond the property line of the parcel containing the activities. Vibrations from temporary construction, demolition, and vehicles that enter and leave the project site (e.g., construction equipment, trains, trucks, etc.) are exempt. To avoid structural damage, the California Department of Transportation recommends a vibration limit of 0.5 in/sec PPV for buildings structurally sound and designed to modern engineering standards, 0.3 in/sec PPV for buildings that are found to be structurally sound but where structural damage is a major concern. A conservative limit of 0.08 in/sec PPV is recommended for historic buildings or buildings that are documented to be structurally weakened.
- **Exposure to Aircraft Noise:** A significant noise impact would be identified if the project would expose people residing or working in the project area to excessive aircraft noise levels.

Impact NOI-1:	The project would not result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies. **(Less than Significant Impact with Mitigation Incorporated)**

Construction Noise

Project construction is anticipated to occur over a period of 12 months and would include demolition, site preparation, grading/excavation, trenching/foundations, construction of the building shell, interior finishing/architectural coatings, and paving. Interior renovations of the Library and existing Police Department building would produce minimal noise levels off-site.

Noise impacts resulting from construction depend upon the noise generated by various pieces of construction equipment, the timing and duration of noise-generating activities, and the distance between construction noise sources and noise-sensitive areas. Construction noise impacts primarily result when construction activities occur during noise-sensitive times of the day (e.g., early morning, evening, or nighttime hours), the construction occurs in areas immediately adjoining noise-sensitive land uses, or when construction lasts over extended periods of time.

Construction activities generate considerable amounts of noise, especially during earth-moving activities when heavy equipment is used. During each stage of construction, there would be a different mix of equipment operating, and noise levels would vary by stage and vary within stages, based on the amount of equipment in operation and the location at which the equipment is operating. Most demolition and construction noise falls with the range of 80 to 90 dBA at a distance of 50 feet from the source.

At maximum, construction noise levels produced by the project would typically range from 77 to 89 dBA L_{eq} at a distance of 50 feet from the source.[70] Construction-generated noise levels drop off at a rate of about 6 dBA per doubling of the distance between the source and receptor. Shielding by buildings or terrain can provide an additional 5 to 10 dBA noise reduction at distant receptors. The majority of construction activities would occur at the center of the project site, approximately 130 feet from the nearest sensitive receptors to the north and west. At a distance of 130 feet, construction noise levels would range from 69 to 81 dBA L_{eq}. Accordingly, construction noise levels would at times substantially exceed existing ambient noise levels in the area (<60 dBA, refer to Section 4.13.1.3 Existing Conditions).

In accordance with General Plan Strategy CNR-10.1e, the project will develop a construction noise control plan and require the contractor to adhere to the following best management practices to reduce construction noise levels emanating from the site and minimize disruption and annoyance at existing noise-sensitive receptors in the project vicinity to the extent feasible.

- The construction contractor shall utilize "quiet" models of air compressors and other stationary noise sources where technology exists.
- At all times during project grading and construction, stationary noise-generating equipment shall be located as far as practicable from sensitive receptors and placed so that emitted noise is directed away from residences.
- Unnecessary idling of internal combustion engines shall be prohibited.
- Construction staging areas shall be established at locations that will create the greatest distance between the construction-related noise sources and noise-sensitive receptors nearest the project site during all project construction activities, to the extent feasible.
- The required construction-related noise mitigation plan shall also specify that haul truck deliveries are to occur within the same range of hours specified for construction equipment.
- The construction contractor shall designate a "noise disturbance coordinator" who will be responsible for responding to any local complaints about construction noise. The disturbance coordinator shall be responsible for determining the cause of the noise complaint (e.g., starting too early, poor muffler, etc.) and instituting reasonable measures as warranted to correct the problem. A telephone number for the disturbance coordinator shall be conspicuously posted at the construction site.

[70] Maximum noise levels would occur when all pertinent equipment is present at the site. Construction noise levels would be lower with the minimum required equipment is present at the site.

Implementation of the construction noise control plan measures identified above would reduce construction noise levels emanating from the site to the maximum extent feasible, minimizing disruption and annoyance. Reasonable regulation of the hours of construction, as specified in Chapter 18.04.052 of City of Campbell's Municipal Code, as well as regulation of the arrival and operation of heavy equipment and the delivery of construction material, are necessary to protect the health and safety of persons, promote the general welfare of the community, and maintain the quality of life. The construction noise control plan shall be implemented during all phases of construction activity to reduce the noise exposure of neighboring properties. Implementation of the above controls would reduce construction noise levels emanating from the site, minimizing disruption and annoyance. These controls, in combination with the limitations on hours set forth in the Municipal Code, would reduce the impact to a less than significant level.**(Less than Significant Impact)**

Operational Noise

Project-Generated Traffic

The project would not result in any significant increases in vehicle trip generation, as the proposed Police Operations Building is not expected to result in additional personnel being employed, and the proposed Library building renovation would also not generate additional employees or attract additional visitors beyond current conditions. In comparison with existing traffic conditions, project-generated traffic is projected to increase ambient noise levels by only 1 dBA L_{dn}, well below the Municipal Code threshold of 5 dBA L_{dn}. **(Less than Significant Impact)**

Mechanical Equipment

The project would also install a 750 kW emergency generator on the northern boundary of the project site, approximately 55 feet from the nearest sensitive receptors to the north across Grant Street. In addition, the proposed Police Operations Building would include mechanical equipment for heating, ventilation, and cooling (HVAC) purposes, exhaust fans, emergency generators, and other similar equipment. No new significant noise-generating mechanical equipment is proposed as part of the interior renovations to the Campbell Library.

At a distance of 23 feet, the 750 kW emergency generator (which would be located within a sound attenuated enclosure per the manufacturer's requirements) would produce a noise level of 75 dBA. At the nearest sensitive receptors to the north, the emergency generator would produce a noise level of 68 dBA during testing and operation. The emergency generator would only generate noise levels in excess of the ambient base noise level during testing, which typically occurs for one hour every month, and during operation in the event of a power failure. Although the emergency generator would occasionally produce noise in excess of the ambient noise level, the City's noise standards are not applied to emergency equipment such as the emergency generator since they operate only on an infrequent basis and during emergencies.

The Police Operations Building mechanical equipment is expected to be installed on the rooftop within a mechanical equipment well and shielded from view of the nearest sensitive receptors to the north and west. The rooftop mechanical equipment is expected to generate noise levels of 53 dBA at 50 feet. At a distance of 65 to 80 feet, which would represent the property lines of nearby sensitive receptors to the north and west, respectively, noise levels attributable to unshielded rooftop

mechanical equipment would range from 49 to 51 dBA. Assuming a minimum of 5 dBA of noise reduction would be provided by the rooftop parapet, operational noise levels at the nearest residences would range from 44 to 46 dBA L_{eq}, which would comply with the Municipal Code daytime and nighttime limits of 55 dBA L_{eq} and 45 dBA L_{eq}, respectively. However, since the exact specifications of the mechanical equipment are unknown at this time, the final design of the Police Operations Building may ultimately include mechanical equipment which would generate noise in excess of Municipal Code standards. Therefore, the following mitigation measure shall be conditioned in order to ensure that the final design of the Police Operations Building does not include mechanical equipment that would generate a permanent noise increase in excess of the Municipal Code standards for mechanical equipment.

Impact NOI-1: Without mitigation, the Police Operations Building's rooftop mechanical equipment could result in a permanent noise increase in ambient noise levels in excess of Municipal Code daytime and nighttime limits of 55 dBA L_{eq} and 45 dBA L_{eq}, respectively.

Mitigation Measure: Implementation of the following mitigation measures would ensure that potential impacts associated with operation of the project's mechanical equipment are less than significant.

MM NOI-1.1: Prior to the issuance of building permits, Police Operations Building rooftop mechanical equipment shall be selected and designed to reduce impacts on nearby residential uses to meet the Municipal Code daytime and nighttime limits of 55 dBA Leq and 45 dBA Leq, respectively. A qualified acoustical consultant shall be retained by the project applicant to review mechanical noise as the equipment systems are selected in order to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise limits at the property line. Noise reduction measures could include, but are not limited to, selection of equipment that emits low noise levels and/or installation of noise barriers such as mechanical equipment screens or enclosures.

Implementation of MM NOI-1.1 would ensure that prior to the issuance of building permits, a qualified acoustical consultant reviews the final design of the Police Operations Building and verifies that the selected rooftop mechanical equipment would not result in an increase in ambient noise levels in excess of the Municipal Code standards. **(Less than Significant Impact with Mitigation Incorporated)**

Impact NOI-2: The project would not result in generation of excessive groundborne vibration or groundborne noise levels. **(Less than Significant Impact)**

The construction of the project may generate perceptible vibration when heavy equipment or impact tools (e.g. jackhammers, hoe rams) are used. Construction activities associated with the project would include demolition, site preparation, foundation work, and new building framing and finishing. Pile driving (which generates substantial vibration) is not anticipated as a method of construction.

As noted in Section 4.13.2.1 Thresholds of Significance, vibrations from temporary construction, demolition, and vehicles that enter and leave the project site (e.g., construction equipment, trains, trucks, etc.) are exempt from Municipal Code vibration limits. The project would still be subject to the recommended California Department of Transportation in/sec PPV vibration limits for modern and historic buildings. Table 4.13-2 below presents the calculated construction vibration levels at several distances representing the approximate distance between project-related construction activities and nearby buildings of modern and historic construction.

Table 4.13-2: Construction Vibration Levels by Distance

Equipment	PPV (in/sec)				
	Vibration Level (25 feet)	Vibration Level (65 feet)	Vibration Level (80 feet)	Vibration Level (95 feet)	Vibration Level (120 feet)
Clam shovel drop	0.202	0.071	0.056	0.047	0.036
Hydromill (in soil)	0.008	0.003	0.002	0.002	0.001
Hydromill (in rock)	0.017	0.006	0.005	0.004	0.003
Vibratory Roller	0.210	0.073	0.058	0.048	0.037
Hoe Ram	0.089	0.031	0.025	0.020	0.016
Large bulldozer	0.089	0.031	0.025	0.020	0.016
Caisson drilling	0.089	0.031	0.025	0.020	0.016
Loaded trucks	0.076	0.027	0.021	0.018	0.014
Jackhammer	0.035	0.012	0.010	0.008	0.006
Small bulldozer	0.003	0.001	0.001	0.001	0.001

Source: Transit Noise and Vibration Impact Assessment Manual, Federal Transit Administration, Office of Planning and Environment, U.S. Department of Transportation, FTA Report No. 0123, September 2018, as modified by Illingworth & Rodkin, Inc., March 2021.

The proposed Police Operations Building would be constructed approximately 65 feet from the nearest building of normal conventional construction. As shown in Table 4.13-2, vibration levels at 65 feet and beyond would be 0.07 in/sec PPV or less, which is below the 0.3 in/sec PPV threshold for normal buildings. At the Ethel Swope Davis House and the Gilman House, which are located approximately 95 and 120 feet from the proposed Police Operations Building, respectively, vibration levels would be 0.05 in/sec PPV or less, which is below the 0.08 in/sec PPV threshold for historic resources. Accordingly, vibration levels generated by construction of the Police Operations Building at the Ainsley House, which is located 180 feet away, would also be below the in/sec PPV threshold for historic resources.

Renovation activities at the Campbell Library would occur 80 feet north of the nearest building of modern conventional construction and 95 feet southeast of the nearest historic building, the Ainsley House. Vibration levels at 80 feet and beyond would be 0.06 in/sec PPV or less, which would be

below both the 0.3 in/sec PPV threshold for normal buildings and the 0.08 in/sec PPV threshold for historic resources.

Accordingly, as project-generated vibration at the nearest building of modern conventional construction and all nearby historic structures would be below the California Department of Transportation in/sec PPV vibration limits for modern and historic buildings, the project would not result in the generation of excessive groundborne vibration or groundborne noise levels. **(Less than Significant Impact)**

Impact NOI-3:	The project would not be located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport. The project would not expose people residing or working in the project area to excessive noise levels. **(No Impact)**

Norman Y. Mineta San José International Airport is the closest public airport to the project site, located approximately five miles to the northeast. The project site is located outside the 60 dBA CNEL noise contour of the airport, according to the Airport Master Plan EIR.[71] This means that future exterior noise levels due to aircraft would not exceed 60 dBA CNEL. Similarly, Reid-Hillview Airport and Moffett Federal Airfield are located over seven and nine miles from the project site, respectively, and these airports produce considerably less environmental noise as compared to Norman Y. Mineta San José International Airport. Noise levels produced by Reid-Hillview Airport and Moffett Federal Airfield aircraft are insignificant at the site and would be clearly compatible with the proposed land use. The project would therefore not expose people working in the project area to excessive noise levels. **(No Impact)**

[71] David J. Powers & Associates, Inc., Integrated Final Environmental Impact Report, Amendment to Norman Y. Mineta San José International Airport Master Plan, April 2020.

4.14 POPULATION AND HOUSING

4.14.1 Environmental Setting

4.14.1.1 *Regulatory Framework*

State

Housing-Element Law

State requirements mandating that housing be included as an element of each jurisdiction's general plan is known as housing-element law. The Regional Housing Need Allocation (RHNA) is the state-mandated process to identify the total number of housing units (by affordability level) that each jurisdiction must accommodate in its housing element. California housing-element law requires cities to: 1) zone adequate lands to accommodate its RHNA; 2) produce an inventory of sites that can accommodate its share of the RHNA; 3) identify governmental and non-governmental constraints to residential development; 4) develop strategies and a work plan to mitigate or eliminate those constraints; and 5) adopt a housing element and update it on a regular basis.[72] The City of Campbell Housing Element and related land use policies were last updated in 2015.

Regional

Plan Bay Area 2040

Plan Bay Area 2040 is a long-range transportation, land-use, and housing plan intended support a growing economy, provide more housing and transportation choices, and reduce transportation-related pollution and GHG emissions in the Bay Area. Plan Bay Area 2040 promotes compact, mixed-use residential and commercial neighborhoods near transit, particularly within identified Priority Development Areas (PDAs).[73]

ABAG allocates regional housing needs to each city and county within the nine-county San Francisco Bay Area, based on statewide goals. ABAG also develops forecasts for population, households, and economic activity in the Bay Area. ABAG, MTC, and local jurisdiction planning staff created the Regional Forecast of Jobs, Population, and Housing, which is an integrated land use and transportation plan through the year 2040 (upon which Plan Bay Area 2040 is based).

Local

Campbell General Plan

The Campbell General Plan contains one policy relevant to population and housing, Policy LUT-2.4 (shown below), which is located in the General Plan's Land Use and Transportation Element.

[72] California Department of Housing and Community Development. "Regional Housing Needs Allocation and Housing Elements" Accessed May 17, 2021. http://hcd.ca.gov/community-development/housing-element/index.shtml.
[73] Association of Bay Area Governments and Metropolitan Transportation Commission. "Project Mapper." http://projectmapper.planbayarea.org/. Accessed May 17, 2021.

Policies	Description
LUT-2.4	Jobs and Housing Balance: Maintain Campbell's balance of jobs and housing units to encourage residents to work in Campbell, and to limit the impact on the regional transportation system.

City of Campbell Housing Element

The City's Housing Element, adopted in February 2015, is part of the City's General Plan but is updated on a different cycle, consistent with State law. The City's 2015-2023 Housing Element describes how the City of Campbell plans to meet the projected housing needs of all economic segments of the community and the City's fair share allocation of regional housing needs. The Housing Element addresses the provision of housing for city residents, including affordable, mixed-use, and infill housing, and includes an analysis of whether Campbell has provided adequate sites to meet its RHNA obligations.

4.14.1.2 *Existing Conditions*

According to the California Department of Finance, the City of Campbell had a population of 42,288 as of January 1, 2020, a 0.28 percent change from the previous year.[74] ABAG projects the City's population will be 47,120 by 2040.[75] The City has an average household size of 2.5 persons, compared to 3.0 persons per household for Santa Clara County as a whole. As of January 1, 2020, the City had 18,158 housing units with a 7.2 percent vacancy rate. [76] In 2015, there were 23,275 employed residents and 30,265 jobs in the City, which is projected by ABAG to increase to 23,420 and 32,745, respectively, by 2040.[77] As the ratio of jobs to employed residents is approximately 1.3, the City of Campbell is considered "job rich".

[74] California Department of Finance. "E-1 Population Estimates for Cities, Counties, and the State – January 1, 2019 and 2020." http://www.dof.ca.gov/Forecasting/Demographics/Estimates/E-1/ Accessed February 18, 2021.
[75] Association of Bay Area Governments. *Projections 2040, A Companion to Plan Bay Area 2040*. November 2018.
[76] State of California, Department of Finance, Report E-5, Population and Housing Estimates for Cities, Counties, and the State, 2011-2020 with 2010 Census Benchmark.
[77] Association of Bay Area Governments. *Projections 2040, A Companion to Plan Bay Area 2040*. November 2018.

4.14.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	☐	☐	☒	☐
2) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	☐	☐	☐	☒

Impact POP-1: The project would not induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure). **(Less than Significant Impact)**

A project can induce substantial population growth by proposing new housing beyond projected or planned development levels, generating demand for housing as a result of new businesses, extending roads or other infrastructure to previously undeveloped areas, or removing obstacles to population growth (e.g., expanding capacity of a wastewater treatment plant beyond that necessary to serve planned growth).

Historically, the site has not provided housing and there are no current residents. The project would construct a new Police Operations Building and renovate the existing Campbell Library building on the site, which is consistent with the site's *Institutional* land use designation. Thus, the proposed project would not generate demand for housing at a rate that was not envisioned in the General Plan. The new Police Operations Building would replace the existing police facilities located at the first level of the existing City Hall building, which is adjacent to the proposed new development site. As such, the project would not result in a net increase in jobs or the relocation of employees that could result in substantial unplanned population growth directly or indirectly. **(Less than Significant Impact)**

Impact POP-2: The project would not displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere. **(No Impact)**

There are no housing units or residences on-site, therefore, the project would not displace existing housing or people. **(No Impact)**

4.15 PUBLIC SERVICES

4.15.1 Environmental Setting

4.15.1.1 *Regulatory Framework*

State

Government Code Section 66477

The Quimby Act (included within Government Code Section 66477) requires local governments to set aside parkland and open space for recreational purposes. It provides provisions for the dedication of parkland and/or payment of fees in lieu of parkland dedication to help mitigate the impacts from new residential developments. The Quimby Act authorizes local governments to establish ordinances requiring developers of new residential subdivisions to dedicate parks, pay a fee in lieu of parkland dedication, or perform a combination of the two.

Government Code Section 65995 through 65998

California Government Code Section 65996 specifies that an acceptable method of offsetting a project's effect on the adequacy of school facilities is the payment of a school impact fee prior to the issuance of a building permit. Government Code Sections 65995 through 65998 set forth provisions for the payment of school impact fees by new development by "mitigating impacts on school facilities that occur (as a result of the planning, use, or development of real property" (Section 65996[a]). The legislation states that the payment of school impact fees "are hereby deemed to provide full and complete school facilities mitigation" under CEQA (Section 65996[b]).

Developers are required to pay a school impact fee to the school district to offset the increased demands on school facilities caused by the proposed residential development project. The school district is responsible for implementing the specific methods for mitigating school impacts under the Government Code.

California Building Code

The California Building Code (CBC), which is located in Part 2 of Title 24 of the California Code of Regulations, establishes the minimum State building standards. The CBC is based on the 2015 International Building Code, but has been amended to account for California conditions. The CBC is generally adopted on a jurisdiction-by-jurisdiction basis, subject to further modification based on local conditions. Commercial and residential buildings are plan-checked by City building officials for compliance with the CBC. Typical fire safety requirements of the CBC include installation of sprinklers in all high-rise buildings; establishment of fire resistance standards for fire doors, building materials, and particular types of construction; and clearance of debris and vegetation within a prescribed distance from occupied structures in wildfire hazard areas.

California Fire Code

The California Fire Code (CFC) incorporates, by adoption, the 2015 International Fire Code of the International Code Council, with California amendments. This is the official Fire Code for the State and all political subdivisions. It is located in Part 9 of California Code of Regulations Title 24. The

CFC is revised and published approximately every three years by the California Building Standards Commission. The proposed project is categorized in the CFC under Assembly Group A-2, which includes such uses as banquet halls, casinos, taverns and bars, night clubs, and restaurants. The A-2 occupancy group requires having an active sprinkler system on the interior of any establishment, with specific requirements based on square footage, internal occupancy load, and fire size.

Regional

Countywide Trails Master Plan

The Santa Clara County Trails Master Plan Update is a regional trails plan approved by the Santa Clara County Board of Supervisors. It provides a framework for implementing the County's vision of providing a contiguous trail network that connects cities to one another, cities to the county's regional open space resources, County parks to other County parks, and the northern and southern urbanized regions of the County. The plan identifies regional trail routes, sub-regional trail routes, connector trail routes, and historic trails.

Local

Campbell General Plan

Various policies and strategies in the Campbell General Plan have been adopted for the purpose of avoiding or mitigating impacts on public services resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
OSP-6.1	Community Services: Ensure the delivery of efficient and high-quality City services.
OSP-6.2	Community Facilities: Ensure functional, attractive and well-maintained community facilities that serve Campbell's residents.
Strategy OSP-6.2a	New or Renovated Facilities: Design, construct or renovate facilities to ensure adaptability for changing community needs and on-going use.
Strategy OSP-6.2b	Aging Facilities: Renovate and modernize aging facilities to improve their usefulness and appearance and to maximize their potential life and avoid the high cost of deferred maintenance.
Strategy OSP-6.2c	Improvement Plans: Develop and implement long-term improvement plans for the maintenance, enhancement or restoration of City facilities, including the Community Center Master Plan. Consider creating design requirements of integrating public art into architectural and landscape enhancements.
Strategy OSP-6.2d	Accessible Facilities: Modernize City facilities to provide full accessibility to all residents and visitors, including those with disabilities.
Strategy HS-1.1f	Adequate Access: Require adequate access for emergency vehicles, including minimum street width and vertical clearance. The Uniform Fire Code currently sets the minimum street width at 20 feet. Larger buildings may require a minimum width of 30 feet.

Policies	Description
HS-1.4	Critical Facilities: Ensure that critical facilities keep pace with technological improvements and demand.
Strategy HS-1.4a	Update Critical Facilities: Maintain and upgrade critical facilities in anticipation of the need for disaster response.
Strategy HS-1.4c	Proper Siting of Emergency Response Facilities: Ensure that siting of critical emergency response facilities such as hospitals, fire stations, police offices and substations, dispatch centers and other emergency service facilities and utilities have minimal exposure to flooding, seismic and geologic hazards, fires and explosions.
HS-2.1a	Police Facilities and Personnel: Provide police facilities and personnel that meet citizens' needs and ensure a safe and secure environment for people and property.
HS-2.3	Fire and Emergency Medical Services: Ensure that fire and emergency medical services meet existing and future demand.
Strategy HS-2.3a	Fire and Emergency Services: Ensure adequate and efficient fire and emergency services.
Strategy HS-3.1a	Building and Fire Code Requirements: Require all new construction, including public facilities, to be built according to the most recent Building and Fire Codes.

City of Campbell Municipal Code

The Campbell Municipal Code, organized by Title, Article, and Chapter, contains all ordinances for the city. The City's Fire Code, which is in Title 17 (Fire Protection), Chapters 17.04 through 17.80 (Fire Code) of the Municipal Code, regulates permit processes, emergency access, hazardous material handling, and fire protection systems, including automatic sprinkler systems, fire extinguishers, and fire alarms. Title 18 (Building Codes and Regulations) of the Municipal Code sets forth the standards for building and construction in the city. The City has adopted by reference the most recent CBC, subject to additions and amendments as outlined in Chapter 18.04 (Building Code).

4.15.1.2 *Existing Conditions*

Fire Protection Services

The Santa Clara County Fire Department (SCCFD) provides fire protection and emergency medical services (EMS) to the City of Campbell. The SCCFD is responsible for providing services to a population of 213,000 within Santa Clara County, including the communities of Campbell, Cupertino, Los Altos, Los Altos Hills, Los Gatos, Monte Sereno, and Saratoga. The SCCFD currently operates 15 stations in the seven communities it serves.

There are 300 SCCFD employees, with daily staffing of 66 firefighters and officers operating out of its 15 fire stations.[78] There are two SCCFD stations located within the City of Campbell that are responsible for providing fire services within the City limits, described below:

- **Station 10 – Sunnyoaks Fire Station:** Located at 485 W. Sunnyoaks Avenue, this facility is owned by the City of Campbell and leased by the SCCFD. The station equipment consists of Engine 80 and Reserve Engine 180. The Sunnyoaks Fire Station is located approximately five minutes away from the project site.
- **Station 11 – Campbell Fire Station:** Located at 123 Union Avenue, this facility is owned by the City of Campbell and leased by the SCCFD. The station equipment consists of Engine 81 and Reserve Truck 181. The Campbell Fire Station is located approximately four minutes away from the project site.

The average response time to structure fires in metropolitan and urban areas within Campbell in 2017 was 7 minutes and 52 seconds. The average response time for rescue and EMS calls in Campbell is just under five minutes.

Police Protection Services

The Campbell Police Department (CPD) is responsible for all public safety and emergency preparedness services in the City of Campbell. The CPD is also responsible for management of the City's contract with the SCCFD for fire and medical emergency services. All emergency and public safety issues (police, fire, and EMS) are handled through the CPD communication center as it is the Primary Public Answering Point (PPAP). Dispatch for fire and EMS services are handled through the SCCFD. A total of 46 officers are employed by the CPD, which equates to a staffing ratio of slightly more than one sworn police officer to every 1,000 residents. The CPD is primarily comprised of three major divisions:

- Field Services (Patrol) is responsible for responding to emergency and non-emergency calls for service, and consists of patrol teams, community service officers, and reserve officers.
- Special Enforcement includes the Investigative Services Unit (Detectives) and Traffic Unit.
- Support Services is comprised of the Communications Unit (Dispatch), the Records Unit, and the Property Evidence Unit.

The existing CPD headquarters is located at 70 North First Street in Campbell, adjacent to the proposed location of the new Police Operations Building. The existing police facility at 70 North First Street lacks specific amenities for current policing practices and the facilities are not seismically safe. Campbell voters approved Measure O in November 2018, which provided funding for the construction of the proposed Police Operations Building. CPD has adequate staffing to serve current City demand, and demand anticipated to increase in the coming few years.

[78] Santa Clara County Fire Department. *Business Plan, January 2015-December 2019*. 2015

Parks

There are four City park facilities within walking distance of the Civic Center complex. Orchard City Green is located in front of the historic Ainsley House and provides a passive park area just outside of the Campbell Library and Campbell City Hall. It contains an amphitheater, benches, and an open lawn area for passive recreation. It is used for outdoor concert events during the summer months. Ainsley Park, located at 435 East Campbell Avenue, provides benches and a small lawn area for passive recreational uses. Hyde Park is located at the base of the Campbell Water Tower at 90 South First Street, and contains a small lawn area and a children's swing set. Campbell Park, located at the intersection of East Campbell Avenue and Gilman Avenue, approximately 1,000 feet southeast of the site, features a variety of children's play equipment, two full-length lighted basketball courts with terraced spectator seating, par course equipment, small open turf areas, and restrooms. It also provides a major access point to the adjacent Los Gatos Creek Trail.

Schools

The project area is served by the Campbell Union and Campbell Union High School Districts. The Campbell Union School District includes 13 schools (nine elementary schools, two middle schools, one TK-8 school, and one day school) with an enrollment of 7,300 students.[79] The Campbell School of Innovation is the closest elementary school to the project site, located approximately 0.9 mile southwest of the site.

The Campbell Union High School District has five main campuses - Branham, Del Mar, Leigh, Prospect, and Westmont, - and serves more than 7,800 students and employs 550 teachers and staff.[80] Westmont High School is the closest high school to the project site, located approximately 3.6 miles southwest of the site.

Libraries and Community Centers

The Campbell Library is located within the Campbell Civic Center complex and is included in the proposed project. Other City facilities include the Campbell Community Center and the Campbell Adult Center. The Campbell Community Center is located at the intersection of Campbell Avenue and Winchester Boulevard, approximately 0.5 mile west of the project site. It contains the offices of the Campbell Recreation and Community Services Department, as well as the Heritage Theater and the City's Skate Park. Other recreational amenities at the Center include an all-weather track, football field, lighted tennis courts and handball courts, fitness center, gyms, a dance studio, picnic tables, and a swimming pool. The Center also includes a multi-purpose room, meeting rooms and banquet halls available for rent, as well as office spaces. The Campbell Adult Center, which provides various health insurance, long-term care, legal assistance and transportation services for citizens aged 50 and above, is located within the Campbell Community Center.

[79] Wikipedia. Campbell Union School District. https://en.wikipedia.org/wiki/Campbell_Union_School_District. Accessed March 25, 2021.
[80] Wikipedia. Campbell Union High School District. https://en.wikipedia.org/wiki/Campbell_Union_High_School_District. Accessed March 25, 2021

4.15.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
1) Fire Protection?	☐	☐	☐	☒
2) Police Protection?	☐	☐	☐	☒
3) Schools?	☐	☐	☐	☒
4) Parks?	☐	☐	☐	☒
5) Other Public Facilities?	☐	☐	☐	☒

Impact PS-1: The project would not result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for fire protection services. **(No Impact)**

The project itself represents new and physically altered governmental facilities, namely a new Police Operations Building and renovations to the existing Campbell Library building. The construction of the new building and improvements would have no effect on service ratios, response times, or other performance objectives for fire protection services. **(No Impact)**

Impact PS-2: The project would not result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for police protection services. **(No Impact)**

The project itself represents new and physically altered governmental facilities, namely a new Police Operations Building and renovations to the existing Campbell Library building. The construction of the new building and improvements would likely improve the City's library services and performance objectives of the Police Department, and result in no adverse impacts to these services and performance objectives. **(No Impact)**

Impact PS-3:	The project would not result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for schools. **(No Impact)**

The project does not propose the construction or removal of any residential development on the site, nor does it propose any physical alterations to any school property. Therefore, the project would not result in substantial adverse physical impacts or cause any environmental impacts to schools. **(No Impact)**

Impact PS-4:	The project would not result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for parks. **(No Impact)**

As stated under Impact PS-2, above, the project itself represents new and physically altered governmental facilities. The proposed Civic Center improvements would also include new landscaping, sidewalks and pedestrian paths that would improve pedestrian access to the facilities. The project does not propose any physical alterations or modifications to any of the existing open space areas within the Civic Center complex that would adversely impact the use of these areas for passive recreation, as with parks, and the project does not propose any development on any existing parks in the area. The project would not, therefore, cause any environmental impacts to parks. **(No Impact)**

Impact PS-5:	The project would not result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for other public facilities. **(No Impact)**

The project does not propose any new construction or alteration of any existing off-site public facilities such as libraries or community centers, and therefore would not result in any environmental impacts to these facilities. **(No Impact)**

4.16 RECREATION

4.16.1 Environmental Setting

4.16.1.1 *Regulatory Framework*

Local

Campbell General Plan

The Campbell General Plan, includes policies designed to avoid or mitigate impacts resulting from planned development projects within the City. The following policies are specific to recreational resources and are applicable to the proposed project:

Policies	Description
OSP-2.2	Maintain and Renovate Existing Open Space, Park and Recreation Facilities: Maintain and renovate existing open space, park and recreation facilities to improve their usefulness, safety and appearance.
OSP-3.5a	Standards for Non-residential Projects: Non-residential Open Space: Require open space and/or recreational facilities in major non-residential projects.
OSP-4.1	Street Trees: Encourage planting and retention of street trees in landscaped street medians and along City streets.
OSP-6.3	Public Spaces and Amenities for Community Gatherings: Ensure safe, convenient and attractive public spaces and amenities for community gatherings and activities.

4.16.1.1 *Existing Conditions*

The project site is located within the Campbell Civic Center complex, which provides passive recreation opportunities through its lawn areas and benches, pedestrian pathways and public gathering spaces. It also includes the historic Ainsley House and Gardens. Other recreation facilities in the area include the City parks previously described, as well as numerous other parks, picnic areas and trails, and the Campbell Community Center. The Campbell Historical Museum is located directly south of the Civic Center, on the south side of Central Avenue.

4.16.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
1) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	☐	☐	☐	☒

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
2) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	☐	☐	☐	☒

Impact REC-1: The project would not increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated. **(No Impact)**

The project proposes the construction of a new Police Operations Building and renovations to the existing Campbell Library building. Neither of these structures would generate additional demand for neighborhood park, regional park or other recreational facility use, as they would not result in any increase in the population within the community. No substantial physical deterioration of existing facilities would occur. **(No Impact)**

Impact REC-2: The project does not include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment. **(Less than Significant Impact)**

The project does not include or require the construction of recreational facilities, as it does not involve new residential development or facilitate population growth. The Campbell Civic Center complex in which the proposed development sites are located contains passive recreational facilities and amenities that can serve the employees of the proposed new building, as well employees of and visitors to the renovated Library building. However, the project would not result in the need to construct new or expanded recreational facilities, therefore it would not result in any adverse physical effects on the environment. **(No Impact)**

4.17 TRANSPORTATION

The following discussion is based on a Site Access, Circulation, and Parking Analysis prepared by Hexagon Transportation Consultants, Inc. The report, dated June17, 2021, is attached to this Initial Study as Appendix F.

4.17.1 Environmental Setting

4.17.1.1 *Regulatory Framework*

Federal

Americans with Disabilities Act

The ADA provides comprehensive rights and protections to individuals with disabilities. The goal of the ADA is to assure equality of opportunity, full participation, independent living, and economic self-sufficiency for people with disabilities. To implement this goal, the US Access Board, an independent Federal agency created in 1973 to ensure accessibility for people with disabilities, has created accessibility guidelines for public rights-of-way. While these guidelines have not been formally adopted, they have been widely followed by jurisdictions and agencies nationwide in the last decade. These guidelines, last revised in July 2011, address various issues, including roadway design practices, slope and terrain issues, and pedestrian access to streets, sidewalks, curb ramps, street furnishings, pedestrian signals, parking, public transit, and other components of public rights-of-way. These guidelines would apply to parking and modifications to roadways and crosswalks/sidewalks in the study area.

State

Regional Transportation Plan

The MTC is the transportation planning, coordinating, and financing agency for the nine-county San Francisco Bay Area, including Santa Clara County. The MTC is charged with regularly updating the Regional Transportation Plan, a comprehensive blueprint for the development of mass transit, highway, airport, seaport, railroad, bicycle, and pedestrian facilities in the region. The MTC and ABAG adopted Plan Bay Area 2040 in July 2017, which includes a Regional Transportation Plan to guide regional transportation investment for revenues from federal, state, regional and local sources through 2040.

Senate Bill 743

SB 743 establishes criteria for determining the significance of transportation impacts using a vehicle miles traveled (VMT) metric intended to promote the reduction of GHG emissions, the development of multimodal transportation networks, and a diversity of land uses. Specifically, SB 743 requires analysis of VMT in determining the significance of transportation impacts under CEQA. Local jurisdictions were required by Governor's Office of Planning and Research (OPR) to implement a VMT policy by July 1, 2020.

Regional

Congestion Management Program

The VTA oversees the Congestion Management Program (CMP), which is aimed at reducing regional traffic congestion. The relevant state legislation requires that urbanized counties in California prepare a CMP in order to obtain each county's share of gas tax revenues. State legislation requires that each CMP define traffic LOS standards, transit service standards, a trip reduction and transportation demand management plan, a land use impact analysis program, and a capital improvement element. The VTA has review responsibility for proposed development projects that are expected to affect CMP-designated intersections.

Local

City of Campbell General Plan

Various strategies in the General Plan have been adopted for the purpose of avoiding or mitigating transportation impacts resulting from planned development within the City, including the following that are applicable to the proposed project.

Strategies	Description
LUT-2.1c	Bicycle Facilities: Require adequate and secure bicycle facilities at employment centers, activity centers, and residential projects.
LUT-2.1e	Public Bicycle Parking: Provide adequate public bike parking facilities throughout the City and provide bike lockers, showers and changing facilities at government buildings for use by employees. Work with VTA to provide a bike station at the downtown light rail station.
LUT-2.1i	Street Design and Improvements: Design streets and sidewalks so as to provide a comfortable, accessible and safe pedestrian experience.
LUT-2.1o	Access to Transit: Improve access to both bus and light rail transit stations when evaluating opportunities with new development proposals and capital improvement projects.
LUT-2.1q	Transportation Demand Management (TDM): For new employment centers require TDM site design measures including carpool and van pool parking, bicycle storage, and discounted public transit programs.
LUT-7.3a	Intersection Design: Incorporate pedestrian and bicycle features and auto safety components in intersection design and improvement projects, such as curb cuts to accommodate bicycle trailers, bicycle crossing buttons at traffic signals, appropriately designed bulb outs to shorten pedestrian crossings but still facilitating bicyclists, and bicycle sensors at major intersections. Develop a comprehensive policy incorporating strategies that facilitate the movement of pedestrians and bicyclists through intersections that includes periodic safety risk evaluations and corresponding safety measures.
LUT-11.1d	Bicycle and Pedestrian Connections in Development: Encourage new or redeveloping projects to provide logical bicycle and pedestrian connections on site, between parking areas, buildings, and street sidewalks and to existing or planned public right-of-way facilities and encourage pedestrian passages between street-front sidewalks and rear-lot parking areas. Ensure that the bicycle and pedestrian connections interface safely.

Strategies	Description
LUT-11.1e	Bicycle and Pedestrian Connections Between Neighborhoods: Facilitate the construction of connected pedestrian and bicycle facilities (e.g. bridges, pathways, sidewalks and bike lanes) between and within neighborhoods that are attractive, well-lit, comfortable, tree lined and safe, especially within one-half mile of major activity centers, schools and parks.
LUT-11.1g	Americans with Disabilities Act (ADA): Address the needs of people with disabilities and comply with the requirements of the ADA during the planning and implementation of transportation and parking improvement projects.
LUT-12.1b	Driveways: Ensure that driveways are a sufficient distance from intersections.
LUT-12.1c	Parking Lot Design: Design parking lots to minimize impacts on the street system by providing adequately sized driveways, sufficient queuing and efficient circulation.
LUT-13.2a	Downtown Parking: Provide sufficient parking in the Downtown area to address long-term (employee) and short-term (customer) parking.
HS-1.1f	Adequate Access: Require adequate access for emergency vehicles, including minimum street width and vertical clearance. The Uniform Fire Code currently sets the minimum street width at 20 feet. Larger buildings may require a minimum width of 30 feet.
HS-3.1a	Building and Fire Code Requirements: Require all new construction, including public facilities, to be built according to the most recent Building and Fire Codes.

4.17.1.2 *Existing Conditions*

Roadway Network

Regional access to the project site would be primarily provided by State Route 17. Local access to the site is provided by East Campbell Avenue, North Central Avenue, Civic Center Drive, Harrison Avenue, Grant Street, and North First Street. These facilities are described below.

Within the vicinity of the project site, State Route 17 (SR 17) is an eight-lane state highway that runs north to south between Interstate 280 and State Route 85. Access to and from the project site is provided at the East Hamilton Avenue interchange, which is located approximately 2,550 feet northeast.

East Campbell Avenue is a four-lane east-west Class II Arterial extending between South Bascom Avenue and Winchester Boulevard, where it becomes Campbell Avenue, which extends west to Saratoga Avenue in the City of Saratoga. East Campbell Avenue becomes a two-lane commercial collector between Third Street and Railway Avenue. It becomes West Campbell Avenue west of Winchester Boulevard.

North Central Avenue is a two-lane north-south residential collector extending between Clifton Avenue in the City of San José and East Campbell Avenue, where it becomes South Central Avenue, which extends south to Orchard City Drive.

Civic Center Drive is a two-lane westbound arterial that connects East Campbell/Campbell Avenue with the project site.

Harrison Avenue is a two-lane north-south local street extending between Hamilton Avenue and Grant Street.

Grant Street is a two-lane east-west residential collector extending between Harrison Avenue and North 3rd Street.

North First Street is a two-lane north-south residential collector extending between Watson Drive and Orchard City Drive in the vicinity of the project. It becomes South First Street at East Campbell Avenue, and extends south to Sunnyside Avenue.

Orchard City Drive is a two-lane eastbound arterial that runs parallel to and south of East Campbell Avenue between South Third Street and Railway Avenue.

Transit Facilities

The VTA provides fixed route bus service and light rail train service in the City of Campbell. Within the vicinity of the project site there is a single bus route, VTA Frequent Route 26 (West Valley College – Eastridge), which runs along East Campbell/Campbell Avenue and Civic Center Drive on 15-minute intervals. The nearest Route 26 bus stop is located approximately 500 feet southeast of the project site. The Downtown Campbell light rail station is located approximately 1,075 feet south of the project site, with a bicycle travel time of approximately two minutes and a pedestrian travel time of approximately five minutes.

Bicycle Facilities

The California Department of Transportation (Caltrans) classifies bikeways into three categories:

- Class I Multi-Use Path – a completely separated right-of-way for the exclusive use of bicycles and pedestrians with cross flows of motorized traffic minimized.
- Class II Bike Lane – a striped and signed lane for one-way bike travel on a street or highway.
- Class III Bike Route – signing only for shared use with motor vehicles within the same travel lane on a street or highway.

North First Street, Grant Street, and North Central Avenue are signed as Class III bikeways immediately adjacent to the project site. Planned bicycle facilities include proposed bike routes on Civic Center Drive, North First Street, Grant Street, and Harrison Avenue, surrounding the Civic Center, as shown on the 2001 General Plan's Bicycle System map. The Campbell Transportation Improvement Plan, adopted in 2018, recommends concept-level infrastructure improvements including a potential Bicycle Boulevard Route that runs along portions of North First Street and Grant Street adjacent to the project site.

Pedestrian Facilities

Pedestrian facilities in the area consist of sidewalks, crosswalks, and curb ramps, which are generally present on the roadways that provide access to the project site (refer to Roadway Network discussion above). Crosswalks with pedestrian signal heads and push buttons are located at the intersections of

Civic Center Drive/Central Avenue, Civic Center Drive/North First Street, and Civic Center Drive/Harrison Avenue.

4.17.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Conflict with a program, plan, ordinance, or policy addressing the circulation system, including transit, roadways, bicycle lanes, and pedestrian facilities?	☐	☐	☒	☐
2) Conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b)?	☐	☐	☒	☐
3) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	☐	☐	☒	☐
4) Result in inadequate emergency access?	☐	☐	☒	☐

Impact TRN-1: The project would not conflict with a program, plan, ordinance, or policy addressing the circulation system, including transit, roadways, bicycle lanes, and pedestrian facilities. **(Less than Significant Impact)**

Roadway Facilities

With the passage of SB 743, a project's effect on automobile delay and intersection LOS is no longer considered an impact under CEQA. Further, as noted under Section 3.1 Project Overview, the replacement of the existing police facility with the proposed Police Operations Building would not facilitate an increase in employees. The proposed improvements to the Campbell Library are intended to provide a safer and more energy efficient library facility, and would not substantially increase the number of visitors or employees. As such, the project would not result in a significant number of new vehicle trips that could worsen intersection LOS, and thus the project would not conflict with City policies regarding intersection LOS. Furthermore, the project does not propose any changes to the existing roadway network, and as discussed under Section 4.17.3, the project would not adversely affect site access or circulation. The project would not conflict with any planned roadway improvements within the project vicinity. **(Less than Significant Impact)**

Transit Facilities

Given the project site's proximity to VTA bus stops and light rail stations, it assumed that a portion of employee and visitor trips would be made using transit. As previously noted, the proposed project would not substantially increase the number of employees or visitors that would travel to the project site. Accordingly, the number of transit users would not substantially increase, and therefore the capacity and operation of transit facilities would not be significantly affected. The project would not

remove any transit facilities, nor would it conflict with any adopted plans or policies (e.g. LUT-2.1o) regarding transit facilities, services, or planned improvements. **(Less than Significant Impact)**

Bicycle Facilities

As mentioned previously, the project does not propose any changes to the roadway network, and thus any existing bicycle facilities within the vicinity of the project site would not be affected or removed. Pursuant to General Plan Policy LUT-2.1c, the project would be required to provide bicycle parking, showers, and changing facilities, thus improving bicycle facilities at the project site. In sum, the project would not adversely affect existing bicycle facilities or conflict with adopted plans or policies regarding bicycle facilities. **(Less than Significant Impact)**

Pedestrian Facilities

Off-site, changes to the existing pedestrian facilities within the project vicinity from project implementation are limited to the closing and reconfiguration of the driveways located on the Grant Street and North First Street project frontage. On Grant Street, these changes include closing one existing driveway and adding one new driveway. On North First Street, the project would close the two driveways currently providing access to the northwest parking lot, and relocate and convert the northernmost City Hall parking lot driveway into an exit-only driveway. On-site, the project would add a lowered courtyard next to the public parking lot which would be accessible via stairs and ramps. None of these proposed changes would adversely affect pedestrian site access and circulation, and the project would not conflict with any future improvements to pedestrian facilities. For these reasons, the project would not conflict with any programs, plans, ordinances, and policies regarding pedestrian facilities. **(Less than Significant Impact)**

Impact TRN-2:	The project would not conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b). **(Less than Significant Impact)**

CEQA Guidelines Section 15064.3(b)(1) describes factors that might indicate whether a development project's VMT may be significant. The *Technical Advisory on Evaluating Transportation Impacts in CEQA* published by the Governor's OPR in December 2018 provides recommendations regarding VMT evaluation methodology, significance thresholds and screening thresholds for land use projects. CEQA Guidelines Section 15064.3(b)(1) identifies that projects proposed within half-mile of an existing major transit stop may be presumed to have a less than significant impact on VMT. The Downtown Campbell light rail station is approximately 1,075 feet (0.2 mile) south of the project site, and therefore the project is presumed to have a less-than-significant impact on VMT per OPR guidelines. In addition, the City's VMT Policy screens out local-serving public facilities such as the proposed police and library projects.

As noted under Section 3.1 Project Overview, the replacement of the existing police facility with the proposed Police Operations Building would not facilitate an increase in employees. The proposed improvements to the Campbell Library are intended to provide a safer and more energy efficient library facility, and would not substantially increase the number of visitors or employees. **(Less than Significant Impact)**

Impact TRN-3:	The project would not substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment). **(Less than Significant Impact)**

Geometric Design

The proposed project would redevelop the existing parking lot located at 70 North First Street by constructing an approximately 24,800-square-foot Police Operations Building. Post-implementation, the existing parking lot would be divided into a secured police parking lot and a public parking lot which would be located east and south of the proposed Police Operations building, respectively.

Access to the secured police parking lot would be provided from Grant Street via an existing inbound driveway that would be secured and reconfigured to allow for two-way access, and a new secured driveway west of the existing driveway that would allow for two-way operation. Both driveways would be approximately 25 feet wide, which would satisfy the minimum width of 20 feet established by City Municipal Code section 21.28.090. Access to the public parking lot would be provided on North First Street via an existing two-way access driveway and vehicles would also be able to leave via an exit-only driveway, both of which would be approximately 24 feet wide, consistent with Municipal Code standards. The project would provide 90-degree parking throughout both parking lots. All parking areas would have 25-foot drive aisles for two-way traffic, which meets the City's standard for two-way vehicle circulation.

The minimum safe sight distance is considered the Caltrans stopping sight distance. Sight distance requirements vary depending on the roadway speeds. The speed limit on Grant Street and North First Street is 25 miles per hour (mph), therefore the Caltrans stopping sight distance is 200 feet (based on a design speed of 30 mph). Visibility downstream and upstream of the proposed driveways is in excess of 400 feet; accordingly, the project would provide adequate sight distance at all project driveways. To ensure that drivers have an unobstructed view when exiting the project site, it is recommended that all project landscaping and signage adjacent to the project driveways be lower than three feet in height.

The corner sight distance was evaluated to determine if the sight distance would be adequate for westbound traffic on Grant Street at North First Street with the proposed two-story Police Operations Building. The Police Operations Building would also include an outdoor recreation area, which was assumed to be fenced for the sight distance analysis. Sight distance of a driveway is evaluated based on the stopping sight distance recommended by Caltrans for a given design speed. The visibility from the Grant Street decision point towards North First Street is more than 200 feet, which would be adequate. Up to 330 feet of visibility is afforded by creeping a few feet past the stop line. Hexagon recommended that any project landscaping and signage should be located in such a way to ensure an unobstructed view for drivers stopping at the westbound stop line at Grant Street (lower than three feet in height). It should be noted that an implied crosswalk legally exists across each leg of an intersection, even though it may not be marked. It is therefore recommended that crosswalks should be marked at all intersections where there could be substantial conflict between vehicle and pedestrian movements and at appropriate points of pedestrian concentration. However, since the commercial development is located south of Civic Center Drive, it is not expected that a significant

number of pedestrians are crossing or would cross North First Street. Therefore, a crosswalk would not be necessary to cross North First Street at Grant Street.

With incorporation of the above recommendation, adequate sight distance would be provided at all project driveways. Based on the above discussion, the geometric design of the project would not substantially increase hazards. **(Less than Significant Impact)**

Incompatible Uses

As discussed under Section 4.11 Land Use and Planning, the proposed land uses are consistent with the site's General Plan land use designation and zoning district, and the proposed uses are consistent with the existing use of the site for police operations and parking. The project does not propose a use that is incompatible with the existing land uses in the project vicinity or propose a use that would bring unusual equipment on the roadways (e.g., farm equipment). Thus, the project would not result in a significant impact due to incompatible uses. **(Less than Significant Impact)**

Impact TRN-4:	The project would not result in inadequate emergency access. **(Less than Significant Impact)**

As discussed under Impact HAZ-6, the project would not impair or interfere with an adopted emergency response or evacuation plan. During construction and operation of the proposed project, roadways would not be permanently blocked such that emergency vehicles would be unable to access the project site or surrounding parcels. The width of the proposed driveways and drive aisles exceed the standard established by General Plan Policy HS-1.1f, and pursuant to Policy HS-3.1a, the project would be required to be built in accordance with the most recent Building and Fire codes. For these reasons, the project would not result in inadequate emergency access. **(Less than Significant Impact)**

4.18 TRIBAL CULTURAL RESOURCES

4.18.1 Environmental Setting

4.18.1.1 *Regulatory Framework*

State

Assembly Bill 52

AB 52, effective July 2015, established a new category of resources for consideration by public agencies called Tribal Cultural Resources (TCRs). AB 52 requires lead agencies to provide notice of projects to tribes that are traditionally and culturally affiliated with the geographic area if they have requested to be notified. Where a project may have a significant impact on a tribal cultural resource, consultation is required until the parties agree to measures to mitigate or avoid a significant effect on a tribal cultural resource or until it is concluded that mutual agreement cannot be reached.

Under AB 52, TCRs are defined as follows:

- Sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are also either:
    - Included or determined to be eligible for inclusion in the California Register of Historic Resources, or
    - Included in a local register of historical resources as defined in Public Resources Code Section 5020.1(k).
- A resource determined by the lead agency to be a TCR.

Local

Various policies and actions in the General Plan have been adopted for the purpose of avoiding or mitigating impacts on tribal cultural resources resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
CNR-1.1b:	In accordance with CEQA and the State Public Resources Code, require the discontinuation of all work in the immediate vicinity and the preparation of a resource mitigation plan and monitoring program by a licensed archaeologist if archaeological resources are found on any sites within the City.

4.18.1.2 *Existing Conditions*

Archaeological evidence indicates that humans began to settle in the Campbell area at least 12,000 years ago. The area between the Carquinez Straight and the Monterey area, which encompasses the project site, was historically inhabited by the Costanoan (Ohlone) people. This ethnographic group settled in large permanent groupings of households, forming large villages and tribal territories known as “tribelets.” The Ohlone lived in domed structures built of woven tule, ferns, and grass, and were often constructed near bay shores and valleys providing access to waterways, increasing their

ability to distribute trade goods, as well as access plant and animal life. The closest waterway in the vicinity of the project site is the Los Gatos Creek, located approximately 1,350 feet southeast.

4.18.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
1) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k)?	☐	☒	☐	☐
2) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? In applying the criteria set forth in subdivision (c) of Public Resources Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	☐	☒	☐	☐

Impact TCR-1:	The project would not cause a substantial adverse change in the significance of a tribal cultural resource that is listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k). **(Less than Significant Impact with Mitigation Incorporated)**
Impact TCR-2:	The project would not cause a substantial adverse change in the significance of a tribal cultural resource that is determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. **(Less than Significant Impact with Mitigation Incorporated)**

The City of Campbell, as a standard practice, provides notification to all local native American tribes of projects undergoing review, pursuant to AB 52. No known tribal cultural resources are associated with the project site at this time. Additionally, since the project site has been extensively developed with parking lots and public facilities, there is a low potential to discover tribal cultural resources. However, since the time of Euro-American contact, Native Americans in the Bay Area have typically lived along the alluvial terraces and along historic bay margins. Because of the project site's

proximity to Los Gatos Creek, the potential exists for tribal cultural resources to be discovered during ground-disturbing construction activities. These activities could result in significant impacts to tribal cultural resources if encountered. In the event that an inadvertent discovery of a tribal cultural resource is made, mitigation measures MM CUL-2.1 and MM CUL-2.2 would be implemented (refer to Section 4.3 Cultural Resources), which would ensure that any tribal cultural resources encountered are appropriately identified and protected. **(Less than Significant Impact with Mitigation Incorporated)**

4.19 UTILITIES AND SERVICE SYSTEMS

4.19.1 Environmental Setting

4.19.1.1 *Regulatory Framework*

State

State Water Code

Pursuant to the State Water Code, water suppliers providing water for municipal purposes to more than 3,000 customers or supplying more than 3,000 acre-feet (approximately 980 million gallons) of water annually must prepare and adopt an urban water management plan (UWMP) and update it every five years. As part of a UWMP, water agencies are required to evaluate and describe their water resource supplies and projected needs over a 20-year planning horizon, water conservation, water service reliability, water recycling, opportunities for water transfers, and contingency plans for drought events. The 2015 UWMP was adopted by the Santa Clara Valley Water District (SCVWD) in June 2016.

Assembly Bill 939

The California Integrated Waste Management Act of 1989, or AB 939, established the Integrated Waste Management Board, required the implementation of integrated waste management plans, and mandated that local jurisdictions divert at least 50 percent of solid waste generated (from 1990 levels), beginning January 1, 2000, and divert at least 75 percent by 2010. Projects that would have an adverse effect on waste diversion goals are required to include waste diversion mitigation measures.

Assembly Bill 341

AB 341 sets forth the requirements of the statewide mandatory commercial recycling program. Businesses that generate four or more cubic yards of garbage per week and multi-family dwellings with five or more units in California are required to recycle. AB 341 sets a statewide goal for 75 percent disposal reduction by the year 2020.

Senate Bill 1383

SB 1383 establishes targets to achieve a 50 percent reduction in the level of the statewide disposal of organic waste from the 2014 level by 2020 and a 75 percent reduction by 2025. The bill grants CalRecycle the regulatory authority required to achieve the organic waste disposal reduction targets and establishes an additional target that at least 20 percent of currently disposed edible food is recovered for human consumption by 2025.

California Green Building Standards Code

In January 2010, the State of California adopted the California Green Building Standards Code, establishing mandatory green building standards for all buildings in California. The code covers five categories: planning and design, energy efficiency, water efficiency and conservation, material conservation and resources efficiency, and indoor environmental quality. These standards include the

following mandatory set of measures, as well as more rigorous voluntary guidelines, for new construction projects to achieve specific green building performance levels:

- Reducing indoor water use by 20 percent;
- Reducing wastewater by 20 percent;
- Recycling and/or salvaging 65 percent of nonhazardous construction and demolition debris; and
- Providing readily accessible areas for recycling by occupants.

Local

City of Campbell General Plan

Various policies and actions in the General Plan have been adopted for the purpose of avoiding or mitigating impacts on utilities and service systems resulting from planned development within the City, including the following that are applicable to the proposed project:

Policies	Description
Action CSF-3b	Continue to maintain, and periodically review and renew, Water Supply Agreements with the San Francisco Public Utilities Commission (SFPUC) and the Santa Clara Valley Water District (SCVWD). The Water Supply Agreements shall provide for adequate supplies to meet the 20-year General Plan buildout projections for the City.
Action CSF-7a	Confer with utility providers regarding major development plans and participate in the planning of the extension of utilities.

City of Campbell Municipal Code

Chapter 6.04, Garbage and Rubbish Disposal, details the requirements related to the accumulation of solid waste, the types of receptacles to be used, rubbish transportation, refuse collection, collection of recyclable materials, enforcement, fees, and penalties.

In compliance with CALGreen and the California Integrated Waste Management Act of 1989, and to encourage the conservation of natural resources and reduce waste in landfills generated by construction projects, Chapter 6.12, Recycling and Salvaging of Construction and Demolition Debris, of the City's Municipal Code requires construction debris to be recovered and salvaged. Section 6.12.030, Diversion Requirements, states that the construction and demolition debris tonnage from all covered projects shall be diverted from landfills by using recycling, reuse, salvage, and other diversion programs, at the required rate set by California's Green Building Standards Code (CalGreen). The current CalGreen diversion rate target is 65 percent. Covered projects include:

- Demolition of 500 square feet or more.
- Renovation, remodel or addition to an existing structure.
- The construction of a new structure, greater than 2,000 square feet.
- Valuation of the work that exceeds $250,000, as determined by the building official.

Chapter 8.34 of the City of Campbell's Municipal Code relates to potable water use restrictions. The purpose of this chapter is to wisely manage water resources, practice voluntary efficient water use, and to avoid water waste. This section details permanent water use restrictions in addition to provisions that apply when the City Council adopts a resolution declaring the existence of a drought. Chapter 14.02, Stormwater Pollution Control relates to stormwater pollution control. The purpose of this chapter is to provide minimum requirements designed to control the discharge of pollutants into the City's municipal storm drain system and to assure that discharges from the municipal storm drain system comply with applicable provisions of the CWA and the current NPDES Permit No. CAS612008, including amendments and RWQCB approvals.

Chapter 14.04 of the City of Campbell's Municipal Code establishes standards, conditions, and requirements related to the use of the City's sanitary sewer facilities. The Chapter establishes prohibited discharges into the sanitary sewer facilities. The Chapter also establishes fees for use and for the development of capital facilities related to wastewater.

The California Model Water Efficient Landscape Ordinance specifies landscaping requirements and includes provisions for the conservation of water resources through the efficient use of irrigation, appropriate plant materials, and regular maintenance of landscaped areas. Water Efficient Landscape Guidelines, were adopted by the City on December 1st, 2015.[81]

4.19.1.2 *Existing Conditions*

Water Supply

Water service is provided to the City of Campbell by San José Water Company. The water supply for the City is primarily sourced from imported surface water supplies provided by the Santa Clara Valley Water District (Valley Water).

There is an existing water line in North First Street serving the Campbell Civic Center that would be available to serve the project.

Sanitary Sewer/Wastewater Treatment

The West Valley Sanitation District of Santa Clara County provides sewer collection services for the City of Campbell, in addition to the Town of Los Gatos, City of Monte Sereno, a portion of the City of Saratoga, and the intervening unincorporated areas of Santa Clara County. The District owns and maintains approximately 415 miles of sewer mains and 210 miles of lower sewer laterals, and an estimated ten million gallons per day (mgd) of wastewater is collected and conveyed to the San José - Santa Clara Regional Wastewater Facility (RWF) in Alviso for wastewater treatment, reuse, and disposal.[82] The San José-Santa Clara RWF treats an average of 110 million gallons daily of wastewater, with a capacity of up to 167 mgd and a residual capacity of 57 mgd.[83]

[81] City of Campbell. "Water Efficient Landscape Guidelines". Date accessed February 12, 2021. https://www.ci.campbell.ca.us/DocumentCenter/View/176/WELS-Guidelines?bidId=
[82] West Valley Sanitation District of Santa Clara County. *Sewer System Management Plan.* September 16, 2020.
[83] City of San José. San José-Santa Clara Regional Wastewater Facility, 2017..

There are existing sanitary sewer lines located in North First Street and Grant Street that are available to serve the project.

Stormwater Drainage

The project site is located in a developed area served by storm drainage systems. Storm drainage lines in the project area are owned and maintained by the City of Campbell. A 24-inch diameter reinforced concrete pipe (RCP) storm drain main located in Grant Street serves the site, with on-site storm drain inlets and laterals feeding this main. There is also a storm drain main located in Harrison Avenue along the east side of the site that conveys stormwater from the Grant Street main as well as the stormwater collected by storm drain inlets near the intersection of Harrison Avenue and Grant Street. Stormwater from the site and surrounding area is conveyed through these mains and a network of other storm mains and ultimately discharges to Los Gatos Creek, approximately ¼-mile southeast of the site.

Solid Waste

West Valley Collection and Recycling, LLC., provides residential and commercial garbage, recycling, and green waste collection services for the City of Campbell. The City currently generates 37,140 tons of solid waste per year. Approximately 83 percent of the City's solid waste (30,866 tons per year, 85 tons per day) goes to the Guadalupe Sanitary Landfill[84], which is a Class III disposal facility for non-hazardous materials that serves the City of Campbell and other surrounding cities. The landfill has a permitted capacity of 28.6 million cubic yards and is permitted to accept 1,350 tons of materials per day. Under current volumes, the landfill is expected to remain open until at least 2048.[85]

4.19.2 Impact Discussion

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
1) Require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	☐	☐	☒	☐
2) Have insufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	☐	☐	☒	☐

[84] California Department of Resources Recovery and Recycling. "Jurisdiction Disposal and Alternative Daily Cover (ADC) Tons by Facility". 2018. https://www2.calrecycle.ca.gov/LGCentral/DisposalReporting/Destination/DisposalByFacility

[85] California Department of Resources Recovery and Recycling. SWIS Facility/Site Activity Details for Guadalupe Sanitary Landfill

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
Would the project:				
3) Result in a determination by the wastewater treatment provider which serves or may serve the project that it does not have adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	☐	☐	☒	☐
4) Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	☐	☐	☒	☐
5) Be noncompliant with federal, state, or local management and reduction statutes and regulations related to solid waste?	☐	☐	☐	☒

Impact UTL-1: The project would not require or result in the relocation or construction of new or expanded water, wastewater treatment or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects. **(Less than Significant Impact)**

The proposed new building and renovation of the existing Library building would utilize existing water infrastructure, dispose of wastewater at the San José-Santa Clara Water Pollution Control Plant using existing sewer mains, convey stormwater via the City's existing drainage system, and connect to existing utility lines for electricity, natural gas, and telecommunication services.

Water Facilities

The proposed project would install water lines that would connect to the existing water delivery system to supply water to the site. Lateral connections to existing water mains shall be subject to review and approval by San José Water Company and the City's Public Works Department.

As discussed in Section 3.1 Project Overview, the replacement of the existing police facility with the proposed Police Operations Building would not facilitate an increase in employees. The proposed improvements to the Campbell Library are intended to provide a safer and more energy efficient library facility, and would not substantially increase the number of visitors or employees. The project would therefore not result in a substantial increase in water demand. No relocation or construction of new or expanded water facilities is required by the proposed project. **(Less than Significant Impact)**

Wastewater Treatment Facilities

The proposed project would connect to the City's existing sanitary sewer system. The proposed project's sanitary lateral lines would connect to the sewer lines in North First Street and Grant Street, and the project would not require the relocation of these lines. Lateral connections to existing sewer

mains shall be subject to review and approval by the West Valley Sanitation District and the City of Campbell Public Works Department.

As previously noted, the replacement of the existing police facility with the proposed Police Operations Building would not facilitate an increase in employees. The proposed improvements to the Campbell Library are intended to provide a safer and more energy efficient library facility, and would not substantially increase the number of visitors or employees. The project would therefore not result in a substantial need for increased wastewater treatment. The RWF would not need to be expanded or relocated to accommodate the incremental increase in wastewater created by proposed development (refer to Impact UTL-4). **(Less than Significant Impact)**

Storm Drainage Facilities

Currently, runoff from the project site directly enters the storm drainage system untreated and unimpeded. The project's storm drain lines would connect to the existing line in Grant Street, and would be subject to review and approval by the Public Works Department. The proposed project would comply with the on-site treatment requirements of Provision C.3 of the MRP, which would remove pollutants and reduce the rate and volume of runoff from the project site to levels that are at or below existing conditions. The proposed project proposes new landscaping which would decrease the total impervious surface area of the project site from current conditions. For these reasons, the project would reduce the amount of runoff generated from the site. Because the project is anticipated to result in reduced runoff volumes compared to the existing development on the site, it is not expected to negatively impact the capacity of the existing public storm drain system. As such, no relocation or construction of new or expanded storm drainage facilities is required by the proposed project. **(Less than Significant Impact)**

Electric Power, Natural Gas, and Telecommunications Facilities

Existing natural gas, electricity, and telecommunication utilities currently serve the project site. The project site would continue to be served by the existing utilities. No improvements or relocation are proposed for these utilities, and therefore, the project would not result in a significant environmental effect from the construction or relocation of natural gas, electricity or telecommunication utilities. **(Less than Significant Impact)**

Impact UTL-2:	The project would not have insufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years. **(Less than Significant Impact)**

As noted under Section 4.19.1.2 Existing Conditions, water provided by SJWC primarily comes from Valley Water. The 2015 UWMP prepared by Valley Water projected that 8,400 AFY of non-potable water would be available to SJWC, and therefore sufficient water supplies exist to serve the project site. Since the replacement of the existing police facility with the proposed Police Operations Building would not facilitate an increase in employees, and the proposed improvements to the Campbell Library are intended to provide a safer and more energy efficient library facility, and would not substantially increase the number of visitors or employees, the project would not result in an increased water demand.

In the 2015 UWMP prepared by SJWC, potable water demand was estimated through the year 2040. The proposed project is consistent with the City's General Plan, and therefore the proposed use was accounted for in SJWC's 2015 UWMP. For normal years, SJWC can meet its water demands through 2040. SJWC water supplies and reserves can meet the demands during a single dry year through 2035, but would fall short in 2040 by 9,568 AF. For multiple dry years, demand would exceed supplies beginning in 2025 and up to 2040. The project would be required to comply with CALGreen and the City of Campbell's Municipal Code requirements to minimize water usage. In single or multiple dry years, the project would also comply with the SJWC Water Shortage Contingency Plan. With adherence to CALGreen, the City's Municipal Code, and the SJWC Water Shortage Contingency Plan, the City is expected to meet its shortfall in both single and multiple dry year scenarios. **(Less than Significant Impact)**

Impact UTL-3:	The project would not result in a determination by the wastewater treatment provider which serves or may serve the project that it does not have adequate capacity to serve the project's projected demand in addition to the provider's existing commitments. **(Less than Significant Impact)**

As previously discussed, the project would not result in a substantial need for increased wastewater treatment. Accordingly, adequate capacity exists to serve the project's projected demand in addition to the provider's existing commitments. **(Less than Significant Impact)**

Impact UTL-4:	The project would not generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals. **(Less than Significant Impact)**

The project would not result in additional employees or visitors to the project site, as previously discussed. Therefore, it would not generate solid waste in amounts exceeding what is currently being generated by the existing uses on the site. Accordingly, the project would not generate solid waste in excess of the Guadalupe Sanitary Landfill capacity or capacity of local infrastructure. **(Less than Significant Impact)**

Impact UTL-5:	The project would not be noncompliant with federal, state, or local management and reduction statutes and regulations related to solid waste. **(No Impact)**

In addition to the solid waste generated by operation of the proposed building, construction waste would be generated during construction activities. At least 65 percent of this construction waste will be recycled in compliance with Section 6.12.030 of the City's Municipal Code. Additionally, the project would prepare a Waste Management Plan as required by CALGreen. Therefore the project would not be noncompliant with federal, state, or local management and reduction statutes and regulations related to solid waste. **(No Impact)**

4.20 WILDFIRE

4.20.1 Environmental Setting

4.20.1.1 *Regulatory Framework*

State

Fire Hazard Severity Zones

CAL FIRE is required by law to map areas of significant fire hazards based on fuels, terrain, weather, and other relevant factors. Referred to as Fire Hazard Severity Zones (FHSZs), these maps influence how people construct buildings and protect property to reduce risk associated with wildland fires. FHSZs are divided into areas where the state has financial responsibility for wildland fire protection, known as state responsibility areas (SRAs), and areas where local governments have financial responsibility for wildland fire protection, known as local responsibility areas (LRAs). Homeowners living in an SRA are responsible for ensuring that their property is in compliance with California's building and fire codes. Only lands zoned for very high fire hazard are identified within LRAs.

California Fire Code Chapter 47

Chapter 47 of the California Fire Code sets requirements for wildland-urban interface fire areas that increase the ability of buildings to resist the intrusion of flame or burning embers being projected by a vegetation fire, in addition to systematically reducing conflagration losses through the use of performance and prescriptive requirements.

California Public Resources Code Section 4442 through 4431

The California Public Resources Code includes fire safety regulations that restrict the use of equipment that may produce a spark, flame, or fire; require the use of spark arrestors on construction equipment that uses an internal combustion engine; specify requirements for the safe use of gasoline-powered tools on forest-covered land, brush-covered land, or grass-covered land; and specify fire suppression equipment that must be provided onsite for various types of work in fire-prone areas. These regulations include the following:

- Earthmoving and portable equipment with internal combustion engines would be equipped with a spark arrestor to reduce the potential for igniting a wildland fire (Public Resources Code Section 4442);
- Appropriate fire suppression equipment would be maintained during the highest fire danger period, from April 1 to December 1 (Public Resources Code Section4428);
- On days when a burning permit is required, flammable materials would be removed to a distance of 10 feet from any equipment that could produce a spark, fire, or flame, and the construction contractor would maintain appropriate fire suppression equipment (Public Resources Code Section 4427); and
- On days when a burning permit is required, portable tools powered by gasoline-fueled internal combustion engines would not be used within 25 feet of any flammable materials (Public Resources Code Section 4431).

California Code of Regulations Title 14

The California Board of Forestry and Fire Protection has adopted regulations, known as SRA Fire Safe Regulations, which apply basic wildland fire protection standards for building, construction, and development occurring in a SRA. The future design and construction of structures, subdivisions and developments in SRAs are required to provide for the basic emergency access and perimeter wildfire protection measures discussed in Title 14.

Fire Management Plans

CAL FIRE has developed an individual Unit Fire Management Plan for each of its 21 units and six contract counties. CAL FIRE has developed a strategic fire management plan for the Santa Clara Unit, which covers the project area and addresses citizen and firefighter safety, watersheds and water, timber, wildlife and habitat (including rare and endangered species), unique areas (scenic, cultural, and historic), recreation, range, structures, and air quality. The plan includes stakeholder contributions and priorities and identifies strategic areas for pre-fire planning and fuel treatment as defined by the people who live and work with the local fire issues.

4.20.1.2 *Existing Conditions*

Santa Clara County has a Mediterranean climate, characterized by mild winters, hot summers, and distinct wet/dry seasonality. These conditions make the Santa Cruz Mountains prone to wildfires, due to the abundance of dense, dry vegetation on their slopes. Wildland fire is a natural feature of these ecosystems but poses a threat to communities located in the wildland urban interface. Wildland urban interface areas are where human habitation and development meet at the edge of, or are present in the interior of, areas dominated by wildland fuels. These areas allow fires to move readily between structural and vegetative fuels, increasing the potential for wildfire ignitions, and the corresponding risk to life and property.

According to CAL FIRE, there are no very high fire hazard severity zones within the City of Campbell, including the project site. Since the project site and surrounding area are urbanized and fully developed, the project vicinity cannot be characterized as a wildland urban interface area.

4.20.2 **Impact Discussion**

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:				
1) Substantially impair an adopted emergency response plan or emergency evacuation plan?	☐	☐	☐	☒
2) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	☐	☐	☐	☒

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:				
3) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	☐	☐	☐	☒
4) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	☐	☐	☐	☒

The project site is not located in or near state responsibility areas or lands classified as very high fire hazard severity zones; therefore, the project would not result in wildfire impacts. **(No Impact)**

4.21 MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact
1) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?	☐	☒	☐	☐
2) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)	☐	☐	☒	☐
3) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	☐	☒	☐	☐

Impact MFS-1: The project does not have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory. **(Less than Significant Impact with Mitigation Incorporated)**

The project proposes to construct a new, approximately 24,800-square-foot Police Operations building in the northwest corner area of the site that is currently occupied by a surface parking lot, as well as renovate the existing Campbell Library building and complete minor alterations to its parking lot that would relocate the ADA-compliant parking spaces, reconfigure lighting, and reduce impervious surfaces, and repave a surface parking lot in the northeast corner of the site. As discussed in the individual sections of this Initial Study, the new and renovated buildings and parking lots would not degrade the quality of the environment with the implementation of identified mitigation measures and standard conditions in compliance with the City's General Plan and Municipal Code and other applicable plans, policies, regulations, and ordinances.

As discussed in Section 4.4 Biological Resources, the project site is not known to contain special-status plant or wildlife species and future development shall implement measures to reduce impacts to nesting birds to a less than significant level.

As discussed in Section 4.5 Cultural Resources, implementation of mitigation measures (MM CUL-2.1 and MM CUL-3.1) would ensure that any culturally significant archaeological resources encountered during construction would be evaluated and appropriately treated in accordance with the recommendations of a qualified archaeologist, and that any human remains discovered would be properly identified, analyzed, and documented, should they be discovered. Application of these measures would result in a less than significant impact to archaeological resources and human remains.

As discussed in Section 4.7 Geology and Soils, project construction shall use standard engineering and seismic safety design techniques in conformance with the recommendations of an approved geotechnical investigation to avoid or minimize potential damage from seismic shaking. Also discussed in this section, the implementation of Mitigation Measure MM GEO-6.1 would ensure that undiscovered paleontological resources are not significantly impacted.

Impact MFS-2:	The project does not have impacts that are individually limited, but cumulatively considerable. **(Less than Significant Impact)**

Under Section 15065(a)(3) of the CEQA Guidelines, a lead agency shall find that a project may have a significant effect on the environment where there is substantial evidence that the project has potential environmental effects "that are individually limited, but cumulatively considerable." As defined in Section 15065(a)(3) of the CEQA Guidelines, cumulatively considerable means "that the incremental effects of an individual project are significant when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects."

The project involves the construction of a new building on a site that currently contains a paved parking lot, which would have no impact on agricultural, historic, and mineral resources and, therefore, the project would not contribute to cumulative impacts to these resources. Aesthetically, the project is consistent with the size and scale of existing development on the site and in the surrounding neighborhood, and would include new landscaping and public use areas. The project would therefore not substantially degrade the existing visual character or quality of public views of the site and its surroundings. Impacts related to geology and soils and hazards and hazardous materials from the project are site-specific and, therefore, would not contribute to a significant cumulative impact to those resources.

The project would not result in cumulatively considerable impacts related to construction noise (which is considered short-term), or utility and service systems as there are no significant construction projects currently in progress or pending in the vicinity of the site.[86]

[86] City of Campbell Official Website. Project updates. https://www.ci.campbell.ca.us/563/Project-Updates. Accessed May 14, 2021. .

The construction of the proposed Police Operations Building will require removal of several trees on the site and have the potential to disturb nesting activity. All cumulative projects would be required to implement measures and comply with existing regulations to reduce cumulative impacts to biological resources (including nesting birds and trees), hydrology and water quality, and buried cultural resources to a less than significant level.

Because criteria air pollutant and GHG emissions would contribute to regional and global emissions, respectively, of such pollutants, the identified thresholds developed by BAAQMD are designed such that a project impact would also be a cumulatively considerable impact. As discussed in Sections 4.3 Air Quality and 4.8 Greenhouse Gas Emissions, the project would result in less than significant project (and, therefore, less than cumulatively considerable) criteria air pollutant and GHG impacts.

The proposed project would result in increased energy use at the site. However, the proposed new Police Operations Building, as well as any structural improvements to the existing Library building, would be built in accordance with the CALGreen Building Code and applicable provisions of the City of Campbell General Plan and Municipal Code. As noted in Section 4.6.1.1 Regulatory Framework, CALGreen was developed to reduce GHG emissions from buildings, promote environmentally responsible and healthier places to live and work, reduce energy and water consumption, and respond to State environmental directives. By complying with the mandatory provisions of CALGreen that pertain to energy consumption and energy efficiency, and implementation of the proposed green building features, the project would not result in wasteful, inefficient, or unnecessary consumption or wasteful use of energy resources. Cumulative projects citywide would be built to meet the same requirements. Therefore, the project would not contribute cumulatively to impacts on energy resources by contributing to wasteful, inefficient, or unnecessary use of energy.

As described in Section 4.15 Public Services, the proposed project itself represents new and physically altered governmental facilities, namely a new Police Operations Building and renovations to the existing Campbell Library building. The construction of the new building and improvements would have no effect on service ratios, response times, or other performance objectives for fire protection services. The construction of the new building and improvements would likely improve the City's library services and performance objectives of the Police Department, and result in no adverse impacts to these services and performance objectives. The proposed project would therefore not make a cumulatively considerable contribution to the degradation of public facilities in the area.

As discussed under Section 4.17.3, CEQA Guidelines Section 15064.3(b)(1) identifies that projects proposed within half-mile of an existing major transit stop may be presumed to have a less than significant impact on VMT, which is the new parameter for determining significant impacts under CEQA. Due to the project site's proximity to the Downtown Campbell light rail station, the project is presumed to have a less-than-significant impact on VMT. In addition, the replacement of the existing police facility with the proposed Police Operations Building would not facilitate an increase in employees, nor would the proposed improvements to the Campbell Library substantially increase the number of visitors or employees. As such, the project would not result in a significant number of new vehicle trips that could worsen intersection LOS, and thus the project would not conflict with City policies regarding intersection LOS. Furthermore, the project does not propose any changes to the existing roadway network, and as discussed under Section 4.17.3, the project would not adversely affect site access or circulation, and would not conflict with any planned roadway improvements

within the project vicinity. The project would therefore result in a less than significant cumulative transportation impact.

Impact MFS-3:	The project does not have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly. **(Less than Significant Impact with Mitigation Incorporated)**

Consistent with Section 15065(a)(4) of the CEQA Guidelines, a lead agency shall find that a project may have a significant effect on the environment where there is substantial evidence that the project has the potential to cause substantial adverse effects on human beings, either directly or indirectly. Under this standard, a change to the physical environment that might otherwise be minor must be treated as significant if people would be significantly affected. This factor relates to adverse changes to the environment of human beings generally, and not to effects on particular individuals. While changes to the environment that could indirectly affect human beings would be represented by all of the designated CEQA issue areas, those that could directly affect human beings include community risks from air pollutant emissions, soil and seismic hazards, hazardous materials, and noise. Implementation of mitigation measures in accordance with the City's General Plan and Municipal Code, and other applicable plans, policies, regulations, and ordinances, however, would ensure that these impacts would be less than significant. No other direct or indirect adverse effects on human beings have been identified.

SECTION 5.0 REFERENCES

The analysis in this Initial Study is based on the professional judgement and expertise of the environmental specialists preparing this document, based upon review of the site, surrounding conditions, site plans, and the following references:

Archaeological/Historical Consultants. *Campbell Civic Center Improvements - Proposed Police Operations Building - Historic Resources Effects Analysis.* April 2021.

Association of Bay Area Governments. *Projections 2040, A Companion to Plan Bay Area 2040*. November 2018.

Association of Bay Area Governments and Metropolitan Transportation Commission. "Project Mapper." http://projectmapper.planbayarea.org/.

Bay Area Air Quality Management District, 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0.* May 2012. https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/risk-modeling-approach-may-2012.pdf?la=en

Bay Area Air Quality Management District. *California Environmental Quality Act Air Quality Guidelines*. May 2017.

BrightView Tree Care Services. *City of Campbell - City Hall Tagging. April 17, 2020.*

California Air Resources Board. "The Advanced Clean Cars Program." https://www.arb.ca.gov/msprog/acc/acc.htm.

California Air Resources Board. "Overview: Diesel Exhaust and Health." https://www.arb.ca.gov/research/diesel/diesel-health.htm.

California Building Standards Commission. "California Building Standards Code." https://www.dgs.ca.gov/BSC/Codes#@ViewBag.JumpTo.

California Department of Conservation. "Farmland Mapping and Monitoring Program." http://www.conservation.ca.gov/dlrp/fmmp/Pages/Index.aspx.

California Department of Conservation, Division of Land Resource Protection. *Santa Clara County Williamson Act FY 2015/2016.* 2016.

California Department of Finance. "E-1 Population Estimates for Cities, Counties, and the State – January 1, 2019 and 2020." http://www.dof.ca.gov/Forecasting/Demographics/Estimates/E-1/ .

California Department of Forestry and Fire Protection. "Fire and Resource Assessment Program." http://frap.fire.ca.gov/.

California Department of Housing and Community Development. "Regional Housing Needs Allocation and Housing Elements". http://hcd.ca.gov/community-development/housing-element/index.shtml.

California Department of Tax and Fee Administration. “Net Taxable Gasoline Gallons.” Accessed May 3, 2021. https://www.cdtfa.ca.gov/dataportal/dataset.htm?url=VehicleTaxableFuelDist.

California Department of Transportation. ”Scenic Highways.” https://dot.ca.gov/programs/design/lap-landscape-architecture-and-community-livability/lap-liv-i-scenic-highways.

California Department of Water Resources, Division of Safety of Dams. https://water.ca.gov/Programs/All-Programs/Division-of-Safety-of-Dams#:~:text=Since%20August%2014%2C%201929%2C%20the,Safety%20of%20Dams%20(DSOD).

California Energy Commission (CEC). “2019 Building Energy Efficiency Standards.” https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2019-building-energy-efficiency.

California Energy Commission. “Natural Gas Consumption by County.” http://ecdms.energy.ca.gov/gasbycounty.aspx.

California Energy Commission. “Renewables Portfolio Standard – Verification and Compliance.” https://www.energy.ca.gov/programs-and-topics/programs/renewables-portfolio-standard/renewables-portfolio-standard.

California Energy Commission. Energy Consumption Data Management System. “Electricity Consumption by County.” http://ecdms.energy.ca.gov/elecbycounty.aspx.

California Environmental Protection Agency. “Cortese List Data Resources.” https://calepa.ca.gov/sitecleanup/corteselist/.

California Gas and Electric Utilities. 2019 *California Gas Report.* https://www.socalgas.com/regulatory/documents/cgr/2019_CGR_Supplement_7-1-19.pdf.
.
California Geological Survey. “Earthquake Zones of Required Investigation”. https://maps.conservation.ca.gov/cgs/EQZApp/app/.

California Natural Resources Agency. *Santa Clara County Important Farmland 2018.* September 2019. https://www.conservation.ca.gov/dlrp/fmmp/Pages/SantaClara.aspx

California Office of Historic Preservation. “CEQA Guidelines Section 15064.5(a)(3) and California Office of Historic Preservation Technical Assistance Series #6.”

California Regional Water Quality Control Board. *San Francisco Bay Region Municipal Regional Stormwater NPDES Permit.* November 2015.

City of Campbell. *Campbell General Plan EIR*. July 2001.

City of Campbell. “Emergency Preparedness”. https://www.ci.campbell.ca.us/265/Emergency-Preparedness

City of Campbell. *Campbell Transportation Improvement Plan.* February 2018.

City of Campbell. "Water Efficient Landscape Guidelines". https://www.ci.campbell.ca.us/DocumentCenter/View/176/WELS-Guidelines?bidId=

Cornerstone Earth Group. *Phase I Environmental Site Assessment – New Police Operations Building and Secured parking Lot.* May 12, 2021.

David J. Powers & Associates, Inc., Integrated Final Environmental Impact Report, Amendment to Norman Y. Mineta San José International Airport Master Plan, April 2020.

Hexagon Transportation Consultants, Inc. *Draft Memorandum – Site Access, Circulation, and Parking Analysis for Proposed Revisions to the Civic Center Complex (CCC) in Campbell, California.* April 1, 2021.

Illingworth & Rodkin, Inc. *Measure O Civic Center Improvements Project Air Quality and Greenhouse Gas Assessment.* April 29, 2021.

Illingworth & Rodkin, Inc. *Measure O Civic Center Improvements Project Noise and Vibration Assessment.* June 14, 2021.

San Francisco Bay Regional Water Quality Control Board. *Municipal Regional Stormwater Permit, Provision C.12.* November 19, 2015.

Santa Clara County Fire Department. *Business Plan, January 2015-December 2019*. 2015.

Santa Clara Valley Urban Runoff Pollution Prevention Program. *Local Hydromodification Management Applicability Maps. https://scvurppp.org/hmp-maps/*.

Silicon Valley Clean Energy. "Frequently Asked Questions." https://www.svcleanenergy.org/faqs.

State of California, Department of Finance, Report E-5, Population and Housing Estimates for Cities, Counties, and the State, 2011-2020 with 2010 Census Benchmark.

United States Environmental Protection Agency. "Superfund: CERCLA Overview.". https://www.epa.gov/superfund/superfund-cercla-overview.

United States Environmental Protection Agency. "Summary of the Resource Conservation and Recovery Act." https://www.epa.gov/laws-regulations/summary-resource-conservation-and-recovery-act.

United States Department of Agriculture. *Custom Soil Resource Report for Santa Clara Area California, Western Part*. May 13, 2021.

United States Energy Information Administration. "State Profile and Energy Estimates, 2018." https://www.eia.gov/state/?sid=CA#tabs-2.

United States Environmental Protection Agency. "The 2020 EPA Automotive Trends Report: Greenhouse Gas Emissions, Fuel Economy, and Technology since 1975." January 2021.

United States Department of Energy. *Energy Independence & Security Act of 2007.* http://www.afdc.energy.gov/laws/eisa.

United States Energy Information Administration. "State Profile and Energy Estimates, 2018." Accessed January 28, 2021. https://www.eia.gov/state/?sid=CA#tabs-2.

United States Energy Information Administration. "State Profile and Energy Estimates, 2018." https://www.eia.gov/state/?sid=CA#tabs-2.

United States Department of the Interior. "Memorandum M-37050. The Migratory Bird Treaty Act Does Not Prohibit Incidental Take." https://www.doi.gov/sites/doi.gov/files/uploads/m-37050.pdf.

Valley Water. *2016 Groundwater Management Plan, Santa Clara and Llagas Subbasins*. November 2016.

Waste Management. *Milpitas Contract and Guadalupe Landfill Facts*. http://milpitas-odor.info/wp-content/uploads/2015/01/WM-fact-sheet.pdf.

Wentworth, C.M., M.C. Blake Jr., R.J. McLaughlin, R.W. Graymer. *Preliminary Geologic Map of the San José 30 X 60 Minute Quadrangle, California*. November 1999

West Valley Sanitation District of Santa Clara County. *Sewer System Management Plan.* September 16, 2020.

SECTION 6.0 LEAD AGENCY AND CONSULTANTS

6.1 LEAD AGENCY

City of Campbell
Public Works Department

Roger Storz, PE, Senior Civil Engineer
Todd Capurso, Public Works Director

6.2 CONSULTANTS

David J. Powers & Associates, Inc.
Environmental Consultants and Planners

Akoni Danielsen, President/Principal Project Manager
Mike Campbell, AICP, CPSWQ, Project Manager
Matthew Moore, Assistant Project Manager
Ryan Osako, Graphic Artist

Archaeological/Historical Consultants
Historic Resources Consultant

Cornerstone Earth Group, Inc.
Hazards and Hazardous Materials Consultant

Hexagon Transportation Consultants, Inc.
Transportation Consultants

Illingworth & Rodkin, Inc.
Acoustical & Air Quality Consultants

SECTION 7.0 ACRONYMS AND ABBREVIATIONS

2017 CAP	Bay Area 2017 Clean Air Plan
AB	Assembly Bill
ABAG	Association of Bay Area Governments
ACM	Asbestos Containing Materials
ADA	Americans with Disabilities Act
AFA	Acre-Feet Annually
AICP	American Institute of Certified Planners
ALUCP	Airport Land Use Compatibility Plan
APN	Assessor Parcel Number
BAAQMD	Bay Area Air Quality Management District
BART	Bay Area Rapid Transit
Basin Plan	Water Quality Control Plan for the San Francisco Bay Basin
Bgs	Below the ground surface
BIA	California Building Industry Association
BMPs	Best Management Practices
Btu	British thermal units
CA	California
CalARP	California Accidental Release Prevention
Cal Fire	California Department of Forestry and Fire Protection
CalEEMod	California Emissions Estimator Model
CalEPA	California Environmental Protection Agency
CALGreen	California Green Building Standards Code
Caltrans	California Department of Transportation
Cal/OSHA	California Occupational Safety and Health Administration
CARB	California Air Resources Board
CBC	California Building Standards Code
CCR	California Code of Regulations
CDFW	California Department of Fish and Wildlife
CEC	California Energy Commission
CEQA	California Environmental Quality Act
CFCs	Chlorofluorocarbons

CFR	Code of Federal Regulations
CGS	California Geological Survey
CH4	Methane
CNEL	Community Noise Equivalent Level
CO	Carbon monoxide
CO2	Carbon dioxide
CO2e	Carbon dioxide equivalent
CRECs	Controlled Recognized Environmental Conditions
CRHR	California Register of Historical Resources
dBA	A-weighted decibel
DNL	Day-Night Level
DPM	Diesel particulate matter
DTSC	Department of Toxic Substances Control
EIR	Environmental Impact Report
EPA	U.S. Environmental Protection Agency
ESA	Environmental Site Assessment
EZRI	Earthquake Zones of Required Investigation
FAA	Federal Aviation Administration
FAR	Federal Aviation Regulations
FEMA	Federal Emergency Management Agency
FHSZs	Fire Hazard Severity Zones
FIRM	Flood Insurance Rate Maps
FMMP	Farmland Mapping and Monitoring Program
FTA	United States Department of Transportation's Federal Transit Administration
GHGs	Greenhouse gases
GPD	Gallons per day
GWh	Gigawatt hours
HCP	Habitat Conservation Plan
HFCs	Hydrofluorocarbons
HRECs	Historically Recognized Environmental Conditions
IS	Initial Study
LBPs	Lead-Based Paints
LED	Light-Emitting Diode

LEED	Leadership in Energy and Environmental Design
Leq	Equivalent noise level
LID	Low-Impact Development
Lmax	Maximum A-weighted
LOS	Level of Service
LRA	Local Responsibility Area
MBTA	Migratory Bird Treaty Act
Mgd	Million gallons per day
MM	Mitigation Measure
MND	Mitigated Negative Declaration
Mpg	Miles per gallon
Mph	Miles per hour
MRP	Municipal Regional Permit
MRZs	Mineral Resource Zones
MTC	Metropolitan Transportation Commission
MT CO2e	Metric tons of carbon dioxide equivalent
NAHC	Native American Heritage Commission
NESHAP	National Emission Standards for Hazardous Air Pollutants
NFIP	National Flood Insurance Program
NHPA	National Historic Preservation Act
NOD	Notice of Determination
NOI	Notice of Intent
NOx	Nitrogen oxides
NO2	Nitrogen dioxide
NPDES	National Pollutant Discharge Elimination System
NRHP	National Register of Historic Places
NWIC	Northwest Information Center
O3	Ground-level ozone
OITC	Outdoor/Indoor Transmission Class
OPR	Office of Planning and Research
PCB	Polychlorinated biphenyls
PG&E	Pacific Gas & Electricity
PM	Particulate matter

PM2.5	Fine particulate matter
PM10	Coarse particulate matter
PPC	Public Protection Classification
PPV	Peak Particle Velocity
REC	Recognized environmental condition
RHNA	Regional Housing Need Allocation
ROG	Reactive organic gases
RPS	Renewable Portfolio Standards
RWQCB	Regional Water Quality Control Board
SSOs	Sanitary Sewer Overflows
SB	Senate Bill
SFHA	Special Flood Hazard Areas
SHMA	Seismic Hazards Mapping Act
SMARA	Surface Mining and Reclamation Act
SMBG	State Mining and Geology Board
SOx	Sulfur oxides
SR	State Route
SRA	State Responsibility Area
STC	Sound Transmission Class
SWPPP	Storm Water Pollution Prevention Plan
SWRCB	State Water Resources Control Board
TACs	Toxic air contaminants
TCR	Tribal Cultural Resources
TDM	Transportation Demand Management
TIA	Transportation Impact Analysis
USACE	United States Army Corps of Engineers
USFWS	United States Fish and Wildlife Service
UST	Underground storage tank
VHFHSZs	Very High Fire Hazard Severity Zones
VMT	Vehicle Miles Traveled
VOCs	Volatile Organic Compounds

APPENDIX A

Air Quality and Greenhouse Gas Assessment

MEASURE O CIVIC CENTER IMPROVEMENTS PROJECT AIR QUALITY AND GREENHOUSE GAS ASSESSMENT

Campbell, California

April 29, 2021

Prepared for:

Mike Campbell, AICP, CPSWQ
Project Manager
David J. Powers & Associates, Inc.
1871 The Alameda, Suite 200
San José, CA 95126

Prepared by:

Zachary Palm
Casey Divine
James A. Reyff

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality
429 E. Cotati Avenue
Cotati, CA 94931
(707) 794-0400

I&R Project: #21-025

Introduction

The purpose of this report is to address air quality, community health risk, and greenhouse gas (GHG) impacts associated with the proposed Measure O Civic Center Improvements project located at 70 North First Street and 77 Harrison Avenue in Campbell, California. The air quality and GHG impacts from this project would be associated with construction of the new building and parking lot and operation of the project. Air pollutants and GHG emissions associated with construction and operation of the project were predicted using appropriate computer models. In addition, the potential project health risk impacts (construction and operation) and the impacts of existing toxic air contaminant (TAC) sources affecting the nearby sensitive receptors were evaluated. The analysis was conducted following guidance provided by the Bay Area Air Quality Management District (BAAQMD).[1]

Project Description

The approximately 1.6-acre site is located at the Civic Center Complex at 70 North First Street and 77 Harrison Avenue in Campbell. The site is currently developed with an existing police building, surface parking, and library building. As proposed, the existing police building would be kept in place to retain some of the functions it currently serves, while the new, 32,154 square-foot (sf) Police Operations Building would be constructed. It would be located in the northwest quadrant of the Civic Center Complex and would include a 9-1-1- dispatch center and emergency operation center. Parking containing 61 spaces would be provided adjacent to the proposed police building. The project would also include one generator, located on the northern edge of the proposed parking lot.

The project also proposes to renovate the interior of the existing library to provide a safer library facility. The proposed library renovations would occur over a short period of time and would not increase in size of the library. In addition, only light-duty construction equipment is anticipated to be used for the interior improvements, with no expectation of extensive use of heavy-duty construction equipment since there would be no exterior renovation. Therefore, operational emissions are not anticipated to change and interior construction emissions would be negligible from the renovation of the library and we not included in this analysis.

Air Quality Setting

The project is located in Santa Clara County, which is in the San Francisco Bay Area Air Basin. Ambient air quality standards have been established at both the State and federal level. The Bay Area meets all ambient air quality standards with the exception of ground-level ozone, respirable particulate matter (PM_{10}), and fine particulate matter ($PM_{2.5}$).

Air Pollutants of Concern

High ozone levels are caused by the cumulative emissions of reactive organic gases (ROG) and nitrogen oxides (NO_X). These precursor pollutants react under certain meteorological conditions to form high ozone levels. Controlling the emissions of these precursor pollutants is the focus of

[1] Bay Area Air Quality Management District, *CEQA Air Quality Guidelines*, May 2017.

the Bay Area's attempts to reduce ozone levels. The highest ozone levels in the Bay Area occur in the eastern and southern inland valleys that are downwind of air pollutant sources. High ozone levels aggravate respiratory and cardiovascular diseases, reduced lung function, and increase coughing and chest discomfort.

Particulate matter is another problematic air pollutant of the Bay Area. Particulate matter is assessed and measured in terms of respirable particulate matter or particles that have a diameter of 10 micrometers or less (PM_{10}) and fine particulate matter where particles have a diameter of 2.5 micrometers or less ($PM_{2.5}$). Elevated concentrations of PM_{10} and $PM_{2.5}$ are the result of both region-wide (or cumulative) emissions and localized emissions. High particulate matter levels aggravate respiratory and cardiovascular diseases, reduce lung function, increase mortality (e.g., lung cancer), and result in reduced lung function growth in children.

Toxic Air Contaminants

Toxic air contaminants (TAC) are a broad class of compounds known to cause morbidity or mortality (usually because they cause cancer) and include, but are not limited to, the criteria air pollutants. TACs are found in ambient air, especially in urban areas, and are caused by industry, agriculture, fuel combustion, and commercial operations (e.g., dry cleaners). TACs are typically found in low concentrations, even near their source (e.g., diesel particulate matter [DPM] near a freeway). Because chronic exposure can result in adverse health effects, TACs are regulated at the regional, State, and federal level.

Diesel exhaust is the predominant TAC in urban air and is estimated to represent about three-quarters of the cancer risk from TACs (based on the Bay Area average). According to the California Air Resources Board (CARB), diesel exhaust is a complex mixture of gases, vapors, and fine particles. This complexity makes the evaluation of health effects of diesel exhaust a complex scientific issue. Some of the chemicals in diesel exhaust, such as benzene and formaldehyde, have been previously identified as TACs by the CARB, and are listed as carcinogens either under the State's Proposition 65 or under the Federal Hazardous Air Pollutants programs. The most recent Office of Environmental Health Hazard Assessment (OEHHA) risk assessment guidelines were published in February of 2015.[2] See *Attachment 1* for a detailed description of the community risk modeling methodology used in this assessment.

Sensitive Receptors

There are groups of people more affected by air pollution than others. CARB has identified the following persons who are most likely to be affected by air pollution: children under 16, the elderly over 65, athletes, and people with cardiovascular and chronic respiratory diseases. These groups are classified as sensitive receptors. Locations that may contain a high concentration of these sensitive population groups include residential areas, hospitals, daycare facilities, elder care facilities, elementary schools, and parks. For cancer risk assessments, children are the most sensitive receptors, since they are more susceptible to cancer causing TACs. Residential locations are assumed to include infants and small children. The closest sensitive receptors to the project

[2] OEHHA, 2015. *Air Toxics Hot Spots Program Risk Assessment Guidelines, The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments*. Office of Environmental Health Hazard Assessment. February.

site are residences to the north of the site and residences to the west of the project site across Grant Street and North First Street, respectively. There are additional sensitive receptors at farther distances. The project would not introduce new sensitive receptors to the area.

Regulatory Setting

Federal Regulations

The United States Environmental Protection Agency (EPA) sets nationwide emission standards for mobile sources, which include on-road (highway) motor vehicles such trucks, buses, and automobiles, and non-road (off-road) vehicles and equipment used in construction, agricultural, industrial, and mining activities (such as bulldozers and loaders). The EPA also sets nationwide fuel standards. California also has the ability to set motor vehicle emission standards and standards for fuel used in California, as long as they are the same or more stringent than the federal standards.

In the past decade the EPA has established a number of emission standards for on- and non-road heavy-duty diesel engines used in trucks and other equipment. This was done in part because diesel engines are a significant source of NO_X and particulate matter (PM_{10} and $PM_{2.5}$) and because the EPA has identified DPM as a probable carcinogen. Implementation of the heavy-duty diesel on-road vehicle standards and the non-road diesel engine standards are estimated to reduce particulate matter and NO_X emissions from diesel engines up to 95 percent in 2030 when the heavy-duty vehicle fleet is completely replaced with newer heavy-duty vehicles that comply with these emission standards.[3]

In concert with the diesel engine emission standards, the EPA has also substantially reduced the amount of sulfur allowed in diesel fuels. The sulfur contained in diesel fuel is a significant contributor to the formation of particulate matter in diesel-fueled engine exhaust. The new standards reduced the amount of sulfur allowed by 97 percent for highway diesel fuel (from 500 parts per million by weight [ppmw] to 15 ppmw), and by 99 percent for off-highway diesel fuel (from about 3,000 ppmw to 15 ppmw). The low sulfur highway fuel (15 ppmw sulfur), also called ultra-low sulfur diesel (ULSD), is currently required for use by all vehicles in the U.S.

All of the above federal diesel engine and diesel fuel requirements have been adopted by California, in some cases with modifications making the requirements more stringent or the implementation dates sooner.

State Regulations

To address the issue of diesel emissions in the state, CARB developed the Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles.[4] In addition to requiring more stringent emission standards for new on-road and off-road mobile sources and stationary diesel-fueled engines to reduce particulate matter emissions by 90 percent, a significant

[3] USEPA, 2000. *Regulatory Announcement, Heavy-Duty Engine and Vehicle Standards and Highway Diesel Fuel Sulfur Control Requirements*. EPA420-F-00-057. December.
[4] California Air Resources Board, 2000. Risk Reduction Plan to Reduce Particulate Matter Emissions from Diesel-Fueled Engines and Vehicles. October.

component of the plan involves application of emission control strategies to existing diesel vehicles and equipment. Many of the measures of the Diesel Risk Reduction Plan have been approved and adopted, including the federal on-road and non-road diesel engine emission standards for new engines, as well as adoption of regulations for low sulfur fuel in California.

CARB has adopted and implemented a number of regulations for stationary and mobile sources to reduce emissions of DPM. Several of these regulatory programs affect medium and heavy-duty diesel trucks that represent the bulk of DPM emissions from California highways. CARB regulations require on-road diesel trucks to be retrofitted with particulate matter controls or replaced to meet 2010 or later engine standards that have much lower DPM and $PM_{2.5}$ emissions. This regulation will substantially reduce these emissions between 2013 and 2023. While new trucks and buses will meet strict federal standards, this measure is intended to accelerate the rate at which the fleet either turns over so there are more cleaner vehicles on the road or is retrofitted to meet similar standards. With this regulation, older, more polluting trucks would be removed from the roads sooner.

CARB has also adopted and implemented regulations to reduce DPM and NO_X emissions from in-use (existing) and new off-road heavy-duty diesel vehicles (e.g., loaders, tractors, bulldozers, backhoes, off-highway trucks, etc.). The regulations apply to diesel-powered off-road vehicles with engines 25 horsepower (hp) or greater. The regulations are intended to reduce particulate matter and NO_X exhaust emissions by requiring owners to turn over their fleet (replace older equipment with newer equipment) or retrofit existing equipment in order to achieve specified fleet-averaged emission rates. Implementation of this regulation, in conjunction with stringent federal off-road equipment engine emission limits for new vehicles, will significantly reduce emissions of DPM and NO_X.

Bay Area Air Quality Management District (BAAQMD)

BAAQMD has jurisdiction over an approximately 5,600-square mile area, commonly referred to as the San Francisco Bay Area (Bay Area). The District's boundary encompasses the nine San Francisco Bay Area counties, including Alameda County, Contra Costa County, Marin County, San Francisco County, San Mateo County, Santa Clara County, Napa County, southwestern Solano County, and southern Sonoma County.

BAAQMD is the lead agency in developing plans to address attainment and maintenance of the National Ambient Air Quality Standards and California Ambient Air Quality Standards. The District also has permit authority over most types of stationary equipment utilized for the proposed project. The BAAQMD is responsible for permitting and inspection of stationary sources; enforcement of regulations, including setting fees, levying fines, and enforcement actions; and ensuring that public nuisances are minimized.

BAAQMD's Community Air Risk Evaluation (CARE) program was initiated in 2004 to evaluate and reduce health risks associated with exposures to outdoor TACs in the Bay Area.[5] The program examines TAC emissions from point sources, area sources, and on-road and off-road mobile

[5] See BAAQMD: https://www.baaqmd.gov/community-health/community-health-protection-program/community-air-risk-evaluation-care-program , accessed 2/18/2021.

sources with an emphasis on diesel exhaust, which is a major contributor to airborne health risk in California. The CARE program is an on-going program that encourages community involvement and input. The technical analysis portion of the CARE program is being implemented in three phases that includes an assessment of the sources of TAC emissions, modeling and measurement programs to estimate concentrations of TAC, and an assessment of exposures and health risks. Throughout the program, information derived from the technical analyses will be used to focus emission reduction measures in areas with high TAC exposures and high density of sensitive populations. Risk reduction activities associated with the CARE program are focused on the most at-risk communities in the Bay Area. The BAAQMD has identified six communities as impacted: Concord, Richmond/San Pablo, Western Alameda County, San José, Redwood City/East Palo Alto, and Eastern San Francisco. The project site is within the San José area.

The BAAQMD California Environmental Quality Act (*CEQA) Air Quality Guidelines*[6] were prepared to assist in the evaluation of air quality impacts of projects and plans proposed within the Bay Area. The guidelines provide recommended procedures for evaluating potential air impacts during the environmental review process consistent with CEQA requirements including thresholds of significance, mitigation measures, and background air quality information. They also include assessment methodologies for air toxics, odors, and greenhouse gas emissions. *Attachment 1* includes detailed community risk modeling methodology.

BAAQMD Rules and Regulations

Combustion equipment associated with the proposed project that includes new diesel engines to power generators and possibly new natural gas-fired boilers would establish new sources of particulate matter and gaseous emissions. Emissions would primarily result from the testing of the emergency backup generators, operation of the boilers for space and water heating and some minor emissions from cooling towers. Certain emission sources would be subject to BAAQMD Regulations and Rules. The District's rules and regulations that may apply to the project include:

- Regulation 2 – Permits
  - Rule 2-1: General Requirements
  - Rule 2-2: New Source Review
- Regulation 6 – Particulate Matter and Visible Emissions
  - Rule 6-3: Wood-Burning Devices
- Regulation 9 – Inorganic Gaseous Pollutants
  - Rule 9-1: Sulfur Dioxide
  - Rule 9-7: Nitrogen Oxides and Carbon Monoxide from Industrial, Institutional, and Commercial Boilers, Steam Generators, And Process Heaters
  - Rule 9-8: Nitrogen Oxides and Carbon Monoxide from Stationary Internal Combustion Engines

[6] Bay Area Air Quality Management District, 2017. *CEQA Air Quality Guidelines*. May.

Permits

Rule 2-1-301 requires that any person installing, modifying, or replacing any equipment, the use of which may reduce or control the emission of air contaminants, shall first obtain an Authority to Construct (ATC).

Rule 2-1-302 requires that written authorization from the BAAQMD in the form of a Permit to Operate (PTO) be secured before any such equipment is used or operated.

Rule 2-1 lists sources that are exempt from permitting. At the proposed facility, the diesel fuel storage tanks are expected to be exempt from permitting.

New Source Review

Rule 2-2, New Source Review (NSR), applies to all new and modified sources or facilities that are subject to the requirements of Rule 2-1-301. The purpose of the rule is to provide for review of such sources and to provide mechanisms by which no net increase in emissions will result.

Rule 2-2-301 requires that an applicant for an ATC or PTO apply Best Available Control Technology (BACT) to any new or modified source that results in an increase in emissions and has emissions of precursor organic compounds, non-precursor organic compounds, NOx, SO_2, PM_{10}, or CO of 10.0 pounds or more per highest day. Based on the estimated emissions from the proposed project, BACT will be required for NOx emissions from the diesel-fueled generator engines.

Stationary Diesel Airborne Toxic Control Measure

The BAAQMD administers the CARB's Airborne Toxic Control Measure (ACTM) for Stationary Diesel engines (section 93115, title 17 CA Code of Regulations). The project's stationary sources will be new stationary emergency stationary emergency standby diesel engines larger than 50 hp. These limits vary based on maximum engine power. All engines are limited to PM emission rates of 0.15 g/hp-hour, regardless of size. This ACTM limits engine operation 50 hours per year for routine testing and maintenance.

Offsets

Rule 2-2-302 require that offsets be provided for a new or modified source that emits more than 10 tons per year of NOx or precursor organic compounds. It is not expected that emissions of any pollutant will exceed the offset thresholds. Thus, is not expected that offsets for the proposed project would be required.

Prohibitory Rules

Regulation 6 pertains to particulate matter and visible emissions. Although the engines will be fueled with diesel, they will be modern, low emission engines. Thus, the engines are expected to comply with Regulation 6.

Rule 6-3 applies to emissions from wood-burning devices. Effective November 1, 2016, no person or builder shall install a wood-burning device in a new building construction. Project plans do not depict fireplaces.

Rule 9-1 applies to sulfur dioxide. The engines will use ultra-low sulfur diesel fuel (less than 15 ppm sulfur) and will not be a significant source of sulfur dioxide emissions and are expected to comply with the requirements of Rule 9-1.

Rule 9-7 limits the emissions of NOx CO from industrial, institutional and commercial boilers, steam generators and process heaters. This regulation typically applies to boilers with a heat rating of 2 million British Thermal Units (BTU) per hour

Rule 9-8 prescribes NOx and CO emission limits for stationary internal combustion engines. Since the proposed engines will be used with emergency standby generators, Regulation 9-8-110 exempts the engines from the requirements of this Rule, except for the recordkeeping requirements (9-8-530) and limitations on hours of operation for reliability-related operation (maintenance and testing). The engines will not operate more than 50 hours per year, which will satisfy the requirements of 9-8-111.

BACT for Diesel Generator Engines

Since the generators will be used exclusively for emergency use during involuntary loss of power, the BACT levels listed for IC compression engines in the BAAQMD BACT Guidelines would apply. These are provided for two separate size ranges of diesel engines:

> I.C. Engine – Compression Ignition >50hp and <1.000hp: BAAQMD applies BACT 2 emission limits based on the ATCM for stationary emergency standby diesel engines larger than 50 brake-horsepower (BHP). NOx emission factor limit is subject to the CARB ACTM that ranges from 3.0 to 3.5 grams per horsepower hour (g/hp-hr). The PM (PM10 or PM2.5) limit is 0.15 g/hp-hr per CARB's ACTM.
>
> I.C. Engine – Compression Ignition <999hp: BAAQMD applies specific BACT emission limits for stationary emergency standby diesel engines equal or larger than 1,000 brake-horsepower (BHP). NOx emission factor limit is subject to the CARB ACTM that ranges from 0.5 g/hp-hr. The PM (PM10 or PM2.5) limit is 0.02 g/hp-hr. POC (i.e., ROG) limits are 0.14 g/hp-hr.

Draft Envision Campbell 2040 General Plan Update

The Draft Envision Campbell 2040 General Plan Update[7] includes goals, policies, and actions to improve air quality and GHG emissions and meet the State and National ambient air quality standards and GHG goals. The following goals, policies, and actions are applicable to the project:

[7] City of Campbell, *Envision Campbell General Plan Update, General Plan 2040 Council Review Draft*, August 2020. Web: https://static1.squarespace.com/static/5727860527d4bd23efdf96db/t/5f88bfe6e0a5a0661d7b2621/1602797595489/CampbellGPU_Draft--8-4-20_reduced+size.pdf

Energy Conservation

Goal OSC-8	Conserve energy and other natural resources through consumption reduction programs and the maximum use of renewable resources.
Policy OSC-8.5	Continue to participate in Silicon Valley Clean Energy (SVCE) whereby city-owned facilities, parks, and streetlights will run on 100% renewable energy sources like wind and solar, and motivate and encourage Campbell residents and businesses to participate in SVCE to reduce greenhouse gas emissions and support statewide alternative energy use.

Air Quality

Goal OSC-10	Improve air quality in Campbell and the region through reductions in air pollutants and greenhouse gas (GHG) emissions in accordance with the direction provided in the City's Climate Action Plan.
Policy OSC-10.1	Improve air quality through continuing to require a development pattern that focuses growth in and around existing urbanized areas, locates new housing near places of employment, encourages alternative modes of transportation, supports efficient parking strategies, reduces vehicle miles traveled, and requires projects to mitigate significant air quality impacts.
Policy OSC-10.2	Align the City's local GHG reduction targets with the statewide GHG reduction targets of Assembly Bill 32, and align the City's GHG reduction goal with the statewide GHG reduction goal of Executive Order S-03-05.
Policy OSC-10.4	Require projects to adhere to the requirements of the Bay Area Air Quality Management District (BAAQMD), including standards related to fireplaces, wood stoves, heaters, dust control, and abatement measures.
Policy OSC-10.5	Reduce adverse air quality impacts of municipal operations.
Policy OSC-10.6	Use the City's development review process and the California Environmental Quality Act (CEQA) to evaluate and mitigate the local and cumulative effects of new development on air quality.
Policy OSC-10.7	Coordinate with the California Air Resources Board (CARB) and the BAAQMD to properly measure air quality at emission sources and enforce the standards of the Clean Air Act.
Policy OSC-10.8	Comply with regional, state, and federal standards and programs for control of all airborne pollutants and noxious odors, regardless of source.
Policy OSC-10.9	Coordinate with Santa Clara County and nearby cities to implement regional GHG reduction plans and consolidate efforts to reduce GHGs throughout the county.

Actions in Support of Goal OSC-10

Action OSC-10a Review all new industrial and commercial development projects for potential air quality impacts to residences and other sensitive receptors. The City shall ensure that mitigation measures and best management practices are implemented to reduce significant emissions of criteria pollutants. Adopt an ordinance codifying these requirements into the Campbell Municipal Code.

Action OSC-10b Review development, infrastructure, and planning projects for consistency with BAAQMD requirements during the CEQA review process. Require project applicants to prepare air quality analyses to address BAAQMD and General Plan requirements, which includes analysis and identification of:

- Air pollutant emissions associated with the project during construction, project operation, and cumulative conditions;
- Potential exposure of sensitive receptors to toxic air contaminants;
- Significant air quality impacts associated with the project for construction, project operation, and cumulative conditions; and
- Mitigation measures to reduce significant impacts to less than significant or the maximum extent feasible where impacts cannot be mitigated to less than significant.

Action OSC-10c Implement the City's Climate Action Plan and review and update the plan as necessary to achieve the GHG reduction targets specified in the Plan.

Action OSC-10f Continue implementation of the City's Municipal Code Chapter 18.70, Woodburning Appliances, in order to improve and maintain air quality conditions in the City and enhance the health and quality of life of its citizens.

Action OSC-10g Require adequate buffering or other mitigation of all potential air pollutant sources, including commercial and industrial emissions.

Action OSC-10h Assist the BAAQMD and Santa Clara County in their efforts to achieve compliance with existing air quality regulations.

Action OSC-10i Assess the adequacy of environmental documents for projects proposed in the City utilizing the thresholds established in the BAAQMD guidelines.

Significance Thresholds

In June 2010, BAAQMD adopted thresholds of significance to assist in the review of projects under CEQA and these significance thresholds were contained in the District's 2011 CEQA Air Quality Guidelines. These thresholds were designed to establish the level at which BAAQMD believed air pollution emissions would cause significant environmental impacts under CEQA. The thresholds were challenged through a series of court challenges and were mostly upheld. BAAQMD updated the CEQA Air Quality Guidelines in 2017 to include the latest significance

thresholds, which were used in this analysis and are summarized in Table 1. Impacts above these thresholds are considered potentially significant.

Table 1. BAAQMD CEQA Significance Thresholds

Criteria Air Pollutant	Construction Thresholds	Operational Thresholds	
	Average Daily Emissions (lbs./day)	**Average Daily Emissions (lbs./day)**	**Annual Average Emissions (tons/year)**
ROG	54	54	10
NO_x	54	54	10
PM_{10}	82 (Exhaust)	82	15
$PM_{2.5}$	54 (Exhaust)	54	10
CO	Not Applicable	9.0 ppm (8-hour average) or 20.0 ppm (1-hour average)	
Fugitive Dust	Construction Dust Ordinance or other Best Management Practices	Not Applicable	
Health Risks and Hazards	**Single Sources Within 1,000-foot Zone of Influence**	**Combined Sources (Cumulative from all sources within 1000-foot zone of influence)**	
Excess Cancer Risk	>10 per one million	>100 per one million	
Hazard Index	>1.0	>10.0	
Incremental annual $PM_{2.5}$	>0.3 µg/m^3	>0.8 µg/m^3	
Greenhouse Gas Emissions			
Land Use Projects – direct and indirect emissions	Compliance with a Qualified GHG Reduction Strategy OR 1,100 metric tons annually or 4.6 metric tons per service population *		

Note: ROG = reactive organic gases, NOx = nitrogen oxides, PM_{10} = course particulate matter or particulates with an aerodynamic diameter of 10 micrometers (µm) or less, $PM_{2.5}$ = fine particulate matter or particulates with an aerodynamic diameter of 2.5µm or less. GHG = greenhouse gases.

*BAAQMD does not have a recommended post-2020 GHG threshold.

AIR QUALITY IMPACTS AND MITIGATION MEASURES

Impact AIR-1: Conflict with or obstruct implementation of the applicable air quality plan?

BAAQMD is the regional agency responsible for overseeing compliance with State and Federal laws, regulations, and programs within the San Francisco Bay Area Air Basin (SFBAAB). BAAQMD, with assistance from the Association of Bay Area Governments (ABAG) and Metropolitan Transportation Commission (MTC), prepares and implements specific plans to meet the applicable laws, regulations, and programs. The most recent and comprehensive of which is the *Bay Area 2017 Clean Air Plan*.[8] The primary goals of the Clean Air Plan are to attain air quality standards, reduce population exposure and protect public health, and reduce GHG emissions and protect the climate. The BAAQMD has also developed CEQA guidelines to assist lead agencies in evaluating the significance of air quality and GHG impacts. In formulating compliance strategies, BAAQMD relies on planned land uses established by local general plans. Land use planning affects vehicle travel, which, in turn, affects region-wide emissions of air pollutants and GHGs.

The 2017 Clean Air Plan, adopted by BAAQMD in April 2017, includes control measures that are intended to reduce air pollutant emissions in the Bay Area either directly or indirectly. Plans must show consistency with the control measures listed within the Clean Air Plan. At the project-level, there are no consistency measures or thresholds. The proposed project would not conflict with the latest Clean Air planning efforts since 1) project would have construction and operational emissions below the BAAQMD thresholds (see Impact 2 below), 2) the project would be considered urban infill, 3) the project would be located near employment centers, 4) the project would be located near transit with regional connections.

Impact AIR-2: Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

The Bay Area is considered a non-attainment area for ground-level ozone and $PM_{2.5}$ under both the Federal Clean Air Act and the California Clean Air Act. The area is also considered non-attainment for PM_{10} under the California Clean Air Act, but not the federal act. The area has attained both State and federal ambient air quality standards for carbon monoxide. As part of an effort to attain and maintain ambient air quality standards for ozone and PM_{10}, the BAAQMD has established thresholds of significance for these air pollutants and their precursors. These thresholds are for ozone precursor pollutants (ROG and NO_X), PM_{10}, and $PM_{2.5}$ and apply to both construction period and operational period impacts.

Construction Period Emissions

The California Emissions Estimator Model (CalEEMod) Version 2016.3.2 was used to estimate emissions from on-site construction activity, construction vehicle trips, and evaporative emissions. The project land use types and size, and anticipated construction schedule were input to CalEEMod. The CARB EMission FACtors 2017 (EMFAC2017) model was used to predict

[8] Bay Area Air Quality Management District (BAAQMD), 2017. *Final 2017 Clean Air Plan.*

emissions from construction traffic, which includes worker travel, vendor trucks, and haul trucks.[9] The CalEEMod model output along with construction inputs are included in *Attachment 2* and EMFAC2017 vehicle emissions modeling outputs are included in *Attachment 3*.

CalEEMod Inputs

Land Use Inputs

The proposed project land uses were entered into CalEEMod as described in Table 2.

Table 2. Summary of Project Construction Land Use Inputs

Project Land Uses	Size	Units	Square Feet	Acreage
Government Office Building	32.15	1,000 Square Feet	32,154	1.6
Parking Lot	61	Parking Spaces	24,400	

Construction Inputs

CalEEMod computes annual emissions for construction that are based on the project type, size, and acreage. The model provides emission estimates for both on-site and off-site construction activities. On-site activities are primarily made up of construction equipment emissions, while off-site activity includes worker, hauling, and vendor traffic. The construction build-out scenario, including equipment list and schedule, were based on the applicant provided construction start date followed by CalEEMod defaults for a project of this type and size.

The provided construction equipment worksheet included a start date from the applicant and then include CalEEMod default schedule for each phase. Within each phase, the quantity of equipment to be used along with the average hours per day and total number of workdays was based on CalEEMod defaults. Since different equipment would have different estimates of the working days per phase, the hours per day for each phase was computed by dividing the total number of hours that the equipment would be used by the total number of days in that phase. The construction schedule assumed that the earliest possible start date would be January 2022 and the project would be built out 5 days a week over a period of approximately 12 months or 246 construction workdays. The earliest year of full project operation was assumed to be 2023.

Construction Traffic Emissions

The latest version of the CalEEMod model is based on the older version of the CARB EMFAC2014 motor vehicle emission factor model. This model has been superseded by the EMFAC2017 model; however, CalEEMod has not been updated to include EMFAC2017. Construction would produce traffic in the form of worker trips and truck traffic. The traffic-related emissions are based on worker and vendor trip estimates produced by CalEEMod and haul trips that were computed based on the estimate of demolition material to be exported, soil material imported and/or exported to the site, and the estimate of cement and asphalt truck trips. CalEEMod provides daily estimates of worker and vendor trips for each applicable phase. The total trips for those were computed by multiplying the daily trip rate by the number of days in that phase. Haul

[9] See CARB's EMFAC2017 Web Database at https://www.arb.ca.gov/emfac/2017/

trips for demolition and grading were estimated from the projected demolition and grading volumes by assuming each truck could carry 10 tons per load. The number of concrete and asphalt total round haul trips were estimated for the project and converted to total one-way trips, assuming two trips per delivery.

The construction traffic information was combined with EMFAC2017 motor vehicle emissions factors. EMFAC2017 provides aggregate emission rates in grams per mile for each vehicle type. The vehicle mix for this study was based on CalEEMod defaults, where worker trips are assumed to be comprised of light-duty autos (EMFAC category LDA) and light duty trucks (EMFAC category LDT1 and LDT2). Vendor trips are comprised of delivery and large trucks (EMFAC category MHDT and HHDT) and haul trips, including cement trucks, are comprised of large trucks (EMFAC category HHDT). Travel distances are based on CalEEMod default lengths, which are 10.8 miles for worker travel, 7.3 miles for vendor trips and 20 miles for hauling (demolition material export and soil import/export). Since CalEEMod does not address cement or asphalt trucks, these were treated as vendor travel distances. Each trip was assumed to include an idle time of 5 minutes. Emissions associated with vehicle starts were also included. On-road emission rates from the year 2022 for Santa Clara County was used. Table 3 provides the traffic inputs that were combined with the EMFAC2017 emission database to compute vehicle emissions.

Table 3. Construction Traffic Data Used for EMFAC2017 Model Runs

CalEEMod Run/Land Uses and Construction Phase	Trips by Trip Type			Notes
	Total Worker[1]	Total Vendor[1]	Total Haul[2]	
Vehicle mix[1]	72% LDA 6% LDT1 22% LDT2	38% MHDT 62% HHDT	100% HDDT	
Trip Length (miles)	10.8	7.3	20.0 (Demo/Soil) 7.3 (Cement/Asphalt)	CalEEMod default distance with 5-min truck idle time.
Demolition	260	-	356	178 pavement demolition hauling trips. CalEEMod default worker trips.
Site Preparation	16	-	-	CalEEMod default worker trips.
Grading	32	-	-	CalEEMod default worker trips.
Building Construction	4200	1800	286	143 cement truck round trips. CalEEMod default worker and vendor trips.
Architectural Coating	130	-	-	CalEEMod default worker trips.
Paving	40	-	52	26 asphalt truck round trips. CalEEMod default worker trips.

Notes: [1] Based on 2022 EMFAC2017 light-duty vehicle fleet mix for Santa Clara County.
[2] Includes demolition and grading trips estimated by CalEEMod based on amount of material to be removed. Cement and asphalt trips estimated based on plans provided by the applicant.

Summary of Computed Construction Period Emissions

Average daily emissions were annualized for each year of construction by dividing the annual construction emissions by the number of active workdays during that year. Table 4 shows the annualized average daily construction emissions of ROG, NO_X, PM_{10} exhaust, and $PM_{2.5}$ exhaust during construction of the project. As indicated in Table 4, predicted annualized project

construction emissions would not exceed the BAAQMD significance thresholds during any year of construction.

Table 4. Construction Period Emissions

Year	ROG	NOx	PM_{10} Exhaust	$PM_{2.5}$ Exhaust
Construction Emissions Per Year (Tons)				
2022	0.19	1.16	0.02	0.02
Average Daily Construction Emissions Per Year (pounds/day)				
2022 (246 construction workdays)	1.52	9.42	0.14	0.14
BAAQMD Thresholds (pounds per day)	*54* lbs./day	*54* lbs./day	*82* lbs./day	*54* lbs./day
Exceed Threshold?	No	No	No	No

Construction activities, particularly during site preparation and grading, would temporarily generate fugitive dust in the form of PM_{10} and $PM_{2.5}$. Sources of fugitive dust would include disturbed soils at the construction site and trucks carrying uncovered loads of soils. Unless properly controlled, vehicles leaving the site would deposit mud on local streets, which could be an additional source of airborne dust after it dries. The BAAQMD CEQA Air Quality Guidelines consider these impacts to be less-than-significant if best management practices are implemented to reduce these emissions. *Mitigation Measure AQ-1 would implement BAAQMD-recommended best management practices.*

Mitigation Measure AQ-1: **Include measures to control dust and exhaust during construction.**

During any construction period ground disturbance, the applicant shall ensure that the project contractor implement measures to control dust and exhaust. Implementation of the measures recommended by BAAQMD and listed below would reduce the air quality impacts associated with grading and new construction to a less-than-significant level. Additional measures are identified to reduce construction equipment exhaust emissions. The contractor shall implement the following best management practices that are required of all projects:

1. All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) shall be watered two times per day.

2. All haul trucks transporting soil, sand, or other loose material off-site shall be covered.

3. All visible mud or dirt track-out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.

4. All vehicle speeds on unpaved roads shall be limited to 15 miles per hour (mph).

5. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.

6. Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne

toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]). Clear signage shall be provided for construction workers at all access points.

7. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified mechanic and determined to be running in proper condition prior to operation.

8. Post a publicly visible sign with the telephone number and person to contact at the Lead Agency regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Air District's phone number shall also be visible to ensure compliance with applicable regulations.

Effectiveness of Mitigation Measure AQ-1

The measures above are consistent with BAAQMD-recommended basic control measures for reducing fugitive particulate matter that are contained in the BAAQMD CEQA Air Quality Guidelines.

Operational Period Emissions

Operational air emissions from the project would be generated primarily from autos driven by employees and a single, 750-kilowatt (kW) diesel-powered stand-by generator located along the northern edge of the proposed parking lot. Evaporative emissions from architectural coatings and maintenance products (classified as consumer products) are typical emissions from these types of uses. CalEEMod was used to estimate emissions from operation of the proposed project.

CalEEMod Inputs

Land Uses

The project land uses were entered into CalEEMod as described above for the construction period modeling.

Model Year

Emissions associated with vehicle travel depend on the year of analysis because emission control technology requirements are phased-in over time. Therefore, the earlier the year analyzed in the model, the higher the emission rates utilized by CalEEMod. The earliest full year of operation would be 2023 if construction begins in 2022.

Traffic Information

CalEEMod allows the user to enter specific vehicle trip generation rates. Therefore, the project-specific daily trip generation rate provided by the traffic consultant was entered into the model.[10]

[10] Email correspondence with Gary Black, AICP, President, Hexagon Transportation Consultants, Inc., April 23,2021, Attachment: *CCC Site Access Trip Gen.xlsx.*

The project would produce approximately 1,100 daily trips. The daily trip generation was calculated based on the building size of the project site. The default trip types and lengths specified by CalEEMod were used.

EMFAC2017 Adjustment

The vehicle emission factors and fleet mix used in CalEEMod are based on EMission FACtors from 2014 (EMFAC2014), which is an older CARB emission inventory for on road and off road mobile sources. Since the release of CalEEMod Version 2016.3.2, new emission factors have been produced by CARB. EMFAC2017 became available for use in March 2018 and approved by the EPA in August 2019. It includes the latest data on California's car and truck fleets and travel activity. Additionally, CARB has recently released EMFAC off-model adjustment factors to account for the Safer Affordable Efficient (SAFE) Vehicle Rule Part one.[11,12] The SAFE vehicle Rule Part One revoked California's authority to set its own GHG emission standards and set zero emission vehicle mandates in California. As a result of this ruling, mobile criteria pollutant and GHG emissions would increase. Therefore, the CalEEMod vehicle emission factors and fleet mix were updated with the emission rates and fleet mix from EMFAC2017, which were adjusted with the CARB EMFAC off-model adjustment factors. More details about the updates in emissions calculation methodologies and data are available in the EMFAC2017 Technical Support Document.[13]

Energy

CalEEMod defaults for energy use were used, which include the 2016 Title 24 Building Standards. GHG emissions modeling includes those indirect emissions from electricity consumption. The electricity produced emission rate was modified in CalEEMod. CalEEMod has a default emission factor of 641.3 pounds of CO_2 per megawatt of electricity produced, which is based on PG&E's 2008 emissions rate. However, PG&E published in 2020 emissions rates for 2010 through 2018, which showed the emission rate for delivered electricity had been reduced to 206 pounds CO_2 per megawatt of electricity delivered in the year 2018.[14] This intensity factor was used in the model along with the assumption that the project would use electricity supplied by Silicon Valley Clean Energy (SVCE). Per the City's General Plan Policy OSC-8.5, city-owned facilities SVCE would provide electricity that would be 100-percent carbon free to city-owned facilities. Electricity was assumed to be 100-percent carbon free in the model since this project is a city-owned facility.

[11] California Air Resource Board, 2019. *EMFAC Off-Model Adjustment Factors to Account for the SAFE Vehicle Rule Part One.* November. Web: https://ww3.arb.ca.gov/msei/emfac_off_model_adjustment_factors_final_draft.pdf

[12] California Air Resource Board, 2020. *EMFAC Off-Model Adjustment Factors for Carbon Dioxide (CO_20 Emissions to Accounts for the SAFE Vehicles Rule Part One and the Final SAFE Rule*. June. Web: https://ww3.arb.ca.gov/msei/emfac_off_model_co2_adjustment_factors_06262020-final.pdf?utm_medium=email&utm_source=govdelivery

[13] See CARB 2018: https://ww2.arb.ca.gov/our-work/programs/mobile-source-emissions-inventory/road-documentation/msei-modeling-tools-emfac

[14] PG&E Website, Climate Change Webpage - 2021. Web: https://www.pgecorp.com/corp_responsibility/reports/2019/en02_climate_change.html

Project Generator

The project proposes to include one stand-by 750-kW stand-by generator powered by a 1,000 horsepower (HP) diesel engine on the northern edge of the proposed parking lot. This generator would be tested periodically and power the building in the event of a power failure. For modeling purposes, it was assumed that the generators would be operated primarily for testing and maintenance purposes. CARB and BAAQMD requirements limit these engine operations to 50 hours each per year of non-emergency operation. During testing periods, the engine would typically be run for less than one hour. The engine would be required to meet CARB and EPA emission standards and consume commercially available California low-sulfur diesel fuel. Additionally, BAAQMD has BACT requirements for large generator engines. The generator emissions that were modeled using CalEEMod did not consider BAAQMD BACT standard for large diesel engines.[15]

Existing Uses

The existing site consist of parking lots. These uses produce low operational and traffic emissions which would not considerably offset emissions from the proposed project. In addition, traffic consultants did not provide project-specific trip generation rates for the existing land uses. Therefore, the emissions from the existing uses were not considered, nor used to offset proposed project conditions.

Other Inputs

Default model assumptions for emissions associated with solid waste generation use were applied to the project. Water/wastewater use were changed to 100% aerobic conditions to represent wastewater treatment plant conditions.

Summary of Computed Operational Emissions

Annual emissions were predicted using CalEEMod and daily emissions were estimating assuming 365 days of operation. Table 5 shows net average daily operational emissions of ROG, NO_X, total PM_{10}, and total $PM_{2.5}$ during operation of the project. The operational period emissions would not exceed the BAAQMD significance thresholds.

Table 5. Operational Period Emissions

Scenario	ROG	NOx	PM_{10}	$PM_{2.5}$
2023 Annual Project Operational Emissions (*tons/year*)	0.46	0.57	0.51	0.14
BAAQMD Thresholds (tons /year)	*10 tons*	*10 tons*	*15 tons*	*10 tons*
Exceed Threshold?	*No*	*No*	*No*	*No*
2023 Daily Project Operational Emissions (*pounds/day*)[1]	2.54	3.14	2.79	0.79
BAAQMD Thresholds (pounds/day)	*54* lbs.	*54* lbs.	*82* lbs.	*54* lbs.
Exceed Threshold?	*No*	*No*	*No*	*No*
Notes: [1]Assumes 365-day operation.				

[15] BACT standards for engines greater than 1,000 HP would greatly reduce NOx and $PM_{10}/PM_{2.5}$ emissions; however, they were not applied since the project could ultimately use a smaller engine or set of smaller engines that could result in higher emissions. The modeling presented is likely an overestimate of project emissions.

Impact AIR-3: Expose sensitive receptors to substantial pollutant concentrations?

Project impacts related to increased community risk can occur either by introducing a new source of TACs with the potential to adversely affect existing sensitive receptors in the project vicinity or by significantly exacerbating existing cumulative TAC impacts. This project would introduce new sources of TACs during construction (i.e., on-site construction and truck hauling emissions) and operation (i.e., stationary and mobile sources).

Project construction activity would generate dust and equipment exhaust that would affect nearby sensitive receptors. The project would also include the installation of a stand-by generator powered by a diesel engine and generate some traffic consisting of mostly light-duty gasoline-powered vehicles, which would produce TAC and air pollutant emissions.

Impacts to existing sensitive receptors were addressed for temporary construction activities and long-term operational conditions. There are also several sources of existing TACs and localized air pollutants in the vicinity of the project. The impact of the existing sources of TAC was also assessed in terms of the cumulative risk which includes the project contribution.

Community Risk Methodology for Construction and Operation

Community risk impacts were addressed by predicting increased cancer risk, the increase in annual $PM_{2.5}$ concentrations and computing the Hazard Index (HI) for non-cancer health risks. The risk impacts from the project are the combination of risks from construction and operation sources. These sources include on-site construction activity, construction truck hauling, project generators, and increased traffic from the project. To evaluate the increased cancer risks from the project, a 30-year exposure period was used, per BAAQMD guidance,[16] with the sensitive receptors being exposed to both project construction and operation emissions during this timeframe.

The project increased cancer risk is computed by summing the project construction cancer risk and operation cancer risk contributions. Unlike, the increased maximum cancer risk, the annual $PM_{2.5}$ concentration and HI values are not additive but based on the annual maximum risk for the entirety of the project. The project maximally exposed individual (MEI) is identified as the sensitive receptor that is most impacted by the project's construction and operation.

The methodology for computing community risks impacts is contained in *Attachment 1*. This involved the calculation of TAC and $PM_{2.5}$ emissions, dispersion modeling of these emissions, and computations of cancer risk and non-cancer health effects.

Modeled Sensitive Receptors

Receptors for this assessment included locations where sensitive populations would be present for extended periods of time (i.e., chronic exposures). This includes all existing residences surrounding the project site, as shown in Figure 1. Residential receptors are assumed to include all

[16] BAAQMD, 2016. *BAAQMD Air Toxics NSR Program Health Risk Assessment (HRA) Guidelines*. December 2016.

receptor groups (i.e., third trimester, infants, children, and adults) with almost continuous exposure to project emissions.

Community Risks from Project Construction

Construction equipment and associated heavy-duty truck traffic generates diesel exhaust, which is a known TAC. These exhaust air pollutant emissions would not be considered to contribute substantially to existing or projected air quality violations. Construction exhaust emissions may still pose health risks for sensitive receptors such as surrounding residents. The primary community risk impact issue associated with construction emissions are cancer risk and exposure to $PM_{2.5}$. Diesel exhaust poses both a potential health and nuisance impact to nearby receptors. A health risk assessment of the project construction activities was conducted that evaluated potential health effects to nearby sensitive receptors from construction emissions of DPM and $PM_{2.5}$.[17] This assessment included dispersion modeling to predict the offsite and onsite concentrations resulting from project construction, so that increased cancer risks and non-cancer health effects could be evaluated.

Construction Emissions

The CalEEMod and EMFAC2017 models provided total annual PM_{10} exhaust emissions (assumed to be DPM) for the off-road construction equipment and for exhaust emissions from on-road vehicles, with total emissions from all construction stages of 0.0717 tons (144 pounds). The on-road emissions are a result of haul truck travel during demolition and grading activities, worker travel, and vendor deliveries during construction. A trip length of half a mile was used to represent vehicle travel while at or near the construction site. Fugitive $PM_{2.5}$ dust emissions were calculated by CalEEMod as 0.0084 tons (17 pounds) for the overall construction period.

Dispersion Modeling

The U.S. EPA AERMOD dispersion model was used to predict DPM and $PM_{2.5}$ concentrations at sensitive receptors (residences, high school, daycare) in the vicinity of the project construction area. The AERMOD dispersion model is a BAAQMD-recommended model for use in modeling analysis of these types of emission activities for CEQA projects.[18] Emission sources for the construction site were grouped into two categories: exhaust emissions of DPM and fugitive $PM_{2.5}$ dust emissions.

Construction Sources

To represent the construction equipment exhaust emissions, an area source emission release height of 20 feet (6 meters) was used for the area sources.[19] The release height incorporates both the physical release height from the construction equipment (i.e., the height of the exhaust pipe) and plume rise after it leaves the exhaust pipe. Plume rise is due to both the high temperature of the

[17] DPM is identified by California as a toxic air contaminant due to the potential to cause cancer.
[18] Bay Area Air Quality Management District (BAAQMD), 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0.* May.
[19] California Air Resource Board, 2007. *Proposed Regulation for In-Use Off-Road Diesel Vehicles, Appendix D: Health Risk Methodology*. April. Web: https://ww3.arb.ca.gov/regact/2007/ordiesl07/ordiesl07.htm

exhaust and the high velocity of the exhaust gas. It should be noted that when modeling an area source, plume rise is not calculated by the AERMOD dispersion model as it would do for a point source (exhaust stack). Therefore, the release height from an area source used to represent emissions from sources with plume rise, such as construction equipment, should be based on the height the exhaust plume is expected to achieve, not just the height of the top of the exhaust pipe.

For modeling fugitive $PM_{2.5}$ emissions, a near-ground level release height of 7 feet (2 meters) was used for the area source. Fugitive dust emissions at construction sites come from a variety of sources, including truck and equipment travel, grading activities, truck loading (with loaders) and unloading (rear or bottom dumping), loaders and excavators moving and transferring soil and other materials, etc. All of these activities result in fugitive dust emissions at various heights at the point(s) of generation. Once generated, the dust plume will tend to rise as it moves downwind across the site and exit the site at a higher elevation than when it was generated. For all these reasons, a 7-foot release height was used as the average release height across the construction site. Emissions from the construction equipment and on-road vehicle travel were distributed throughout the modeled area sources.

AERMOD Inputs and Meteorological Data

The modeling used a five-year meteorological data set (2013-2017) from the San José Airport prepared for use with the AERMOD model by the BAAQMD. Construction emissions were modeled as occurring daily between 7:00 a.m. to 4:00 p.m., when the majority of construction activity would occur. Annual DPM and $PM_{2.5}$ concentrations from construction activities during the 2022 period were calculated using the model. DPM and $PM_{2.5}$ concentrations were calculated at nearby sensitive receptor locations. Receptor heights of 5 feet (1.5 meters) and 15 feet (4.5 meters) used to represent the breathing heights on the first and second floors of sensitive receptors in the nearby residences.[20]

Summary of Construction Community Risk Impacts

The increased cancer risk calculations were based on applying the BAAQMD recommended age sensitivity factors to the TAC concentrations, as described in *Attachment 1*. Age-sensitivity factors reflect the greater sensitivity of infants and small children to cancer causing TACs. Infant and adult exposures were assumed to occur at all residences during the entire construction period.

The maximum modeled annual $PM_{2.5}$ concentration was calculated based on combined exhaust and fugitive concentrations. The maximum computed HI values was based on the ratio of the maximum DPM concentration modeled and the chronic inhalation refence exposure level of 5 $\mu g/m^3$.

The maximum modeled annual DPM and $PM_{2.5}$ concentrations, which includes both the DPM and fugitive $PM_{2.5}$ concentrations, were identified at nearby sensitive receptors to find the MEI. Results of this assessment indicated that the MEI most affected by construction was located on the first floor (5 feet above ground) of the closest residence to the north of the project site opposite Grant

[20] Bay Area Air Quality Management District, 2012, Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0. May. Web: https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/risk-modeling-approach-may-2012.pdf?la=en

Street. The location of the MEI and nearby sensitive receptors are shown in Figure 1. Table 6 lists the community risks from construction at the location of the residential MEI. *Attachment 4* to this report includes the emission calculations used for the construction modeling and the cancer risk calculations.

Figure 1. Locations of Project Construction Site, Project Generators, Off-Site Receptors, and Maximum TAC Location (MEI)

Community Risks from Project Operation – Traffic and Generators

Operation of the project would have long-term emissions from mobile sources (i.e., traffic) and stationary sources (i.e., generator). While these emissions would not be as intensive at or near the site as construction activity, they would contribute to long-term effects to sensitive receptors.

Project Traffic

Diesel powered vehicles are the primary concern with local traffic-generated TAC impacts. This project would generate approximately 1,100 daily trips[21] with a majority of the trips being from light-duty gasoline-powered vehicles (i.e., passenger cars). Per BAAQMD recommended risks and methodology, a road with less than 10,000 total vehicle per day is considered a low-impact source of TACs and do not need to be considered in the CEQA analysis.[22] Therefore, emissions from project traffic are considered negligible and was not included within this analysis.

Project Stand-By Diesel Generator

The project proposes to include one stand-by 750-kW stand-by generator powered by a 1,000 HP diesel engine on the northern edge of the proposed parking lot. Operation of a diesel generator would be a source of TAC emissions. The generator would be operated for testing and maintenance purposes, with a maximum of 50 hours per year of non-emergency operation under normal conditions. During testing periods, the engine would typically be run for less than one hour under light engine loads. The generator engine would be required to meet U.S. EPA emission standards and consume commercially available California low sulfur diesel fuel. The emissions from the operation of the generator were calculated using the CalEEMod model.

This diesel engine would be subject to CARB's Stationary Diesel Airborne Toxics Control Measure (ATCM) and require permits from the BAAQMD, since it will be equipped with an engine larger than 50-HP. As part of the BAAQMD permit requirements for toxics screening analysis, the engine emissions will have to meet Best Available Control Technology for Toxics (TBACT) and pass the toxic risk screening level of less than ten in a million. The risk assessment would be prepared by BAAQMD. Depending on results, BAAQMD would set limits for DPM emissions (e.g., more restricted engine operation periods). Sources of air pollutant emissions complying with all applicable BAAQMD regulations generally will not be considered to have a significant air quality community risk impact.

To obtain an estimate of potential cancer risks and $PM_{2.5}$ impacts from operation of the emergency generators the U.S. EPA AERMOD dispersion model was used to calculate the maximum annual DPM concentration at off-site sensitive receptor locations (nearby residences). The same receptors and breathing heights used in the construction dispersion modeling were used for the generator model. Additionally, the same BAAQMD San José Airport meteorological data was used. Stack parameters (stack height, exhaust flow rate, and exhaust gas temperature) for modeling the

[21] Email correspondence with Gary Black, AICP, President, Hexagon Transportation Consultants, Inc., April 23,2021, Attachment: *CCC Site Access Trip Gen.xlsx*.
[22] Bay Area Air Quality Management District, 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0.* May. Web: https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/risk-modeling-approach-may-2012.pdf?la=en

generators was based on BAAQMD default parameters for emergency generators.[23] Annual average DPM and $PM_{2.5}$ concentrations were modeled assuming that generator operation could occur at any time of the day (24 hours per day, 365 days per year).

To calculate the increased cancer risk from the generators at the MEI, the cancer risks were also adjusted for exposure duration to account for the MEI being exposed to construction for the first year of the 30-year period. The exposure duration was adjusted for 29 years of exposure. Table 6 lists the community risks from stand-by diesel generators at the location of residential MEI. The emissions and health risk calculations for the proposed generators are included in *Attachment 4*.

Cumulative Community Risks of all TAC Sources at Project MEI

The cumulative risk impacts from a project are the combination of construction and operation sources. These sources include on-site construction activity, project generator, and increased traffic from the project. The project impact is computed by adding the construction cancer risk for an infant to the increased cancer risk for the project operational conditions for the roadway and generator at the MEI over a 30-year period. The project MEI is identified as the sensitive receptor that is most impacted by the project's construction and operation.

For this project, the sensitive receptor identified in Figure 1 as the construction MEI is also the project MEI. At this location, the MEI would be exposed to 1 year of construction cancer risks and 29 years of operational (includes stand-by generator) cancer risks. The cancer risks from construction and operation of the project were summed together. Unlike, the increased maximum cancer risk, the annual $PM_{2.5}$ concentration and HI risks are not additive but based on an annual maximum risk for the entirety of the project.

Project risk impacts are shown in Table 6. The unmitigated maximum cancer risks from construction activities at the residential project MEI locations would exceed the single-source significance thresholds. However, with the incorporation of the *Mitigation Measure AQ-1 and AQ-2*, the mitigated risk would no longer exceed the BAAQMD single-source significance thresholds. The unmitigated $PM_{2.5}$ concentration and non-cancer hazards from construction and operation activities would be below the single-source significance threshold.

Table 6. Construction and Operation Risk Impacts at the Off-Site Project MEI

Source		Cancer Risk (per million)	Annual $PM_{2.5}$ ($\mu g/m^3$)	Hazard Index
Project Construction (Years 0-1)	Unmitigated	**29.99 (infant)**	0.20	0.03
	Mitigated*	7.28 (infant)	0.06	<0.01
Project Generator Operation, One 750-kW, 1,000-HP (Years 1-30)		0.08 (infant)	<0.01	<0.01
Total/Maximum Project Impact (Years 0-30)	Unmitigated	**30.07 (infant)**	0.20	0.03
	Mitigated*	7.36 (infant)	0.06	<0.01
BAAQMD Single-Source Threshold		***10***	***0.3***	***1.0***
Exceed Threshold?	Unmitigated	***Yes***	*No*	*No*
	Mitigated	*No*	*No*	*No*

* Construction equipment with Tier 4 Interim engines as Mitigation Measures.

[23] The San Francisco Community Risk Reduction Plan: Technical Support Document, BAAQMD, San Francisco Dept. of Public Health, and San Francisco Planning Dept., December 2012

Cumulative Community Risks of all TAC Sources at the Offsite Project MEI

Community health risk assessments typically look at all substantial sources of TACs that can affect sensitive receptors that are located within 1,000 feet of a project site (i.e., influence area). These sources include rail lines, freeways or highways, busy surface streets, and stationary sources identified by BAAQMD.

A review of the project area and based on provided traffic information indicates that traffic on Campbell Avenue would exceed 10,000 vehicles per day. Other nearby streets are assumed to have less than 10,000 vehicles per day. A review of BAAQMD's stationary source map website identified four stationary sources with the potential to affect the project MEI. Figure 2 shows the location of the sources affecting the MEI. Community risk impacts from these sources upon the MEI reported in Table 7. Details of the modeling and community risk calculations are included in *Attachment 5*.

Figure 2. Project Site and Nearby TAC and $PM_{2.5}$ Sources



Local Roadways – Campbell Avenue

A refined analysis of potential health impacts from vehicle traffic on Campbell Avenue was conducted. The refined analysis involved predicting emissions for the traffic volume and mix of vehicle types on the roadway near the project site and using an atmospheric dispersion model to predict exposure to TACs. The associated cancer risks are then computed based on the modeled exposures. *Attachment 1* includes a description of how community risk impacts, including cancer risk are computed.

Emission Rates

This analysis involved the development of DPM, organic TACs, and $PM_{2.5}$ emissions for traffic on both roadways using the Caltrans version of the EMFAC2017 emissions model, known as CT-EMFAC2017. CT-EMFAC2017 provides emission factors for mobile source criteria pollutants and TACs, including DPM. Emission processes modeled include running exhaust for DPM, $PM_{2.5}$ and total organic compounds (e.g., TOG), running evaporative losses for TOG, and tire and brake wear and fugitive road dust for $PM_{2.5}$. All $PM_{2.5}$ emissions from all vehicles were used, rather than just the $PM_{2.5}$ fraction from diesel powered vehicles, because all vehicle types (i.e., gasoline and diesel powered) produce $PM_{2.5}$. Additionally, $PM_{2.5}$ emissions from vehicle tire and brake wear and from re-entrained roadway dust were included in these emissions. DPM emissions are projected to decrease in the future and are reflected in the CT-EMFAC2017 emissions data. Inputs to the model include region (Santa Clara County), type of road (major/collector), truck percentage for non-state highways in Santa Clara County (3.51 percent),[24] traffic mix assigned by CT-EMFAC2017 for the county, year of analysis (2022 – construction start year), and season (annual).

In order to estimate TAC and $PM_{2.5}$ emissions over the 30-year exposure period used for calculating the increased cancer risks for sensitive receptors at the MEI and project site, the CT-EMFAC2017 model was used to develop vehicle emission factors for the year 2022 (project construction year). Emissions associated with vehicle travel depend on the year of analysis because emission control technology requirements are phased-in over time. Therefore, the earlier the year analyzed in the model, the higher the emission rates utilized by CT-EMFAC2017. Year 2022 emissions were conservatively assumed as being representative of future conditions over the time period that cancer risks are evaluated since, as discussed above, overall vehicle emissions, and in particular diesel truck emissions, will decrease in the future.

The average daily traffic (ADT) for Campbell Avenue was estimated based on the size of the roadway. The estimated ADT on Campbell Avenue was 20,000 vehicles. Average hourly traffic distributions for Santa Clara County roadways were developed using the EMFAC model,[25] which were then applied to the ADT volumes to obtain estimated hourly traffic volumes and emissions for the roadway. An average travel speed of 25 miles per hour (mph) on Campbell Avenue was used for all hours of the day based on posted speed limit signs on the roadway.

[24] Bay Area Air Quality Management District, 2012, *Recommended Methods for Screening and Modeling Local Risks and Hazards, Version 3.0.* May. Web: https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/risk-modeling-approach-may-2012.pdf?la=en

[25] The Burden output from EMFAC2007, a previous version of CARB's EMFAC model, was used for this since the current web-based version of EMFAC2014 does not include Burden type output with hour by hour traffic volume information.

Dispersion Modeling

Dispersion modeling of TAC and $PM_{2.5}$ emissions was conducted using the EPA AERMOD air quality dispersion model, which is recommended by the BAAQMD for this type of analysis.[26] TAC and $PM_{2.5}$ emissions from traffic on Campbell Avenue within 1,000 feet of the project site were evaluated. Vehicle traffic on the roadway was modeled using a series of adjacent volume sources along a line (line volume sources); with line segments used for the eastbound and westbound travel directions on Campbell Avenue. The same meteorological data and off-site sensitive receptors used in the previous dispersion modeling were used in the roadway modeling. Other inputs to the model included road geometry and elevations, hourly traffic emissions, and receptor locations. Annual TAC and $PM_{2.5}$ concentrations for 2022 from traffic on Campbell Avenue were calculated using the model. Concentrations were calculated at the project MEI with receptor heights of 5 feet (1.5 meters) to represent the breathing heights of residents in the home.

Figure 2 shows the roadway segments modeled and residential receptor locations used in the modeling. Table 7 lists the risks and hazards from both roadways. The emission rates and roadway calculations used in the analysis are shown in *Attachment 5*.

BAAQMD Permitted Stationary Sources

Permitted stationary sources of air pollution near the project site were identified using BAAQMD's *Permitted Stationary Sources 2018* GIS website,[27] which identifies the location of nearby stationary sources and their estimated risk and hazard impacts, including emissions and adjustments to account for new OEHHA guidance. Four sources were identified using this tool with two sources being diesel generators, one being a gas dispensing facility, and one being a coffee roaster. The BAAQMD GIS website provided screening risks and hazards for all the sources, so a stationary source information request was not required to be submitted to BAAQMD.

The screening level risks and hazards provided by BAAQMD for the stationary sources were adjusted for distance using BAAQMD's *Distance Adjustment Multiplier Tool for Diesel Internal Combustion Engines, Gasoline Dispending Facilities, and Generic Equipment*. Community risk impacts from the stationary sources upon the MEI are reported in Table 7.

Summary of Cumulative Risks at the Project MEI

Table 7 reports both the project and cumulative community risk impacts at the sensitive receptors most affected by project construction and operation (i.e., the project MEI). The project would have an exceedance with respect to community risk caused by project construction and operation activities, since the maximum unmitigated cancer risk exceeds the BAAQMD single-source thresholds. With the implementation of *Mitigation Measure AQ-1 and AQ-2*, the project's cancer risk would be lowered to a level below the single-source thresholds. The HI and annual $PM_{2.5}$ concentrations, unmitigated and mitigated, do not exceed their single or cumulative thresholds. According to BAAQMD, health risks would be less than significant if the risks from the project are reduced below the single source thresholds.

[26] BAAQMD. *Recommended Methods for Screening and Modeling Local Risks and Hazards*. May 2012
[27] BAAQMD, https://baaqmd.maps.arcgis.com/apps/webappviewer/index.html?id=2387ae674013413f987b1071715daa65

Table 7. Cumulative Community Risk Impacts at the Location of the Project MEI

Source		Maximum Cancer Risk (per million)	$PM_{2.5}$ Concentration ($\mu g/m^3$)	Hazard Index
Project Impacts				
Total/Maximum Project Impact	Unmitigated	**30.07**	0.20	0.03
	Mitigated	7.36	0.06	<0.01
BAAQMD Single-Source Threshold		***10***	***0.3***	***1.0***
Exceed Threshold?	Unmitigated	***Yes***	*No*	*No*
	Mitigated	*No*	*No*	*No*
Cumulative Sources				
Campbell Ave., ADT 20,000		0.86	0.04	<0.01
Orchard Valley Coffee (Facility ID #18459, Coffee Roaster), MEI at 680 feet		<0.01	<0.01	-
City of Campbell (Facility ID #19038, Generator), MEI at 370 feet		0.16	-	-
City of Campbell (Facility ID #19049, Generator), MEI at 540 feet		0.03	-	-
City of Campbell Police Station (Facility ID #109885, Gas Dispensing Facility), MEI at 270 feet		<0.01	-	-
Combined Sources	Unmitigated	<31.14	<0.25	<0.04
	Mitigated	<8.43	<0.11	<0.02
BAAQMD Cumulative Source Threshold		***100***	***0.8***	***10.0***
Exceed Threshold?	Unmitigated	*No*	*No*	*No*
	Mitigated	*No*	***No***	*No*

Mitigation Measure AQ-2: Use construction equipment that has low diesel particulate matter exhaust emissions.

A feasible plan to reduce emissions such that increased cancer risk from construction would be reduced below significance levels is as follows:

1. All construction equipment larger than 25 horsepower used at the site for more than two continuous days or 20 hours total shall meet U.S. EPA Tier 4 emission standards for particulate matter (PM_{10} and $PM_{2.5}$), if feasible, otherwise,

    a. If use of Tier 4 equipment is not available, alternatively use equipment that meets U.S. EPA emission standards for Tier 2 or 3 engines and include particulate matter emissions control equivalent to CARB Level 3 verifiable diesel emission control devices that altogether achieve a 70 percent reduction in particulate matter exhaust in comparison to uncontrolled equipment.

    b. Use of alternatively fueled or electric equipment.

2. Alternatively, the applicant could develop a separate feasible plan that reduces on- and near-site construction diesel particulate matter emissions by 70 percent or greater. Such a plan would have to be reviewed and approved by the City.

Effectiveness of Mitigation Measure AQ-2

CalEEMod was used to compute emissions associated with this mitigation measure assuming that all equipment met U.S. EPA Tier 4 engines standards and BAAQMD best management practices for construction were included. With these measures implemented, the project's construction cancer risk levels (assuming infant exposure) would be reduced to 7.28 per million and the total project's risk to 7.36 per million, below the BAAQMD single source threshold. This would reduce the cumulative cancer risk to less than 8.41 per million.

Greenhouse Gas Emissions

Setting

Gases that trap heat in the atmosphere, GHGs, regulate the earth's temperature. This phenomenon, known as the greenhouse effect, is responsible for maintaining a habitable climate. The most common GHGs are carbon dioxide (CO_2) and water vapor but there are also several others, most importantly methane (CH_4), nitrous oxide (N_2O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF_6). These are released into the earth's atmosphere through a variety of natural processes and human activities. Sources of GHGs are generally as follows:

- CO_2, CH_4, and N_2O are byproducts of fossil fuel combustion.
- N_2O is associated with agricultural operations such as fertilization of crops.
- CH_4 is commonly created by off-gassing from agricultural practices (e.g., keeping livestock) and landfill operations.
- Chlorofluorocarbons (CFCs) were widely used as refrigerants, propellants, and cleaning solvents but their production has been stopped by international treaty.
- HFCs are now used as a substitute for CFCs in refrigeration and cooling.
- PFCs and sulfur hexafluoride emissions are commonly created by industries such as aluminum production and semi-conductor manufacturing.

Each GHG has its own potency and effect upon the earth's energy balance. This is expressed in terms of a global warming potential (GWP), with CO_2 being assigned a value of 1 and sulfur hexafluoride being several orders of magnitude stronger. In GHG emission inventories, the weight of each gas is multiplied by its GWP and is measured in units of CO_2 equivalents (CO_2e).

An expanding body of scientific research supports the theory that global climate change is currently affecting changes in weather patterns, average sea level, ocean acidification, chemical reaction rates, and precipitation rates, and that it will increasingly do so in the future. The climate and several naturally occurring resources within California are adversely affected by the global warming trend. Increased precipitation and sea level rise will increase coastal flooding, saltwater intrusion, and degradation of wetlands. Mass migration and/or loss of plant and animal species could also occur. Potential effects of global climate change that could adversely affect human health include more extreme heat waves and heat-related stress; an increase in climate-sensitive diseases; more frequent and intense natural disasters such as flooding, hurricanes and drought; and increased levels of air pollution.

Recent Regulatory Actions for GHG Emissions

Executive Order S-3-05 – California GHG Reduction Targets

Executive Order (EO) S-3-05 was signed by Governor Arnold Schwarzenegger in 2005 to set GHG emission reduction targets for California. The three targets established by this EO are as follows: (1) reduce California's GHG emissions to 2000 levels by 2010, (2) reduce California's GHG emissions to 1990 levels by 2020, and (3) reduce California's GHG emissions by 80 percent below 1990 levels by 2050.

Assembly Bill 32 – California Global Warming Solutions Act (2006)

Assembly Bill (AB) 32, the Global Warming Solutions Act of 2006, codified the State's GHG emissions target by directing CARB to reduce the State's global warming emissions to 1990 levels by 2020. AB 32 was signed and passed into law by Governor Schwarzenegger on September 27, 2006. Since that time, the CARB, CEC, California Public Utilities Commission (CPUC), and Building Standards Commission have all been developing regulations that will help meet the goals of AB 32 and Executive Order S-3-05, which has a target of reducing GHG emissions 80 percent below 1990 levels.

A Scoping Plan for AB 32 was adopted by CARB in December 2008. It contains the State's main strategies to reduce GHGs from business-as-usual emissions projected in 2020 back down to 1990 levels. Business-As-Usual (BAU) is the projected emissions in 2020, including increases in emissions caused by growth, without any GHG reduction measures. The Scoping Plan has a range of GHG reduction actions, including direct regulations, alternative compliance mechanisms, monetary and non-monetary incentives, voluntary actions, and market-based mechanisms such as a cap-and-trade system.

As directed by AB 32, CARB has also approved a statewide GHG emissions limit. On December 6, 2007, CARB staff resolved an amount of 427 million metric tons (MMT) of CO_2e as the total statewide GHG 1990 emissions level and 2020 emissions limit. The limit is a cumulative statewide limit, not a sector- or facility-specific limit. CARB updated the future 2020 BAU annual emissions forecast, in light of the economic downturn, to 545 MMT of CO_2e. Two GHG emissions reduction measures currently enacted that were not previously included in the 2008 Scoping Plan baseline inventory were included, further reducing the baseline inventory to 507 MMT of CO_2e. Thus, an estimated reduction of 80 MMT of CO_2e is necessary to reduce statewide emissions to meet the AB 32 target by 2020.

Executive Order B-30-15 & Senate Bill 32 GHG Reduction Targets – 2030 GHG Reduction Target

In April 2015, Governor Brown signed EO B-30-15, which extended the goals of AB 32, setting a greenhouse gas emissions target at 40 percent of 1990 levels by 2030. On September 8, 2016, Governor Brown signed Senate Bill (SB) 32, which legislatively established the GHG reduction target of 40 percent of 1990 levels by 2030. In November 2017, CARB issued *California's 2017 Climate Change Scoping Plan*.[28] While the State is on track to exceed the AB 32 scoping plan 2020 targets, this plan is an update to reflect the enacted SB 32 reduction target.

SB 32 was passed in 2016, which codified a 2030 GHG emissions reduction target of 40 percent below 1990 levels. CARB is currently working on a second update to the Scoping Plan to reflect the 2030 target set by Executive Order B-30-15 and codified by SB 32. The proposed Scoping Plan Update was published on January 20, 2017 as directed by SB 32 companion legislation AB 197. The mid-term 2030 target is considered critical by CARB on the path to obtaining an even deeper GHG emissions target of 80 percent below 1990 levels by 2050, as directed in Executive

[28] California Air Resource Board, 2017. *California's 2017 Climate Change Scoping Plan: The Strategy for Achieving California's 2030 Greenhouse Gas Targets.* November. Web: https://ww2.arb.ca.gov/sites/default/files/classic//cc/scopingplan/scoping_plan_2017.pdf

Order S-3-05. The Scoping Plan outlines the suite of policy measures, regulations, planning efforts, and investments in clean technologies and infrastructure, providing a blueprint to continue driving down GHG emissions and obtain the statewide goals.

The new Scoping Plan establishes a strategy that will reduce GHG emissions in California to meet the 2030 target (note that the AB 32 Scoping Plan only addressed 2020 targets and a long-term goal). Key features of this plan are:

- Cap and Trade program places a firm limit on 80 percent of the State's emissions;
- Achieving a 50-percent Renewable Portfolio Standard by 2030 (currently at about 29 percent statewide);
- Increase energy efficiency in existing buildings;
- Develop fuels with an 18-percent reduction in carbon intensity;
- Develop more high-density, transit-oriented housing;
- Develop walkable and bikeable communities;
- Greatly increase the number of electric vehicles on the road and reduce oil demand in half;
- Increase zero-emissions transit so that 100 percent of new buses are zero emissions;
- Reduce freight-related emissions by transitioning to zero emissions where feasible and near-zero emissions with renewable fuels everywhere else; and
- Reduce "super pollutants" by reducing methane and hydrofluorocarbons by 40 percent.

In the updated Scoping Plan, CARB recommends statewide targets of no more than 6 metric tons CO_2e per capita (statewide) by 2030 and no more than 2 metric tons CO_2e per capita by 2050. The statewide per capita targets account for all emissions sectors in the State, statewide population forecasts, and the statewide reductions necessary to achieve the 2030 statewide target under SB 32 and the longer-term State emissions reduction goal of 80 percent below 1990 levels by 2050.

Executive Order B-55-18 – Carbon Neutrality

In 2018, a new statewide goal was established to achieve carbon neutrality as soon as possible, but no later than 2045, and to maintain net negative emissions thereafter. CARB and other relevant state agencies are tasked with establishing sequestration targets and create policies/programs that would meet this goal.

Senate Bill 375 – California's Regional Transportation and Land Use Planning Efforts (2008)

California enacted legislation (SB 375) to expand the efforts of AB 32 by controlling indirect GHG emissions caused by urban sprawl. SB 375 provides incentives for local governments and applicants to implement new conscientiously planned growth patterns. This includes incentives for creating attractive, walkable, and sustainable communities and revitalizing existing communities. The legislation also allows applicants to bypass certain environmental reviews under CEQA if they build projects consistent with the new sustainable community strategies. Development of more alternative transportation options that would reduce vehicle trips and miles traveled, along with traffic congestion, would be encouraged. SB 375 enhances CARB's ability to reach the AB 32 goals by directing the agency in developing regional GHG emission reduction targets to be achieved from the transportation sector for 2020 and 2035. CARB works with the metropolitan

planning organizations (e.g. Association of Bay Area Governments [ABAG] and Metropolitan Transportation Commission [MTC]) to align their regional transportation, housing, and land use plans to reduce vehicle miles traveled and demonstrate the region's ability to attain its GHG reduction targets. A similar process is used to reduce transportation emissions of ozone precursor pollutants in the Bay Area.

Senate Bill 350 - Renewable Portfolio Standards

In September 2015, the California Legislature passed SB 350, which increases the states Renewables Portfolio Standard (RPS) for content of electrical generation from the 33 percent target for 2020 to a 50 percent renewables target by 2030.

Senate Bill 100 – Current Renewable Portfolio Standards

In September 2018, SB 100 was signed by Governor Brown to revise California's RPS program goals, furthering California's focus on using renewable energy and carbon-free power sources for its energy needs. The bill would require all California utilities to supply a specific percentage of their retail sales from renewable resources by certain target years. By December 31, 2024, 44 percent of the retails sales would need to be from renewable energy sources, by December 31, 2026 the target would be 40 percent, by December 31, 2017 the target would be 52 percent, and by December 31, 2030 the target would be 60 percent. By December 31, 2045, all California utilities would be required to supply retail electricity that is 100 percent carbon-free and sourced from eligible renewable energy resource to all California end-use customers.

California Building Standards Code – Title 24 Part 11 & Part 6

The California Green Building Standards Code (CALGreen Code) is part of the California Building Standards Code under Title 24, Part 11.[29] The CALGreen Code encourages sustainable construction standards that involve planning/design, energy efficiency, water efficiency resource efficiency, and environmental quality. These green building standard codes are mandatory statewide and are applicable to residential and non-residential developments. The most recent CALGreen Code (2019 California Building Standard Code) was effective as of January 1, 2020.

The California Building Energy Efficiency Standards (California Energy Code) is under Title 24, Part 6 and is overseen by the California Energy Commission (CEC). This code includes design requirements to conserve energy in new residential and non-residential developments, while being cost effective for homeowners. This Energy Code is enforced and verified by cities during the planning and building permit process. The current energy efficiency standards (2019 Energy Code) replaced the 2016 Energy Code as of January 1,2020. Under the 2019 standards, single-family homes are predicted to be 53 percent more efficient than homes built under the 2016 standard due more stringent energy-efficiency standards and mandatory installation of solar photovoltaic systems. For nonresidential developments, it is predicted that these buildings will use 30 percent less energy due to lightening upgrades.[30]

[29] See: https://www.dgs.ca.gov/BSC/Resources/Page-Content/Building-Standards-Commission-Resources-List-Folder/CALGreen#:~:text=CALGreen%20is%20the%20first%2Din,to%201990%20levels%20by%202020.
[30] See: https://www.energy.ca.gov/sites/default/files/2020-03/Title_24_2019_Building_Standards_FAQ_ada.pdf

Federal and Statewide GHG Emissions

The U.S. EPA reported that in 2018, total gross nationwide GHG emissions were 6,676.6 million metric tons (MMT) carbon dioxide equivalent (CO_2e).[31] These emissions were lower than peak levels of 7,416 MMT that were emitted in 2007. CARB updates the statewide GHG emission inventory on an annual basis where the latest inventory includes 2000 through 2017 emissions.[32] In 2017, GHG emissions from statewide emitting activities were 424 MMT. The 2017 emissions have decreased by 14 percent since peak levels in 2004 and are 7 MMT below the 1990 emissions level and the State's 2020 GHG limit. Per capita GHG emissions in California have dropped from a 2001 peak of 14.1 MT per person to 10.7 MT per person in 2017. The most recent Bay Area emission inventory was computed for the year 2011.[33] The Bay Area GHG emission were 87 MMT. As a point of comparison, statewide emissions were about 444 MMT in 2011

City of Campbell Climate Action Plan

The Draft Envision Campbell 2040 General Plan Update has policies and actions directing conformance with the City's Climate Action Plan (CAP). However, at the time of this analysis the City did not have a draft or final CAP, a CAP Compliance Checklist, or a specific metric ton GHG threshold for project-level construction or operation to be compliant with. Therefore, the BAAQMD's CEQA Air Quality Guideline's thresholds were used.

BAAQMD GHG Significance Thresholds

The BAAQMD's CEQA Air Quality Guidelines do not use quantified thresholds for projects that are in a jurisdiction with a qualified GHG reductions plan (i.e., a Climate Action Plan). The plan has to address emissions associated with the period that the project would operate (e.g., beyond year 2020). For quantified emissions, the guidelines recommended a GHG threshold of 1,100 metric tons or 4.6 metric tons (MT) per capita. These thresholds were developed based on meeting the 2020 GHG targets set in the scoping plan that addressed AB 32. Development of the project would occur beyond 2020, so a threshold that addresses a future target is appropriate.

Although BAAQMD has not published a quantified threshold for 2030 yet, this assessment uses a "Substantial Progress" efficiency metric of 2.8 MT CO_2e/year/service population and a bright-line threshold of 660 MT CO_2e/year based on the GHG reduction goals of EO B-30-15. The service population metric of 2.8 is calculated for 2030 based on the 1990 inventory and the projected 2030 statewide population and employment levels. [34] The 2030 bright-line threshold is a 40 percent reduction of the 2020 1,100 MT CO_2e/year threshold. Evidence published by the State indicates the AB 32 goal of reducing statewide GHG emissions to 1990 levels was met prior to 2020. Current State plans are to further reduce emissions to 40% below 1990 levels by 2030. Assuming statewide

[31] United States Environmental Protection Agency, 2020. *Inventory of U.S. Greenhouse Gas Emissions and Sinks 1990-2018.* April. Web: https://www.epa.gov/sites/production/files/2020-04/documents/us-ghg-inventory-2020-main-text.pdf
[32] CARB. 2019. *2019 Edition, California Greenhouse Gas Emission Inventory: 2000 – 2017.* Web: https://ww3.arb.ca.gov/cc/inventory/pubs/reports/2000_2017/ghg_inventory_trends_00-17.pdf
[33] BAAQMD. 2015. *Bay Area Emissions Inventory Summary Report: Greenhouse Gases Base Year 2011*. January. Web: http://www.baaqmd.gov/~/media/files/planning-and-research/emission-inventory/by2011_ghgsummary.pdf accessed Nov. 26, 2019.
[34] Bay Area Air Quality Management District, 2016. *CLE International 12th Annual Super-Conference CEQA Guidelines, Case Law and Policy Update*. December.

emissions are at 1990 levels or lower in 2020, it would be logical to reduce the BAAQMD-recommended threshold for meeting the AB 32 threshold by 40% to develop a threshold for 2030.

Impact-GHG 1: Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

GHG emissions associated with development of the proposed project would occur over the short-term from construction activities, consisting primarily of emissions from equipment exhaust and worker and vendor trips. There would also be long-term operational emissions associated with vehicular traffic within the project vicinity, energy and water usage, and solid waste disposal. Emissions for the proposed project are discussed below and were analyzed using the methodology recommended in the BAAQMD CEQA Air Quality Guidelines.

CalEEMod Modeling

CalEEMod was used to predict GHG emissions from operation of the site assuming full build-out of the project. The project land use types and size and other project-specific information were input to the model, as described above within the operational period emissions. CalEEMod output is included in *Attachment 2*.

Service Population

The project service population efficiency rate is based on the number of future full-time employees. Based on information provided by the project applicant, there would be a total of 83 full-time employees.

Construction GHG Emissions

GHG emissions associated with construction were computed to be 222 MT of CO_2e for the total construction period. These are the emissions from on-site operation of construction equipment, vendor and hauling truck trips, and worker trips. Neither the City nor BAAQMD have an adopted threshold of significance for construction related GHG emissions, though BAAQMD recommends quantifying emissions and disclosing that GHG emissions would occur during construction. BAAQMD also encourages the incorporation of best management practices to reduce GHG emissions during construction where feasible and applicable.

Operational GHG Emissions

The CalEEMod model, along with the project vehicle trip generation rates, was used to estimate daily emissions associated with operation of the fully developed site under the proposed project. As shown in Table 8, the annual emissions resulting from operation of the new dwelling units of the proposed project are predicted to be 520 MT of CO_2e in 2023 and 458 MT of CO_2e in 2030. The service population emission for the year 2023 and 2030 are predicted to be 6.26 and 5.52 MT/CO_{2e}/year/service population, respectively.

To be considered an exceedance, the project must exceed both the GHG significance threshold in metric tons per year and the service population significance threshold in the future year of 2030. The project would not exceed the annual emissions bright-line threshold of 660 MT CO_2e/year in 2030. Therefore, the project would not be in exceedance for GHG emissions.

Table 8. Annual Project GHG Emissions (CO_2e) in Metric Tons

Source Category	Proposed Project in 2023	Proposed Project in 2030
Area	0	0
Energy Consumption	28	28
Mobile	468	407
Solid Waste Generation	15	15
Water Usage	8	8
Total (MT CO_{2e}/year)	520	458
Significance Threshold		***660 MT CO_2e/year***
Service Population Emissions (MT CO_{2e}/year/service population)	**6.26**	**5.52**
Significance Threshold		***2.8 in 2030***
Exceeds both thresholds?		*No*

Supporting Documentation

Attachment 1 is the methodology used to compute community risk impacts, including the methods to compute increased cancer risk from exposure to project emissions.

Attachment 2 includes the CalEEMod output for project construction and operational criteria air pollutant. The operational output for 2030 uses is also included in this attachment. Also included are any modeling assumptions.

Attachment 3 includes the EMFAC2017 emissions modeling. The input files for these calculations are voluminous and are available upon request in digital format.

Attachment 4 is the health risk assessment. This includes the summary of the dispersion modeling and the cancer risk calculations for construction and operation. The AERMOD dispersion modeling files for this assessment, which are quite voluminous, are available upon request and would be provided in digital format.

Attachment 5 includes the cumulative community risk calculations, modeling results, and health risk calculations from sources affecting the construction MEI.

Attachment 1: Health Risk Calculation Methodology

Health Risk Calculation Methodology

A health risk assessment (HRA) for exposure to Toxic Air Contaminates (TACs) requires the application of a risk characterization model to the results from the air dispersion model to estimate potential health risk at each sensitive receptor location. The State of California Office of Environmental Health Hazard Assessment (OEHHA) and California Air Resources Board (CARB) develop recommended methods for conducting health risk assessments. The most recent OEHHA risk assessment guidelines were published in February of 2015.[35] These guidelines incorporate substantial changes designed to provide for enhanced protection of children, as required by State law, compared to previous published risk assessment guidelines. CARB has provided additional guidance on implementing OEHHA's recommended methods.[36] This HRA used the 2015 OEHHA risk assessment guidelines and CARB guidance. The BAAQMD has adopted recommended procedures for applying the newest OEHHA guidelines as part of Regulation 2, Rule 5: New Source Review of Toxic Air Contaminants.[37] Exposure parameters from the OEHHA guidelines and the recent BAAQMD HRA Guidelines were used in this evaluation.

Cancer Risk

Potential increased cancer risk from inhalation of TACs is calculated based on the TAC concentration over the period of exposure, inhalation dose, the TAC cancer potency factor, and an age sensitivity factor to reflect the greater sensitivity of infants and children to cancer causing TACs. The inhalation dose depends on a person's breathing rate, exposure time and frequency and duration of exposure. These parameters vary depending on the age, or age range, of the persons being exposed and whether the exposure is considered to occur at a residential location or other sensitive receptor location.

The current OEHHA guidance recommends that cancer risk be calculated by age groups to account for different breathing rates and sensitivity to TACs. Specifically, they recommend evaluating risks for the third trimester of pregnancy to age zero, ages zero to less than two (infant exposure), ages two to less than 16 (child exposure), and ages 16 to 70 (adult exposure). Age sensitivity factors (ASFs) associated with the different types of exposure are an ASF of 10 for the third trimester and infant exposures, an ASF of 3 for a child exposure, and an ASF of 1 for an adult exposure. Also associated with each exposure type are different breathing rates, expressed as liters per kilogram of body weight per day (L/kg-day) or liters per kilogram of body weight per 8-hour period for the case of worker or school child exposures. As recommended by the BAAQMD for residential exposures, 95th percentile breathing rates are used for the third trimester and infant exposures, and 80th percentile breathing rates for child and adult exposures. For children at schools and daycare facilities, BAAQMD recommends using the 95th percentile 8-hour breathing rates.

[35] OEHHA, 2015. *Air Toxics Hot Spots Program Risk Assessment Guidelines, The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments.* Office of Environmental Health Hazard Assessment. February.
[36] CARB, 2015. *Risk Management Guidance for Stationary Sources of Air Toxics*. July 23.
[37] BAAQMD, 2016. *BAAQMD Air Toxics NSR Program Health Risk Assessment (HRA) Guidelines*. December 2016.

Additionally, CARB and the BAAQMD recommend the use of a residential exposure duration of 30 years for sources with long-term emissions (e.g., roadways). For workers, assumed to be adults, a 25-year exposure period is recommended by the BAAQMD. For school children a 9-year exposure period is recommended by the BAAQMD.

Under previous OEHHA and BAAQMD HRA guidance, residential receptors are assumed to be at their home 24 hours a day, or 100 percent of the time. In the 2015 Risk Assessment Guidance, OEHHA includes adjustments to exposure duration to account for the fraction of time at home (FAH), which can be less than 100 percent of the time, based on updated population and activity statistics. The FAH factors are age-specific and are: 0.85 for third trimester of pregnancy to less than 2 years old, 0.72 for ages 2 to less than 16 years, and 0.73 for ages 16 to 70 years. Use of the FAH factors is allowed by the BAAQMD if there are no schools in the project vicinity have a cancer risk of one in a million or greater assuming 100 percent exposure (FAH = 1.0).

Functionally, cancer risk is calculated using the following parameters and formulas:

Cancer Risk (per million) = $CPF \times Inhalation\ Dose \times ASF \times ED/AT \times FAH \times 10^6$

Where:

CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = $C_{air} \times DBR^* \times A \times (EF/365) \times 10^{-6}$

Where:

C_{air} = concentration in air ($\mu g/m^3$)
DBR = daily breathing rate (L/kg body weight-day)
8HrBR = 8-hour breathing rate (L/kg body weight-8 hours)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

* An 8-hour breathing rate (8HrBR) is used for worker and school child exposures.

The health risk parameters used in this evaluation are summarized as follows:

Parameter	*Exposure Type* →	Infant		Child	Adult
	Age Range →	3rd Trimester	0<2	2 < 16	16 - 30
DPM Cancer Potency Factor (mg/kg-day)$^{-1}$		1.10E+00	1.10E+00	1.10E+00	1.10E+00
Daily Breathing Rate (L/kg-day) 80th Percentile Rate		273	758	572	261
Daily Breathing Rate (L/kg-day) 95th Percentile Rate		361	1,090	745	335
8-hour Breathing Rate (L/kg-8 hours) 95th Percentile Rate		-	1,200	520	240
Inhalation Absorption Factor		1	1	1	1
Averaging Time (years)		70	70	70	70
Exposure Duration (years)		0.25	2	14	14*
Exposure Frequency (days/year)		350	350	350	350*
Age Sensitivity Factor		10	10	3	1
Fraction of Time at Home (FAH)		0.85-1.0	0.85-1.0	0.72-1.0	0.73*

* For worker exposures (adult) the exposure duration and frequency are 25 years 250 days/year and FAH is not applicable.

Non-Cancer Hazards

Non-cancer health risk is usually determined by comparing the predicted level of exposure to a chemical to the level of exposure that is not expected to cause any adverse effects (reference exposure level), even to the most susceptible people. Potential non-cancer health hazards from TAC exposure are expressed in terms of a hazard index (HI), which is the ratio of the TAC concentration to a reference exposure level (REL). OEHHA has defined acceptable concentration levels for contaminants that pose non-cancer health hazards. TAC concentrations below the REL are not expected to cause adverse health impacts, even for sensitive individuals. The total HI is calculated as the sum of the HIs for each TAC evaluated and the total HI is compared to the BAAQMD significance thresholds to determine whether a significant non-cancer health impact from a project would occur.

Typically, for residential projects located near roadways with substantial TAC emissions, the primary TAC of concern with non-cancer health effects is diesel particulate matter (DPM). For DPM, the chronic inhalation REL is 5 micrograms per cubic meter ($\mu g/m^3$).

Annual $PM_{2.5}$ Concentrations

While not a TAC, fine particulate matter ($PM_{2.5}$) has been identified by the BAAQMD as a pollutant with potential non-cancer health effects that should be included when evaluating potential community health impacts under the California Environmental Quality Act (CEQA). The thresholds of significance for $PM_{2.5}$ (project level and cumulative) are in terms of an increase in the annual average concentration. When considering $PM_{2.5}$ impacts, the contribution from all sources of $PM_{2.5}$ emissions should be included. For projects with potential impacts from nearby local roadways, the $PM_{2.5}$ impacts should include those from vehicle exhaust emissions, $PM_{2.5}$ generated from vehicle tire and brake wear, and fugitive emissions from re-suspended dust on the roads.

Attachment 2: CalEEMod Input Assumptions and Outputs

Air Quality/Noise Construction Information Data Request

Project Name: Campbell Police Department

Complete ALL Portions in Yellow

See Equipment Type TAB for type, horsepower and load factor

Project Size

0 Dwelling Units

1.6 total project acres disturbed

0 s.f. residential

0 s.f. retail

0 s.f. office/commercial

32,154 s.f. other, specify: Police Department

N/A s.f. parking garage ____ spaces

23600 s.f. parking lot 55-60 spaces

Construction Hours 7 am to 4 pm

Pile Driving? Y/N?

Project include OPERATIONAL GENERATOR OR FIRE PUMP on-site? Y/N? _Y__

IF YES (if BOTH separate values) --> Generator Size still being determined

Kilowatts/Horsepower: _____750kw____

Fuel Type: ____Diesel_____

Location in project (Plans Desired if Available): in the secure parking lot at the edge along Grant St.

DO NOT MULTIPLY EQUIPMENT HOURS/DAY BY THE QUANTITY OF EQUIPMENT

Quantity	Description	HP	Load Factor	Hours/day	Total Work Days	Avg. Hours per day	HP Annual Hours	Comments
	Demolition	**Start Date:**	**1/3/2022**	**Total phase:**	**20**			**Overall Import/Export Volumes**
		End Date:	**1/28/2022**					
1	Concrete/Industrial Saws	81	0.73	8	20	8	9461	**Demolition Volume**
	Excavators	158	0.38			0	0	Square footage of buildings to be demolished
1	Rubber-Tired Dozers	247	0.4	8	20	8	15808	(*or* total tons to be hauled)
3	Tractors/Loaders/Backhoes	97	0.37	8	20	8	17227	__ square feet *or*
	Other Equipment?							_?_ Hauling volume (tons)
								Any pavement demolished and hauled? _?_ tons
	Site Preparation	**Start Date:**	**1/29/2022**	**Total phase:**	**2**			
		End Date:	**2/1/2022**					
1	Graders	187	0.41	8	2	8	1227	
1	Rubber Tired Dozers	247	0.4	7	2	7	1383	
1	Tractors/Loaders/Backhoes	97	0.37	8	2	8	574	
	Other Equipment?							
	Grading / Excavation	**Start Date:**	**2/2/2022**	**Total phase:**	**4**			
		End Date:	**2/7/2022**					**Soil Hauling Volume**
	Excavators	158	0.38			0	0	Export volume = _?_ cubic yards?
1	Graders	187	0.41	6	4	6	1840	Import volume = _?_ cubic yards?
1	Rubber Tired Dozers	247	0.4	6	4	6	2371	
	Concrete/Industrial Saws	81	0.73			0	0	
1	Tractors/Loaders/Backhoes	97	0.37	7	4	7	1005	
	Other Equipment?							
	Building - Exterior	**Start Date:**	**2/8/2022**	**Total phase:**	**200**			**Cement Trucks? _143_ Total Round-Trips**
		End Date:	**11/14/2022**					
1	Cranes	231	0.29	6	200	6	80388	Electric? (Y/N) ___ Otherwise assumed diesel
1	Forklifts	89	0.2	6	200	6	21360	Liquid Propane (LPG)? (Y/N) ___ Otherwise Assumed diesel
1	Generator Sets	84	0.74	8	200	8	99456	Or temporary line power? (Y/N) ___
1	Tractors/Loaders/Backhoes	97	0.37	6	200	6	43068	
3	Welders	46	0.45	8	200	8	99360	
	Other Equipment?							
	Building - Interior/Architectural Coating	**Start Date:**	**11/29/2022**	**Total phase:**	**10**			
		End Date:	**12/12/2022**					
1	Air Compressors	78	0.48	6	10	6	2246	
	Aerial Lift	62	0.31			0	0	
	Other Equipment?							
	Paving	**Start Date:**	**11/15/2022**	**Total phase:**	**10**			
		Start Date:	**11/28/2022**					
1	Cement and Mortar Mixers	9	0.56	6	10	6	302	
1	Pavers	130	0.42	6	10	6	3276	**Asphalt? ___ cubic yards or _52___ round trips?**
1	Paving Equipment	132	0.36	8	10	8	3802	
1	Rollers	80	0.38	7	10	7	2128	
1	Tractors/Loaders/Backhoes	97	0.37	8	10	8	2871	
	Other Equipment?							
	Additional Phases	**Start Date:**		**Total phase:**				
		Start Date:						
						#DIV/0!	0	
						#DIV/0!	0	
						#DIV/0!	0	
						#DIV/0!	0	
						#DIV/0!	0	

Equipment types listed in "Equipment Types" worksheet tab.

Equipment listed in this sheet is to provide an example of inputs

It is assumed that water trucks would be used during grading

Add or subtract phases and equipment, as appropriate

Modify horsepower or load factor, as appropriate

Complete one sheet for each project component

ITE Trip Generation Estimates

	ITE Land Use Code	Size	Daily		AM Peak Hour				PM Peak Hour			
						Trip				Trip		
			Rate	Trip	Rate	In	Out	Total	Rate	In	Out	Total
Police Station[1]	733	32,400 Square Feet	33.98	1,101	2.13	61	8	69	2.82	28	63	91
Total Project Trip				**1,101**		**61**	**8**	**69**		**28**	**63**	**91**

Notes:

[1] Land Use Code 733: Government Office Building (average rates expressed in trips per 1,000 s.f.)

Construction Criteria Air Pollutants						
Unmitigated	ROG	NOX	PM10 Exhaust	PM2.5 Exhaust	**CO2e**	
Year	Tons				MT	
Construction Equipment						
2022	0.1824	1.132	0.0168	0.0168	214.8095	
EMFAC						
2022	0.01	0.03	0.00	0.00	7.07	
Total Construction Emissions by Year						
2022	0.19	1.16	0.02	0.02	221.87	
	Total Construction Emissions					
Tons	0.19	1.16	0.02	0.02	221.87	
Pounds/Workdays	*Average Daily Emissions*				Workdays	
2022	1.52	9.42	0.14	0.14		**246**
Threshold - lbs/day	**54.0**	**54.0**	**82.0**	**54.0**		
	Total Construction Emissions					
Pounds	1.52	9.42	0.14	0.14	0.00	
Average	1.52	9.42	0.14	0.14	0.00	246.00
Threshold - lbs/day	**54.0**	**54.0**	**82.0**	**54.0**		

Operational Criteria Air Pollutants						
Unmitigated	ROG	NOX	Total PM10	Total PM2.5		
Year	Tons					
Total	0.46	0.57	0.51	0.14		
	Existing Use Emissions					
Total	0.00	0.00	0.00	0.00		
	Net Annual Operational Emissions					
Tons/year	0.46	0.57	0.51	0.14		
Threshold - Tons/year	**10.0**	**10.0**	**15.0**	**10.0**		
	Average Daily Emissions					
Pounds Per Day	2.54	3.14	2.79	0.79		
Threshold - lbs/day	**54.0**	**54.0**	**82.0**	**54.0**		

Category	**CO2e**			
	Project	Existing	Project 2030	Existing
Area	0.00	0.00	0.00	0.00
Energy	28.39	0.00	28.39	0.00
Mobile	467.82	0.00	406.55	0.00
Waste	15.04	0.00	15.04	0.00
Water	8.48	0.00	8.48	0.00
TOTAL	519.74	0.00	458.46	0.00
Net GHG Emissions		519.74		458.46
Service Population	83.00			
Per Capita Emissions		6.26		5.52

21-025 Campbell Civic Center

Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Government Office Building	32.15	1000sqft	1.60	32,154.00	0
Parking Lot	61.00	Space	0.00	24,400.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	58
Climate Zone	4			**Operational Year**	2024
Utility Company					
CO2 Intensity (lb/MWhr)	0	**CH4 Intensity (lb/MWhr)**	0	**N2O Intensity (lb/MWhr)**	0

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Acreage and square footage provided by applicant

Construction Phase -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Demolition -

Trips and VMT - All tripsp entered into EMFAC 2017

Architectural Coating - Square footage provided by applicant

Construction Off-road Equipment Mitigation - All equipment t4i

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	ConstArea_Nonresidential_Interior	48,231.00	32,154.00
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	40	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	7.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

tblLandUse	BuildingSpaceSquareFeet	32,150.00	32,154.00
tblLandUse	LandUseSquareFeet	32,150.00	32,154.00
tblLandUse	LotAcreage	0.74	1.60
tblLandUse	LotAcreage	0.55	0.00
tblProjectCharacteristics	OperationalYear	2018	2024
tblTripsAndVMT	VendorTripNumber	9.00	0.00
tblTripsAndVMT	WorkerTripNumber	4.00	0.00
tblTripsAndVMT	WorkerTripNumber	21.00	0.00
tblTripsAndVMT	WorkerTripNumber	13.00	0.00
tblTripsAndVMT	WorkerTripNumber	8.00	0.00
tblTripsAndVMT	WorkerTripNumber	13.00	0.00
tblTripsAndVMT	WorkerTripNumber	8.00	0.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.3252	1.4961	1.4843	2.5700e-003	0.0156	0.0711	0.0867	8.0000e-003	0.0683	0.0763	0.0000	213.8039	213.8039	0.0402	0.0000	214.8097
Maximum	**0.3252**	**1.4961**	**1.4843**	**2.5700e-003**	**0.0156**	**0.0711**	**0.0867**	**8.0000e-003**	**0.0683**	**0.0763**	**0.0000**	**213.8039**	**213.8039**	**0.0402**	**0.0000**	**214.8097**

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.1824	1.1320	1.5864	2.5700e-003	7.0300e-003	0.0168	0.0238	3.6000e-003	0.0168	0.0204	0.0000	213.8036	213.8036	0.0402	0.0000	214.8095
Maximum	**0.1824**	**1.1320**	**1.5864**	**2.5700e-003**	**7.0300e-003**	**0.0168**	**0.0238**	**3.6000e-003**	**0.0168**	**0.0204**	**0.0000**	**213.8036**	**213.8036**	**0.0402**	**0.0000**	**214.8095**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	**43.92**	**24.34**	**-6.88**	**0.00**	**55.02**	**76.43**	**72.57**	**55.00**	**75.46**	**73.31**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-3-2022	4-2-2022	0.4938	0.3012
2	4-3-2022	7-2-2022	0.4599	0.3378
3	7-3-2022	9-30-2022	0.4549	0.3341
		Highest	0.4938	0.3378

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Energy	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Mobile	0.2886	1.0668	2.9919	0.0105	1.0093	8.3600e-003	1.0177	0.2702	7.7700e-003	0.2779	0.0000	960.2052	960.2052	0.0316	0.0000	960.9949

Waste						0.0000	0.0000		0.0000	0.0000	6.0694	0.0000	6.0694	0.3587	0.0000	15.0368
Water						0.0000	0.0000		0.0000	0.0000	2.0263	0.0000	2.0263	0.2081	4.9100e-003	8.6936
Total	**0.4360**	**1.0927**	**3.0145**	**0.0106**	**1.0093**	**0.0103**	**1.0197**	**0.2702**	**9.7400e-003**	**0.2799**	**8.0957**	**988.4328**	**996.5285**	**0.5989**	**5.4300e-003**	**1,013.1207**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Energy	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Mobile	0.2886	1.0668	2.9919	0.0105	1.0093	8.3600e-003	1.0177	0.2702	7.7700e-003	0.2779	0.0000	960.2052	960.2052	0.0316	0.0000	960.9949
Waste						0.0000	0.0000		0.0000	0.0000	6.0694	0.0000	6.0694	0.3587	0.0000	15.0368
Water						0.0000	0.0000		0.0000	0.0000	2.0263	0.0000	2.0263	0.2081	4.9100e-003	8.6936
Total	**0.4360**	**1.0927**	**3.0145**	**0.0106**	**1.0093**	**0.0103**	**1.0197**	**0.2702**	**9.7400e-003**	**0.2799**	**8.0957**	**988.4328**	**996.5285**	**0.5989**	**5.4300e-003**	**1,013.1207**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/3/2022	1/28/2022	5	20	
2	Site Preparation	Site Preparation	1/29/2022	2/1/2022	5	2	

3	Grading	Grading	2/2/2022	2/7/2022	5	4	
4	Building Construction	Building Construction	2/8/2022	11/14/2022	5	200	
5	Paving	Paving	11/15/2022	11/28/2022	5	10	
6	Architectural Coating	Architectural Coating	11/29/2022	12/12/2022	5	10	

Acres of Grading (Site Preparation Phase): 1

Acres of Grading (Grading Phase): 1.5

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 32,154; Non-Residential Outdoor: 16,077; Striped Parking Area:

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Site Preparation	Graders	1	8.00	187	0.41
Paving	Pavers	1	6.00	130	0.42
Paving	Rollers	1	7.00	80	0.38
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Rubber Tired Dozers	1	6.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Grading	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Graders	1	6.00	187	0.41
Paving	Paving Equipment	1	8.00	132	0.36

Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Building Construction	Welders	3	8.00	46	0.45

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Architectural Coating	1	0.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	0.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Demolition	5	0.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Grading	3	0.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	0.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	0.00	0.00	0.00	10.80	7.30	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0169	0.1662	0.1396	2.4000e-004		8.3800e-003	8.3800e-003		7.8300e-003	7.8300e-003	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2120
Total	**0.0169**	**0.1662**	**0.1396**	**2.4000e-004**		**8.3800e-003**	**8.3800e-003**		**7.8300e-003**	**7.8300e-003**	**0.0000**	**21.0777**	**21.0777**	**5.3700e-003**	**0.0000**	**21.2120**

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.6300e-003	0.0854	0.1542	2.4000e-004		3.7000e-004	3.7000e-004		3.7000e-004	3.7000e-004	0.0000	21.0777	21.0777	5.3700e-003	0.0000	21.2119
Total	**4.6300e-003**	**0.0854**	**0.1542**	**2.4000e-004**		**3.7000e-004**	**3.7000e-004**		**3.7000e-004**	**3.7000e-004**	**0.0000**	**21.0777**	**21.0777**	**5.3700e-003**	**0.0000**	**21.2119**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

3.3 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					5.8000e-003	0.0000	5.8000e-003	2.9500e-003	0.0000	2.9500e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.3100e-003	0.0146	7.0900e-003	2.0000e-005		6.2000e-004	6.2000e-004		5.7000e-004	5.7000e-004	0.0000	1.5115	1.5115	4.9000e-004	0.0000	1.5238
Total	**1.3100e-003**	**0.0146**	**7.0900e-003**	**2.0000e-005**	**5.8000e-003**	**6.2000e-004**	**6.4200e-003**	**2.9500e-003**	**5.7000e-004**	**3.5200e-003**	**0.0000**	**1.5115**	**1.5115**	**4.9000e-004**	**0.0000**	**1.5238**

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					2.6100e-003	0.0000	2.6100e-003	1.3300e-003	0.0000	1.3300e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.0000e-004	5.0700e-003	9.8200e-003	2.0000e-005		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005	0.0000	1.5115	1.5115	4.9000e-004	0.0000	1.5238
Total	**3.0000e-004**	**5.0700e-003**	**9.8200e-003**	**2.0000e-005**	**2.6100e-003**	**3.0000e-005**	**2.6400e-003**	**1.3300e-003**	**3.0000e-005**	**1.3600e-003**	**0.0000**	**1.5115**	**1.5115**	**4.9000e-004**	**0.0000**	**1.5238**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					9.8300e-003	0.0000	9.8300e-003	5.0500e-003	0.0000	5.0500e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.1700e-003	0.0240	0.0119	3.0000e-005		1.0300e-003	1.0300e-003		9.5000e-004	9.5000e-004	0.0000	2.4763	2.4763	8.0000e-004	0.0000	2.4963
Total	**2.1700e-003**	**0.0240**	**0.0119**	**3.0000e-005**	**9.8300e-003**	**1.0300e-003**	**0.0109**	**5.0500e-003**	**9.5000e-004**	**6.0000e-003**	**0.0000**	**2.4763**	**2.4763**	**8.0000e-004**	**0.0000**	**2.4963**

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					4.4200e-003	0.0000	4.4200e-003	2.2700e-003	0.0000	2.2700e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.9000e-004	8.3600e-003	0.0162	3.0000e-005		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	2.4763	2.4763	8.0000e-004	0.0000	2.4963
Total	**4.9000e-004**	**8.3600e-003**	**0.0162**	**3.0000e-005**	**4.4200e-003**	**5.0000e-005**	**4.4700e-003**	**2.2700e-003**	**5.0000e-005**	**2.3200e-003**	**0.0000**	**2.4763**	**2.4763**	**8.0000e-004**	**0.0000**	**2.4963**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Off-Road	0.1649	1.2503	1.2726	2.2100e-003		0.0589	0.0589		0.0569	0.0569	0.0000	181.5769	181.5769	0.0316	0.0000	182.3675
Total	**0.1649**	**1.2503**	**1.2726**	**2.2100e-003**		**0.0589**	**0.0589**		**0.0569**	**0.0569**	**0.0000**	**181.5769**	**181.5769**	**0.0316**	**0.0000**	**182.3675**

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0401	0.9992	1.3479	2.2100e-003		0.0162	0.0162		0.0162	0.0162	0.0000	181.5767	181.5767	0.0316	0.0000	182.3673
Total	**0.0401**	**0.9992**	**1.3479**	**2.2100e-003**		**0.0162**	**0.0162**		**0.0162**	**0.0162**	**0.0000**	**181.5767**	**181.5767**	**0.0316**	**0.0000**	**182.3673**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

3.6 Paving - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	3.4400e-003	0.0339	0.0440	7.0000e-005		1.7400e-003	1.7400e-003		1.6000e-003	1.6000e-003	0.0000	5.8848	5.8848	1.8700e-003	0.0000	5.9315
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**3.4400e-003**	**0.0339**	**0.0440**	**7.0000e-005**		**1.7400e-003**	**1.7400e-003**		**1.6000e-003**	**1.6000e-003**	**0.0000**	**5.8848**	**5.8848**	**1.8700e-003**	**0.0000**	**5.9315**

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	1.0700e-003	0.0286	0.0493	7.0000e-005		1.1000e-004	1.1000e-004		1.1000e-004	1.1000e-004	0.0000	5.8848	5.8848	1.8700e-003	0.0000	5.9314
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**1.0700e-003**	**0.0286**	**0.0493**	**7.0000e-005**		**1.1000e-004**	**1.1000e-004**		**1.1000e-004**	**1.1000e-004**	**0.0000**	**5.8848**	**5.8848**	**1.8700e-003**	**0.0000**	**5.9314**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

3.7 Architectural Coating - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1355					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.0200e-003	7.0400e-003	9.0700e-003	1.0000e-005		4.1000e-004	4.1000e-004		4.1000e-004	4.1000e-004	0.0000	1.2766	1.2766	8.0000e-005	0.0000	1.2787
Total	**0.1365**	**7.0400e-003**	**9.0700e-003**	**1.0000e-005**		**4.1000e-004**	**4.1000e-004**		**4.1000e-004**	**4.1000e-004**	**0.0000**	**1.2766**	**1.2766**	**8.0000e-005**	**0.0000**	**1.2787**

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.1355					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.7000e-004	5.3000e-003	9.1600e-003	1.0000e-005		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	1.2766	1.2766	8.0000e-005	0.0000	1.2787
Total	**0.1358**	**5.3000e-003**	**9.1600e-003**	**1.0000e-005**		**2.0000e-005**	**2.0000e-005**		**2.0000e-005**	**2.0000e-005**	**0.0000**	**1.2766**	**1.2766**	**8.0000e-005**	**0.0000**	**1.2787**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**	**0.0000**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.2886	1.0668	2.9919	0.0105	1.0093	8.3600e-003	1.0177	0.2702	7.7700e-003	0.2779	0.0000	960.2052	960.2052	0.0316	0.0000	960.9949
Unmitigated	0.2886	1.0668	2.9919	0.0105	1.0093	8.3600e-003	1.0177	0.2702	7.7700e-003	0.2779	0.0000	960.2052	960.2052	0.0316	0.0000	960.9949

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Government Office Building	2,216.10	0.00	0.00	2,714,533	2,714,533
Parking Lot	0.00	0.00	0.00		
Total	2,216.10	0.00	0.00	2,714,533	2,714,533

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Government Office Building	9.50	7.30	7.30	33.00	62.00	5.00	50	34	16
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Government Office Building	0.614951	0.035734	0.181842	0.104158	0.013506	0.005015	0.012793	0.021727	0.002177	0.001514	0.005249	0.000632	0.000704
Parking Lot	0.614951	0.035734	0.181842	0.104158	0.013506	0.005015	0.012793	0.021727	0.002177	0.001514	0.005249	0.000632	0.000704

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Mitigated	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
NaturalGas Unmitigated	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Government Office Building	528933	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		**2.8500e-003**	**0.0259**	**0.0218**	**1.6000e-004**		**1.9700e-003**	**1.9700e-003**		**1.9700e-003**	**1.9700e-003**	**0.0000**	**28.2259**	**28.2259**	**5.4000e-004**	**5.2000e-004**	**28.3936**

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Government Office Building	528933	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		**2.8500e-003**	**0.0259**	**0.0218**	**1.6000e-004**		**1.9700e-003**	**1.9700e-003**		**1.9700e-003**	**1.9700e-003**	**0.0000**	**28.2259**	**28.2259**	**5.4000e-004**	**5.2000e-004**	**28.3936**

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Government Office Building	585846	0.0000	0.0000	0.0000	0.0000
Parking Lot	21472	0.0000	0.0000	0.0000	0.0000
Total		**0.0000**	**0.0000**	**0.0000**	**0.0000**

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Government Office Building	585846	0.0000	0.0000	0.0000	0.0000

Parking Lot	21472	0.0000	0.0000	0.0000	0.0000
Total		**0.0000**	**0.0000**	**0.0000**	**0.0000**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Unmitigated	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0173					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1272					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003

Total	**0.1445**	**1.0000e-005**	**8.5000e-004**	**0.0000**		**0.0000**	**0.0000**		**0.0000**	**0.0000**	**0.0000**	**1.6600e-003**	**1.6600e-003**	**0.0000**	**0.0000**	**1.7700e-003**

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0173					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1272					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Total	**0.1445**	**1.0000e-005**	**8.5000e-004**	**0.0000**		**0.0000**	**0.0000**		**0.0000**	**0.0000**	**0.0000**	**1.6600e-003**	**1.6600e-003**	**0.0000**	**0.0000**	**1.7700e-003**

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	2.0263	0.2081	4.9100e-003	8.6936
Unmitigated	2.0263	0.2081	4.9100e-003	8.6936

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Government Office Building	6.38691 / 3.91456	2.0263	0.2081	4.9100e-003	8.6936
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		**2.0263**	**0.2081**	**4.9100e-003**	**8.6936**

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Government Office Building	6.38691 / 3.91456	2.0263	0.2081	4.9100e-003	8.6936
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		**2.0263**	**0.2081**	**4.9100e-003**	**8.6936**

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	6.0694	0.3587	0.0000	15.0368
Unmitigated	6.0694	0.3587	0.0000	15.0368

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Government Office Building	29.9	6.0694	0.3587	0.0000	15.0368
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**6.0694**	**0.3587**	**0.0000**	**15.0368**

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Government Office Building	29.9	6.0694	0.3587	0.0000	15.0368

Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**6.0694**	**0.3587**	**0.0000**	**15.0368**

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

21-025 Campbell Civic Center - Santa Clara County, Annual

21-025 Campbell Civic Center

Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Government Office Building	32.15	1000sqft	1.60	32,154.00	0
Parking Lot	61.00	Space	0.00	24,400.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	58
Climate Zone	4			**Operational Year**	2023
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	206	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - CO2 Intensity Factor = PG&E 2018

Land Use - Acreage and square footage provided by applicant

Construction Phase -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Trips and VMT - All tripsp entered into EMFAC 2017

Demolition -

Architectural Coating - Square footage provided by applicant

Water And Wastewater - 100% Aerobic

Construction Off-road Equipment Mitigation - All equipment t4i

Stationary Sources - Emergency Generators and Fire Pumps - Emergency generator specs provided by applicant

Vehicle Trips - Traffic Trip Gen - Govt Office weekday 33.98

Vehicle Emission Factors - EMFAC2017 Emissions Factors 2023 Santa Clara County

Energy Mitigation - Campbell General Plan - City Facility SVCE 100% renewable electricity

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	7.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblEnergyUse	LightingElect	3.88	3.98
tblEnergyUse	LightingElect	0.35	0.88
tblEnergyUse	T24E	6.11	6.40
tblEnergyUse	T24NG	16.31	16.39
tblFleetMix	HHD	0.02	0.02
tblFleetMix	HHD	0.02	0.02
tblFleetMix	LDA	0.61	0.59
tblFleetMix	LDA	0.61	0.59
tblFleetMix	LDT1	0.04	0.05
tblFleetMix	LDT1	0.04	0.05
tblFleetMix	LDT2	0.18	0.18
tblFleetMix	LDT2	0.18	0.18
tblFleetMix	LHD1	0.01	0.02
tblFleetMix	LHD1	0.01	0.02
tblFleetMix	LHD2	5.0110e-003	5.2522e-003
tblFleetMix	LHD2	5.0110e-003	5.2522e-003
tblFleetMix	MCY	5.2800e-003	5.1323e-003
tblFleetMix	MCY	5.2800e-003	5.1323e-003
tblFleetMix	MDV	0.11	0.11
tblFleetMix	MDV	0.11	0.11
tblFleetMix	MH	7.2000e-004	7.5923e-004
tblFleetMix	MH	7.2000e-004	7.5923e-004
tblFleetMix	MHD	0.01	0.01
tblFleetMix	MHD	0.01	0.01
tblFleetMix	OBUS	2.1680e-003	1.6221e-003

tblFleetMix	OBUS	2.1680e-003	1.6221e-003
tblFleetMix	SBUS	6.2900e-004	9.2340e-004
tblFleetMix	SBUS	6.2900e-004	9.2340e-004
tblFleetMix	UBUS	1.5290e-003	1.2609e-003
tblFleetMix	UBUS	1.5290e-003	1.2609e-003
tblLandUse	LandUseSquareFeet	32,150.00	32,154.00
tblLandUse	LotAcreage	0.74	1.60
tblLandUse	LotAcreage	0.55	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	206
tblStationaryGeneratorsPumpsEF	CH4_EF	0.07	0.07
tblStationaryGeneratorsPumpsEF	ROG_EF	2.2480e-003	2.2477e-003
tblStationaryGeneratorsPumpsUse	HorsePowerValue	0.00	1,005.00
tblStationaryGeneratorsPumpsUse	HoursPerYear	0.00	50.00
tblStationaryGeneratorsPumpsUse	NumberOfEquipment	0.00	1.00
tblVehicleEF	HHD	0.34	0.02
tblVehicleEF	HHD	0.05	0.05
tblVehicleEF	HHD	0.08	0.00
tblVehicleEF	HHD	1.61	6.34
tblVehicleEF	HHD	0.91	0.40
tblVehicleEF	HHD	3.69	5.9190e-003
tblVehicleEF	HHD	4,386.48	1,065.38
tblVehicleEF	HHD	1,557.95	1,436.68
tblVehicleEF	HHD	11.75	0.05
tblVehicleEF	HHD	13.99	5.44
tblVehicleEF	HHD	1.98	2.68
tblVehicleEF	HHD	19.39	2.32
tblVehicleEF	HHD	8.0650e-003	2.6700e-003
tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	6.1860e-003	0.02

tblVehicleEF	HHD	1.0500e-004	1.0000e-006
tblVehicleEF	HHD	7.7170e-003	2.5550e-003
tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8320e-003	8.8780e-003
tblVehicleEF	HHD	5.9180e-003	0.02
tblVehicleEF	HHD	9.7000e-005	1.0000e-006
tblVehicleEF	HHD	9.8000e-005	3.0000e-006
tblVehicleEF	HHD	5.1360e-003	1.1600e-004
tblVehicleEF	HHD	0.42	0.43
tblVehicleEF	HHD	6.1000e-005	1.0000e-006
tblVehicleEF	HHD	0.09	0.03
tblVehicleEF	HHD	4.1700e-004	5.9400e-004
tblVehicleEF	HHD	0.09	3.0000e-006
tblVehicleEF	HHD	0.04	9.9140e-003
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	1.7800e-004	0.00
tblVehicleEF	HHD	9.8000e-005	3.0000e-006
tblVehicleEF	HHD	5.1360e-003	1.1600e-004
tblVehicleEF	HHD	0.48	0.49
tblVehicleEF	HHD	6.1000e-005	1.0000e-006
tblVehicleEF	HHD	0.15	0.08
tblVehicleEF	HHD	4.1700e-004	5.9400e-004
tblVehicleEF	HHD	0.10	3.0000e-006
tblVehicleEF	LDA	3.3580e-003	1.9580e-003
tblVehicleEF	LDA	4.7330e-003	0.05
tblVehicleEF	LDA	0.50	0.56
tblVehicleEF	LDA	1.08	2.16
tblVehicleEF	LDA	234.26	245.28
tblVehicleEF	LDA	55.12	52.02
tblVehicleEF	LDA	0.04	0.03

tblVehicleEF	LDA	0.06	0.18
tblVehicleEF	LDA	1.6260e-003	1.3560e-003
tblVehicleEF	LDA	2.2310e-003	1.7440e-003
tblVehicleEF	LDA	1.4980e-003	1.2490e-003
tblVehicleEF	LDA	2.0520e-003	1.6040e-003
tblVehicleEF	LDA	0.03	0.04
tblVehicleEF	LDA	0.09	0.09
tblVehicleEF	LDA	0.02	0.03
tblVehicleEF	LDA	8.4470e-003	7.4590e-003
tblVehicleEF	LDA	0.04	0.20
tblVehicleEF	LDA	0.06	0.21
tblVehicleEF	LDA	2.3450e-003	9.3000e-005
tblVehicleEF	LDA	5.6900e-004	0.00
tblVehicleEF	LDA	0.03	0.04
tblVehicleEF	LDA	0.09	0.09
tblVehicleEF	LDA	0.02	0.03
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.20
tblVehicleEF	LDA	0.07	0.23
tblVehicleEF	LDT1	7.8390e-003	4.1630e-003
tblVehicleEF	LDT1	0.01	0.06
tblVehicleEF	LDT1	1.00	0.95
tblVehicleEF	LDT1	2.29	2.35
tblVehicleEF	LDT1	292.52	292.91
tblVehicleEF	LDT1	68.20	62.87
tblVehicleEF	LDT1	0.10	0.08
tblVehicleEF	LDT1	0.13	0.23
tblVehicleEF	LDT1	2.1830e-003	1.7660e-003
tblVehicleEF	LDT1	2.9190e-003	2.2440e-003
tblVehicleEF	LDT1	2.0100e-003	1.6250e-003

tblVehicleEF	LDT1	2.6840e-003	2.0630e-003
tblVehicleEF	LDT1	0.08	0.08
tblVehicleEF	LDT1	0.21	0.16
tblVehicleEF	LDT1	0.06	0.07
tblVehicleEF	LDT1	0.02	0.02
tblVehicleEF	LDT1	0.15	0.58
tblVehicleEF	LDT1	0.15	0.31
tblVehicleEF	LDT1	2.9360e-003	2.6160e-003
tblVehicleEF	LDT1	7.2200e-004	0.00
tblVehicleEF	LDT1	0.08	0.08
tblVehicleEF	LDT1	0.21	0.16
tblVehicleEF	LDT1	0.06	0.07
tblVehicleEF	LDT1	0.03	0.03
tblVehicleEF	LDT1	0.15	0.58
tblVehicleEF	LDT1	0.16	0.34
tblVehicleEF	LDT2	4.9930e-003	3.2450e-003
tblVehicleEF	LDT2	6.4640e-003	0.07
tblVehicleEF	LDT2	0.68	0.79
tblVehicleEF	LDT2	1.42	2.79
tblVehicleEF	LDT2	332.30	316.76
tblVehicleEF	LDT2	77.35	68.58
tblVehicleEF	LDT2	0.07	0.07
tblVehicleEF	LDT2	0.11	0.27
tblVehicleEF	LDT2	1.6420e-003	1.3890e-003
tblVehicleEF	LDT2	2.2820e-003	1.7450e-003
tblVehicleEF	LDT2	1.5110e-003	1.2790e-003
tblVehicleEF	LDT2	2.0990e-003	1.6050e-003
tblVehicleEF	LDT2	0.04	0.06
tblVehicleEF	LDT2	0.10	0.12
tblVehicleEF	LDT2	0.04	0.06

tblVehicleEF	LDT2	0.01	0.01
tblVehicleEF	LDT2	0.07	0.42
tblVehicleEF	LDT2	0.09	0.31
tblVehicleEF	LDT2	3.3280e-003	0.01
tblVehicleEF	LDT2	7.9700e-004	9.3000e-005
tblVehicleEF	LDT2	0.04	0.06
tblVehicleEF	LDT2	0.10	0.12
tblVehicleEF	LDT2	0.04	0.06
tblVehicleEF	LDT2	0.02	0.02
tblVehicleEF	LDT2	0.07	0.42
tblVehicleEF	LDT2	0.10	0.34
tblVehicleEF	LHD1	5.3570e-003	5.1620e-003
tblVehicleEF	LHD1	0.02	8.5450e-003
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	0.15	0.19
tblVehicleEF	LHD1	1.02	0.77
tblVehicleEF	LHD1	2.58	1.08
tblVehicleEF	LHD1	8.98	8.94
tblVehicleEF	LHD1	687.79	794.16
tblVehicleEF	LHD1	32.26	11.83
tblVehicleEF	LHD1	0.07	0.06
tblVehicleEF	LHD1	1.10	0.73
tblVehicleEF	LHD1	0.99	0.32
tblVehicleEF	LHD1	8.6000e-004	8.2500e-004
tblVehicleEF	LHD1	0.01	9.7470e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	9.5500e-004	2.5800e-004
tblVehicleEF	LHD1	8.2300e-004	7.9000e-004
tblVehicleEF	LHD1	2.5220e-003	2.4370e-003
tblVehicleEF	LHD1	0.01	9.7200e-003

tblVehicleEF	LHD1	8.7800e-004	2.3700e-004
tblVehicleEF	LHD1	2.6370e-003	2.0240e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	1.3460e-003	1.0320e-003
tblVehicleEF	LHD1	0.12	0.09
tblVehicleEF	LHD1	0.32	0.52
tblVehicleEF	LHD1	0.26	0.08
tblVehicleEF	LHD1	9.0000e-005	8.7000e-005
tblVehicleEF	LHD1	6.7510e-003	7.7550e-003
tblVehicleEF	LHD1	3.7100e-004	1.1700e-004
tblVehicleEF	LHD1	2.6370e-003	2.0240e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	1.3460e-003	1.0320e-003
tblVehicleEF	LHD1	0.15	0.11
tblVehicleEF	LHD1	0.32	0.52
tblVehicleEF	LHD1	0.29	0.08
tblVehicleEF	LHD2	3.3720e-003	3.1550e-003
tblVehicleEF	LHD2	7.5730e-003	7.0600e-003
tblVehicleEF	LHD2	6.7190e-003	8.4310e-003
tblVehicleEF	LHD2	0.12	0.14
tblVehicleEF	LHD2	0.55	0.62
tblVehicleEF	LHD2	1.16	0.63
tblVehicleEF	LHD2	13.98	14.00
tblVehicleEF	LHD2	705.76	768.73
tblVehicleEF	LHD2	24.06	7.83
tblVehicleEF	LHD2	0.10	0.10
tblVehicleEF	LHD2	0.69	0.88
tblVehicleEF	LHD2	0.44	0.18

tblVehicleEF	LHD2	1.2420e-003	1.4230e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	4.1600e-004	1.3300e-004
tblVehicleEF	LHD2	1.1880e-003	1.3610e-003
tblVehicleEF	LHD2	2.6910e-003	2.6880e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8300e-004	1.2300e-004
tblVehicleEF	LHD2	8.1500e-004	1.0700e-003
tblVehicleEF	LHD2	0.03	0.04
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	4.3700e-004	5.4700e-004
tblVehicleEF	LHD2	0.10	0.11
tblVehicleEF	LHD2	0.07	0.28
tblVehicleEF	LHD2	0.09	0.04
tblVehicleEF	LHD2	1.3600e-004	1.3400e-004
tblVehicleEF	LHD2	6.8630e-003	7.4240e-003
tblVehicleEF	LHD2	2.6100e-004	7.8000e-005
tblVehicleEF	LHD2	8.1500e-004	1.0700e-003
tblVehicleEF	LHD2	0.03	0.04
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	4.3700e-004	5.4700e-004
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.07	0.28
tblVehicleEF	LHD2	0.10	0.05
tblVehicleEF	MCY	0.45	0.33
tblVehicleEF	MCY	0.16	0.26
tblVehicleEF	MCY	18.74	18.87
tblVehicleEF	MCY	10.18	9.03
tblVehicleEF	MCY	169.68	210.17

tblVehicleEF	MCY	45.14	61.04
tblVehicleEF	MCY	1.15	1.15
tblVehicleEF	MCY	0.32	0.27
tblVehicleEF	MCY	2.0080e-003	1.9690e-003
tblVehicleEF	MCY	3.7340e-003	3.0390e-003
tblVehicleEF	MCY	1.8770e-003	1.8400e-003
tblVehicleEF	MCY	3.5160e-003	2.8590e-003
tblVehicleEF	MCY	0.90	1.81
tblVehicleEF	MCY	0.70	0.69
tblVehicleEF	MCY	0.49	0.99
tblVehicleEF	MCY	2.20	2.21
tblVehicleEF	MCY	0.60	1.97
tblVehicleEF	MCY	2.20	1.94
tblVehicleEF	MCY	2.0680e-003	2.0800e-003
tblVehicleEF	MCY	6.8300e-004	6.0400e-004
tblVehicleEF	MCY	0.90	1.81
tblVehicleEF	MCY	0.70	0.69
tblVehicleEF	MCY	0.49	0.99
tblVehicleEF	MCY	2.73	2.74
tblVehicleEF	MCY	0.60	1.97
tblVehicleEF	MCY	2.39	2.11
tblVehicleEF	MDV	9.4310e-003	3.9100e-003
tblVehicleEF	MDV	0.02	0.08
tblVehicleEF	MDV	1.06	0.87
tblVehicleEF	MDV	2.68	3.13
tblVehicleEF	MDV	444.47	383.41
tblVehicleEF	MDV	101.69	82.02
tblVehicleEF	MDV	0.13	0.08
tblVehicleEF	MDV	0.23	0.32
tblVehicleEF	MDV	1.8000e-003	1.5110e-003

tblVehicleEF	MDV	2.4830e-003	1.9090e-003
tblVehicleEF	MDV	1.6590e-003	1.3930e-003
tblVehicleEF	MDV	2.2840e-003	1.7560e-003
tblVehicleEF	MDV	0.06	0.07
tblVehicleEF	MDV	0.16	0.14
tblVehicleEF	MDV	0.06	0.07
tblVehicleEF	MDV	0.02	0.02
tblVehicleEF	MDV	0.11	0.44
tblVehicleEF	MDV	0.20	0.38
tblVehicleEF	MDV	4.4500e-003	3.7430e-003
tblVehicleEF	MDV	1.0640e-003	8.0200e-004
tblVehicleEF	MDV	0.06	0.07
tblVehicleEF	MDV	0.16	0.14
tblVehicleEF	MDV	0.06	0.07
tblVehicleEF	MDV	0.03	0.02
tblVehicleEF	MDV	0.11	0.44
tblVehicleEF	MDV	0.22	0.42
tblVehicleEF	MH	0.03	0.01
tblVehicleEF	MH	0.02	0.02
tblVehicleEF	MH	1.96	1.11
tblVehicleEF	MH	5.58	2.13
tblVehicleEF	MH	1,212.08	1,532.75
tblVehicleEF	MH	58.85	18.68
tblVehicleEF	MH	1.29	1.36
tblVehicleEF	MH	0.81	0.25
tblVehicleEF	MH	0.01	0.01
tblVehicleEF	MH	0.02	0.02
tblVehicleEF	MH	1.1290e-003	2.7400e-004
tblVehicleEF	MH	3.2190e-003	3.2750e-003
tblVehicleEF	MH	0.02	0.02

tblVehicleEF	MH	1.0380e-003	2.5200e-004
tblVehicleEF	MH	0.81	0.71
tblVehicleEF	MH	0.07	0.06
tblVehicleEF	MH	0.28	0.25
tblVehicleEF	MH	0.09	0.07
tblVehicleEF	MH	0.02	1.44
tblVehicleEF	MH	0.32	0.10
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	6.8600e-004	1.8500e-004
tblVehicleEF	MH	0.81	0.71
tblVehicleEF	MH	0.07	0.06
tblVehicleEF	MH	0.28	0.25
tblVehicleEF	MH	0.12	0.09
tblVehicleEF	MH	0.02	1.44
tblVehicleEF	MH	0.35	0.11
tblVehicleEF	MHD	0.02	3.5450e-003
tblVehicleEF	MHD	4.5180e-003	1.9320e-003
tblVehicleEF	MHD	0.05	9.4870e-003
tblVehicleEF	MHD	0.38	0.39
tblVehicleEF	MHD	0.36	0.26
tblVehicleEF	MHD	5.92	1.14
tblVehicleEF	MHD	132.71	73.35
tblVehicleEF	MHD	1,189.79	1,095.06
tblVehicleEF	MHD	61.47	9.38
tblVehicleEF	MHD	0.36	0.43
tblVehicleEF	MHD	1.11	1.44
tblVehicleEF	MHD	10.17	1.70
tblVehicleEF	MHD	1.2300e-004	4.2700e-004
tblVehicleEF	MHD	3.1090e-003	6.9550e-003
tblVehicleEF	MHD	9.0500e-004	1.1900e-004

tblVehicleEF	MHD	1.1800e-004	4.0900e-004
tblVehicleEF	MHD	2.9680e-003	6.6480e-003
tblVehicleEF	MHD	8.3200e-004	1.1000e-004
tblVehicleEF	MHD	8.9400e-004	4.1700e-004
tblVehicleEF	MHD	0.04	0.02
tblVehicleEF	MHD	0.02	0.02
tblVehicleEF	MHD	4.6300e-004	2.1100e-004
tblVehicleEF	MHD	0.04	0.02
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.35	0.05
tblVehicleEF	MHD	1.2790e-003	6.9600e-004
tblVehicleEF	MHD	0.01	0.01
tblVehicleEF	MHD	7.1800e-004	9.3000e-005
tblVehicleEF	MHD	8.9400e-004	4.1700e-004
tblVehicleEF	MHD	0.04	0.02
tblVehicleEF	MHD	0.04	0.02
tblVehicleEF	MHD	4.6300e-004	2.1100e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.38	0.06
tblVehicleEF	OBUS	0.01	7.0630e-003
tblVehicleEF	OBUS	6.3660e-003	4.0130e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.24	0.57
tblVehicleEF	OBUS	0.44	0.47
tblVehicleEF	OBUS	5.01	1.90
tblVehicleEF	OBUS	99.56	91.93
tblVehicleEF	OBUS	1,293.67	1,341.74
tblVehicleEF	OBUS	66.88	15.48
tblVehicleEF	OBUS	0.21	0.37

tblVehicleEF	OBUS	0.88	1.44
tblVehicleEF	OBUS	2.72	1.09
tblVehicleEF	OBUS	1.9000e-005	1.2000e-004
tblVehicleEF	OBUS	2.6550e-003	7.0290e-003
tblVehicleEF	OBUS	8.0900e-004	1.4200e-004
tblVehicleEF	OBUS	1.8000e-005	1.1500e-004
tblVehicleEF	OBUS	2.5210e-003	6.7120e-003
tblVehicleEF	OBUS	7.4400e-004	1.3000e-004
tblVehicleEF	OBUS	1.1720e-003	1.0840e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.03	0.05
tblVehicleEF	OBUS	5.1500e-004	4.8000e-004
tblVehicleEF	OBUS	0.04	0.03
tblVehicleEF	OBUS	0.03	0.18
tblVehicleEF	OBUS	0.31	0.09
tblVehicleEF	OBUS	9.6200e-004	8.7300e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	7.5700e-004	1.5300e-004
tblVehicleEF	OBUS	1.1720e-003	1.0840e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.05	0.06
tblVehicleEF	OBUS	5.1500e-004	4.8000e-004
tblVehicleEF	OBUS	0.05	0.03
tblVehicleEF	OBUS	0.03	0.18
tblVehicleEF	OBUS	0.34	0.10
tblVehicleEF	SBUS	0.83	0.05
tblVehicleEF	SBUS	0.02	6.3560e-003
tblVehicleEF	SBUS	0.08	4.7830e-003
tblVehicleEF	SBUS	8.17	2.18
tblVehicleEF	SBUS	1.05	0.52

tblVehicleEF	SBUS	9.75	0.70
tblVehicleEF	SBUS	1,109.35	347.39
tblVehicleEF	SBUS	1,051.90	1,060.99
tblVehicleEF	SBUS	56.07	3.98
tblVehicleEF	SBUS	8.47	3.53
tblVehicleEF	SBUS	3.71	4.87
tblVehicleEF	SBUS	12.10	0.81
tblVehicleEF	SBUS	8.0590e-003	3.9050e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	9.0100e-004	4.6000e-005
tblVehicleEF	SBUS	7.7100e-003	3.7360e-003
tblVehicleEF	SBUS	2.6280e-003	2.7270e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	8.2900e-004	4.2000e-005
tblVehicleEF	SBUS	3.4510e-003	5.3700e-004
tblVehicleEF	SBUS	0.04	5.2210e-003
tblVehicleEF	SBUS	0.97	0.24
tblVehicleEF	SBUS	1.4880e-003	2.2700e-004
tblVehicleEF	SBUS	0.11	0.09
tblVehicleEF	SBUS	0.02	0.04
tblVehicleEF	SBUS	0.48	0.03
tblVehicleEF	SBUS	0.01	3.3060e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	7.2900e-004	3.9000e-005
tblVehicleEF	SBUS	3.4510e-003	5.3700e-004
tblVehicleEF	SBUS	0.04	5.2210e-003
tblVehicleEF	SBUS	1.40	0.35
tblVehicleEF	SBUS	1.4880e-003	2.2700e-004
tblVehicleEF	SBUS	0.14	0.10

tblVehicleEF	SBUS	0.02	0.04
tblVehicleEF	SBUS	0.53	0.03
tblVehicleEF	UBUS	0.27	1.35
tblVehicleEF	UBUS	0.04	1.4170e-003
tblVehicleEF	UBUS	4.81	10.12
tblVehicleEF	UBUS	7.98	0.14
tblVehicleEF	UBUS	2,067.88	1,597.13
tblVehicleEF	UBUS	103.85	1.39
tblVehicleEF	UBUS	9.47	0.73
tblVehicleEF	UBUS	14.57	0.01
tblVehicleEF	UBUS	0.59	0.07
tblVehicleEF	UBUS	0.01	0.03
tblVehicleEF	UBUS	0.21	5.3280e-003
tblVehicleEF	UBUS	1.1460e-003	1.5000e-005
tblVehicleEF	UBUS	0.25	0.03
tblVehicleEF	UBUS	3.0000e-003	8.3320e-003
tblVehicleEF	UBUS	0.20	5.0960e-003
tblVehicleEF	UBUS	1.0540e-003	1.4000e-005
tblVehicleEF	UBUS	2.2820e-003	1.9000e-005
tblVehicleEF	UBUS	0.04	1.3300e-004
tblVehicleEF	UBUS	1.1230e-003	8.0000e-006
tblVehicleEF	UBUS	0.58	0.02
tblVehicleEF	UBUS	8.3050e-003	5.9200e-004
tblVehicleEF	UBUS	0.58	5.8830e-003
tblVehicleEF	UBUS	0.02	0.01
tblVehicleEF	UBUS	1.1810e-003	1.4000e-005
tblVehicleEF	UBUS	2.2820e-003	1.9000e-005
tblVehicleEF	UBUS	0.04	1.3300e-004
tblVehicleEF	UBUS	1.1230e-003	8.0000e-006
tblVehicleEF	UBUS	0.90	1.38

tblVehicleEF	UBUS	8.3050e-003	5.9200e-004
tblVehicleEF	UBUS	0.63	6.4410e-003
tblVehicleTrips	WD_TR	68.93	33.98
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00

2.0 Emissions Summary

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1445	1.0000e-005	8.6000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Energy	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	84.9737	84.9737	8.5300e-003	2.1700e-003	85.8337
Mobile	0.2745	0.3627	1.8917	4.7500e-003	0.4973	3.9700e-003	0.5012	0.1330	3.7000e-003	0.1367	0.0000	467.1978	467.1978	0.0249	0.0000	467.8203
Stationary	0.0412	0.1844	0.1051	2.0000e-004		6.0700e-003	6.0700e-003		6.0700e-003	6.0700e-003	0.0000	19.1351	19.1351	2.6800e-003	0.0000	19.2021
Waste						0.0000	0.0000		0.0000	0.0000	6.0694	0.0000	6.0694	0.3587	0.0000	15.0368
Water						0.0000	0.0000		0.0000	0.0000	2.2597	4.5095	6.7692	8.4100e-003	5.0500e-003	8.4830
Total	**0.4631**	**0.5731**	**2.0195**	**5.1100e-003**	**0.4973**	**0.0120**	**0.5093**	**0.1330**	**0.0117**	**0.1448**	**8.3291**	**575.8177**	**584.1468**	**0.4032**	**7.2200e-003**	**596.3777**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1445	1.0000e-005	8.6000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Energy	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Mobile	0.2745	0.3627	1.8917	4.7500e-003	0.4973	3.9700e-003	0.5012	0.1330	3.7000e-003	0.1367	0.0000	467.1978	467.1978	0.0249	0.0000	467.8203
Stationary	0.0412	0.1844	0.1051	2.0000e-004		6.0700e-003	6.0700e-003		6.0700e-003	6.0700e-003	0.0000	19.1351	19.1351	2.6800e-003	0.0000	19.2021
Waste						0.0000	0.0000		0.0000	0.0000	6.0694	0.0000	6.0694	0.3587	0.0000	15.0368
Water						0.0000	0.0000		0.0000	0.0000	2.2597	4.5095	6.7692	8.4100e-003	5.0500e-003	8.4830
Total	**0.4631**	**0.5731**	**2.0195**	**5.1100e-003**	**0.4973**	**0.0120**	**0.5093**	**0.1330**	**0.0117**	**0.1448**	**8.3291**	**519.0699**	**527.3990**	**0.3952**	**5.5700e-003**	**538.9376**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**9.86**	**9.71**	**1.98**	**22.85**	**9.63**

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Mitigated	0.2745	0.3627	1.8917	4.7500e-003	0.4973	3.9700e-003	0.5012	0.1330	3.7000e-003	0.1367	0.0000	467.1978	467.1978	0.0249	0.0000	467.8203
Unmitigated	0.2745	0.3627	1.8917	4.7500e-003	0.4973	3.9700e-003	0.5012	0.1330	3.7000e-003	0.1367	0.0000	467.1978	467.1978	0.0249	0.0000	467.8203

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Government Office Building	1,092.46	0.00	0.00	1,338,167	1,338,167
Parking Lot	0.00	0.00	0.00		
Total	1,092.46	0.00	0.00	1,338,167	1,338,167

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Government Office Building	9.50	7.30	7.30	33.00	62.00	5.00	50	34	16
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Government Office Building	0.590598	0.052780	0.178080	0.107080	0.021013	0.005252	0.013411	0.022089	0.001622	0.001261	0.005132	0.000923	0.000759
Parking Lot	0.590598	0.052780	0.178080	0.107080	0.021013	0.005252	0.013411	0.022089	0.001622	0.001261	0.005132	0.000923	0.000759

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	56.7478	56.7478	7.9900e-003	1.6500e-003	57.4401
NaturalGas Mitigated	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
NaturalGas Unmitigated	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Government Office Building	528933	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		**2.8500e-003**	**0.0259**	**0.0218**	**1.6000e-004**		**1.9700e-003**	**1.9700e-003**		**1.9700e-003**	**1.9700e-003**	**0.0000**	**28.2259**	**28.2259**	**5.4000e-004**	**5.2000e-004**	**28.3936**

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					

Government Office Building	528933	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		**2.8500e-003**	**0.0259**	**0.0218**	**1.6000e-004**		**1.9700e-003**	**1.9700e-003**		**1.9700e-003**	**1.9700e-003**	**0.0000**	**28.2259**	**28.2259**	**5.4000e-004**	**5.2000e-004**	**28.3936**

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Government Office Building	585846	54.7415	7.7100e-003	1.5900e-003	55.4093
Parking Lot	21472	2.0063	2.8000e-004	6.0000e-005	2.0308
Total		**56.7478**	**7.9900e-003**	**1.6500e-003**	**57.4401**

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Government Office Building	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**0.0000**	**0.0000**	**0.0000**	**0.0000**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1445	1.0000e-005	8.6000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Unmitigated	0.1445	1.0000e-005	8.6000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0173					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1272					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	8.6000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Total	**0.1445**	**1.0000e-005**	**8.6000e-004**	**0.0000**		**0.0000**	**0.0000**		**0.0000**	**0.0000**	**0.0000**	**1.6600e-003**	**1.6600e-003**	**0.0000**	**0.0000**	**1.7700e-003**

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0173					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1272					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	8.6000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Total	**0.1445**	**1.0000e-005**	**8.6000e-004**	**0.0000**		**0.0000**	**0.0000**		**0.0000**	**0.0000**	**0.0000**	**1.6600e-003**	**1.6600e-003**	**0.0000**	**0.0000**	**1.7700e-003**

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	6.7692	8.4100e-003	5.0500e-003	8.4830
Unmitigated	6.7692	8.4100e-003	5.0500e-003	8.4830

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Government Office Building	6.38691 / 3.91456	6.7692	8.4100e-003	5.0500e-003	8.4830
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		**6.7692**	**8.4100e-003**	**5.0500e-003**	**8.4830**

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Government Office Building	6.38691 / 3.91456	6.7692	8.4100e-003	5.0500e-003	8.4830
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		**6.7692**	**8.4100e-003**	**5.0500e-003**	**8.4830**

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			

Mitigated	6.0694	0.3587	0.0000	15.0368
Unmitigated	6.0694	0.3587	0.0000	15.0368

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Government Office Building	29.9	6.0694	0.3587	0.0000	15.0368
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**6.0694**	**0.3587**	**0.0000**	**15.0368**

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Government Office Building	29.9	6.0694	0.3587	0.0000	15.0368
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**6.0694**	**0.3587**	**0.0000**	**15.0368**

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
Emergency Generator	1	0	50	1005	0.73	Diesel

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

10.1 Stationary Sources

Unmitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	tons/yr										MT/yr					
Emergency Generator - Diesel (750 - 9999 HP)	0.0412	0.1844	0.1051	2.0000e-004		6.0700e-003	6.0700e-003		6.0700e-003	6.0700e-003	0.0000	19.1351	19.1351	2.6800e-003	0.0000	19.2021
Total	**0.0412**	**0.1844**	**0.1051**	**2.0000e-004**		**6.0700e-003**	**6.0700e-003**		**6.0700e-003**	**6.0700e-003**	**0.0000**	**19.1351**	**19.1351**	**2.6800e-003**	**0.0000**	**19.2021**

11.0 Vegetation

21-025 Campbell Civic Center - Santa Clara County, Annual

21-025 Campbell Civic Center

Santa Clara County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Government Office Building	32.15	1000sqft	1.60	32,154.00	0
Parking Lot	61.00	Space	0.00	24,400.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	58
Climate Zone	4			**Operational Year**	2030
Utility Company	Pacific Gas & Electric Company				
CO2 Intensity (lb/MWhr)	206	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - CO2 Intensity Factor = PG&E 2018

Land Use - Acreage and square footage provided by applicant

Construction Phase -

Off-road Equipment -

Off-road Equipment -

Off-road Equipment -

Trips and VMT - All tripsp entered into EMFAC 2017

Demolition -

Architectural Coating - Square footage provided by applicant

Water And Wastewater - 100% Aerobic

Construction Off-road Equipment Mitigation - All equipment t4i

Stationary Sources - Emergency Generators and Fire Pumps - Emergency generator specs provided by applicant

Vehicle Trips - Traffic Trip Gen - Govt Office weekday 33.98

Vehicle Emission Factors - EMFAC2017 Emissions Factors 2030 Santa Clara County

Energy Mitigation - Campbell General Plan - City Facility SVCE 100% renewable electricity

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	7.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim

tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblConstEquipMitigation	Tier	No Change	Tier 4 Interim
tblEnergyUse	LightingElect	3.88	3.98
tblEnergyUse	LightingElect	0.35	0.88
tblEnergyUse	T24E	6.11	6.40
tblEnergyUse	T24NG	16.31	16.39
tblFleetMix	HHD	0.02	0.02
tblFleetMix	HHD	0.02	0.02
tblFleetMix	LDA	0.62	0.60
tblFleetMix	LDA	0.62	0.60
tblFleetMix	LDT1	0.03	0.05
tblFleetMix	LDT1	0.03	0.05
tblFleetMix	LDT2	0.18	0.17
tblFleetMix	LDT2	0.18	0.17
tblFleetMix	LHD1	0.01	0.02
tblFleetMix	LHD1	0.01	0.02
tblFleetMix	LHD2	5.0600e-003	5.5563e-003
tblFleetMix	LHD2	5.0600e-003	5.5563e-003
tblFleetMix	MCY	5.1220e-003	4.7803e-003
tblFleetMix	MCY	5.1220e-003	4.7803e-003
tblFleetMix	MDV	0.10	0.11
tblFleetMix	MDV	0.10	0.11
tblFleetMix	MH	6.5100e-004	7.2763e-004
tblFleetMix	MH	6.5100e-004	7.2763e-004
tblFleetMix	MHD	0.01	0.01
tblFleetMix	MHD	0.01	0.01
tblFleetMix	OBUS	2.2210e-003	1.4429e-003

tblFleetMix	OBUS	2.2210e-003	1.4429e-003
tblFleetMix	SBUS	6.4600e-004	9.0041e-004
tblFleetMix	SBUS	6.4600e-004	9.0041e-004
tblFleetMix	UBUS	1.4700e-003	1.1782e-003
tblFleetMix	UBUS	1.4700e-003	1.1782e-003
tblLandUse	LandUseSquareFeet	32,150.00	32,154.00
tblLandUse	LotAcreage	0.74	1.60
tblLandUse	LotAcreage	0.55	0.00
tblProjectCharacteristics	CO2IntensityFactor	641.35	206
tblStationaryGeneratorsPumpsEF	CH4_EF	0.07	0.07
tblStationaryGeneratorsPumpsEF	ROG_EF	2.2480e-003	2.2477e-003
tblStationaryGeneratorsPumpsUse	HorsePowerValue	0.00	1,005.00
tblStationaryGeneratorsPumpsUse	HoursPerYear	0.00	50.00
tblStationaryGeneratorsPumpsUse	NumberOfEquipment	0.00	1.00
tblVehicleEF	HHD	0.27	0.02
tblVehicleEF	HHD	0.06	0.05
tblVehicleEF	HHD	0.06	0.00
tblVehicleEF	HHD	1.43	6.28
tblVehicleEF	HHD	0.94	0.41
tblVehicleEF	HHD	4.01	6.6850e-003
tblVehicleEF	HHD	4,037.05	930.05
tblVehicleEF	HHD	1,498.85	1,226.35
tblVehicleEF	HHD	12.27	0.05
tblVehicleEF	HHD	12.16	5.20
tblVehicleEF	HHD	1.59	2.52
tblVehicleEF	HHD	19.20	2.31
tblVehicleEF	HHD	3.6830e-003	2.1460e-003
tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	5.6600e-003	0.02

tblVehicleEF	HHD	1.3500e-004	1.0000e-006
tblVehicleEF	HHD	3.5230e-003	2.0530e-003
tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8550e-003	8.9050e-003
tblVehicleEF	HHD	5.4140e-003	0.02
tblVehicleEF	HHD	1.2400e-004	1.0000e-006
tblVehicleEF	HHD	1.0100e-004	1.0000e-006
tblVehicleEF	HHD	4.6010e-003	5.8000e-005
tblVehicleEF	HHD	0.37	0.42
tblVehicleEF	HHD	6.4000e-005	1.0000e-006
tblVehicleEF	HHD	0.08	0.02
tblVehicleEF	HHD	4.1900e-004	2.8400e-004
tblVehicleEF	HHD	0.07	2.0000e-006
tblVehicleEF	HHD	0.04	8.6530e-003
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	1.8800e-004	1.0000e-006
tblVehicleEF	HHD	1.0100e-004	1.0000e-006
tblVehicleEF	HHD	4.6010e-003	5.8000e-005
tblVehicleEF	HHD	0.43	0.49
tblVehicleEF	HHD	6.4000e-005	1.0000e-006
tblVehicleEF	HHD	0.15	0.07
tblVehicleEF	HHD	4.1900e-004	2.8400e-004
tblVehicleEF	HHD	0.08	2.0000e-006
tblVehicleEF	LDA	1.8990e-003	9.5900e-004
tblVehicleEF	LDA	2.1050e-003	0.03
tblVehicleEF	LDA	0.33	0.41
tblVehicleEF	LDA	0.63	1.72
tblVehicleEF	LDA	181.37	213.89
tblVehicleEF	LDA	42.51	45.13
tblVehicleEF	LDA	0.03	0.02

tblVehicleEF	LDA	0.03	0.13
tblVehicleEF	LDA	1.1470e-003	9.2900e-004
tblVehicleEF	LDA	1.8260e-003	1.2750e-003
tblVehicleEF	LDA	1.0560e-003	8.5500e-004
tblVehicleEF	LDA	1.6790e-003	1.1720e-003
tblVehicleEF	LDA	0.02	0.02
tblVehicleEF	LDA	0.06	0.06
tblVehicleEF	LDA	0.02	0.02
tblVehicleEF	LDA	4.7560e-003	3.2470e-003
tblVehicleEF	LDA	0.03	0.17
tblVehicleEF	LDA	0.03	0.12
tblVehicleEF	LDA	1.8150e-003	9.0000e-005
tblVehicleEF	LDA	4.3500e-004	0.00
tblVehicleEF	LDA	0.02	0.02
tblVehicleEF	LDA	0.06	0.06
tblVehicleEF	LDA	0.02	0.02
tblVehicleEF	LDA	6.9190e-003	4.7160e-003
tblVehicleEF	LDA	0.03	0.17
tblVehicleEF	LDA	0.03	0.13
tblVehicleEF	LDT1	3.6800e-003	1.6710e-003
tblVehicleEF	LDT1	4.5270e-003	0.04
tblVehicleEF	LDT1	0.55	0.54
tblVehicleEF	LDT1	1.12	1.85
tblVehicleEF	LDT1	233.07	258.41
tblVehicleEF	LDT1	54.62	55.17
tblVehicleEF	LDT1	0.05	0.03
tblVehicleEF	LDT1	0.06	0.15
tblVehicleEF	LDT1	1.4520e-003	1.0700e-003
tblVehicleEF	LDT1	2.1870e-003	1.4610e-003
tblVehicleEF	LDT1	1.3350e-003	9.8400e-004

tblVehicleEF	LDT1	2.0110e-003	1.3440e-003
tblVehicleEF	LDT1	0.05	0.05
tblVehicleEF	LDT1	0.12	0.09
tblVehicleEF	LDT1	0.04	0.04
tblVehicleEF	LDT1	9.1170e-003	6.5000e-003
tblVehicleEF	LDT1	0.09	0.36
tblVehicleEF	LDT1	0.06	0.15
tblVehicleEF	LDT1	2.3350e-003	2.5670e-003
tblVehicleEF	LDT1	5.6500e-004	0.00
tblVehicleEF	LDT1	0.05	0.05
tblVehicleEF	LDT1	0.12	0.09
tblVehicleEF	LDT1	0.04	0.04
tblVehicleEF	LDT1	0.01	9.4830e-003
tblVehicleEF	LDT1	0.09	0.36
tblVehicleEF	LDT1	0.07	0.17
tblVehicleEF	LDT2	2.9960e-003	1.7260e-003
tblVehicleEF	LDT2	3.1970e-003	0.04
tblVehicleEF	LDT2	0.49	0.56
tblVehicleEF	LDT2	0.89	2.29
tblVehicleEF	LDT2	264.16	267.33
tblVehicleEF	LDT2	61.38	57.57
tblVehicleEF	LDT2	0.04	0.03
tblVehicleEF	LDT2	0.05	0.17
tblVehicleEF	LDT2	1.3060e-003	1.0250e-003
tblVehicleEF	LDT2	2.0190e-003	1.3400e-003
tblVehicleEF	LDT2	1.2010e-003	9.4400e-004
tblVehicleEF	LDT2	1.8570e-003	1.2320e-003
tblVehicleEF	LDT2	0.03	0.05
tblVehicleEF	LDT2	0.07	0.09
tblVehicleEF	LDT2	0.03	0.05

tblVehicleEF	LDT2	7.4390e-003	6.5530e-003
tblVehicleEF	LDT2	0.06	0.34
tblVehicleEF	LDT2	0.04	0.18
tblVehicleEF	LDT2	2.6450e-003	9.4800e-003
tblVehicleEF	LDT2	6.2800e-004	8.5000e-005
tblVehicleEF	LDT2	0.03	0.05
tblVehicleEF	LDT2	0.07	0.09
tblVehicleEF	LDT2	0.03	0.05
tblVehicleEF	LDT2	0.01	9.5240e-003
tblVehicleEF	LDT2	0.06	0.34
tblVehicleEF	LDT2	0.05	0.20
tblVehicleEF	LHD1	3.9820e-003	4.1480e-003
tblVehicleEF	LHD1	8.6490e-003	5.1950e-003
tblVehicleEF	LHD1	0.01	9.0230e-003
tblVehicleEF	LHD1	0.14	0.18
tblVehicleEF	LHD1	0.61	0.47
tblVehicleEF	LHD1	1.67	0.89
tblVehicleEF	LHD1	8.93	8.25
tblVehicleEF	LHD1	641.43	698.55
tblVehicleEF	LHD1	26.94	10.09
tblVehicleEF	LHD1	0.06	0.05
tblVehicleEF	LHD1	0.53	0.30
tblVehicleEF	LHD1	0.67	0.23
tblVehicleEF	LHD1	7.8900e-004	9.1500e-004
tblVehicleEF	LHD1	0.01	9.9010e-003
tblVehicleEF	LHD1	0.01	7.0190e-003
tblVehicleEF	LHD1	6.6500e-004	2.1000e-004
tblVehicleEF	LHD1	7.5500e-004	8.7500e-004
tblVehicleEF	LHD1	2.6030e-003	2.4750e-003
tblVehicleEF	LHD1	9.7020e-003	6.6710e-003

tblVehicleEF	LHD1	6.1100e-004	1.9300e-004
tblVehicleEF	LHD1	1.8620e-003	1.4030e-003
tblVehicleEF	LHD1	0.08	0.05
tblVehicleEF	LHD1	0.01	0.02
tblVehicleEF	LHD1	1.0210e-003	7.7200e-004
tblVehicleEF	LHD1	0.10	0.07
tblVehicleEF	LHD1	0.26	0.43
tblVehicleEF	LHD1	0.15	0.04
tblVehicleEF	LHD1	8.9000e-005	8.0000e-005
tblVehicleEF	LHD1	6.2670e-003	6.8120e-003
tblVehicleEF	LHD1	3.0000e-004	1.0000e-004
tblVehicleEF	LHD1	1.8620e-003	1.4030e-003
tblVehicleEF	LHD1	0.08	0.05
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	1.0210e-003	7.7200e-004
tblVehicleEF	LHD1	0.11	0.09
tblVehicleEF	LHD1	0.26	0.43
tblVehicleEF	LHD1	0.16	0.05
tblVehicleEF	LHD2	2.5430e-003	2.5050e-003
tblVehicleEF	LHD2	5.3180e-003	5.3390e-003
tblVehicleEF	LHD2	3.2330e-003	4.8110e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.45	0.49
tblVehicleEF	LHD2	0.88	0.48
tblVehicleEF	LHD2	13.62	13.00
tblVehicleEF	LHD2	675.95	679.81
tblVehicleEF	LHD2	21.83	6.44
tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.22	0.38
tblVehicleEF	LHD2	0.26	0.12

tblVehicleEF	LHD2	1.0460e-003	1.5020e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	9.3120e-003	0.01
tblVehicleEF	LHD2	3.7400e-004	1.0600e-004
tblVehicleEF	LHD2	1.0000e-003	1.4370e-003
tblVehicleEF	LHD2	2.7080e-003	2.7110e-003
tblVehicleEF	LHD2	8.8860e-003	0.01
tblVehicleEF	LHD2	3.4400e-004	9.8000e-005
tblVehicleEF	LHD2	5.1500e-004	6.4200e-004
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.0800e-004	3.7400e-004
tblVehicleEF	LHD2	0.09	0.10
tblVehicleEF	LHD2	0.04	0.14
tblVehicleEF	LHD2	0.04	0.02
tblVehicleEF	LHD2	1.3300e-004	1.2400e-004
tblVehicleEF	LHD2	6.5670e-003	6.5570e-003
tblVehicleEF	LHD2	2.3300e-004	6.4000e-005
tblVehicleEF	LHD2	5.1500e-004	6.4200e-004
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	3.0800e-004	3.7400e-004
tblVehicleEF	LHD2	0.11	0.11
tblVehicleEF	LHD2	0.04	0.14
tblVehicleEF	LHD2	0.05	0.02
tblVehicleEF	MCY	0.46	0.32
tblVehicleEF	MCY	0.16	0.25
tblVehicleEF	MCY	17.52	17.61
tblVehicleEF	MCY	10.34	9.20
tblVehicleEF	MCY	171.38	209.76

tblVehicleEF	MCY	42.85	59.23
tblVehicleEF	MCY	1.14	1.14
tblVehicleEF	MCY	0.32	0.27
tblVehicleEF	MCY	2.1570e-003	2.1380e-003
tblVehicleEF	MCY	3.3210e-003	2.8620e-003
tblVehicleEF	MCY	2.0120e-003	1.9940e-003
tblVehicleEF	MCY	3.1070e-003	2.6760e-003
tblVehicleEF	MCY	0.88	1.79
tblVehicleEF	MCY	0.61	0.63
tblVehicleEF	MCY	0.46	0.95
tblVehicleEF	MCY	2.12	2.13
tblVehicleEF	MCY	0.46	1.49
tblVehicleEF	MCY	2.11	1.88
tblVehicleEF	MCY	2.0640e-003	2.0760e-003
tblVehicleEF	MCY	6.5900e-004	5.8600e-004
tblVehicleEF	MCY	0.88	1.79
tblVehicleEF	MCY	0.61	0.63
tblVehicleEF	MCY	0.46	0.95
tblVehicleEF	MCY	2.66	2.67
tblVehicleEF	MCY	0.46	1.49
tblVehicleEF	MCY	2.30	2.04
tblVehicleEF	MDV	5.1180e-003	1.7720e-003
tblVehicleEF	MDV	7.2260e-003	0.04
tblVehicleEF	MDV	0.68	0.55
tblVehicleEF	MDV	1.51	2.32
tblVehicleEF	MDV	358.67	322.27
tblVehicleEF	MDV	82.28	67.92
tblVehicleEF	MDV	0.07	0.04
tblVehicleEF	MDV	0.11	0.18
tblVehicleEF	MDV	1.3880e-003	1.0340e-003

tblVehicleEF	MDV	2.0820e-003	1.3440e-003
tblVehicleEF	MDV	1.2780e-003	9.5400e-004
tblVehicleEF	MDV	1.9150e-003	1.2360e-003
tblVehicleEF	MDV	0.05	0.06
tblVehicleEF	MDV	0.13	0.10
tblVehicleEF	MDV	0.05	0.06
tblVehicleEF	MDV	0.01	6.8870e-003
tblVehicleEF	MDV	0.09	0.34
tblVehicleEF	MDV	0.10	0.20
tblVehicleEF	MDV	3.5870e-003	2.9760e-003
tblVehicleEF	MDV	8.4800e-004	6.2800e-004
tblVehicleEF	MDV	0.05	0.06
tblVehicleEF	MDV	0.13	0.10
tblVehicleEF	MDV	0.05	0.06
tblVehicleEF	MDV	0.02	9.9830e-003
tblVehicleEF	MDV	0.09	0.34
tblVehicleEF	MDV	0.11	0.22
tblVehicleEF	MH	8.2310e-003	5.0270e-003
tblVehicleEF	MH	0.02	0.02
tblVehicleEF	MH	0.45	0.31
tblVehicleEF	MH	3.72	1.64
tblVehicleEF	MH	1,184.19	1,350.27
tblVehicleEF	MH	56.79	15.54
tblVehicleEF	MH	0.84	1.06
tblVehicleEF	MH	0.62	0.24
tblVehicleEF	MH	0.01	0.01
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	8.8300e-004	2.1200e-004
tblVehicleEF	MH	3.2210e-003	3.2970e-003
tblVehicleEF	MH	0.01	0.02

tblVehicleEF	MH	8.1200e-004	1.9500e-004
tblVehicleEF	MH	0.46	0.35
tblVehicleEF	MH	0.04	0.03
tblVehicleEF	MH	0.18	0.14
tblVehicleEF	MH	0.04	0.04
tblVehicleEF	MH	0.01	0.54
tblVehicleEF	MH	0.22	0.07
tblVehicleEF	MH	0.01	0.01
tblVehicleEF	MH	6.3200e-004	1.5400e-004
tblVehicleEF	MH	0.46	0.35
tblVehicleEF	MH	0.04	0.03
tblVehicleEF	MH	0.18	0.14
tblVehicleEF	MH	0.05	0.05
tblVehicleEF	MH	0.01	0.54
tblVehicleEF	MH	0.24	0.08
tblVehicleEF	MHD	0.02	3.8320e-003
tblVehicleEF	MHD	2.7470e-003	1.0340e-003
tblVehicleEF	MHD	0.03	8.3830e-003
tblVehicleEF	MHD	0.37	0.41
tblVehicleEF	MHD	0.25	0.15
tblVehicleEF	MHD	3.74	0.87
tblVehicleEF	MHD	131.96	65.10
tblVehicleEF	MHD	1,167.79	993.45
tblVehicleEF	MHD	59.45	8.55
tblVehicleEF	MHD	0.34	0.34
tblVehicleEF	MHD	1.04	1.43
tblVehicleEF	MHD	9.99	1.69
tblVehicleEF	MHD	5.2000e-005	1.6200e-004
tblVehicleEF	MHD	3.0080e-003	7.0060e-003
tblVehicleEF	MHD	8.2100e-004	1.1200e-004

tblVehicleEF	MHD	5.0000e-005	1.5500e-004
tblVehicleEF	MHD	2.8710e-003	6.6960e-003
tblVehicleEF	MHD	7.5400e-004	1.0300e-004
tblVehicleEF	MHD	6.4300e-004	2.8900e-004
tblVehicleEF	MHD	0.03	0.01
tblVehicleEF	MHD	0.02	0.02
tblVehicleEF	MHD	3.8200e-004	1.6800e-004
tblVehicleEF	MHD	0.04	0.01
tblVehicleEF	MHD	0.02	0.07
tblVehicleEF	MHD	0.23	0.04
tblVehicleEF	MHD	1.2710e-003	6.1800e-004
tblVehicleEF	MHD	0.01	9.4800e-003
tblVehicleEF	MHD	6.6000e-004	8.5000e-005
tblVehicleEF	MHD	6.4300e-004	2.8900e-004
tblVehicleEF	MHD	0.03	0.01
tblVehicleEF	MHD	0.03	0.03
tblVehicleEF	MHD	3.8200e-004	1.6800e-004
tblVehicleEF	MHD	0.05	0.01
tblVehicleEF	MHD	0.02	0.07
tblVehicleEF	MHD	0.25	0.05
tblVehicleEF	OBUS	0.01	7.0980e-003
tblVehicleEF	OBUS	4.0840e-003	2.1970e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.24	0.64
tblVehicleEF	OBUS	0.30	0.26
tblVehicleEF	OBUS	4.08	1.58
tblVehicleEF	OBUS	110.55	97.36
tblVehicleEF	OBUS	1,272.30	1,210.85
tblVehicleEF	OBUS	64.94	13.46
tblVehicleEF	OBUS	0.24	0.43

tblVehicleEF	OBUS	0.85	1.45
tblVehicleEF	OBUS	2.74	1.13
tblVehicleEF	OBUS	2.2000e-005	1.4200e-004
tblVehicleEF	OBUS	2.8340e-003	7.8820e-003
tblVehicleEF	OBUS	9.3800e-004	1.5600e-004
tblVehicleEF	OBUS	2.1000e-005	1.3600e-004
tblVehicleEF	OBUS	2.6900e-003	7.5260e-003
tblVehicleEF	OBUS	8.6200e-004	1.4400e-004
tblVehicleEF	OBUS	1.1660e-003	1.0620e-003
tblVehicleEF	OBUS	0.01	0.02
tblVehicleEF	OBUS	0.03	0.05
tblVehicleEF	OBUS	5.3200e-004	4.8700e-004
tblVehicleEF	OBUS	0.04	0.02
tblVehicleEF	OBUS	0.03	0.18
tblVehicleEF	OBUS	0.26	0.08
tblVehicleEF	OBUS	1.0660e-003	9.2400e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	7.2100e-004	1.3300e-004
tblVehicleEF	OBUS	1.1660e-003	1.0620e-003
tblVehicleEF	OBUS	0.01	0.02
tblVehicleEF	OBUS	0.05	0.06
tblVehicleEF	OBUS	5.3200e-004	4.8700e-004
tblVehicleEF	OBUS	0.05	0.02
tblVehicleEF	OBUS	0.03	0.18
tblVehicleEF	OBUS	0.28	0.08
tblVehicleEF	SBUS	0.81	0.07
tblVehicleEF	SBUS	7.6490e-003	4.4040e-003
tblVehicleEF	SBUS	0.06	6.3380e-003
tblVehicleEF	SBUS	8.87	2.93
tblVehicleEF	SBUS	0.48	0.37

tblVehicleEF	SBUS	7.57	0.86
tblVehicleEF	SBUS	1,023.58	337.48
tblVehicleEF	SBUS	1,008.60	970.50
tblVehicleEF	SBUS	61.81	5.06
tblVehicleEF	SBUS	4.35	2.71
tblVehicleEF	SBUS	1.72	3.09
tblVehicleEF	SBUS	10.76	1.18
tblVehicleEF	SBUS	2.1870e-003	2.0480e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	8.4940e-003	0.02
tblVehicleEF	SBUS	1.1020e-003	6.8000e-005
tblVehicleEF	SBUS	2.0920e-003	1.9600e-003
tblVehicleEF	SBUS	2.5880e-003	2.6690e-003
tblVehicleEF	SBUS	8.1060e-003	0.02
tblVehicleEF	SBUS	1.0130e-003	6.2000e-005
tblVehicleEF	SBUS	3.7080e-003	8.7000e-004
tblVehicleEF	SBUS	0.03	8.3040e-003
tblVehicleEF	SBUS	1.05	0.32
tblVehicleEF	SBUS	1.7580e-003	4.1400e-004
tblVehicleEF	SBUS	0.07	0.06
tblVehicleEF	SBUS	0.02	0.05
tblVehicleEF	SBUS	0.40	0.04
tblVehicleEF	SBUS	0.01	3.2190e-003
tblVehicleEF	SBUS	9.7440e-003	9.2880e-003
tblVehicleEF	SBUS	7.4900e-004	5.0000e-005
tblVehicleEF	SBUS	3.7080e-003	8.7000e-004
tblVehicleEF	SBUS	0.03	8.3040e-003
tblVehicleEF	SBUS	1.53	0.46
tblVehicleEF	SBUS	1.7580e-003	4.1400e-004
tblVehicleEF	SBUS	0.08	0.07

tblVehicleEF	SBUS	0.02	0.05
tblVehicleEF	SBUS	0.43	0.04
tblVehicleEF	UBUS	0.23	1.86
tblVehicleEF	UBUS	0.05	2.1860e-003
tblVehicleEF	UBUS	3.04	14.11
tblVehicleEF	UBUS	7.59	0.14
tblVehicleEF	UBUS	1,937.16	1,668.67
tblVehicleEF	UBUS	126.43	1.40
tblVehicleEF	UBUS	4.75	0.71
tblVehicleEF	UBUS	13.02	0.02
tblVehicleEF	UBUS	0.54	0.07
tblVehicleEF	UBUS	0.01	0.03
tblVehicleEF	UBUS	0.10	5.1160e-003
tblVehicleEF	UBUS	1.3960e-003	1.5000e-005
tblVehicleEF	UBUS	0.23	0.03
tblVehicleEF	UBUS	3.0000e-003	8.3320e-003
tblVehicleEF	UBUS	0.10	4.8930e-003
tblVehicleEF	UBUS	1.2840e-003	1.4000e-005
tblVehicleEF	UBUS	2.5990e-003	6.1000e-005
tblVehicleEF	UBUS	0.04	8.1400e-004
tblVehicleEF	UBUS	1.5170e-003	3.6000e-005
tblVehicleEF	UBUS	0.23	0.03
tblVehicleEF	UBUS	9.4350e-003	4.9280e-003
tblVehicleEF	UBUS	0.65	9.2610e-003
tblVehicleEF	UBUS	0.02	0.01
tblVehicleEF	UBUS	1.4020e-003	1.4000e-005
tblVehicleEF	UBUS	2.5990e-003	6.1000e-005
tblVehicleEF	UBUS	0.04	8.1400e-004
tblVehicleEF	UBUS	1.5170e-003	3.6000e-005
tblVehicleEF	UBUS	0.48	1.90

tblVehicleEF	UBUS	9.4350e-003	4.9280e-003
tblVehicleEF	UBUS	0.71	0.01
tblVehicleTrips	WD_TR	68.93	33.98
tblWater	AerobicPercent	87.46	100.00
tblWater	AerobicPercent	87.46	100.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	SepticTankPercent	10.33	0.00
tblWater	SepticTankPercent	10.33	0.00

2.0 Emissions Summary

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Energy	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	84.9737	84.9737	8.5300e-003	2.1700e-003	85.8337
Mobile	0.1929	0.2885	1.4438	4.1700e-003	0.4974	3.1100e-003	0.5005	0.1331	2.9100e-003	0.1360	0.0000	406.1096	406.1096	0.0176	0.0000	406.5493
Stationary	0.0412	0.1844	0.1051	2.0000e-004		6.0700e-003	6.0700e-003		6.0700e-003	6.0700e-003	0.0000	19.1351	19.1351	2.6800e-003	0.0000	19.2021
Waste						0.0000	0.0000		0.0000	0.0000	6.0694	0.0000	6.0694	0.3587	0.0000	15.0368
Water						0.0000	0.0000		0.0000	0.0000	2.2597	4.5095	6.7692	8.4100e-003	5.0500e-003	8.4830
Total	**0.3815**	**0.4988**	**1.5716**	**4.5300e-003**	**0.4974**	**0.0112**	**0.5086**	**0.1331**	**0.0110**	**0.1440**	**8.3291**	**514.7295**	**523.0587**	**0.3959**	**7.2200e-003**	**535.1067**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Energy	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Mobile	0.1929	0.2885	1.4438	4.1700e-003	0.4974	3.1100e-003	0.5005	0.1331	2.9100e-003	0.1360	0.0000	406.1096	406.1096	0.0176	0.0000	406.5493
Stationary	0.0412	0.1844	0.1051	2.0000e-004		6.0700e-003	6.0700e-003		6.0700e-003	6.0700e-003	0.0000	19.1351	19.1351	2.6800e-003	0.0000	19.2021
Waste						0.0000	0.0000		0.0000	0.0000	6.0694	0.0000	6.0694	0.3587	0.0000	15.0368
Water						0.0000	0.0000		0.0000	0.0000	2.2597	4.5095	6.7692	8.4100e-003	5.0500e-003	8.4830
Total	**0.3815**	**0.4988**	**1.5716**	**4.5300e-003**	**0.4974**	**0.0112**	**0.5086**	**0.1331**	**0.0110**	**0.1440**	**8.3291**	**457.9817**	**466.3109**	**0.3879**	**5.5700e-003**	**477.6666**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**11.02**	**10.85**	**2.02**	**22.85**	**10.73**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Mitigated	0.1929	0.2885	1.4438	4.1700e-003	0.4974	3.1100e-003	0.5005	0.1331	2.9100e-003	0.1360	0.0000	406.1096	406.1096	0.0176	0.0000	406.5493
Unmitigated	0.1929	0.2885	1.4438	4.1700e-003	0.4974	3.1100e-003	0.5005	0.1331	2.9100e-003	0.1360	0.0000	406.1096	406.1096	0.0176	0.0000	406.5493

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Government Office Building	1,092.46	0.00	0.00	1,338,167	1,338,167
Parking Lot	0.00	0.00	0.00		
Total	1,092.46	0.00	0.00	1,338,167	1,338,167

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Government Office Building	9.50	7.30	7.30	33.00	62.00	5.00	50	34	16
Parking Lot	9.50	7.30	7.30	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Government Office Building	0.595423	0.053963	0.171400	0.106522	0.021043	0.005556	0.013639	0.023425	0.001443	0.001178	0.004780	0.000900	0.000728
Parking Lot	0.595423	0.053963	0.171400	0.106522	0.021043	0.005556	0.013639	0.023425	0.001443	0.001178	0.004780	0.000900	0.000728

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	56.7478	56.7478	7.9900e-003	1.6500e-003	57.4401
NaturalGas Mitigated	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
NaturalGas Unmitigated	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Government Office Building	528933	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		**2.8500e-003**	**0.0259**	**0.0218**	**1.6000e-004**		**1.9700e-003**	**1.9700e-003**		**1.9700e-003**	**1.9700e-003**	**0.0000**	**28.2259**	**28.2259**	**5.4000e-004**	**5.2000e-004**	**28.3936**

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					

Government Office Building	528933	2.8500e-003	0.0259	0.0218	1.6000e-004		1.9700e-003	1.9700e-003		1.9700e-003	1.9700e-003	0.0000	28.2259	28.2259	5.4000e-004	5.2000e-004	28.3936
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		**2.8500e-003**	**0.0259**	**0.0218**	**1.6000e-004**		**1.9700e-003**	**1.9700e-003**		**1.9700e-003**	**1.9700e-003**	**0.0000**	**28.2259**	**28.2259**	**5.4000e-004**	**5.2000e-004**	**28.3936**

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Government Office Building	585846	54.7415	7.7100e-003	1.5900e-003	55.4093
Parking Lot	21472	2.0063	2.8000e-004	6.0000e-005	2.0308
Total		**56.7478**	**7.9900e-003**	**1.6500e-003**	**57.4401**

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Government Office Building	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**0.0000**	**0.0000**	**0.0000**	**0.0000**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Unmitigated	0.1445	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0173					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1272					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Total	**0.1445**	**1.0000e-005**	**8.5000e-004**	**0.0000**		**0.0000**	**0.0000**		**0.0000**	**0.0000**	**0.0000**	**1.6600e-003**	**1.6600e-003**	**0.0000**	**0.0000**	**1.7700e-003**

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0173					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1272					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	8.0000e-005	1.0000e-005	8.5000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	1.6600e-003	1.6600e-003	0.0000	0.0000	1.7700e-003
Total	**0.1445**	**1.0000e-005**	**8.5000e-004**	**0.0000**		**0.0000**	**0.0000**		**0.0000**	**0.0000**	**0.0000**	**1.6600e-003**	**1.6600e-003**	**0.0000**	**0.0000**	**1.7700e-003**

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	6.7692	8.4100e-003	5.0500e-003	8.4830
Unmitigated	6.7692	8.4100e-003	5.0500e-003	8.4830

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Government Office Building	6.38691 / 3.91456	6.7692	8.4100e-003	5.0500e-003	8.4830
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		**6.7692**	**8.4100e-003**	**5.0500e-003**	**8.4830**

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Government Office Building	6.38691 / 3.91456	6.7692	8.4100e-003	5.0500e-003	8.4830
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Total		**6.7692**	**8.4100e-003**	**5.0500e-003**	**8.4830**

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			

Mitigated	6.0694	0.3587	0.0000	15.0368
Unmitigated	6.0694	0.3587	0.0000	15.0368

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Government Office Building	29.9	6.0694	0.3587	0.0000	15.0368
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**6.0694**	**0.3587**	**0.0000**	**15.0368**

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Government Office Building	29.9	6.0694	0.3587	0.0000	15.0368
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		**6.0694**	**0.3587**	**0.0000**	**15.0368**

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
Emergency Generator	1	0	50	1005	0.73	Diesel

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

10.1 Stationary Sources

Unmitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	tons/yr										MT/yr					
Emergency Generator - Diesel (750 - 9999 HP)	0.0412	0.1844	0.1051	2.0000e-004		6.0700e-003	6.0700e-003		6.0700e-003	6.0700e-003	0.0000	19.1351	19.1351	2.6800e-003	0.0000	19.2021
Total	**0.0412**	**0.1844**	**0.1051**	**2.0000e-004**		**6.0700e-003**	**6.0700e-003**		**6.0700e-003**	**6.0700e-003**	**0.0000**	**19.1351**	**19.1351**	**2.6800e-003**	**0.0000**	**19.2021**

11.0 Vegetation

Attachment 3: EMFAC2017 Emissions and CARB SAFE Off-Model Adjustment Factors

Summary of Construction Traffic Emissions (EMFAC2017)

Pollutants YEAR	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	NBio- CO2
					Tons						*Metric Tons*
Criteria Pollutants											
2022	0.0076	0.1006	0.0762	0.0005	0.0240	0.0061	0.0301	0.0036	0.0029	0.0065	48.1772
Toxic Air Contaminants (1 Mile Trip Length)											
2022	0.0051	0.0271	0.0301	0.0001	0.0024	0.0006	0.0030	0.0004	0.0003	0.0007	7.0653

CalEEMod Construction Inputs

Phase	CalEEMod WORKER TRIPS	CalEEMod VENDOR TRIPS	Total Worker Trips	Total Vendor Trips	CalEEMod HAULING TRIPS	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class	*Worker VMT*	*Vendor VMT*	*Hauling VMT*
Demolition	13	0	260	0	356	10.8	7.3	20	LD_Mix	HDT_Mix	HHDT	2808	0	7120
Site Preparation	8	0	16	0	0	10.8	7.3	20	LD_Mix	HDT_Mix	HHDT	172.8	0	0
Grading	8	0	32	0	0	10.8	7.3	20	LD_Mix	HDT_Mix	HHDT	345.6	0	0
Building Construction	21	9	4200	1800	286	10.8	7.3	7.3	LD_Mix	HDT_Mix	HHDT	45360	13140	2087.8
Architectural Coating	13	0	130	0	0	10.8	7.3	20	LD_Mix	HDT_Mix	HHDT	1404	0	0
Paving	4	0	40	0	52	10.8	7.3	7.3	LD_Mix	HDT_Mix	HHDT	432	0	379.6

Number of Days Per Year					
2021	1/3/22	12/12/22	344	**246**	
2022			1	**0**	
2023			1	**0**	
			346	**246**	***Total Workdays***

Phase	Start Date	End Date	Days/Week	Workdays
Demolition	1/3/2022	1/28/2022	5	20
Site Preparation	1/29/2022	2/1/2022	5	2
Grading	2/2/2022	2/7/2022	5	4
Building Construction	2/8/2022	11/14/2022	5	200
Architectural Coating	11/29/2022	12/12/2022	5	10
Paving	11/15/2022	11/28/2022	5	10

Source: EMFAC2017 (v1.0.3) Emission Rates
Region Type: Sub-Area
Region: Santa Clara (SF)
Calendar Year: 2022
Season: Annual
Vehicle Classification: EMFAC2007 Categories
Units: miles/day for VMT, trips/day for Trips, g/mile for RUNEX, PMBW and PMTW, g/trip for STREX, HOTSOAK and RUNLOSS, g/vehicle/day for IDLEX, RESTLOSS and DIURN

Region	Calendar Y	Vehicle Cat	Model Yea	Speed	Fuel	Population	VMT	Trips	NOx_RUNEX	NOx_IDLEX	NOx_STREX	PM2.5_RU	PM2.5_IDL	PM2.5_STR	PM2.5_PM	PM2.5_PM	PM10_RUN	PM10_IDL	PM10_STR	PM10_PM	PM10_PM	CO2_RUNE	CO2_IDLEX	CO2_STREX	CH4_RUNE	CH4_IDLEX	CH4_STREX	N2O_RUNEX	N2O_IDLEX	N2O_STREX	ROG_RUNEX	ROG_IDLEX	ROG_STREX	ROG_HOTS	ROG_RUNL	ROG_RESTL	TOG_DIUR	TOG_RUNEX	TOG_IDLEX	TOG_STREX	TOG_HOTS	TOG_RUNL	TOG_RESTL	TOG_DIUR	CO_RUNEX	CO_IDLEX	CO_STREX	SOx_RUNE	SOx_IDLEX	SOx_STREX
Santa Clara	2022	HHDT	Aggregate	Aggregate	Gasoline	4.973172	516.9338	99.50323	3.654204	0	0.338391	0.001236	0	0.000744	0.005	0.02646	0.001344	0	0.00081	0.02	0.06174	1964.961	0	46.86739	0.097725	0	0.00044	0.140899	0	0.010576	0.494672	0	0.002301	0.136891	0.830556	0.033943	0.061166	0.721824	0	0.00252	0.136891	0.830556	0.033943	0.061166	30.00648	0	5.27737	0.019445	0	0.000464
Santa Clara	2022	HHDT	Aggregate	Aggregate	Diesel	8277.463	1011013	88031.26	3.535499	63.08378	2.080194	0.033949	0.03347	0	0.008873	0.026088	0.035484	0.034983	0	0.035494	0.060872	1486.606	11783.13	0	0.003901	0.215524	0	0.233674	1.852143	0	0.08399	4.640183	0	0	0	0	0	0.095616	5.282495	0	0	0	0	0	0.366847	63.30293	0	0.014045	0.111321	0
Santa Clara	2022	HHDT	Aggregate	Aggregate	Natural Ga	348.7902	14223.14	1360.282	1.755776	21.14752	0	0.004789	0.030991	0	0.009	0.02646	0.005006	0.032392	0	0.036	0.06174	3203.692	4060.116	0	3.511574	1.248503	0	0.653093	0.827681	0	0.161697	0.045805	0	0	0	0	3.710887	1.306054	0	0	0	0	0	10.70122	21.55662	0	0	0	0
Santa Clara	2022	LDA	Aggregate	Aggregate	Gasoline	733557.7	26455304	3456649	0.03872	0	0.197227	0.001299	0	0.001748	0.002	0.01575	0.001413	0	0.001902	0.008	0.03675	259.2126	0	55.39361	0.002345	0	0.054199	0.004449	0	0.026685	0.009015	0	0.243726	0.100881	0.22086	0.178182	0.20337	0.613218	0	2.325265	0.002565	0	0.000548
Santa Clara	2022	LDA	Aggregate	Aggregate	Diesel	7146.668	268335.1	33963.02	0.071556	0	0	0.006579	0	0	0	0.002	0.01575	0.006877	0	0	0.008	0.03675	200.3149	0	0	0.000626	0	0	0.031487	0	0	0.013485	0	0	0	0	0.015352	0	0	0	0	0	0.198488	0	0	0.001894	0	0
Santa Clara	2022	LDA	Aggregate	Aggregate	Electricity	25894.61	943282.8	126428	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0
Santa Clara	2022	LDT1	Aggregate	Aggregate	Gasoline	73556.92	2443329	340743.8	0.091156	0	0.251292	0.001724	0	0.002226	0.002	0.01575	0.001875	0	0.002421	0.008	0.03675	300.527	0	64.49485	0.004882	0	0.070027	0.007217	0	0.028775	0.021236	0	0.344801	0.173613	0.628849	0.332831	0.420667	0.030964	0	0.377511	0.173613	0.628849	0.332831	0.420667	1.068397	0	2.450832	0.002974	0	0.000638
Santa Clara	2022	LDT1	Aggregate	Aggregate	Diesel	36.8388	667.9121	121.0603	1.185315	0	0	0.157566	0	0	0	0.002	0.01575	0.164691	0	0	0.008	0.03675	408.3259	0	0	0.009501	0	0	0.064183	0	0	0.204561	0	0	0	0	0.232879	0	0	0	0	0	1.159574	0	0	0.00386	0	0
Santa Clara	2022	LDT1	Aggregate	Aggregate	Electricity	624.8771	24059.07	3099.469	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0
Santa Clara	2022	LDT2	Aggregate	Aggregate	Gasoline	250455.4	8295824	1167439	0.077278	0	0.299792	0.001307	0	0.001684	0.002	0.01575	0.001421	0	0.001831	0.008	0.03675	327.6413	0	71.42656	0.003665	0	0.072415	0.006473	0	0.033384	0.014906	0	0.339292	0.128171	0.436499	0.281495	0.299507	0.021744	0	0.371482	0.128171	0.436499	0.281495	0.299507	0.860463	0	2.923834	0.003242	0	0.000707
Santa Clara	2022	LDT2	Aggregate	Aggregate	Diesel	1663.513	62652.21	8136.947	0.039252	0	0	0.004754	0	0	0	0.002	0.01575	0.004969	0	0	0.008	0.03675	275.5741	0	0	0.000647	0	0	0.043316	0	0	0.013935	0	0	0	0	0.015864	0	0	0	0	0	0.123161	0	0	0.002605	0	0
Santa Clara	2022	LDT2	Aggregate	Aggregate	Electricity	2695.96	82111.52	13502.44	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0
Santa Clara	2022	LHDT1	Aggregate	Aggregate	Gasoline	16336.9	566343.8	246375.2	0.235238	0.038471	0.530556	0.002161	0	0.000388	0.002	0.03276	0.00235	0	0.000422	0.008	0.07644	1006.569	121.1222	18.98971	0.01086	0.121305	0.025473	0.014262	0.003125	0.041267	0.052874	0.440699	0.129054	0.125369	0.861898	0.025267	0.050121	0.077153	0.643067	0.141298	0.125369	0.861898	0.025267	0.050121	0.97349	3.751848	1.764958	0.009961	0.001199	0.000188
Santa Clara	2022	LHDT1	Aggregate	Aggregate	Diesel	11104.44	423266.4	139679.8	1.613919	2.033114	0	0.021273	0.026869	0	0.003	0.03276	0.022235	0.028084	0	0.012	0.07644	544.3042	133.047	0	0.007318	0.005098	0	0.085557	0.020913	0	0.157544	0.10976	0	0	0	0	0.179353	0.124954	0	0	0	0	0	0.661457	0.909745	0	0.005146	0.001258	0
Santa Clara	2022	LHDT2	Aggregate	Aggregate	Gasoline	2253.3	77523.96	33570.81	0.240034	0.037891	0.516259	0.002078	0	0.000346	0.002	0.03822	0.00226	0	0.000377	0.008	0.08918	1147.291	139.0737	21.54397	0.008737	0.120275	0.024583	0.015135	0.003045	0.039911	0.039365	0.434196	0.123837	0.121118	0.819863	0.023133	0.046225	0.057441	0.633578	0.135586	0.121118	0.819863	0.023133	0.046225	0.722025	3.75488	1.776904	0.011353	0.001376	0.000213
Santa Clara	2022	LHDT2	Aggregate	Aggregate	Diesel	4438.985	166319.5	55836.85	1.346918	2.041795	0	0.021771	0.027131	0	0.003	0.03822	0.022756	0.028358	0	0.012	0.08918	612.5422	213.4891	0	0.007003	0.005098	0	0.096283	0.033558	0	0.150761	0.10976	0	0	0	0	0.171631	0.124954	0	0	0	0	0	0.634383	0.909745	0	0.005791	0.002018	0
Santa Clara	2022	MCY	Aggregate	Aggregate	Gasoline	32925.36	241011	65850.71	1.151611	0	0.270649	0.001812	0	0.002978	0.001	0.00504	0.001937	0	0.003161	0.004	0.01176	210.2729	0	61.39967	0.328946	0	0.256691	0.06628	0	0.015352	2.228751	0	1.954835	0.704215	2.060677	0.995009	1.817765	2.753726	0	2.127328	0.704215	2.060677	0.995009	1.817765	19.18808	0	9.0045	0.002081	0	0.000608
Santa Clara	2022	MDV	Aggregate	Aggregate	Gasoline	151961.1	4876240	702265.7	0.099589	0	0.371177	0.001397	0	0.001912	0.002	0.01575	0.001519	0	0.002079	0.008	0.03675	396.236	0	86.90417	0.004621	0	0.087878	0.007887	0	0.036541	0.019446	0	0.437645	0.147462	0.472734	0.331376	0.347901	0.028322	0	0.479161	0.147462	0.472734	0.331376	0.347901	0.980018	0	3.406111	0.003921	0	0.00086
Santa Clara	2022	MDV	Aggregate	Aggregate	Diesel	3721.225	135478.8	18101.22	0.038775	0	0	0.004203	0	0	0	0.002	0.01575	0.004393	0	0	0.008	0.03675	360.3121	0	0	0.000478	0	0	0.056636	0	0	0.010285	0	0	0	0	0.011709	0	0	0	0	0	0.184421	0	0	0.003406	0	0
Santa Clara	2022	MDV	Aggregate	Aggregate	Electricity	1080.167	34834.41	5508.057	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0
Santa Clara	2022	MH	Aggregate	Aggregate	Gasoline	2891.835	26265.33	2891.2991	0.413359	0	0.334516	0.001633	0	0.000362	0.003	0.05586	0.001776	0	0.000394	0.012	0.13034	1756.095	0	25.97914	0.015124	0	0.032419	0.025426	0	0.034963	0.066433	0	0.137518	0.088945	2.156488	0.036513	0.106238	0.096939	0	0.150564	0.088945	2.156488	0.036513	0.106238	1.697423	0	3.037213	0.017378	0	0.000257
Santa Clara	2022	MH	Aggregate	Aggregate	Diesel	1019.353	9712.32	101.9353	4.184918	0	0	0.085576	0	0	0	0.004	0.05586	0.089445	0	0	0.016	0.13034	1018.587	0	0	0.005027	0	0	0.160108	0	0	0.108225	0	0	0	0	0.123206	0	0	0	0	0	0.382773	0	0	0.009629	0	0
Santa Clara	2022	MHDT	Aggregate	Aggregate	Gasoline	1456.112	75284.48	29133.88	0.474932	0.088412	0.377896	0.001319	0	0.000469	0.003	0.05586	0.001435	0	0.00051	0.012	0.13034	1722.789	532.6547	39.09903	0.014881	0.262553	0.04023	0.023376	0.007484	0.029181	0.072945	1.011617	0.219187	0.087649	0.506692	0.018903	0.038182	0.106442	1.47615	0.239982	0.087649	0.506692	0.018903	0.038182	1.680953	15.10368	4.939745	0.017048	0.005271	0.000387
Santa Clara	2022	MHDT	Aggregate	Aggregate	Diesel	9430.024	551923.8	94917.85	2.277066	7.413096	1.687822	0.039812	0.015538	0	0.003	0.05586	0.041612	0.01624	0	0.012	0.13034	1050.628	914.98	0	0.004378	0.004667	0	0.165144	0.143822	0	0.094265	0.100481	0	0	0	0	0.107314	0.11439	0	0	0	0	0	0.32147	2.58681	0	0.009926	0.008644	0
Santa Clara	2022	OBUS	Aggregate	Aggregate	Gasoline	501.9655	24150.25	10043.33	0.443255	0.065137	0.32561	0.000952	0	0.000213	0.003	0.05586	0.001035	0	0.000232	0.012	0.13034	1767.375	377.9272	26.38965	0.013022	0.200837	0.030332	0.022732	0.005646	0.026387	0.061436	0.747416	0.156088	0.026802	0.295531	0.015889	0.036065	0.089647	1.090627	0.170897	0.026802	0.295531	0.015889	0.036065	1.365657	5.781487	3.261978	0.01749	0.00374	0.000261
Santa Clara	2022	OBUS	Aggregate	Aggregate	Diesel	762.3964	53839.19	6991.348	2.314382	10.4182	2.005848	0.021086	0.015288	0	0.003	0.05586	0.02204	0.015979	0	0.012	0.13034	1185.916	1892.098	0	0.002538	0.027964	0	0.18641	0.297411	0	0.054653	0.620048	0	0	0	0	0.062218	0.685386	0	0	0	0	0	0.239321	8.657847	0	0.011204	0.017876	0
Santa Clara	2022	SBUS	Aggregate	Aggregate	Gasoline	249.3134	11500.83	997.2534	0.430325	0.924415	0.560946	0.001196	0	0.000498	0.002	0.3192	0.001301	0	0.000541	0.008	0.7448	865.5448	2582.545	48.67377	0.011856	2.442701	0.058309	0.024366	0.088243	0.053528	0.058325	10.61061	0.332747	0.061157	0.415506	0.010413	0.025261	0.085108	15.48298	0.364316	0.061157	0.415506	0.010413	0.025261	1.259002	82.05319	8.624782	0.008565	0.025556	0.000482
Santa Clara	2022	SBUS	Aggregate	Aggregate	Diesel	1014.086	31965.96	11702.42	6.765334	45.00081	0.786274	0.042018	0.05033	0	0.003	0.3192	0.043917	0.052605	0	0.012	0.7448	1145.085	3716.49	0	0.004669	0.013069	0	0.179991	0.584181	0	0.100532	0.281366	0	0	0	0	0.114448	0.320314	0	0	0	0	0	0.27746	5.867721	0	0.010818	0.035112	0
Santa Clara	2022	UBUS	Aggregate	Aggregate	Gasoline	8.419396	1059.849	33.67758	0.491737	0	1.236285	0.000328	0	9.7E-05	0.003	0.05586	0.000356	0	0.000105	0.012	0.13034	2351.817	0	104.599	0.006789	0	0.178596	0.036386	0	0.091633	0.022728	0	0.768536	0.190076	1.35875	0.031079	0.049249	0.033164	0	0.84145	0.190076	1.35875	0.031079	0.049249	0.527722	0	8.852622	0.023273	0	0.001035
Santa Clara	2022	UBUS	Aggregate	Aggregate	Diesel	423.2358	46482.16	1692.943	0.803453	0	0	0.005651	0	0	0.008415	0.029326	0.005907	0	0	0	0.033661	0.068427	1481.178	0	0	0.077358	0	0	0.232821	0	0	0.001105	0	0	0	0	0.078949	0	0	0	0	0	0.131304	0	0	0.014002	0	0
Santa Clara	2022	UBUS	Aggregate	Aggregate	Natural Ga	104.0289	12325.91	416.1154	0.48934	0	0	0.003183	0	0	0.008475	0.029034	0.003327	0	0	0	0.033899	0.067746	2016.3	0	0	6.413607	0	0	0.411036	0	0	0.091638	0	0	0	0	6.545556	0	0	0	0	0	49.80397	0	0	0	0	0

Season	EmissionTy	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
A	CH4_IDLEX	0	0	0	0	0.005162	0.003155	0.003545	0.024834	0.007063	0	0	0.051479	0
A	CH4_RUNE	0.001958	0.004163	0.003245	0.00391	0.008545	0.00706	0.001932	0.049536	0.004013	1.348781	0.326994	0.006356	0.0108
A	CH4_STRE)	0.047744	0.063181	0.066279	0.077681	0.015	0.008431	0.009487	4.91E-07	0.017607	0.001417	0.255241	0.004783	0.023194
A	CO_IDLEX	0	0	0	0	0.185249	0.138442	0.388783	6.342288	0.573374	0	0	2.176398	0
A	CO_RUNEX	0.56207	0.946438	0.787567	0.865358	0.768919	0.621061	0.261063	0.395697	0.470154	10.11652	18.86893	0.51865	1.109312
A	CO_STREX	2.160562	2.346256	2.785419	3.129575	1.083381	0.63132	1.136225	0.005919	1.895072	0.139137	9.034026	0.699825	2.132057
A	CO2_NBIO_	0	0	0	0	8.942095	14.00074	73.35401	1065.376	91.92835	0	0	347.3949	0
A	CO2_NBIO_	245.2799	292.9084	316.762	383.4057	794.1566	768.7296	1095.065	1436.676	1341.742	1597.13	210.1672	1060.994	1532.749
A	CO2_NBIO_	52.01687	62.87067	68.57931	82.01676	11.82811	7.832833	9.380273	0.049285	15.47806	1.390925	61.03922	3.981795	18.67936
A	NOX_IDLEX	0	0	0	0	0.058295	0.098034	0.431519	5.438234	0.369473	0	0	3.527869	0
A	NOX_RUNE	0.033072	0.078073	0.067378	0.083492	0.730308	0.876464	1.444056	2.680939	1.441249	0.728908	1.148719	4.873886	1.363761
A	NOX_STRE)	0.176158	0.230265	0.270417	0.324369	0.321259	0.182356	1.696526	2.321335	1.089647	0.010032	0.270672	0.811844	0.245583
A	PM10_IDLE	0	0	0	0	0.000825	0.001423	0.000427	0.00267	0.00012	0	0	0.003905	0
A	PM10_PMI	0.03675	0.03675	0.03675	0.03675	0.07644	0.08918	0.13034	0.060919	0.13034	0.069383	0.01176	0.7448	0.13034
A	PM10_PM"	0.008	0.008	0.008	0.008	0.009747	0.01075	0.012	0.035513	0.012	0.033326	0.004	0.010909	0.013099
A	PM10_RUN	0.001356	0.001766	0.001389	0.001511	0.01021	0.015665	0.006955	0.024671	0.007029	0.005328	0.001969	0.031247	0.023972
A	PM10_STR	0.001744	0.002244	0.001745	0.001909	0.000258	0.000133	0.000119	7.19E-07	0.000142	1.52E-05	0.003039	4.55E-05	0.000274
A	PM25_IDLE	0	0	0	0	0.00079	0.001361	0.000409	0.002555	0.000115	0	0	0.003736	0
A	PM25_PMI	0.01575	0.01575	0.01575	0.01575	0.03276	0.03822	0.05586	0.026108	0.05586	0.029736	0.00504	0.3192	0.05586
A	PM25_PM"	0.002	0.002	0.002	0.002	0.002437	0.002688	0.003	0.008878	0.003	0.008332	0.001	0.002727	0.003275
A	PM25_RUN	0.001249	0.001625	0.001279	0.001393	0.00972	0.014962	0.006648	0.023603	0.006712	0.005096	0.00184	0.029882	0.022889
A	PM25_STR	0.001604	0.002063	0.001605	0.001756	0.000237	0.000123	0.00011	6.61E-07	0.00013	1.40E-05	0.002859	4.18E-05	0.000252
A	ROG_DIUR	0.038084	0.081984	0.061288	0.070174	0.002024	0.00107	0.000417	2.54E-06	0.001084	1.94E-05	1.809555	0.000537	0.707189
A	ROG_HTSK	0.09006	0.15803	0.120816	0.135544	0.075635	0.041911	0.019674	0.000116	0.016051	0.000133	0.689105	0.005221	0.05968
A	ROG_IDLEX	0	0	0	0	0.021316	0.015901	0.018316	0.428946	0.045786	0	0	0.241386	0
A	ROG_REST	0.033665	0.06596	0.058242	0.067485	0.001032	0.000547	0.000211	1.41E-06	0.00048	7.82E-06	0.985054	0.000227	0.247171
A	ROG_RUNE	0.007459	0.017917	0.013146	0.016466	0.092959	0.111603	0.017071	0.02576	0.025484	0.019672	2.208057	0.086453	0.06941
A	ROG_RUNL	0.202838	0.577726	0.418479	0.440788	0.521043	0.276429	0.112019	0.000594	0.177971	0.000592	1.969445	0.035286	1.439379
A	ROG_STRE)	0.211356	0.306088	0.307495	0.382282	0.075776	0.042231	0.050853	2.57E-06	0.090401	0.005883	1.941958	0.027318	0.096685
A	SO2_IDLEX	0	0	0	0	8.68E-05	0.000134	0.000696	0.009914	0.000873	0	0	0.003306	0
A	SO2_RUNE	9.26E-05	0.002616	0.010439	0.003743	0.007755	0.007424	0.010439	0.013154	0.012917	0.011293	0.00208	0.010129	0.015045
A	SO2_STREX	0	0	9.28E-05	0.000802	0.000117	7.75E-05	9.28E-05	4.88E-07	0.000153	1.38E-05	0.000604	3.94E-05	0.000185
A	TOG_DIUR	0.038084	0.081984	0.061288	0.070174	0.002024	0.00107	0.000417	2.54E-06	0.001084	1.94E-05	1.809555	0.000537	0.707189
A	TOG_HTSK	0.09006	0.15803	0.120816	0.135544	0.075635	0.041911	0.019674	0.000116	0.016051	0.000133	0.689105	0.005221	0.05968
A	TOG_IDLEX	0	0	0	0	0.030064	0.021432	0.02485	0.493262	0.059237	0	0	0.345172	0
A	TOG_RESTI	0.033665	0.06596	0.058242	0.067485	0.001032	0.000547	0.000211	1.41E-06	0.00048	7.82E-06	0.985054	0.000227	0.247171
A	TOG_RUNE	0.010845	0.026122	0.019145	0.023909	0.114266	0.130419	0.021706	0.078007	0.034475	1.37699	2.736079	0.103211	0.092037
A	TOG_RUNL	0.202838	0.577726	0.418479	0.440788	0.521043	0.276429	0.112019	0.000594	0.177971	0.000592	1.969445	0.035286	1.439379
A	TOG_STRE)	0.231408	0.335127	0.336668	0.418547	0.082966	0.046238	0.055677	2.81E-06	0.098977	0.006441	2.11358	0.02991	0.105858

FleetMixLa	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Governmei	0.590598	0.05278	0.17808	0.10708	0.021013	0.005252	0.013411	0.022089	0.001622	0.001261	0.005132	0.000923	0.000759
Parking Lot	0.590598	0.05278	0.17808	0.10708	0.021013	0.005252	0.013411	0.022089	0.001622	0.001261	0.005132	0.000923	0.000759

Source: EMFAC2017 (v1.0.3) Emission Rates
Region Type: Sub-Area
Region: Santa Clara (SF)
Calendar Year: 2023
Season: Annual
Vehicle Classification: EMFAC2007 Categories
Units: miles/day for VMT, trips/day for Trips, g/mile for RUNEX, PMBW and PMTW, g/trip for STREX, HOTSOAK and RUNLOSS, g/vehicle/day for IDLEX, RESTLOSS and DIURN

Region	Calendar Y	Vehicle Cat	Model Yea	Speed	Fuel	Population	VMT	Trips	NOx_RUNEX	NOx_IDLEX	NOx_STREX	PM2.5_RU	PM2.5_IDL	PM2.5_STR	PM2.5_DIU	PM2.5_PM	PM2.5_RUI	PM10_RUN	PM10_IDLE	PM10_STR	PM10_DIU	PM10_PMT	PM10_PMI	CO2_RUNE	CO2_IDLEX	CO2_STREX	CH4_RUNE	CH4_IDLEX	CH4_STREX	N2O_RUNEX	N2O_IDLEX	N2O_STREX	ROG_RUNEX	ROG_IDLEX	ROG_STREX	ROG_HOTS	ROG_RUNL	ROG_RESTL	ROG_DIUR	TOG_RUNEX	TOG_IDLEX	TOG_STREX	TOG_HOTS	TOG_RUNL	TOG_RESTL	TOG_DIUR	CO_RUNEX	CO_IDLEX	CO_STREX	SOx_RUNEX	SOx_IDLEX	SOx_STREX
Santa Clara	2023	HHDT	Aggregate	Aggregate	Gasoline	4.815448	553.4124	96.34748	3.178298	0	0.254165	0.001157	0	0.000623	0.005	0.02646	0.001259	0	0.000677	0.02	0.06174	1915.642	0	46.38676	0.084318	0	0.000462	0.130889	0	0.008571	0.409676	0	0.002416	0.109047	0.558691	0.026465	0.047808	0.597798	0	0.002645	0.109047	0.558691	0.026465	0.047808	27.8207	0	5.57125	0.018957	0	0.000459
Santa Clara	2023	HHDT	Aggregate	Aggregate	Diesel	8401.79	1034051	89180.29	2.696198	57.80539	2.360147	0.023887	0.026373	0	0.008879	0.026103	0.024967	0.027565	0	0.035514	0.060907	1411.729	11326.45	0	0.001106	0.214953	0	0.221904	1.78036	0	0.023817	4.627869	0	0	0	0	0	0.027114	5.268477	0	0	0	0	0	0.233741	67.52667	0	0.013337	0.107007	0
Santa Clara	2023	HHDT	Aggregate	Aggregate	Natural Ga	360.3246	14693.25	1405.266	1.588314	20.76108	0	0.004529	0.028055	0	0.009	0.02646	0.004734	0.029323	0	0.036	0.06174	3174.275	4018.428	0	3.456549	1.233751	0	0.647097	0.819183	0	0.148044	0.042416	0	0	0	0	0	3.64007	1.291393	0	0	0	0	0	10.76049	21.60789	0	0	0	0
Santa Clara	2023	LDA	Aggregate	Aggregate	Gasoline	751359.6	26739811	3542534	0.034059	0	0.184615	0.001247	0	0.001682	0.002	0.01575	0.001356	0	0.001829	0.008	0.03675	252.091	0	53.87356	0.002048	0	0.050071	0.004113	0	0.025656	0.007696	0	0.221504	0.094205	0.212597	0.166193	0.187545	0.011228	0	0.242518	0.094205	0.212597	0.166193	0.187545	0.586148	0	2.259775	0.002495	0	0.000533
Santa Clara	2023	LDA	Aggregate	Aggregate	Diesel	7591.987	280497.7	36090.42	0.058679	0	0	0.005598	0	0	0	0.002	0.01575	0.005851	0	0	0.008	0.03675	195.1926	0	0	0.000552	0	0	0.030682	0	0	0.011887	0	0	0	0	0	0.013532	0	0	0	0	0	0.188023	0	0.001845	0	0	0
Santa Clara	2023	LDA	Aggregate	Aggregate	Electricity	28074.67	1034348	136585.9	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2023	LDT1	Aggregate	Aggregate	Gasoline	75517.84	2475367	350251	0.078745	0	0.232751	0.001604	0	0.002087	0.002	0.01575	0.001745	0	0.00227	0.008	0.03675	292.8794	0	62.80265	0.004214	0	0.063907	0.006493	0	0.02759	0.018087	0	0.309393	0.159698	0.584022	0.309209	0.384203	0.026384	0	0.338746	0.159698	0.584022	0.309209	0.384203	0.955745	0	2.366858	0.002898	0	0.000621
Santa Clara	2023	LDT1	Aggregate	Aggregate	Diesel	34.1777	620.5176	112.4335	1.098891	0	0	0.146297	0	0	0	0.002	0.01575	0.152912	0	0	0.008	0.03675	401.6268	0	0	0.008837	0	0	0.06313	0	0	0.190256	0	0	0	0	0	0.216594	0	0	0	0	0	1.080107	0	0.003797	0	0	0
Santa Clara	2023	LDT1	Aggregate	Aggregate	Electricity	788.4144	31182.48	3917.01	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2023	LDT2	Aggregate	Aggregate	Gasoline	254167.5	8294772	1184412	0.06837	0	0.275999	0.001263	0	0.001639	0.002	0.01575	0.001374	0	0.001783	0.008	0.03675	316.8848	0	69.17216	0.003305	0	0.067695	0.00592	0	0.031692	0.013288	0	0.313842	0.123254	0.427158	0.276975	0.291298	0.019387	0	0.343617	0.123254	0.427158	0.276975	0.291298	0.800025	0	2.837237	0.003136	0	0.000685
Santa Clara	2023	LDT2	Aggregate	Aggregate	Diesel	1802.688	66004.69	8781.203	0.037098	0	0	0.004581	0	0	0	0.002	0.01575	0.004788	0	0	0.008	0.03675	268.3329	0	0	0.000636	0	0	0.042178	0	0	0.01369	0	0	0	0	0	0.015585	0	0	0	0	0	0.124122	0	0.002537	0	0	0
Santa Clara	2023	LDT2	Aggregate	Aggregate	Electricity	3304.555	98384.64	16510.28	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2023	LHDT1	Aggregate	Aggregate	Gasoline	16555.13	562142	246646.7	0.210457	0.037398	0.511224	0.002137	0	0.000377	0.002	0.03276	0.002324	0	0.00041	0.008	0.07644	994.5276	120.0678	18.82225	0.009676	0.118805	0.02387	0.012895	0.003089	0.040194	0.046707	0.428491	0.120584	0.120359	0.829144	0.024473	0.047994	0.068155	0.625253	0.132025	0.120359	0.829144	0.024473	0.047994	0.867722	3.754766	1.724	0.009842	0.001188	0.000186
Santa Clara	2023	LHDT1	Aggregate	Aggregate	Diesel	11594.64	435998.6	145846	1.400562	1.919948	0	0.019496	0.026734	0	0.003	0.03276	0.020378	0.027943	0	0.012	0.07644	535.8142	131.265	0	0.007088	0.005098	0	0.084223	0.020633	0	0.152594	0.10976	0	0	0	0	0.173718	0.124954	0	0	0	0	0.641529	0.909745	0	0.005065	0.001241	0
Santa Clara	2023	LHDT2	Aggregate	Aggregate	Gasoline	2285.018	77947.41	34043.37	0.21093	0.036728	0.496392	0.002042	0	0.000334	0.002	0.03822	0.00222	0	0.000363	0.008	0.08918	1132.921	137.76	21.32176	0.007566	0.117557	0.022949	0.013529	0.00301	0.038884	0.03359	0.420989	0.114958	0.114086	0.752468	0.022171	0.043386	0.049014	0.613406	0.125864	0.114086	0.752468	0.022171	0.043386	0.620201	3.758932	1.718516	0.011211	0.001363	0.000211
Santa Clara	2023	LHDT2	Aggregate	Aggregate	Diesel	4660.728	171541.4	58626.09	1.17888	1.93121	0	0.020832	0.02707	0	0.003	0.03822	0.021774	0.028294	0	0.012	0.08918	603.2432	210.8377	0	0.00683	0.005098	0	0.094821	0.033141	0	0.147052	0.10976	0	0	0	0	0.167409	0.124954	0	0	0	0	0.621451	0.909745	0	0.005703	0.001993	0
Santa Clara	2023	MCY	Aggregate	Aggregate	Gasoline	33683.49	242470.7	67366.97	1.148719	0	0.270672	0.00184	0	0.002859	0.001	0.00504	0.001969	0	0.003039	0.004	0.01176	210.1672	0	61.03922	0.326994	0	0.255241	0.066143	0	0.01536	2.208057	0	1.941958	0.689105	1.969445	0.985054	1.809555	18.86893	0	2.11358	0.689105	1.969445	0.985054	1.809555	18.86893	0	9.034026	0.00208	0	0.000604
Santa Clara	2023	MDV	Aggregate	Aggregate	Gasoline	154431.4	4896063	714241.1	0.085683	0	0.336488	0.001332	0	0.001823	0.002	0.01575	0.001448	0	0.001982	0.008	0.03675	383.1839	0	84.08131	0.004049	0	0.08064	0.007039	0	0.034344	0.016817	0	0.396565	0.140569	0.457303	0.323766	0.336538	0.024505	0	0.434185	0.140569	0.457303	0.323766	0.336538	0.891357	0	3.240031	0.003792	0	0.000832
Santa Clara	2023	MDV	Aggregate	Aggregate	Diesel	4004.429	142223.9	19410.39	0.034292	0	0	0.003829	0	0	0	0.002	0.01575	0.004002	0	0	0.008	0.03675	350.448	0	0	0.000445	0	0	0.055086	0	0	0.009578	0	0	0	0	0	0.010904	0	0	0	0	0	0.180483	0	0.003313	0	0	0
Santa Clara	2023	MDV	Aggregate	Aggregate	Electricity	1532.638	48234.63	7794.674	0	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2023	MH	Aggregate	Aggregate	Gasoline	2857.04	26157.03	2853.182	0.361451	0	0.336127	0.001555	0	0.000345	0.003	0.05586	0.001691	0	0.000375	0.012	0.13034	1731.827	0	25.56622	0.013045	0	0.031746	0.02323	0	0.035777	0.05596	0	0.132332	0.081683	1.97006	0.033844	0.096831	0.081657	0	0.144887	0.081683	1.97006	0.033844	0.096831	1.390474	0	2.91812	0.017138	0	0.000253
Santa Clara	2023	MH	Aggregate	Aggregate	Diesel	1053.778	9907.819	105.3778	4.0099	0	0	0.079211	0	0	0	0.004	0.05586	0.082793	0	0	0.016	0.13034	1007.175	0	0	0.004873	0	0	0.158314	0	0	0.104917	0	0	0	0	0	0.119441	0	0	0	0	0	0.367033	0	0.009521	0	0	0
Santa Clara	2023	MHDT	Aggregate	Aggregate	Gasoline	1507.68	78317.15	30165.67	0.385258	0.088623	0.367592	0.001293	0	0.000446	0.003	0.05586	0.001406	0	0.000485	0.012	0.13034	1697.438	526.34	38.16999	0.011942	0.266499	0.038604	0.019927	0.007724	0.029367	0.057622	1.014767	0.206928	0.080059	0.455824	0.017154	0.033931	0.084081	1.480746	0.22656	0.080059	0.455824	0.017154	0.033931	1.316681	15.14023	4.623501	0.016798	0.005209	0.000378
Santa Clara	2023	MHDT	Aggregate	Aggregate	Diesel	9262.822	558718.8	92583.75	1.59247	5.703996	2.12952	0.007398	0.005414	0	0.003	0.05586	0.007733	0.005658	0	0.012	0.13034	1010.629	886.4048	0	0.000529	0.003602	0	0.158857	0.13933	0	0.011387	0.077551	0	0	0	0	0.012963	0.088286	0	0	0	0	0.113094	2.687765	0	0.009548	0.008374	0
Santa Clara	2023	OBUS	Aggregate	Aggregate	Gasoline	503.4572	23697.77	1007.317	0.401971	0.065148	0.321785	0.000992	0	0.000219	0.003	0.05586	0.001079	0	0.000239	0.012	0.13034	1743.614	374.6133	26.08015	0.011771	0.201157	0.029667	0.020963	0.005691	0.026276	0.05538	0.74759	0.152323	0.027045	0.299878	0.01619	0.03654	0.080811	1.090882	0.166775	0.027045	0.299878	0.01619	0.03654	1.211154	5.782545	3.193149	0.017254	0.003707	0.000258
Santa Clara	2023	OBUS	Aggregate	Aggregate	Diesel	753.4001	53354.33	6899.877	1.902854	8.28017	2.210652	0.009253	0.002588	0	0.003	0.05586	0.009671	0.002705	0	0.012	0.13034	1163.247	1820.683	0	0.000567	0.024706	0	0.182846	0.286186	0	0.012205	0.531913	0	0	0	0	0.013895	0.605542	0	0	0	0	0.141032	9.053135	0	0.01099	0.017201	0
Santa Clara	2023	SBUS	Aggregate	Aggregate	Gasoline	263.5229	11968.77	1054.092	0.420713	0.924728	0.578334	0.001201	0	0.000506	0.002	0.3192	0.001307	0	0.00055	0.008	0.7448	859.0893	2565.057	48.16666	0.011122	2.441451	0.057864	0.023879	0.088232	0.054355	0.054742	10.61517	0.330464	0.063152	0.426847	0.010977	0.026004	0.07888	15.48964	0.361817	0.063152	0.426847	0.010977	0.026004	1.167899	82.08092	8.465591	0.008501	0.025383	0.000477
Santa Clara	2023	SBUS	Aggregate	Aggregate	Diesel	1013.614	31894.7	11696.96	6.544978	44.13946	0.832887	0.040645	0.046993	0	0.003	0.3192	0.042483	0.049118	0	0.012	0.7448	1136.76	3703.284	0	0.004568	0.012858	0	0.178683	0.582105	0	0.098352	0.27682	0	0	0	0	0.111967	0.315138	0	0	0	0	0.275014	6.038953	0	0.01074	0.034987	0
Santa Clara	2023	UBUS	Aggregate	Aggregate	Gasoline	8.423223	1060.331	33.69289	0.150806	0	0.638272	0.002209	0	0.000888	0.003	0.05586	0.002402	0	0.000966	0.012	0.13034	1956.542	0	88.49758	0.007038	0	0.09018	0.015696	0	0.066738	0.022728	0	0.374288	0.008476	0.037646	0.001991	0.00493	0.033164	0	0.409798	0.008476	0.037646	0.001991	0.00493	0.258128	0	8.852622	0.019362	0	0.000876
Santa Clara	2023	UBUS	Aggregate	Aggregate	Diesel	430.5287	46874.38	1722.115	0.802545	0	0	0.005646	0	0	0.008399	0.029403	0.005901	0	0	0.033598	0.068607	1480.062	0	0	0.077245	0	0	0.232645	0	0	0.001104	0	0	0	0	0	0.078834	0	0	0	0	0	0.131094	0	0.013992	0	0	0
Santa Clara	2023	UBUS	Aggregate	Aggregate	Natural Ga	96.97562	11960.41	387.9025	0.491564	0	0	0.003197	0	0	0.008538	0.028723	0.003341	0	0	0.034153	0.06702	2024.074	0	0	6.451045	0	0	0.412621	0	0	0.092173	0	0	0	0	0	6.583765	0	0	0	0	0	50.12464	0	0	0	0	0

Season	EmissionTy	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
A	CH4_IDLEX	0	0	0	0	0.004148	0.002505	0.003832	0.024231	0.007098	0	0	0.070082	0
A	CH4_RUNE	0.000959	0.001671	0.001726	0.001772	0.005195	0.005339	0.001034	0.045181	0.002197	1.859484	0.319087	0.004404	0.005027
A	CH4_STRE)	0.028931	0.035248	0.041821	0.043924	0.009023	0.004811	0.008383	4.35E-07	0.015222	0.002186	0.24786	0.006338	0.019545
A	CO_IDLEX	0	0	0	0	0.17731	0.131894	0.405402	6.2849	0.644155	0	0	2.927328	0
A	CO_RUNEX	0.411156	0.540474	0.559142	0.551517	0.468742	0.489111	0.152189	0.405949	0.262856	14.11073	17.60732	0.374881	0.311691
A	CO_STREX	1.716961	1.849789	2.287973	2.324828	0.890393	0.484256	0.872515	0.006685	1.577018	0.139137	9.199577	0.858725	1.635194
A	CO2_NBIO_	0	0	0	0	8.251826	13.00041	65.09769	930.0497	97.36242	0	0	337.4754	0
A	CO2_NBIO_	213.8884	258.4057	267.3331	322.2663	698.5465	679.813	993.4479	1226.348	1210.85	1668.671	209.7572	970.5049	1350.267
A	CO2_NBIO_	45.12682	55.17203	57.56738	67.91602	10.09364	6.438033	8.550649	0.051649	13.46187	1.401901	59.22586	5.059627	15.54123
A	NOX_IDLEX	0	0	0	0	0.045908	0.074209	0.341766	5.199427	0.431935	0	0	2.710433	0
A	NOX_RUNE	0.019319	0.033468	0.034489	0.035665	0.299902	0.384329	1.428316	2.517362	1.448391	0.706433	1.137409	3.086533	1.063099
A	NOX_STRE)	0.125333	0.151052	0.168209	0.179169	0.225227	0.124883	1.689216	2.314549	1.129093	0.015157	0.270173	1.184451	0.23668
A	PM10_IDLE	0	0	0	0	0.000915	0.001502	0.000162	0.002146	0.000142	0	0	0.002048	0
A	PM10_PMI	0.03675	0.03675	0.03675	0.03675	0.07644	0.08918	0.13034	0.06111	0.13034	0.069383	0.01176	0.7448	0.13034
A	PM10_PM"	0.008	0.008	0.008	0.008	0.009901	0.010844	0.012	0.035621	0.012	0.033326	0.004	0.010676	0.013189
A	PM10_RUN	0.000929	0.00107	0.001025	0.001034	0.007019	0.013839	0.007006	0.02379	0.007882	0.005116	0.002138	0.021245	0.016043
A	PM10_STR	0.001275	0.001461	0.00134	0.001344	0.00021	0.000106	0.000112	5.80E-07	0.000156	1.52E-05	0.002862	6.76E-05	0.000212
A	PM25_IDLE	0	0	0	0	0.000875	0.001437	0.000155	0.002053	0.000136	0	0	0.00196	0
A	PM25_PMI	0.01575	0.01575	0.01575	0.01575	0.03276	0.03822	0.05586	0.02619	0.05586	0.029736	0.00504	0.3192	0.05586
A	PM25_PM"	0.002	0.002	0.002	0.002	0.002475	0.002711	0.003	0.008905	0.003	0.008332	0.001	0.002669	0.003297
A	PM25_RUN	0.000855	0.000984	0.000944	0.000954	0.006671	0.013218	0.006696	0.022761	0.007526	0.004893	0.001994	0.02031	0.015312
A	PM25_STR	0.001172	0.001344	0.001232	0.001236	0.000193	9.76E-05	0.000103	5.33E-07	0.000144	1.40E-05	0.002676	6.22E-05	0.000195
A	ROG_DIUR	0.024903	0.046388	0.048996	0.057349	0.001403	0.000642	0.000289	1.33E-06	0.001062	6.14E-05	1.786807	0.00087	0.347564
A	ROG_HTSK	0.061657	0.093564	0.089096	0.0981	0.054855	0.024352	0.013852	5.78E-05	0.015622	0.000814	0.631299	0.008304	0.028392
A	ROG_IDLEX	0	0	0	0	0.01734	0.013466	0.01847	0.4221	0.050126	0	0	0.322319	0
A	ROG_REST	0.022934	0.041206	0.048532	0.056738	0.000772	0.000374	0.000168	7.98E-07	0.000487	3.58E-05	0.946881	0.000414	0.1401
A	ROG_RUNE	0.003247	0.0065	0.006553	0.006887	0.072661	0.0982	0.011844	0.024014	0.016744	0.026969	2.128511	0.060159	0.038911
A	ROG_RUNL	0.170512	0.364405	0.336782	0.340289	0.429696	0.143744	0.071507	0.000284	0.181965	0.004928	1.487321	0.053902	0.535482
A	ROG_STRE)	0.118715	0.154126	0.182707	0.199251	0.043726	0.022756	0.041407	2.27E-06	0.076636	0.009261	1.877593	0.036024	0.074231
A	SO2_IDLEX	0	0	0	0	7.99E-05	0.000124	0.000618	0.008653	0.000924	0	0	0.003219	0
A	SO2_RUNE	9.00E-05	0.002567	0.00948	0.002976	0.006812	0.006557	0.00948	0.011212	0.011649	0.010417	0.002076	0.009288	0.013242
A	SO2_STREX	0	0	8.46E-05	0.000628	9.99E-05	6.37E-05	8.46E-05	5.11E-07	0.000133	1.39E-05	0.000586	5.01E-05	0.000154
A	TOG_DIUR	0.024903	0.046388	0.048996	0.057349	0.001403	0.000642	0.000289	1.33E-06	0.001062	6.14E-05	1.786807	0.00087	0.347564
A	TOG_HTSK	0.061657	0.093564	0.089096	0.0981	0.054855	0.024352	0.013852	5.78E-05	0.015622	0.000814	0.631299	0.008304	0.028392
A	TOG_IDLEX	0	0	0	0	0.02413	0.017772	0.025282	0.48518	0.063906	0	0	0.463821	0
A	TOG_RESTI	0.022934	0.041206	0.048532	0.056738	0.000772	0.000374	0.000168	7.98E-07	0.000487	3.58E-05	0.946881	0.000414	0.1401
A	TOG_RUNE	0.004716	0.009483	0.009524	0.009983	0.08579	0.112949	0.014288	0.071682	0.021563	1.898202	2.666273	0.071678	0.048331
A	TOG_RUNL	0.170512	0.364405	0.336782	0.340289	0.429696	0.143744	0.071507	0.000284	0.181965	0.004928	1.487321	0.053902	0.535482
A	TOG_STRE)	0.129977	0.168749	0.200041	0.218155	0.047875	0.024915	0.045336	2.49E-06	0.083906	0.01014	2.04481	0.039442	0.081274

FleetMixLa	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Governmei	0.595423	0.053963	0.1714	0.106522	0.021043	0.005556	0.013639	0.023425	0.001443	0.001178	0.00478	0.0009	0.000728
Parking Lot	0.595423	0.053963	0.1714	0.106522	0.021043	0.005556	0.013639	0.023425	0.001443	0.001178	0.00478	0.0009	0.000728

Source: EMFAC2017 (v1.0.3) Emission Rates
Region Type: Sub-Area
Region: Santa Clara (SF)
Calendar Year: 2030
Season: Annual
Vehicle Classification: EMFAC2007 Categories
Units: miles/day for VMT, trips/day for Trips, g/mile for RUNEX, PMBW and PMTW, g/trip for STREX, HOTSOAK and RUNLOSS, g/vehicle/day for IDLEX, RESTLOSS and DIURN

Region	Calendar Y	Vehicle Cat	Model Yea	Speed	Fuel	Population	VMT	Trips	NOx_RUNEX	NOx_IDLEX	NOx_STREX	PM2.5_RU	PM2.5_IDL	PM2.5_STR	PM2.5_PM	PM2.5_RUI	PM10_RUN	PM10_IDLE	PM10_STR	PM10_PM	PM10_PMI	CO2_RUNE	CO2_IDLEX	CO2_STREX	CH4_RUNE	CH4_IDLEX	CH4_STREX	N2O_RUNEX	N2O_IDLEX	N2O_STREX	ROG_RUNEX	ROG_IDLEX	ROG_STREX	ROG_HOTS	ROG_RUNL	ROG_RESTL	ROG_DIUR	TOG_RUNEX	TOG_IDLEX	TOG_STREX	TOG_HOTS	TOG_RUNL	TOG_RESTL	TOG_DIUR	CO_RUNEX	CO_IDLEX	CO_STREX	SOx_RUNE	SOx_IDLEX	SOx_STREX
Santa Clara	2030	HHDT	Aggregate	Aggregate	Gasoline	6.644908	846.0095	132.9513	2.895279	0	0.044486	0.001084	0	0.000414	0.005	0.02646	0.001179	0	0.00045	0.02	0.06174	1677.599	0	40.07141	0.06849	0	0.000337	0.127319	0	0.001575	0.302922	0	0.001761	0.044849	0.220711	0.012382	0.020645	0.442024	0	0.001928	0.044849	0.220711	0.012382	0.020645	28.21474	0	5.186707	0.016601	0	0.000397
Santa Clara	2030	HHDT	Aggregate	Aggregate	Diesel	9431.66	1177485	1014513.9	2.539781	56.05241	2.353151	0.023044	0.021785	0	0.008907	0.026186	0.024086	0.02277	0	0.035627	0.061101	1202.821	10016.29	0	0.001063	0.214358	0	0.189067	1.574421	0	0.022896	4.615071	0	0	0	0	0	0.026066	5.253907	0	0	0	0	0	0.238872	67.80499	0	0.011364	0.094629	0
Santa Clara	2030	HHDT	Aggregate	Aggregate	Natural Ga	400.4237	16329.01	1561.653	0.881174	19.09434	0	0.003462	0.015749	0	0.009	0.02646	0.003619	0.016461	0	0.036	0.06174	2899.524	3653.632	0	3.225286	1.19295	0	0.591087	0.744817	0	0.090199	0.028054	0	0	0	0	0	3.341906	1.230036	0	0	0	0	0	11.01311	21.88788	0	0	0	0
Santa Clara	2030	LDA	Aggregate	Aggregate	Gasoline	869969.1	28403709	4092414	0.020358	0	0.132956	0.000879	0	0.001249	0.002	0.01575	0.000956	0	0.001359	0.008	0.03675	211.6944	0	44.94162	0.001023	0	0.030835	0.003085	0	0.020493	0.003388	0	0.12606	0.065117	0.180811	0.11416	0.123291	0.004944	0	0.13802	0.065117	0.180811	0.11416	0.123291	0.43107	0	1.801842	0.002095	0	0.000445
Santa Clara	2030	LDA	Aggregate	Aggregate	Diesel	10023.63	337674.2	47693.27	0.01676	0	0	0.001829	0	0	0.002	0.01575	0.001912	0	0	0.008	0.03675	166.1368	0	0	0.000273	0	0	0.026114	0	0	0.005885	0	0	0	0	0	0	0.006699	0	0	0	0	0	0	0.146966	0	0	0.001571	0	0
Santa Clara	2030	LDA	Aggregate	Aggregate	Electricity	46172.96	1625146	221619.4	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2030	LDT1	Aggregate	Aggregate	Gasoline	88972.38	2670256	412660.2	0.034308	0	0.154254	0.000998	0	0.001379	0.002	0.01575	0.001085	0	0.001499	0.008	0.03675	248.8135	0	52.89319	0.001722	0	0.036164	0.003879	0	0.021779	0.00667	0	0.15755	0.095382	0.371981	0.194977	0.219194	0.009733	0	0.172497	0.095382	0.371981	0.194977	0.219194	0.548445	0	1.868724	0.002462	0	0.000523
Santa Clara	2030	LDT1	Aggregate	Aggregate	Diesel	12.41764	352.1646	54.72798	0.189506	0	0	0.017188	0	0	0.002	0.01575	0.017965	0	0	0.008	0.03675	322.0531	0	0	0.001569	0	0	0.050622	0	0	0.033785	0	0	0	0	0	0	0.038462	0	0	0	0	0	0	0.286183	0	0	0.003045	0	0
Santa Clara	2030	LDT1	Aggregate	Aggregate	Electricity	2180.044	81488.93	10672.84	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2030	LDT2	Aggregate	Aggregate	Gasoline	281546.9	8446247	1307139	0.035247	0	0.174198	0.000925	0	0.001282	0.002	0.01575	0.001006	0	0.001394	0.008	0.03675	256.344	0	55.96845	0.00178	0	0.043514	0.003847	0	0.023481	0.006634	0	0.189401	0.09208	0.348635	0.233116	0.234964	0.00968	0	0.20737	0.09208	0.348635	0.233116	0.234964	0.568541	0	2.344012	0.002537	0	0.000554
Santa Clara	2030	LDT2	Aggregate	Aggregate	Diesel	2576.298	81354.46	12261.45	0.02908	0	0	0.003937	0	0	0.002	0.01575	0.004115	0	0	0.008	0.03675	226.4921	0	0	0.000595	0	0	0.035601	0	0	0.01282	0	0	0	0	0	0	0.014595	0	0	0	0	0	0	0.129762	0	0	0.002141	0	0
Santa Clara	2030	LDT2	Aggregate	Aggregate	Electricity	8320.478	213767.2	40645.17	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2030	LHDT1	Aggregate	Aggregate	Gasoline	17444.25	563109.1	259893.3	0.098098	0.030587	0.387515	0.002081	0	0.000333	0.002	0.03276	0.002264	0	0.000362	0.008	0.07644	897.5407	110.5325	17.36665	0.004317	0.101968	0.015524	0.006844	0.002802	0.033538	0.018245	0.350811	0.075233	0.094381	0.739315	0.019801	0.035959	0.026623	0.511903	0.082371	0.094381	0.739315	0.019801	0.035959	0.368714	3.768698	1.531971	0.008882	0.001094	0.000172
Santa Clara	2030	LHDT1	Aggregate	Aggregate	Diesel	14887.61	510107.2	187267.4	0.522674	1.343027	0	0.011738	0.026289	0	0.003	0.03276	0.012269	0.027477	0	0.012	0.07644	478.8761	118.3357	0	0.006165	0.005098	0	0.075273	0.018601	0	0.13273	0.10976	0	0	0	0	0	0.151104	0.124954	0	0	0	0	0	0.579164	0.909745	0	0.004527	0.001119	0
Santa Clara	2030	LHDT2	Aggregate	Aggregate	Gasoline	2535.293	81915.35	37772.09	0.091162	0.030032	0.379653	0.001975	0	0.000297	0.002	0.03822	0.002148	0	0.000323	0.008	0.08918	1021.816	126.3902	19.57212	0.00327	0.10112	0.014626	0.00699	0.00275	0.032936	0.012455	0.344716	0.06918	0.074032	0.436992	0.016932	0.02908	0.018175	0.503009	0.075743	0.074032	0.436992	0.016932	0.02908	0.249204	3.775612	1.472175	0.010112	0.001251	0.000194
Santa Clara	2030	LHDT2	Aggregate	Aggregate	Diesel	6126.051	201454.9	77058.01	0.503536	1.378592	0	0.017789	0.026933	0	0.003	0.03822	0.018593	0.028151	0	0.012	0.08918	540.7481	191.3797	0	0.006181	0.005098	0	0.084998	0.030082	0	0.133066	0.10976	0	0	0	0	0	0.151486	0.124954	0	0	0	0	0	0.586662	0.909745	0	0.005112	0.001809	0
Santa Clara	2030	MCY	Aggregate	Aggregate	Gasoline	38839.87	253703.2	77679.74	1.137409	0	0.270173	0.001994	0	0.002676	0.001	0.00504	0.002138	0	0.002862	0.004	0.01176	209.7572	0	59.22586	0.319087	0	0.24786	0.065566	0	0.015364	2.128511	0	1.877593	0.631299	1.487321	0.946881	1.786807	2.666273	0	2.04481	0.631299	1.487321	0.946881	1.786807	17.60732	0	9.199577	0.002076	0	0.000586
Santa Clara	2030	MDV	Aggregate	Aggregate	Gasoline	173606	5113918	803848	0.03715	0	0.190209	0.00093	0	0.001318	0.002	0.01575	0.001012	0	0.001433	0.008	0.03675	309.7804	0	67.68816	0.001872	0	0.04685	0.004005	0	0.024192	0.007071	0	0.21174	0.103941	0.361114	0.278651	0.281249	0.010317	0	0.231829	0.103941	0.361114	0.278651	0.281249	0.571385	0	2.441594	0.003066	0	0.00067
Santa Clara	2030	MDV	Aggregate	Aggregate	Diesel	5652.323	175214.3	26820.46	0.016338	0	0	0.001999	0	0	0.002	0.01575	0.00209	0	0	0.008	0.03675	295.1303	0	0	0.000296	0	0	0.04639	0	0	0.006382	0	0	0	0	0	0	0.007265	0	0	0	0	0	0	0.160558	0	0	0.00279	0	0
Santa Clara	2030	MDV	Aggregate	Aggregate	Electricity	5412.776	143464.5	26723.4	0	0	0	0	0	0	0.002	0.01575	0	0	0	0.008	0.03675	0	0	0	0	0	0	0	0	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0.004888	0	0.00456	0.017501	0	0	0	0	0	0
Santa Clara	2030	MH	Aggregate	Aggregate	Gasoline	2781.183	26082.35	278.2296	0.161957	0	0.344848	0.001294	0	0.000284	0.003	0.05586	0.001408	0	0.000309	0.012	0.13034	1534.746	0	22.64387	0.005412	0	0.028477	0.014768	0	0.039513	0.01789	0	0.108156	0.041368	0.780207	0.020421	0.050661	0.026105	0	0.118417	0.041368	0.780207	0.020421	0.050661	0.321425	0	2.382509	0.015188	0	0.000224
Santa Clara	2030	MH	Aggregate	Aggregate	Diesel	1271.562	11026.54	127.1562	3.194675	0	0	0.048471	0	0	0.004	0.05586	0.050662	0	0	0.016	0.13034	913.8987	0	0	0.004117	0	0	0.143652	0	0	0.088635	0	0	0	0	0	0	0.100905	0	0	0	0	0	0	0.288665	0	0	0.00864	0	0
Santa Clara	2030	MHDT	Aggregate	Aggregate	Gasoline	1942.274	96462.8	38861.02	0.137179	0.089333	0.328382	0.001276	0	0.000397	0.003	0.05586	0.001388	0	0.000432	0.012	0.13034	1512.526	477.0555	33.02741	0.004329	0.277482	0.032379	0.010371	0.008413	0.029895	0.018098	1.025296	0.159937	0.053505	0.276198	0.013009	0.02236	0.026409	1.49611	0.175111	0.053505	0.276198	0.013009	0.02236	0.365535	15.26266	3.370143	0.014968	0.004721	0.000327
Santa Clara	2030	MHDT	Aggregate	Aggregate	Diesel	11245.42	599136.6	111242.1	1.636194	4.546441	2.164606	0.007568	0.002068	0	0.003	0.05586	0.00791	0.002162	0	0.012	0.13034	909.8747	786.5238	0	0.000503	0.003226	0	0.14302	0.123631	0	0.010837	0.069445	0	0	0	0	0	0.012337	0.079058	0	0	0	0	0	0.11784	2.775159	0	0.008596	0.007431	0
Santa Clara	2030	OBUS	Aggregate	Aggregate	Gasoline	521.2442	22324.56	10429.05	0.201397	0.065222	0.308429	0.001191	0	0.000252	0.003	0.05586	0.001295	0	0.000274	0.012	0.13034	1542.791	344.1269	23.61734	0.005871	0.202191	0.026706	0.012891	0.005853	0.026143	0.025703	0.748687	0.134449	0.027407	0.319238	0.017082	0.037276	0.037506	1.092483	0.147204	0.027407	0.319238	0.017082	0.037276	0.529537	5.789149	2.766701	0.015267	0.003405	0.000234
Santa Clara	2030	OBUS	Aggregate	Aggregate	Diesel	845.8557	51263.29	7867.551	1.991442	9.302951	2.216948	0.010285	0.002947	0	0.003	0.05586	0.01075	0.003081	0	0.012	0.13034	1066.293	1893.973	0	0.000596	0.028932	0	0.167606	0.297706	0	0.012842	0.6229	0	0	0	0	0	0.01462	0.709124	0	0	0	0	0	0.14672	10.36618	0	0.010074	0.017893	0
Santa Clara	2030	SBUS	Aggregate	Aggregate	Gasoline	362.3014	15198.78	1449.205	0.285961	0.92653	0.618868	0.001215	0	0.000547	0.002	0.3192	0.001322	0	0.000595	0.008	0.7448	803.9675	2414.339	44.56576	0.00626	2.435971	0.055823	0.018735	0.089714	0.057177	0.030067	10.64152	0.317303	0.073145	0.474779	0.014584	0.030637	0.043873	15.52808	0.347407	0.073145	0.474779	0.014584	0.030637	0.649967	82.24088	7.563743	0.007956	0.023892	0.000441
Santa Clara	2030	SBUS	Aggregate	Aggregate	Diesel	980.5629	30722.11	11315.56	4.472027	34.94152	1.257143	0.029756	0.025511	0	0.003	0.3192	0.031102	0.026664	0	0.012	0.7448	1052.894	3501.127	0	0.003486	0.012263	0	0.1655	0.550328	0	0.075046	0.264022	0	0	0	0	0	0.085434	0.300569	0	0	0	0	0	0.238791	7.720739	0	0.009947	0.033077	0
Santa Clara	2030	UBUS	Aggregate	Aggregate	Gasoline	8.45001	1063.703	33.80004	0.336697	0	0.964336	0.002209	0	0.000888	0.003	0.05586	0.002402	0	0.000966	0.012	0.13034	1956.157	0	89.19596	0.006892	0	0.139066	0.027885	0	0.079916	0.022728	0	0.589249	0.05182	0.313542	0.009109	0.015639	0.033164	0	0.645153	0.05182	0.313542	0.009109	0.015639	0.405122	0	8.852622	0.019358	0	0.000883
Santa Clara	2030	UBUS	Aggregate	Aggregate	Diesel	376.8943	42036.62	1507.577	0.804174	0	0	0.005656	0	0	0.008428	0.029265	0.005912	0	0	0.03371	0.068284	1523.264	0	0	0.077448	0	0	0.239436	0	0	0.001107	0	0	0	0	0	0	0.079041	0	0	0	0	0	0	0.131472	0	0	0.0144	0	0
Santa Clara	2030	UBUS	Aggregate	Aggregate	Natural Ga	152.2876	16985.28	609.1502	0.487691	0	0	0.003174	0	0	0.008428	0.029265	0.003317	0	0	0.03371	0.068284	2010.534	0	0	6.385838	0	0	0.40986	0	0	0.091241	0	0	0	0	0	0	6.517216	0	0	0	0	0	0	49.56812	0	0	0	0	0

Attachment 4: Project Construction and Operation Dispersion Modeling Inputs and Risk Calculations

Measure O Civic Center, 77 Harrison Ave, Campbell, CA

DPM Emissions and Modeling Emission Rates - Unmitigated

Construction Year	Activity	DPM (ton/year)	Area Source	DPM Emissions (lb/yr)	DPM Emissions (lb/hr)	DPM Emissions (g/s)	Modeled Area (m^2)	DPM Emission Rate ($g/s/m^2$)
2022	Construction	0.0717	CON_DPM	143.5	0.04368	5.50E-03	6,129	8.98E-07
Total		***0.0717***		***143.5***	***0.0437***	***0.0055***		

Construction Hours

hr/day =	9	(7am - 4pm)
days/yr =	365	
hours/year =	3285	

PM2.5 Fugitive Dust Emissions for Modeling - Unmitigated

Construction Year	Activity	Area Source	PM2.5 Emissions (ton/year)	PM2.5 Emissions (lb/yr)	PM2.5 Emissions (lb/hr)	PM2.5 Emissions (g/s)	Modeled Area (m^2)	PM2.5 Emission Rate $g/s/m^2$
2022	Construction	CON_FUG	0.0084	16.7	0.00509	6.41E-04	6,129	1.05E-07
Total			***0.0084***	***16.7***	***0.0051***	***0.0006***		

Construction Hours

hr/day =	9	(7am - 4pm)
days/yr =	365	
hours/year =	3285	

DPM Construction Emissions and Modeling Emission Rates - With Mitigation

Construction Year	Activity	DPM (ton/year)	Area Source	DPM Emissions (lb/yr)	DPM Emissions (lb/hr)	DPM Emissions (g/s)	Modeled Area (m^2)	DPM Emission Rate ($g/s/m^2$)
2022	Construction	0.0174	CON_DPM	34.9	0.01062	1.34E-03	6,129	2.18E-07
Total		***0.0174***		***34.9***	***0.0106***	***0.0013***		

Construction Hours

hr/day =	9	(7am - 4pm)
days/yr =	365	
hours/year =	3285	

PM2.5 Fugitive Dust Construction Emissions for Modeling - With Mitigation

Construction Year	Activity	Area Source	PM2.5 Emissions (ton/year)	PM2.5 Emissions (lb/yr)	PM2.5 Emissions (lb/hr)	PM2.5 Emissions (g/s)	Modeled Area (m^2)	PM2.5 Emission Rate $g/s/m^2$
2022	Construction	CON_FUG	0.0040	7.9	0.00241	3.03E-04	6,129	4.95E-08
Total			***0.0040***	***7.9***	***0.0024***	***0.0003***		

Construction Hours

hr/day =	9	(7am - 4pm)
days/yr =	365	
hours/year =	3285	

Measure O Civic Center, 77 Harrison Ave, Campbell, CA
Construction Health Impact Summary

Maximum Impacts at MEI Location - Without Mitigation

Emissions Year	Maximum Concentrations		Cancer Risk (per million)	Hazard Index	Maximum Annual PM2.5 Concentration
	Exhaust PM10/DPM ($\mu g/m^3$)	Fugitive PM2.5 ($\mu g/m^3$)	Infant/Child	(-)	($\mu g/m^3$)
2022	0.1686	0.0311	29.99	0.03	0.20
Total	-	-	**29.99**	-	-
Maximum	0.1686	0.0311	**-**	**0.03**	**0.20**

Maximum Impacts at MEI Location - With Mitigation

Emissions Year	Maximum Concentrations		Cancer Risk (per million)	Hazard Index	Maximum Annual PM2.5 Concentration
	Exhaust PM10/DPM ($\mu g/m^3$)	Fugitive PM2.5 ($\mu g/m^3$)	Infant/Child	(-)	($\mu g/m^3$)
2022	0.0409	0.0147	7.28	0.008	0.06
Total	-	-	**7.28**	-	-
Maximum	0.0409	0.0147	**-**	**0.008**	**0.06**

- Tier 4 Interim Engine Mitigation

Measure O Civic Center, 77 Harrison Avenue, Campbell, CA - Construction Impacts - Without Mitigation
Maximum DPM Cancer Risk and PM2.5 Calculations From Construction
Impacts at Off-Site MEI Location - 1.5 meter receptor height

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10^{-6}

Where: C_{air} = concentration in air $(\mu g/m^3)$
DBR = daily breathing rate (L/kg body weight-day)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

Values

	Infant/Child			Adult
Age -->	**3rd Trimester**	**0 - 2**	**2 - 16**	**16 - 30**
Parameter				
ASF =	10	10	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	572	261
A =	1	1	1	1
EF =	350	350	350	350
AT =	70	70	70	70
FAH =	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

			Infant/Child - Exposure Information				Adult - Exposure Information						
				DPM Conc (ug/m3)	Age	Infant/Child		Modeled DPM Conc (ug/m3)	Age	Adult	Maximum		
Exposure Year	**Exposure Duration (years)**	**Age**	**Year**	**Annual**	**Sensitivity Factor**	**Cancer Risk (per million)**	**Year**	**Annual**	**Sensitivity Factor**	**Cancer Risk (per million)**	**Hazard Index**	**Fugitive PM2.5**	**Total PM2.5**
0	0.25	-0.25 - 0*	2022	0.1686	10	2.29	2022	0.1686	-	-			
1	1	0 - 1	2022	0.1686	10	27.70	2022	0.1686	1	0.48	0.03	0.03	0.20
2	1	1 - 2		0.0000	10	0.00		0.0000	1	0.00			
3	1	2 - 3		0.0000	3	0.00		0.0000	1	0.00			
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00			
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00			
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00			
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00			
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00			
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00			
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00			
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00			
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00			
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00			
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00			
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00			
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00			
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00			
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00			
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00			
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00			
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00			
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00			
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00			
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00			
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00			
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00			
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00			
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00			
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00			
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00			
Total Increased Cancer Risk						**29.99**				**0.48**			

* Third trimester of pregnancy

Measure O Civic Center, 77 Harrison Avenue, Campbell, CA - Construction Impacts - Without Mitigation
Maximum DPM Cancer Risk and PM2.5 Calculations From Construction
Impacts at Off-Site MEI Location - 4.5 meter receptor height

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10^{-6}

Where: C_{air} = concentration in air ($\mu g/m^3$)
DBR = daily breathing rate (L/kg body weight-day)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

Values

	Infant/Child			Adult
Age -->	**3rd Trimester**	**0 - 2**	**2 - 16**	**16 - 30**
Parameter				
ASF =	10	10	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	572	261
A =	1	1	1	1
EF =	350	350	350	350
AT =	70	70	70	70
FAH =	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

			Infant/Child - Exposure Information				Adult - Exposure Information				Maximum		
			DPM Conc (ug/m3)		Age	Infant/Child	Modeled		Age	Adult			
Exposure	Exposure Duration				Sensitivity	Cancer Risk	DPM Conc (ug/m3)		Sensitivity	Cancer Risk	Hazard	Fugitive	Total
Year	(years)	Age	Year	Annual	Factor	(per million)	Year	Annual	Factor	(per million)	Index	PM2.5	PM2.5
0	0.25	-0.25 - 0*	2022	0.1660	10	2.26	2022	0.1660	-	-			
1	1	0 - 1	2022	0.1660	10	27.26	2022	0.1660	1	0.48	0.03	0.023	0.19
2	1	1 - 2		0.0000	10	0.00		0.0000	1	0.00			
3	1	2 - 3		0.0000	3	0.00		0.0000	1	0.00			
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00			
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00			
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00			
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00			
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00			
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00			
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00			
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00			
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00			
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00			
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00			
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00			
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00			
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00			
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00			
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00			
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00			
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00			
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00			
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00			
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00			
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00			
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00			
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00			
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00			
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00			
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00			
Total Increased Cancer Risk						**29.52**				**0.48**			

* Third trimester of pregnancy

Measure O Civic Center, 77 Harrison Avenue, Campbell, CA - Construction Impacts - With Mitigation
Maximum DPM Cancer Risk and PM2.5 Calculations From Construction
Impacts at Off-Site MEI Location - 1.5 meter receptor height

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10^{-6}

Where: C_{air} = concentration in air ($\mu g/m^3$)
DBR = daily breathing rate (L/kg body weight-day)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

Values

	Infant/Child			Adult
Age -->	**3rd Trimester**	**0 - 2**	**2 - 16**	**16 - 30**
Parameter				
ASF =	10	10	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	572	261
A =	1	1	1	1
EF =	350	350	350	350
AT =	70	70	70	70
FAH =	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

			Infant/Child - Exposure Information				Adult - Exposure Information				Maximum		
			DPM Conc (ug/m3)		Age	Infant/Child	Modeled		Age	Adult			
Exposure	Exposure Duration				Sensitivity	Cancer Risk	DPM Conc (ug/m3)		Sensitivity	Cancer Risk	Hazard	Fugitive	Total
Year	(years)	Age	Year	Annual	Factor	(per million)	Year	Annual	Factor	(per million)	Index	PM2.5	PM2.5
0	0.25	-0.25 - 0*	2022	0.0409	10	0.56	2022	0.0409	-	-			
1	1	0 - 1	2022	0.0409	10	6.72	2022	0.0409	1	0.12	0.01	0.01	0.06
2	1	1 - 2		0.0000	10	0.00		0.0000	1	0.00			
3	1	2 - 3		0.0000	3	0.00		0.0000	1	0.00			
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00			
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00			
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00			
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00			
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00			
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00			
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00			
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00			
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00			
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00			
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00			
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00			
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00			
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00			
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00			
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00			
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00			
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00			
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00			
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00			
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00			
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00			
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00			
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00			
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00			
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00			
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00			
Total Increased Cancer Risk						**7.28**				**0.12**			

* Third trimester of pregnancy

Measure O Civic Center, 77 Harrison Avenue, Campbell, CA - Construction Impacts - With Mitigation
Maximum DPM Cancer Risk and PM2.5 Calculations From Construction
Impacts at Off-Site MEI Location - 4.5 meter receptor height

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10^{-6}

Where: C_{air} = concentration in air ($\mu g/m^3$)
DBR = daily breathing rate (L/kg body weight-day)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

Values

	Infant/Child			Adult
Age -->	**3rd Trimester**	**0 - 2**	**2 - 16**	**16 - 30**
Parameter				
ASF =	10	10	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	572	261
A =	1	1	1	1
EF =	350	350	350	350
AT =	70	70	70	70
FAH =	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

			Infant/Child - Exposure Information				Adult - Exposure Information				Maximum		
			DPM Conc (ug/m3)		Age	Infant/Child	Modeled		Age	Adult			
Exposure	Exposure Duration				Sensitivity	Cancer Risk	DPM Conc (ug/m3)		Sensitivity	Cancer Risk	Hazard	Fugitive	Total
Year	(years)	Age	Year	Annual	Factor	(per million)	Year	Annual	Factor	(per million)	Index	PM2.5	PM2.5
0	0.25	-0.25 - 0*	2022	0.0403	10	0.55	2022	0.0403	-	-			
1	1	0 - 1	2022	0.0403	10	6.62	2022	0.0403	1	0.12	0.01	0.01	0.05
2	1	1 - 2		0.0000	10	0.00		0.0000	1	0.00			
3	1	2 - 3		0.0000	3	0.00		0.0000	1	0.00			
4	1	3 - 4		0.0000	3	0.00		0.0000	1	0.00			
5	1	4 - 5		0.0000	3	0.00		0.0000	1	0.00			
6	1	5 - 6		0.0000	3	0.00		0.0000	1	0.00			
7	1	6 - 7		0.0000	3	0.00		0.0000	1	0.00			
8	1	7 - 8		0.0000	3	0.00		0.0000	1	0.00			
9	1	8 - 9		0.0000	3	0.00		0.0000	1	0.00			
10	1	9 - 10		0.0000	3	0.00		0.0000	1	0.00			
11	1	10 - 11		0.0000	3	0.00		0.0000	1	0.00			
12	1	11 - 12		0.0000	3	0.00		0.0000	1	0.00			
13	1	12 - 13		0.0000	3	0.00		0.0000	1	0.00			
14	1	13 - 14		0.0000	3	0.00		0.0000	1	0.00			
15	1	14 - 15		0.0000	3	0.00		0.0000	1	0.00			
16	1	15 - 16		0.0000	3	0.00		0.0000	1	0.00			
17	1	16-17		0.0000	1	0.00		0.0000	1	0.00			
18	1	17-18		0.0000	1	0.00		0.0000	1	0.00			
19	1	18-19		0.0000	1	0.00		0.0000	1	0.00			
20	1	19-20		0.0000	1	0.00		0.0000	1	0.00			
21	1	20-21		0.0000	1	0.00		0.0000	1	0.00			
22	1	21-22		0.0000	1	0.00		0.0000	1	0.00			
23	1	22-23		0.0000	1	0.00		0.0000	1	0.00			
24	1	23-24		0.0000	1	0.00		0.0000	1	0.00			
25	1	24-25		0.0000	1	0.00		0.0000	1	0.00			
26	1	25-26		0.0000	1	0.00		0.0000	1	0.00			
27	1	26-27		0.0000	1	0.00		0.0000	1	0.00			
28	1	27-28		0.0000	1	0.00		0.0000	1	0.00			
29	1	28-29		0.0000	1	0.00		0.0000	1	0.00			
30	1	29-30		0.0000	1	0.00		0.0000	1	0.00			
Total Increased Cancer Risk						**7.17**				**0.12**			

* Third trimester of pregnancy

Measure O Civic Center, Campbell, CA

Standby Emergency Generator Impacts

Off-site Sensitive Receptors

MEI Location =1.5 meter receptor height

DPM Emission Rates		
	DPM Emissions per Generator	
	Max Daily	Annual
Source Type	(lb/day)	(lb/year)
750-kW, 1005-hp Generator	0.033	12.14
CalEEMod DPM Emissions	6.07E-03	tons/year

Modeling Information		
Model	AERMOD	
Source	Diesel Generator Engine	
Source Type	Point	
Meteorological Data	2013-2017 San Jose Airport Meterological Data	
Point Source Stack Parameters		
Generator Engine Size (hp)	1005	
Stack Height (ft)	10.00	ground release assumed
Stack Diameter (ft)**	0.60	
Exhaust Gas Flowrate (CFM)*	2527.73	
Stack Exit Velocity (ft/sec)**	149.00	
Exhaust Temperature (˚F)**	872.00	
Emissions Rate (lb/hr)	0.001386	

* AERMOD default

**BAAQMD default generator parameters

Measure O Civic Center, Campbell, CA - Cancer Risks from Project Operation
Project Emergency Generator
Impacts at Off-Site Receptors- 1.5m MEI Receptor Heights
Impact at Project MEI (28-year Exposure)

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10^{-6}

Where: C_{air} = concentration in air $(\mu g/m^3)$
DBR = daily breathing rate (L/kg body weight-day)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

	Infant/Child			Adult
Age -->	3rd Trimester	0 - 2	2 - 16	16 - 30
Parameter				
ASF =	10	10	3	1
CPF =	1.10E+00	1.10E+00	1.10E+00	1.10E+00
DBR* =	361	1090	572	261
A =	1	1	1	1
EF =	350	350	350	350
AT =	70	70	70	70
FAH =	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Exposure Year	Exposure Duration (years)	Age	Infant/Child - Exposure Information: DPM Conc (ug/m3) Year	DPM Conc (ug/m3) Annual	Age Sensitivity Factor	Infant/Child Cancer Risk (per million)		Hazard Index	Fugitive PM2.5	Total PM2.5
0	0.25	-0.25 - 0*	2022	0.0000	10	0.000				
1	1	0 - 1	2022	0.0000	10	0.000				
2	1	1 - 2	2023	0.0001	10	0.023		0.00003	0.0001	0.0002
3	1	2 - 3	2024	0.0001	3	0.004		0.00003	0.0001	0.0002
4	1	3 - 4	2025	0.0001	3	0.004		0.00003	0.0001	0.0002
5	1	4 - 5	2026	0.0001	3	0.004		0.00003	0.0001	0.0002
6	1	5 - 6	2027	0.0001	3	0.004		0.00003	0.0001	0.0002
7	1	6 - 7	2028	0.0001	3	0.004		0.00003	0.0001	0.0002
8	1	7 - 8	2029	0.0001	3	0.004		0.00003	0.0001	0.0002
9	1	8 - 9	2030	0.0001	3	0.004		0.00003	0.0001	0.0002
10	1	9 - 10	2031	0.0001	3	0.004		0.00003	0.0001	0.0002
11	1	10 - 11	2032	0.0001	3	0.004		0.00003	0.0001	0.0002
12	1	11 - 12	2033	0.0001	3	0.004		0.00003	0.0001	0.0002
13	1	12 - 13	2034	0.0001	3	0.004		0.00003	0.0001	0.0002
14	1	13 - 14	2035	0.0001	3	0.004		0.00003	0.0001	0.0002
15	1	14 - 15	2036	0.0001	3	0.004		0.00003	0.0001	0.0002
16	1	15 - 16	2037	0.0001	3	0.004		0.00003	0.0001	0.0002
17	1	16-17	2038	0.0001	1	0.000		0.00003	0.0001	0.0002
18	1	17-18	2039	0.0001	1	0.000		0.00003	0.0001	0.0002
19	1	18-19	2040	0.0001	1	0.000		0.00003	0.0001	0.0002
20	1	19-20	2041	0.0001	1	0.000		0.00003	0.0001	0.0002
21	1	20-21	2042	0.0001	1	0.000		0.00003	0.0001	0.0002
22	1	21-22	2043	0.0001	1	0.000		0.00003	0.0001	0.0002
23	1	22-23	2044	0.0001	1	0.000		0.00003	0.0001	0.0002
24	1	23-24	2045	0.0001	1	0.000		0.00003	0.0001	0.0002
25	1	24-25	2046	0.0001	1	0.000		0.00003	0.0001	0.0002
26	1	25-26	2047	0.0001	1	0.000		0.00003	0.0001	0.0002
27	1	26-27	2048	0.0001	1	0.000		0.00003	0.0001	0.0002
28	1	27-28	2049	0.0001	1	0.000		0.00003	0.0001	0.0002
29	1	28-29	2050	0.0001	1	0.000		0.00003	0.0001	0.0002
30	1	29-30	2051	0.0001	1	0.000		0.00003	0.0001	0.0002
Total Increased Cancer Risk						**0.08**	**Max**	**0.00003**	**0.0001**	**0.0002**

* Third trimester of pregnancy

Attachment 5: Cumulative Community Risk from Existing TAC Sources

CT-EMFAC2017 Emissions Factors for Campbell Avenue 2022

```
           File Name:   2022 Harrison Ave.EF
CT-EMFAC2017 Version:   1.0.2.27401
            Run Date:   4/23/2021 6:26:58 AM
                Area:   Santa Clara (SF)
       Analysis Year:   2022
              Season:   Annual

======================================================================

Vehicle Category        VMT Fraction            Diesel VMT Fraction     Gas VMT Fraction
                        Across Category         Within Category         Within Category
         Truck 1             0.015                   0.478                   0.522
         Truck 2             0.020                   0.940                   0.046
       Non-Truck             0.965                   0.014                   0.961

======================================================================

               Road Type:       Major/Collector
     Silt Loading Factor:                  CARB        0.032 g/m2
Precipitation Correction:                  CARB        P = 64 days     N = 365 days

======================================================================

Fleet Average Running Exhaust Emission Factors (grams/veh-mile)

       Pollutant Name      <= 5 mph          10 mph          15 mph          20 mph          25 mph
                PM2.5      0.010417        0.006915        0.004735        0.003408        0.002622
                  TOG      0.220898        0.145348        0.097291        0.068555        0.051819
            Diesel PM      0.001756        0.001459        0.001108        0.000865        0.000743

======================================================================

Fleet Average Running Loss Emission Factors (grams/veh-hour)

       Pollutant Name   Emission Factor
                  TOG          1.418515

======================================================================

Fleet Average Tire Wear Factors (grams/veh-mile)

       Pollutant Name   Emission Factor
                PM2.5          0.002108

======================================================================

Fleet Average Brake Wear Factors (grams/veh-mile)

       Pollutant Name   Emission Factor
                PM2.5          0.016811

======================================================================

Fleet Average Road Dust Factors (grams/veh-mile)

       Pollutant Name   Emission Factor
                PM2.5          0.014871

============================END=======================================
```

Campbell Avenue Emissions and Health Risk Calculations

Measure O Civic Center, 77 Campbell Avenue, Campbell, CA - Off-Site Residential
Cumulative Operation - Almaden Expressway
DPM Modeling - Roadway Links, Traffic Volumes, and DPM Emissions
Year = 2022 20.6304

Road Link	Description	Direction	No. Lanes	Link Length (m)	Link Length (mi)	Link Width (m)	Link Width (ft)	Release Height (m)	Average Speed (mph)	Average Vehicles per Day
DPM_EB_CAMP	Campbell Ave Eastbound	EB	2	708.1	0.44	13.3	43.7	3.4	25	10,000
DPM_WB_CAMP	Campbell Ave Westbound	WB	2	686.1	0.43	13.3	43.7	3.4	25	10,000
									Total	20,000

Emission Factors

Speed Category	1	2	3	4
Travel Speed (mph)	25			
Emissions per Vehicle (g/VMT)	0.00074			

Emisson Factors from CT-EMFAC2017

2022 Hourly Traffic Volumes and DPM Emissions - DPM_EB_CAMP

Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s
1	3.81%	381	3.46E-05	9	6.66%	666	6.05E-05	17	6.50%	650	5.90E-05
2	3.15%	315	2.86E-05	10	8.16%	816	7.41E-05	18	3.85%	385	3.49E-05
3	2.32%	232	2.11E-05	11	6.33%	633	5.75E-05	19	2.35%	235	2.14E-05
4	1.00%	100	9.04E-06	12	7.66%	766	6.96E-05	20	1.19%	119	1.08E-05
5	1.00%	100	9.04E-06	13	6.83%	683	6.20E-05	21	3.02%	302	2.74E-05
6	2.16%	216	1.96E-05	14	6.66%	666	6.05E-05	22	5.01%	501	4.55E-05
7	4.67%	467	4.25E-05	15	6.00%	600	5.45E-05	23	3.32%	332	3.01E-05
8	3.35%	335	3.04E-05	16	4.34%	434	3.94E-05	24	0.66%	66	6.02E-06
								Total		10,000	

2022 Hourly Traffic Volumes Per Direction and DPM Emissions - DPM_WB_CAMP

Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile
1	3.81%	381	3.36E-05	9	6.66%	666	5.86E-05	17	6.50%	650	5.72E-05
2	3.15%	315	2.77E-05	10	8.16%	816	7.18E-05	18	3.85%	385	3.38E-05
3	2.32%	232	2.04E-05	11	6.33%	633	5.57E-05	19	2.35%	235	2.07E-05
4	1.00%	100	8.75E-06	12	7.66%	766	6.74E-05	20	1.19%	119	1.05E-05
5	1.00%	100	8.75E-06	13	6.83%	683	6.01E-05	21	3.02%	302	2.65E-05
6	2.16%	216	1.90E-05	14	6.66%	666	5.86E-05	22	5.01%	501	4.40E-05
7	4.67%	467	4.11E-05	15	6.00%	600	5.28E-05	23	3.32%	332	2.92E-05
8	3.35%	335	2.95E-05	16	4.34%	434	3.82E-05	24	0.66%	66	5.84E-06
								Total		10,000	

Measure O Civic Center, 77 Campbell Avenue, Campbell, CA - Off-Site Residential
Cumulative Operation - Almaden Expressway
PM2.5 Modeling - Roadway Links, Traffic Volumes, and PM2.5 Emissions
Year = 2022

Road Link	Description	Direction	No. Lanes	Link Length (m)	Link Length (mi)	Link Width (m)	Link Width (ft)	Release Height (m)	Average Speed (mph)	Average Vehicles per Day
PM2.5_EB_CAMP	Campbell Ave Eastbound	EB	2	708.1	0.44	13.3	44	1.3	25	10,000
PM2.5_WB_CAMP	Campbell Ave Westbound	WB	2	686.1	0.43	13.3	44	1.3	25	10,000
									Total	20,000

Emission Factors - PM2.5

Speed Category	1	2	3	4
Travel Speed (mph)	25			
Emissions per Vehicle (g/VMT)	0.002622			

Emisson Factors from CT-EMFAC2017

2022 Hourly Traffic Volumes and PM2.5 Emissions - PM2.5_EB_CAMP

Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s
1	1.12%	112	3.59E-05	9	7.12%	712	2.28E-04	17	7.43%	743	2.38E-04
2	0.41%	41	1.32E-05	10	4.37%	437	1.40E-04	18	8.24%	824	2.64E-04
3	0.37%	37	1.20E-05	11	4.65%	465	1.49E-04	19	5.72%	572	1.83E-04
4	0.17%	17	5.46E-06	12	5.89%	589	1.89E-04	20	4.30%	430	1.38E-04
5	0.46%	46	1.47E-05	13	6.17%	617	1.98E-04	21	3.25%	325	1.04E-04
6	0.85%	85	2.72E-05	14	6.05%	605	1.94E-04	22	3.31%	331	1.06E-04
7	3.73%	373	1.20E-04	15	7.06%	706	2.26E-04	23	2.48%	248	7.96E-05
8	7.77%	777	2.49E-04	16	7.19%	719	2.30E-04	24	1.87%	187	6.01E-05
								Total		10,000	

2022 Hourly Traffic Volumes Per Direction and PM2.5 Emissions - PM2.5_WB_CAMP

Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile
1	1.12%	112	3.48E-05	9	7.12%	712	2.21E-04	17	7.43%	743	2.31E-04
2	0.41%	41	1.28E-05	10	4.37%	437	1.36E-04	18	8.24%	824	2.56E-04
3	0.37%	37	1.16E-05	11	4.65%	465	1.44E-04	19	5.72%	572	1.78E-04
4	0.17%	17	5.29E-06	12	5.89%	589	1.83E-04	20	4.30%	430	1.34E-04
5	0.46%	46	1.43E-05	13	6.17%	617	1.92E-04	21	3.25%	325	1.01E-04
6	0.85%	85	2.63E-05	14	6.05%	605	1.88E-04	22	3.31%	331	1.03E-04
7	3.73%	373	1.16E-04	15	7.06%	706	2.19E-04	23	2.48%	248	7.71E-05
8	7.77%	777	2.41E-04	16	7.19%	719	2.23E-04	24	1.87%	187	5.82E-05
								Total		10,000	

Measure O Civic Center, 77 Campbell Avenue, Campbell, CA - Off-Site Residential
Cumulative Operation - Almaden Expressway
TOG Exhaust Modeling - Roadway Links, Traffic Volumes, and TOG Exhaust Emissions
Year = 2022

Road Link	Description	Direction	No. Lanes	Link Length (m)	Link Length (mi)	Link Width (m)	Link Width (ft)	Release Height (m)	Average Speed (mph)	Average Vehicles per Day
TEXH_EB_CAMP	Campbell Ave Eastbound	EB	2	708.1	0.44	13.3	44	1.3	25	10,000
TEXH_WB_CAMP	Campbell Ave Westbound	WB	2	686.1	0.43	13.3	44	1.3	25	10,000
									Total	20,000

Emission Factors - TOG Exhaust

Speed Category	1	2	3	4
Travel Speed (mph)	25			
Emissions per Vehicle (g/VMT)	0.05182			

Emisson Factors from CT-EMFAC2017

2022 Hourly Traffic Volumes and TOG Exhaust Emissions - TEXH_EB_CAMP

Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s
1	1.12%	112	7.10E-04	9	7.12%	712	4.51E-03	17	7.43%	743	4.71E-03
2	0.41%	41	2.62E-04	10	4.37%	437	2.77E-03	18	8.24%	824	5.22E-03
3	0.37%	37	2.37E-04	11	4.65%	465	2.95E-03	19	5.72%	572	3.62E-03
4	0.17%	17	1.08E-04	12	5.89%	589	3.73E-03	20	4.30%	430	2.72E-03
5	0.46%	46	2.91E-04	13	6.17%	617	3.91E-03	21	3.25%	325	2.06E-03
6	0.85%	85	5.37E-04	14	6.05%	605	3.83E-03	22	3.31%	331	2.10E-03
7	3.73%	373	2.36E-03	15	7.06%	706	4.47E-03	23	2.48%	248	1.57E-03
8	7.77%	777	4.92E-03	16	7.19%	719	4.55E-03	24	1.87%	187	1.19E-03
								Total		10,000	

2022 Hourly Traffic Volumes Per Direction and TOG Exhaust Emissions - TEXH_WB_CAMP

Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile
1	1.12%	112	6.87E-04	9	7.12%	712	4.37E-03	17	7.43%	743	4.56E-03
2	0.41%	41	2.54E-04	10	4.37%	437	2.68E-03	18	8.24%	824	5.05E-03
3	0.37%	37	2.30E-04	11	4.65%	465	2.85E-03	19	5.72%	572	3.51E-03
4	0.17%	17	1.05E-04	12	5.89%	589	3.61E-03	20	4.30%	430	2.64E-03
5	0.46%	46	2.82E-04	13	6.17%	617	3.78E-03	21	3.25%	325	1.99E-03
6	0.85%	85	5.20E-04	14	6.05%	605	3.71E-03	22	3.31%	331	2.03E-03
7	3.73%	373	2.29E-03	15	7.06%	706	4.33E-03	23	2.48%	248	1.52E-03
8	7.77%	777	4.77E-03	16	7.19%	719	4.41E-03	24	1.87%	187	1.15E-03
								Total		10,000	

Measure O Civic Center, 77 Campbell Avenue, Campbell, CA - Off-Site Residential
Cumulative Operation - Almaden Expressway
TOG Evaporative Emissions Modeling - Roadway Links, Traffic Volumes, and TOG Evaporative Emissions
Year = 2022

Road Link	Description	Direction	No. Lanes	Link Length (m)	Link Length (mi)	Link Width (m)	Link Width (ft)	Release Height (m)	Average Speed (mph)	Average Vehicles per Day
TEVAP_EB_CAMP	Campbell Ave Eastbound	EB	2	708.1	0.44	13.3	44	1.3	25	10,000
TEVAP_WB_CAMP	Campbell Ave Westbound	WB	2	686.1	0.43	13.3	44	1.3	25	10,000
									Total	20,000

Emission Factors - PM2.5 - Evaporative TOG

Speed Category	1	2	3	4
Travel Speed (mph)	25			
Emissions per Vehicle per Hour (g/hour)	1.41852			
Emissions per Vehicle per Mile (g/VMT)	0.05674			

Emisson Factors from CT-EMFAC2017

2022 Hourly Traffic Volumes and TOG Evaporative Emissions - TEVAP_EB_CAMP

Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s
1	1.12%	112	7.77E-04	9	7.12%	712	4.94E-03	17	7.43%	743	5.15E-03
2	0.41%	41	2.87E-04	10	4.37%	437	3.03E-03	18	8.24%	824	5.71E-03
3	0.37%	37	2.60E-04	11	4.65%	465	3.23E-03	19	5.72%	572	3.97E-03
4	0.17%	17	1.18E-04	12	5.89%	589	4.08E-03	20	4.30%	430	2.98E-03
5	0.46%	46	3.19E-04	13	6.17%	617	4.28E-03	21	3.25%	325	2.25E-03
6	0.85%	85	5.88E-04	14	6.05%	605	4.20E-03	22	3.31%	331	2.30E-03
7	3.73%	373	2.59E-03	15	7.06%	706	4.89E-03	23	2.48%	248	1.72E-03
8	7.77%	777	5.39E-03	16	7.19%	719	4.99E-03	24	1.87%	187	1.30E-03
								Total		10,000	

2022 Hourly Traffic Volumes Per Direction and TOG Evaporative Emissions - TEVAP_WB_CAMP

Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile
1	1.12%	112	7.53E-04	9	7.12%	712	4.78E-03	17	7.43%	743	4.99E-03
2	0.41%	41	2.78E-04	10	4.37%	437	2.94E-03	18	8.24%	824	5.54E-03
3	0.37%	37	2.52E-04	11	4.65%	465	3.13E-03	19	5.72%	572	3.84E-03
4	0.17%	17	1.14E-04	12	5.89%	589	3.96E-03	20	4.30%	430	2.89E-03
5	0.46%	46	3.09E-04	13	6.17%	617	4.14E-03	21	3.25%	325	2.18E-03
6	0.85%	85	5.70E-04	14	6.05%	605	4.07E-03	22	3.31%	331	2.23E-03
7	3.73%	373	2.51E-03	15	7.06%	706	4.74E-03	23	2.48%	248	1.67E-03
8	7.77%	777	5.22E-03	16	7.19%	719	4.83E-03	24	1.87%	187	1.26E-03
								Total		10,000	

Measure O Civic Center, 77 Campbell Avenue, Campbell, CA - Off-Site Residential
Cumulative Operation - Almaden Expressway
Fugitive Road PM2.5 Modeling - Roadway Links, Traffic Volumes, and Fugitive Road PM2.5 Emissions
Year = 2022

Road Link	Description	Direction	No. Lanes	Link Length (m)	Link Length (mi)	Link Width (m)	Link Width (ft)	Release Height (m)	Average Speed (mph)	Average Vehicles per Day
FUG_EB_CAMP	Campbell Ave Eastbound	EB	2	708.1	0.44	13.3	44	1.3	25	10,000
FUG_WB_CAMP	Campbell Ave Westbound	WB	2	686.1	0.43	13.3	44	1.3	25	10,000
									Total	20,000

Emission Factors - Fugitive PM2.5

Speed Category	1	2	3	4
Travel Speed (mph)	25			
Tire Wear - Emissions per Vehicle (g/VMT)	0.00211			
Brake Wear - Emissions per Vehicle (g/VMT)	0.01681			
Road Dust - Emissions per Vehicle (g/VMT)	0.01487			
otal Fugitive PM2.5 - Emissions per Vehicle (g/VMT)	0.03379			

Emisson Factors from CT-EMFAC2017

2022 Hourly Traffic Volumes and Fugitive PM2.5 Emissions - FUG_EB_CAMP

Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s	Hour	% Per Hour	VPH	g/s
1	1.12%	112	4.63E-04	9	7.12%	712	2.94E-03	17	7.43%	743	3.07E-03
2	0.41%	41	1.71E-04	10	4.37%	437	1.81E-03	18	8.24%	824	3.40E-03
3	0.37%	37	1.55E-04	11	4.65%	465	1.92E-03	19	5.72%	572	2.36E-03
4	0.17%	17	7.04E-05	12	5.89%	589	2.43E-03	20	4.30%	430	1.78E-03
5	0.46%	46	1.90E-04	13	6.17%	617	2.55E-03	21	3.25%	325	1.34E-03
6	0.85%	85	3.50E-04	14	6.05%	605	2.50E-03	22	3.31%	331	1.37E-03
7	3.73%	373	1.54E-03	15	7.06%	706	2.91E-03	23	2.48%	248	1.03E-03
8	7.77%	777	3.21E-03	16	7.19%	719	2.97E-03	24	1.87%	187	7.74E-04
								Total		10,000	

2022 Hourly Traffic Volumes Per Direction and Fugitive PM2.5 Emissions - FUG_WB_CAMP

Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile	Hour	% Per Hour	VPH	g/mile
1	1.12%	112	4.48E-04	9	7.12%	712	2.85E-03	17	7.43%	743	2.97E-03
2	0.41%	41	1.65E-04	10	4.37%	437	1.75E-03	18	8.24%	824	3.30E-03
3	0.37%	37	1.50E-04	11	4.65%	465	1.86E-03	19	5.72%	572	2.29E-03
4	0.17%	17	6.82E-05	12	5.89%	589	2.36E-03	20	4.30%	430	1.72E-03
5	0.46%	46	1.84E-04	13	6.17%	617	2.47E-03	21	3.25%	325	1.30E-03
6	0.85%	85	3.39E-04	14	6.05%	605	2.42E-03	22	3.31%	331	1.33E-03
7	3.73%	373	1.49E-03	15	7.06%	706	2.82E-03	23	2.48%	248	9.94E-04
8	7.77%	777	3.11E-03	16	7.19%	719	2.88E-03	24	1.87%	187	7.50E-04
								Total		10,000	

Measure O Civic Center, 77 Harrison Ave, Campbell, CA - Campbell Avenue - TACs & PM2.
AERMOD Risk Modeling Parameters and Maximum Concentrations
at Construction Residential MEI Receptor (1.5 meter receptor height)

Emission Year	2022
Receptor Information	Construction Residential MEI receptor
Number of Receptors	1
Receptor Height	1.5 meters
Receptor Distances	At Construction Residential MEI location

Meteorological Conditions

BAAQMD San Jose Airport Met Data	2013-2017
Land Use Classification	Urban
Wind Speed	Variable
Wind Direction	Variable

Construction Residential MEI Cancer Risk Maximum Concentrations

Meteorological Data Years	Concentration (µg/m3)*		
	DPM	Exhaust TOG	Evaporative TOG
2013-2017	0.0009	0.0500	0.0547

Construction Residential MEI PM2.5 Maximum Concentrations

Meteorological Data Years	PM2.5 Concentration (µg/m3)*		
	Total PM2.5	Fugitive PM2.5	Vehicle PM2.5
2013-2017	0.0351	0.0025	0.0326

Measure O Civic Center, 77 Harrison Ave, Campbell, CA - Campbell Avenue Traffic Cancer Risk
Impacts at Construction Residential MEI - 1.5 meter receptor height
30 Year Residential Exposure

Cancer Risk Calculation Method

Cancer Risk (per million) = CPF x Inhalation Dose x ASF x ED/AT x FAH x 1.0E6

Where: CPF = Cancer potency factor $(mg/kg\text{-}day)^{-1}$
ASF = Age sensitivity factor for specified age group
ED = Exposure duration (years)
AT = Averaging time for lifetime cancer risk (years)
FAH = Fraction of time spent at home (unitless)

Inhalation Dose = C_{air} x DBR x A x (EF/365) x 10^{-6}

Where: C_{air} = concentration in air $(\mu g/m^3)$
DBR = daily breathing rate (L/kg body weight-day)
A = Inhalation absorption factor
EF = Exposure frequency (days/year)
10^{-6} = Conversion factor

Cancer Potency Factors $(mg/kg\text{-}day)^{-1}$

TAC	CPF
DPM	1.10E+00
Vehicle TOG Exhaust	6.28E-03
Vehicle TOG Evaporative	3.70E-04

Values

	Infant/Child			Adult
Age -->	**3rd Trimester**	**0 - 2**	**2 - 16**	**16 - 30**
Parameter				
ASF =	10	10	3	1
DBR* =	361	1090	572	261
A =	1	1	1	1
EF =	350	350	350	350
AT =	70	70	70	70
FAH =	1.00	1.00	1.00	0.73

* 95th percentile breathing rates for infants and 80th percentile for children and adults

Construction Cancer Risk by Year - Maximum Impact Receptor Location

Maximum - Exposure Information					Concentration (ug/m3)			Cancer Risk (per million)			
Exposure Year	Exposure Duration (years)	Age	Year	Age Sensitivity Factor	DPM	Exhaust TOG	Evaporative TOG	DPM	Exhaust TOG	Evaporative TOG	TOTAL
0	0.25	-0.25 - 0*	2022	10	0.0009	0.0500	0.0547	0.012	0.004	0.0003	0.02
1	1	0 - 1	2022	10	0.0009	0.0500	0.0547	0.140	0.047	0.0030	0.19
2	1	1 - 2	2023	10	0.0009	0.0500	0.0547	0.140	0.047	0.0030	0.19
3	1	2 - 3	2024	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
4	1	3 - 4	2025	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
5	1	4 - 5	2026	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
6	1	5 - 6	2027	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
7	1	6 - 7	2028	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
8	1	7 - 8	2029	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
9	1	8 - 9	2030	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
10	1	9 - 10	2031	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
11	1	10 - 11	2032	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
12	1	11 - 12	2033	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
13	1	12 - 13	2034	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
14	1	13 - 14	2035	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
15	1	14 - 15	2036	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
16	1	15 - 16	2037	3	0.0009	0.0500	0.0547	0.022	0.007	0.0005	0.03
17	1	16-17	2038	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
18	1	17-18	2039	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
19	1	18-19	2040	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
20	1	19-20	2041	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
21	1	20-21	2042	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
22	1	21-22	2043	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
23	1	22-23	2044	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
24	1	23-24	2045	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
25	1	24-25	2046	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
26	1	25-26	2047	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
27	1	26-27	2048	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
28	1	27-28	2049	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
29	1	28-29	2050	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
30	1	29-30	2051	1	0.0009	0.0500	0.0547	0.002	0.001	0.0001	0.00
Total Increased Cancer Risk								0.63	0.212	0.014	**0.86**

Maximum Hazard Index	Maximum Fugitive PM2.5	Total PM2.5
0.0002	0.00	0.04

* Third trimester of pregnancy

BAY AREA AIR QUALITY MANAGEMENT DISTRICT

Risk & Hazard Stationary Source Inquiry Form

This form is required when users request stationary source data from BAAQMD

This form is to be used with the BAAQMD's Google Earth stationary source screening tables.

Click here for guidance on coducting risk & hazard screening, including roadways & freeways, refer to the District's Risk & Hazard Analysis flow chart.

Click here for District's Recommended Methods for Screening and Modeling Local Risks and Hazards document.

Table A: Requester Contact Information

Date of Request	**3/30/2021**
Contact Name	Casey Divine
Affiliation	Illingworth & Rodkin, Inc.
Phone	707-794-0400 x103
Email	cdivine@illingworthrodkin.com
Project Name	Measure O Civic Center
Address	77 Harrison Ave.
City	Campbell
County	Santa Clara
Type (residential, commercial, mixed use, industrial, etc.)	Commercial
Project Size (# of units or building square feet)	32ksf police building
Comments:	

For Air District assistance, the following steps must be completed:

1. Complete all the contact and project information requested in Table A. Incomplete forms will not be processed. Please include a project site map.

2. Download and install the free program Google Earth, **http://www.google.com/earth/download/ge/,** and then download the county specific Google Earth stationary source application files from the District's website, **http://www.baaqmd.gov/Divisions/Planning-and-Research/CEQA-GUIDELINES/Tools-and-Methodology.aspx.** The small points on the map represent stationary sources permitted by the District (Map A on right). These permitted sources include diesel back-up generators, gas stations, dry cleaners, boilers, printers, auto spray booths, etc. Click on a point to view the source's Information Table, including the name, location, and preliminary estimated cancer risk, hazard index, and PM2.5 concentration.

3. Find the project site in Google Earth by inputting the site's address in the Google Earth search box.

4. Identify stationary sources within at least a 1000ft radius of project site. Verify that the location of the source on the map matches with the source's address in the Information Table, by using the Google Earth address search box to confirm the source's address location. Please report any mapping errors to the District.

5. List the stationary source information in Table B. Incomplete forms will not be processed. Please include a project site map only.

6. Note that a small percentage of the stationary sources have Health Risk Screening Assessment (HRSA) data INSTEAD of screening level data. These sources will be noted by an asterisk next to the Plant Name (Map B on right). If HRSA values are presented, these values have already been modeled and cannot be adjusted further.

7. Email this completed form to District staff. District staff will provide the most recent risk, hazard, and PM2.5 data that are available for the source(s). If this information or data are not available, source emissions data will be provided. Staff will respond to inquiries within three weeks.

Note that a public records request received for the same stationary source information will cancel the processing of your SSIF request.

Submit forms, maps, and questions to Areana Flores at 415-749-4616, or aflores@baaqmd.gov

Table B: Google Earth data

Distance from Receptor (feet) or MEI[1]	Plant No.	Facility Name	Address	Cancer Risk[2]	Hazard Risk[2]	$PM_{2.5}$[2]	Source No.[3]	Type of Source[4]	Fuel Code[5]	Status/Comments	Construction MEI: Distance Adjustment Multiplier	Construction MEI: Adjusted Cancer Risk Estimate	Construction MEI: Adjusted Hazard Risk	Construction MEI: Adjusted PM2.5
680	18459	Orchard Valley Coffee	349 E Campbell Ave	0.0016	0	0.0143		Coffee Roaster		2018 Dataset	0.25	0.00	0.000	0.00
370	19038	City of Campbell	70 N 1st Street	0.88	0	0		Generators		2018 Dataset	0.18	0.16	0.000	0.00
540	19049	City of Campbell	77 Harrison Ave West Sid	0.32	0	0		Generators		2018 Dataset	0.10	0.03	0.000	0.00
270	109885	City of Campbell Police Station	70 N 1st St	0.02	0	0		Gas Dispensing Facility		2018 Dataset	0.13	0.00	0.000	0.00

Footnotes:

1. Maximally exposed individual
2. These Cancer Risk, Hazard Index, and PM2.5 columns represent the values in the Google Earth Plant Information Table.
3. Each plant may have multiple permits and sources.
4. Permitted sources include diesel back-up generators, gas stations, dry cleaners, boilers, printers, auto spray booths, etc.
5. Fuel codes: 98 = diesel, 189 = Natural Gas.
6. If a Health Risk Screening Assessment (HRSA) was completed for the source, the application number will be listed here.

7. The date that the HRSA was completed.
8. Engineer who completed the HRSA. For District purposes only.
9. All HRSA completed before 1/5/2010 need to be multiplied by an age sensitivity factor of 1.7.
10. The HRSA "Chronic Health" number represents the Hazard Index.
11. Further information about common sources:
    a. Sources that only include diesel internal combustion engines can be adjusted using the BAAQMD's Diesel Multiplier worksheet.
    b. The risk from natural gas boilers used for space heating when <25 MM BTU/hr would have an estimated cancer risk of one in a million or less, and a chronic hazard index of 0.003 or less.
    c. BAAQMD Reg 11 Rule 16 required that all co-residential (sharing a wall, floor, ceiling or is in the same building as a residential unit) dry cleaners cease use of perc on July 1, 2010. Therefore, there is no cancer risk, hazard or PM2.5 concentrations from co-residential dry cleaning businesses in the BAAQMD.
    d. Non co-residential dry cleaners must phase out use of perc by Jan. 1, 2023. Therefore, the risk from these dry cleaners does not need to be factored in over a 70-year period, but instead should reflect
    e. Gas stations can be adjusted using BAAQMD's Gas Station Distance Mulitplier worksheet.
    f. Unless otherwise noted, exempt sources are considered insignificant. See BAAQMD Reg 2 Rule 1 for a list of exempt sources.
    g. This spray booth is considered to be insignificant.

Date last updated:
03/13/2018

Stationary Source Risk & Hazards Screening Report

Area of Interest (AOI) Information

Area : 4,496,814.17 ft²

Mar 30 2021 12:05:21 Pacific Daylight Time



Summary

Name	Count	Area(ft²)	Length(ft)
Permitted Facilities 2018	4	N/A	N/A

Permitted Facilities 2018

#	FACID	Name	Address	City	St
1	18459	Orchard Valley Coffee	349 E Campbell Ave	Campbell	CA
2	19038	City of Campbell	70 N 1st Street	Campbell	CA
3	19049	City of Campbell	77 Harrison Ave West Side of Bldg	Campbell	CA
4	109885	City of Campbell Police Station	70 N 1st St	Campbell	CA

#	Zip	County	Cancer	Hazard	PM_25	Type	Count
1	95008	Santa Clara	0.000	0.000	0.010	Contact BAAQMD	1
2	95008	Santa Clara	0.880	0.000	0.000	Generators	1
3	95008	Santa Clara	0.320	0.000	0.000	Generators	1
4	95008	Santa Clara	0.020	0.000	0.000	Gas Dispensing Facility	1

Note: The estimated risk and hazard impacts from these sources would be expected to be substantially lower when site specific Health Risk Screening Assessments are conducted.

The screening level map is not recommended for evaluating sensitive land uses such as schools, senior centers, day cares, and health facilities.

© Copyright 2018 Bay Area Air Quality Management District

APPENDIX B

Tree Survey

BrightView
Tree Care Services

April 17, 2020
Proposal #: 135973

BrightView Tree Care Services
Branch Office #49260
530 Aldo Avenue
Santa Clara, CA 95054
Matthew Sesody
I.S.A Certified Arborist #WE-12524A
matthew.sesody@brightview.com
tel:408-896-6058

Tree Care Service Address/Location
City of Campbell - City Hall Tagging
77 Harrison Ave
Campbell, CA 95008

Proposed Tree Care Services

	Species	DBH	Qty	Objective	Price
	Southern Magnolia *Magnolia grandiflora*	25"-30"	2		$6
	Prairie Fire Crabapple *Malus ioensis cv. Prairie Fire*	7"-12"	1		$3
	Callery Pear *Pyrus calleryana*	1"-6"	1		$3
	Callery Pear *Pyrus calleryana*	7"-12"	6	Fireblight	$18
	Crapemyrtle *Lagerstroemia indica*	7"-12"	2		$6
	California Sycamore *Platanus racemosa*	37"-42"	1		$3
	California Redwood *Sequoia sempervirens*	31"-36"	1		$3
	Red Maple *Acer rubrum*	1"-6"	4		$12
	Red Ironbark *Eucalyptus sideroxylon*	19"-24"	1		$3
	Red Ironbark *Eucalyptus sideroxylon*	25"-30"	3		$9
	Canary Island Date Palm *Phoenix canariensis*	25"-30"	1		$3
	Citrus Species *Citrus spp.*	7"-12"	2		$6
	Citrus Species *Citrus spp.*	1"-6"	1		$3
	California Redwood *Sequoia sempervirens*	19"-24"	5		$15
	California Redwood *Sequoia sempervirens*	13"-18"	4		$12
	Sub-Total				**$105**

	Species	DBH	Qty	Objective	Price
	Mayten *Maytenus boaria*	13"-18"	1		$3
	Southern Magnolia *Magnolia grandiflora*	7"-12"	4		$12
	California Redwood *Sequoia sempervirens*	37"-42"	1		$3
	Olive Tree *Olea europaea*	25"-30"	1		$3
	Tipu *Tipuana tipu*	13"-18"	1		$3
	Tipu *Tipuana tipu*	25"-30"	1	Monitor Health	$3
	Tipu *Tipuana tipu*	19"-24"	1	Monitor Health	$3
	Southern Magnolia *Magnolia grandiflora*	19"-24"	22		$66
	Tipu *Tipuana tipu*	19"-24"	6		$18
	Canary Island Pine *Pinus canariensis*	19"-24"	4		$12
	Red Ironbark *Eucalyptus sideroxylon*	31"-36"	1		$3
	Chinese Pistache *Pistacia chinensis*	1"-6"	6		$18
	Red Ironbark *Eucalyptus sideroxylon*	37"-42"	2		$6
	Shamel Ash *Fraxinus uhdei*	31"-36"	1		$3
	Shamel Ash *Fraxinus uhdei*	13"-18"	1		$3
	Sub-Total				**$264**

	Species	DBH	Qty	Objective	Price
	Shamel Ash *Fraxinus uhdei*	25"-30"	5		$15
	Shamel Ash *Fraxinus uhdei*	19"-24"	2		$6
	California Redwood *Sequoia sempervirens*	7"-12"	5		$15
	Olive Tree *Olea europaea*	25"-30"	1	Remove limb	$3
	Cork Oak *Quercus suber*	1"-6"	1		$3
	Deodar Cedar *Cedrus deodara*	31"-36"	1		$3
	Hinoki False Cypress *Chamaecyparis obtusa*	7"-12"	1		$3
	Sweet Cherry *Prunus avium*	1"-6"	2		$6
	Sweet Cherry *Prunus avium*	7"-12"	1		$3
	California Redwood *Sequoia sempervirens*	60	1		$3
	Callery Pear *Pyrus calleryana*	1"-6"	6	Fireblight	$18
	Mexican Elderberry *Sambucus mexicana*	7"-12"	1		$3
	Australian Brush Cherry *Syzygium australe*	13"-18"	1		$3
	Canary Island Pine *Pinus canariensis*	13"-18"	2		$6
	Southern Magnolia *Magnolia grandiflora*	13"-18"	14		$42
	Sub-Total				**$396**

	Species	DBH	Qty	Objective	Price
	California Redwood *Sequoia sempervirens*	32"	2		$6
	Crapemyrtle *Lagerstroemia indica*	1"-6"	31		$93
	Prairie Fire Crabapple *Malus ioensis cv. Prairie Fire*	1"-6"	5		$15
	Japanese Maple *Acer palmatum*	1"-6"	2		$6
	Total				**$516**

BrightView
Tree Care Services

City of Campbell - City Hall Tagging



Legend (172)

- Southern Magnoli... (42)
- Crapemyrtle (33)
- California Redwo... (19)
- Callery Pear (13)
- Tipu (9)
- Shamel Ash (9)
- Red Ironbark (7)
- Prairie Fire Cra... (6)
- Chinese Pistache (6)
- Canary Island Pi... (6)
- Red Maple (4)
- Sweet Cherry (3)
- Citrus Species (3)
- Olive Tree (2)
- Japanese Maple (2)
- Mexican Elderber... (1)
- Mayten (1)
- Hinoki False Cyp... (1)
- Deodar Cedar (1)
- Cork Oak (1)
- Canary Island Da... (1)
- California Sycam... (1)
- Australian Brush... (1)

Tag #	Species	Height	DBH	Health
Column1	Column2	Column3	Column4	Column5
1	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
2	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
3	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
4	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
5	Magnolia grandiflora	31'-45'	19"-24"	80% - Good
6	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
7	Magnolia grandiflora	31'-45'	19"-24"	80% - Good
8	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
9	Magnolia grandiflora	16'-30'	13"-18"	60% - Fair
10	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
11	Magnolia grandiflora	31'-45'	25"-30"	60% - Fair
12	Magnolia grandiflora	31'-45'	25"-30"	40% - Poor
13	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
14	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
15	Magnolia grandiflora	16'-30'	13"-18"	60% - Fair
16	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
17	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
18	Magnolia grandiflora	31'-45'	19"-24"	40% - Poor
19	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
20	Magnolia grandiflora	31'-45'	13"-18"	40% - Poor
21	Magnolia grandiflora	16'-30'	13"-18"	40% - Poor
22	Magnolia grandiflora	16'-30'	7"-12"	40% - Poor
23	Magnolia grandiflora	16'-30'	13"-18"	40% - Poor
24	Magnolia grandiflora	16'-30'	13"-18"	40% - Poor
25	Magnolia grandiflora	16'-30'	13"-18"	80% - Good
26	Malus ioensis cv. Prairi	1'-15'	7"-12"	80% - Good
27	Pyrus calleryana	16'-30'	1"-6"	60% - Fair
28	Pyrus calleryana	1'-15'	1"-6"	80% - Good
29	Pyrus calleryana	16'-30'	7"-12"	60% - Fair
30	Pyrus calleryana	16'-30'	7"-12"	60% - Fair
31	Pyrus calleryana	16'-30'	7"-12"	60% - Fair
32	Pyrus calleryana	16'-30'	7"-12"	60% - Fair
33	Pyrus calleryana	16'-30'	7"-12"	60% - Fair
34	Pyrus calleryana	16'-30'	1"-6"	60% - Fair
35	Pyrus calleryana	16'-30'	1"-6"	60% - Fair
36	Pyrus calleryana	16'-30'	7"-12"	60% - Fair
37	Lagerstroemia indica	1'-15'	7"-12"	80% - Good
38	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
39	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
40	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
41	Lagerstroemia indica	1'-15'	7"-12"	80% - Good
42	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
43	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
44	Platanus racemosa	31'-45'	37"-42"	80% - Good
45	Magnolia grandiflora	1'-15'	7"-12"	40% - Poor
46	Magnolia grandiflora	16'-30'	13"-18"	60% - Fair
47	Magnolia grandiflora	16'-30'	19"-24"	60% - Fair
48	Magnolia grandiflora	16'-30'	13"-18"	60% - Fair
49	Sequoia sempervirens	46'-60'	31"-36"	80% - Good

50	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
51	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
52	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
53	Acer rubrum	1'-15'	1"-6"	80% - Good
54	Acer rubrum	1'-15'	1"-6"	80% - Good
55	Acer rubrum	1'-15'	1"-6"	80% - Good
56	Acer rubrum	1'-15'	1"-6"	80% - Good
57	Malus ioensis cv. Prairi	1'-15'	1"-6"	80% - Good
58	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
59	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
60	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
61	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
62	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
63	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
64	Eucalyptus sideroxylon	46'-60'	25"-30"	80% - Good
65	Eucalyptus sideroxylon	31'-45'	19"-24"	80% - Good
66	Eucalyptus sideroxylon	46'-60'	25"-30"	80% - Good
67	Eucalyptus sideroxylon	46'-60'	25"-30"	80% - Good
68	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
69	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
70	Phoenix canariensis	16'-30'	25"-30"	80% - Good
71	Citrus spp.	1'-15'	7"-12"	60% - Fair
72	Citrus spp.	1'-15'	7"-12"	60% - Fair
73	Citrus spp.	1'-15'	1"-6"	60% - Fair
74	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
75	Sequoia sempervirens	46'-60'	19"-24"	80% - Good
76	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
77	Sequoia sempervirens	46'-60'	19"-24"	80% - Good
78	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
79	Sequoia sempervirens	46'-60'	19"-24"	80% - Good
80	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
81	Sequoia sempervirens	46'-60'	19"-24"	80% - Good
82	Sequoia sempervirens	46'-60'	13"-18"	80% - Good
83	Sequoia sempervirens	31'-45'	7"-12"	60% - Fair
84	Sequoia sempervirens	31'-45'	19"-24"	80% - Good
85	Sequoia sempervirens	16'-30'	7"-12"	40% - Poor
86	Sequoia sempervirens	31'-45'	13"-18"	80% - Good
87	Sequoia sempervirens	31'-45'	13"-18"	80% - Good
88	Sequoia sempervirens	31'-45'	13"-18"	80% - Good
89	Pistacia chinensis	16'-30'	1"-6"	80% - Good
90	Maytenus boaria	16'-30'	13"-18"	60% - Fair
91	Magnolia grandiflora	16'-30'	13"-18"	40% - Poor
92	Magnolia grandiflora	16'-30'	19"-24"	80% - Good
93	Magnolia grandiflora	16'-30'	19"-24"	80% - Good
94	Magnolia grandiflora	1'-15'	7"-12"	60% - Fair
95	Pistacia chinensis	16'-30'	1"-6"	80% - Good
96	Magnolia grandiflora	16'-30'	7"-12"	80% - Good
97	Sequoia sempervirens	46'-60'	37"-42"	60% - Fair
98	Magnolia grandiflora	31'-45'	19"-24"	80% - Good
99	Olea europaea	31'-45'	25"-30"	80% - Good
100	Magnolia grandiflora	31'-45'	19"-24"	80% - Good

101	Tipuana tipu	31'-45'	19"-24"	60% - Fair
102	Tipuana tipu	31'-45'	13"-18"	60% - Fair
103	Magnolia grandiflora	16'-30'	13"-18"	60% - Fair
104	Magnolia grandiflora	16'-30'	13"-18"	60% - Fair
105	Tipuana tipu	31'-45'	25"-30"	60% - Fair
106	Tipuana tipu	31'-45'	19"-24"	60% - Fair
107	Tipuana tipu	31'-45'	19"-24"	60% - Fair
108	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
109	Magnolia grandiflora	31'-45'	19"-24"	60% - Fair
110	Tipuana tipu	31'-45'	19"-24"	60% - Fair
111	Tipuana tipu	31'-45'	19"-24"	60% - Fair
112	Tipuana tipu	31'-45'	19"-24"	60% - Fair
113	Tipuana tipu	31'-45'	19"-24"	60% - Fair
114	Pinus canariensis	46'-60'	19"-24"	80% - Good
115	Pinus canariensis	46'-60'	13"-18"	60% - Fair
116	Pinus canariensis	46'-60'	19"-24"	80% - Good
117	Pinus canariensis	46'-60'	19"-24"	80% - Good
118	Pinus canariensis	46'-60'	19"-24"	80% - Good
119	Pistacia chinensis	1'-15'	1"-6"	80% - Good
120	Eucalyptus sideroxylon	46'-60'	37"-42"	80% - Good
121	Pistacia chinensis	1'-15'	1"-6"	80% - Good
122	Pistacia chinensis	1'-15'	1"-6"	80% - Good
123	Eucalyptus sideroxylon	46'-60'	31"-36"	80% - Good
124	Pistacia chinensis	1'-15'	1"-6"	80% - Good
125	Eucalyptus sideroxylon	46'-60'	37"-42"	80% - Good
126	Fraxinus uhdei	46'-60'	31"-36"	80% - Good
127	Fraxinus uhdei	46'-60'	25"-30"	80% - Good
128	Fraxinus uhdei	46'-60'	25"-30"	80% - Good
129	Fraxinus uhdei	46'-60'	25"-30"	80% - Good
130	Fraxinus uhdei	31'-45'	13"-18"	60% - Fair
131	Fraxinus uhdei	46'-60'	25"-30"	80% - Good
132	Fraxinus uhdei	46'-60'	25"-30"	80% - Good
133	Fraxinus uhdei	31'-45'	19"-24"	60% - Fair
134	Fraxinus uhdei	31'-45'	19"-24"	60% - Fair
135	Sequoia sempervirens	16'-30'	7"-12"	80% - Good
136	Sequoia sempervirens	16'-30'	7"-12"	80% - Good
137	Sequoia sempervirens	16'-30'	7"-12"	80% - Good
138	Olea europaea	16'-30'	25"-30"	40% - Poor
139	Quercus suber	1'-15'	1"-6"	80% - Good
140	Cedrus deodara	46'-60'	31"-36"	80% - Good
141	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
142	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
143	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
144	Lagerstroemia indica	1'-15'	1"-6"	80% - Good
145	Prunus avium	1'-15'	1"-6"	80% - Good
146	Chamaecyparis obtusa	16'-30'	7"-12"	60% - Fair
147	Prunus avium	1'-15'	1"-6"	80% - Good
148	Prunus avium	16'-30'	7"-12"	80% - Good
149	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
150	Pyrus calleryana	1'-15'	1"-6"	60% - Fair
151	Pyrus calleryana	1'-15'	1"-6"	60% - Fair

152	Sequoia sempervirens	60'+	60	80% - Good
153	Pyrus calleryana	1'-15'	1"-6"	60% - Fair
154	Sambucus mexicana	1'-15'	7"-12"	80% - Good
155	Syzygium australe	31'-45'	13"-18"	80% - Good
156	Magnolia grandiflora	31'-45'	13"-18"	60% - Fair
157	Pinus canariensis	31'-45'	13"-18"	80% - Good
158	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
159	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
160	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
161	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
162	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
163	Malus ioensis cv. Prairi	1'-15'	1"-6"	80% - Good
164	Malus ioensis cv. Prairi	1'-15'	1"-6"	80% - Good
165	Magnolia grandiflora	16'-30'	13"-18"	80% - Good
166	Sequoia sempervirens	46'-60'	32"	80% - Good
167	Sequoia sempervirens	46'-60'	32"	80% - Good
168	Lagerstroemia indica	16'-30'	1"-6"	80% - Good
169	Malus ioensis cv. Prairi	1'-15'	1"-6"	80% - Good
170	Malus ioensis cv. Prairi	1'-15'	1"-6"	80% - Good
171	Acer palmatum	1'-15'	1"-6"	80% - Good
172	Acer palmatum	1'-15'	1"-6"	80% - Good

BrightView
Tree Care Services

City of Campbell - City Hall Tagging

City of Campbell- City Hall tagging

March 11, 2020

Olea europaea ID# 138
Olive Tree Tag# 138
Height: 16'-30' DBH: 25"-30"
Health: 40% - Poor

Remove limb

March 11, 2020

Olea europaea ID# 138
Olive Tree Tag# 138
Height: 16'-30' DBH: 25"-30"
Health: 40% - Poor



Remove limb

March 11, 2020

Olea europaea ID# 138
Olive Tree Tag# 138
Height: 16'-30' DBH: 25"-30"
Health: 40% - Poor



Remove limb

BrightView Tree Care Services
Terms & Conditions

1. **Bid Specifications:** The Contractor shall recognize and perform in accordance with only written terms, specifications, and drawings contained or referred to herein. All materials shall conform to bid specifications. Work is beingdone in accordance with ANSI A300 standards.

2. **Bid Expiration:** This proposal will remain in effect for thirty (30) days from the date it was first presented to Client/Owner, unless accepted or rejected by Client/Owner, or withdrawn by Contractor prior to that time.

3. **Work Force:** Contractor shall designate a qualified representative with experience in tree management. The work force shall be presentable at all times. All employees shall be competent and qualified and shall be legally authorized to work in the U.S.

4. **Tree & Stump Removal:** Trees removed will be cut as close to the ground as possible based on conditions near to or next to the bottom of the tree trunk. Additional charges will be levied for unseen hazards such as, but not limited to concrete or brick filled trunks, metal rods, etc. If requested, mechanical grinding of visible tree stump will be done to a defined width and depth below ground level at an additional charge to the Client/Owner. Defined backfill and landscape material may be specified. Client/Owner shall be responsible for contacting Underground Service Alert to locate underground utility lines prior to start of work. BrightView Tree Care Services is not responsible for damage done to underground utilities such as, but not limited to, cables, wires, pipes, and irrigation parts. BrightView Tree Care Services will repair damaged irrigation lines at the Client/Owner's expense.

5. **Scheduling of Work:** If the jobsite conditions materially change from the time of approval of this proposal to the time the work starts, such that the job costs are adversely changed, this proposal is null and void. Scheduling of work is dependent on weather conditions and workloads. Our office will call the day prior to the work being done, unless other arrangements are made.

6. **Work Hours:** Any work, including emergency work, overtime and weekend work performed outside of the normal working hours (Monday-Friday between 6:30 a.m. and 2.30 p.m.) shall be billed at overtime rates. Use of power equipment will commence at 7:00 a.m., unless otherwise specified in the scope of work. Additional charges will be applied if crews cannot use power equipment by 9:00 a.m.

7. **License and Permits:** Contractor shall maintain a Landscape Contractor's license if required by State or local law and will comply with all other licenseand permit requirements of relevant city, state and federal governments, as well as all other requirements of law.

8. **Taxes:** Contractor agrees to pay all applicable taxes, including sales taxes on material supplied, where applicable.

9. **Insurance:** Contractor agrees to provide General Liability Insurance, Automotive Liability Insurance, Worker's Compensation Insurance, and any other insurance required by law or Client/Owner, as specified in writing prior to commencement of work. If not specified, Contractor will furnish insurance with a $1,000,000 limit of liability.

10. **Liability:** Contractor shall indemnify the Client/Owner and its agents and employees from and against any liabilities that arise out of Contractor's work to the extent such liabilities are adjudicated to have been caused by Contractor's negligence or willful misconduct. Contractor shall not be liable for any damage that occurs from acts of God. Acts of God are defined as those caused by windstorm, hail, fire, flood, earthquake, hurricane and freezing, etc. Under these circumstances, Contractor shall have the right to renegotiate the terms and prices of this agreement within sixty (60) days. Any illegal trespass, claims and/or damages resulting from work requested that is not on property owned by Client/Owner or not under Client/Owner.

11. **Waiver of Liability:** Requests for crown thinning in excess of twenty-five percent (25%), or work not in accordance with ISA (International Society of Arboricultural) standards will require a signed waiver of liability.

12. **Non-Union Contractor:** Client/Owner acknowledges that Contractor is not a signatory to any union agreements. If any services hereunder would be covered by any labor union that Client/Owner is bound to or that may have a claim to such work, then this written proposal shall be immediately terminated and become void, with no further liability to Contractor.

13. **Subcontractors:** Contractor reserves the right to hire qualified subcontractors to perform specialized functions or work requiring specialized equipment.

14. **Additional Services:** Any additional work, changes in the scope of work, or additional contract terms introduced by Client/Owner that are not specified in the signed written proposal shall constitute a counter offer and will require a new written proposal or an executed written order to address such changes. Any additional costs related thereto shall be charged by Contractor as an extra charge over and above the estimate.

15. **Access to Job Site:** Client/Owner shall provide all utilities to perform the work. Client/Owner shall furnish access to all parts of the job site where Contractor is to perform work as required by the Contract or other functions related thereto, during normal business hours and other reasonable periods related thereto, during normal business hours and other reasonable periods of time. Contractor will perform the work as reasonably practical after the owner makes the site available for performance of the work.

14. **Invoicing:** Client/Owner shall make payment to Contractor within fifteen (15) days of receipt of invoice.

15. **Cancellation:** Notice of cancellation of work must be received in writing before the crew is dispatched to their location or Client/Owner will be liable for a minimum travel charge of $150.00 and billed to Client/Owner.

16. **Assignment:** The Client/Owner and the Contractor, respectively, bind themselves, their partners, successors, assignees and legal representatives to the other party with respect to all covenants of this Contract. In the event of sale or transfer of Client/Owner's interest in its business and/or the propertywhich is the subject of this agreement, Client/Owner must first obtain the written consent of Contractor for the assignment of any interest in this agreement to be effective.

17. **Disclaimer:** This proposal for tree care services was estimated and priced based upon a site visit and visual inspection from ground level using ordinary means, at or about the time this proposal was prepared. The price quoted in this proposal for the work described, is the result of that ground level visual inspection and therefore our company will not be liable for any additional costs or damages for additional work not described herein, or liable for any incidents/accidents resulting from conditions, that were not ascertainable by said ground level visual inspection by ordinary means at the time said inspection was performed. The work performed by BrightView Tree Care Services is intended to reduce the chances of tree failure and any corresponding property liabilities, in addition to enhancing aesthetic value but is not a guarantee. We cannot be held responsible for unknown or otherwise hidden defects of your trees, which may fail in the future. The corrective work proposed herein cannot guarantee exact results. Professional engineering, architectural, and/or landscape design services ("Design Services") are not included in this Agreement and shall not be provided by the Contractor. Any design defects in the Contract Documents are the sole responsibility of the Owner. If the Client/Owner must engage a licensed engineer, architect and/or landscape design professional, any costs concerning these Design Services are to be paid by the Client/Owner directly to the designer involved.

Acceptance of this Proposal

Contractor is authorized to perform the work stated on the face of this proposal. Payment will be 100% due at time of billing. If payment has not been received by BrightView Tree Care Services within fifteen (15) days after billing, BrightView Tree Care Services shall be entitled to all costs of collection, including reasonable attorneys' fees and it shall be relieved of any obligation to continue performance under this or any other Contract with Client/Owner. Interest at a per annum rate of 1% per month, or the highest rate permitted by law, will be charged on unpaid balance 45 days after billing.

NOTICE: FAILURE TO MAKE PAYMENT WHEN DUE FOR COMPLETED WORK ON CONSTRUCTION JOBS, MAY RESULT IN A MECHANIC'S LIEN ON THE TITLE TO YOUR PROPERTY.

Customer

Signature

April 17, 2020

Printed Name | Date

BrightView Tree Care Services

Matthew Sesody April 17, 2020

Signature | Date

Matthew Sesody April 17, 2020

Printed Name | Date

I.S.A Certified Arborist #WE-12524A

APPENDIX C

Historic Resources Effects Analysis

CAMPBELL CIVIC CENTER IMPROVEMENTS

Proposed Police Operations Building



HISTORIC RESOURCES EFFECTS ANALYSIS

Prepared by
William Kostura
Archaeological/Historical Consultants
609 Aileen Street, Oakland, CA 94609

Prepared for
David J Powers and Associates
1871 The Alameda, Suite 200A
San Jose, CA 95126

April 2021

A/HC

Introduction

David J Powers and Associates has requested a historic resources effects analysis regarding the proposed City of Campbell Civic Center Improvements Project. The Project proposes the construction of a new police operations building in Campbell's Civic Center, which is adjacent or near to many historic houses and a historic firehouse. This report by Archaeological/Historical Consultants considers whether the proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines §15064.5. Specifically, it will look at whether the project would harm the integrity of these historic properties, or any of the features that make them historic.

Because the proposed new building will not directly impact the historic houses or firehouse, it has no potential to affect their integrity of location, design, materials, workmanship, feeling, and association. Thus, this report will only address their integrity of setting.

Preparer's Qualifications

William Kostura has 27 years of experience as a professional architectural historian in private practice and for the California Department of Transportation. He has evaluated over 1000 properties for eligibility under National Register or California Register criteria in California, Nevada, and Washington. He meets the Secretary of the Interior's Standards for architectural history. He is a former member of San Francisco's Landmarks Board and is also the author of about twenty publications on architectural history.

Description of the subject property (Campbell Civic Center)

The Campbell Civic Center is located a short distance north of Campbell's downtown and occupies a large block bounded by Civic Center Drive on the south, Grant Street on the north, Harrison Avenue to the east, and North First Street to the west. This block is the size of two typical blocks in the vicinity. Within the Civic Center are the following buildings and spaces:

* City Hall, facing Civic Center Drive, a short distance east of North First Street
* a Police Annex, adjacent to City Hall on the north
* the Library, facing Civic Center Drive, a short distance west of Harrison Avenue
* the historic Ainsley House and Carriage House, situated close to Grant Street
* garden areas surrounding, or adjacent to, City Hall and the Ainsley House, and
* five parking lots.



Plan of Campbell Civic Center, with project site shaded at upper left. Grant Street is to the north, at the top. Image taken from LWA/MWL prospectus.

Two of the parking lots occupy the entire North First Street frontage, from Civic Center Drive to Grant Street. A narrow strip of lawn with trees separates these parking lots from the street.

Because City Hall and the Police Annex are connected to each other and are made of similar materials, they read visually as one building. It is one story plus a basement in height, has a flat roof, and is clad in stucco, with brick veneer along the base. The roof extends a short distance beyond the wall plane. This extended roof has a leading edge faced in sheet metal and is supported by rows of steel posts. Windows are tall, are oval in shape at the top and bottom, and are surrounded by wood. The wooden window surrounds, the steel posts supporting the roof extension, and the sheet metal cladding of the roof extension are all colored brown, in contrast with the beige walls of the building and the beige-painted brick at the basement level.

The Ainsley House and Carriage House are historic buildings that were moved one and one-half miles from their original rural location to the Civic Center in 1990. They are described below.

View of City Hall looking northeast from North First Street and Civic Center Drive

Description of the historic buildings within and surrounding the subject property

Twelve buildings that face, or are within, or are very close to the Civic Center are listed on the City of Campbell's website as having historic status as either City Landmarks or Structures of Merit. They are:

Ainsley House and Carriage House, 300 Grant Street (two buildings). Built in 1925. Historic status: City Landmark. These structures were part of J. C. Ainsley's 83-acre orchard at Hamilton and Bascom avenues. The house is two stories in height and is clad in stucco. Its most dramatic feature is an undulating hipped roof that is covered with wooden shingles, somewhat in emulation of early European thatched roofs. Windows are variously, paired, tripartite, or four-part, with wooden muntins. The nearby Carriage House is similar in style and materials, but smaller. Gardened areas to the north and south buffer the house from the rest of the Civic Center and the streets.

Old City Hall and Firehouse, 51 North Central Avenue (at Civic Center Drive). Built in 1951. Historic status: Structure of Merit. This is a brick and stucco, flat-roofed building with two large roll-up vehicle doors on its Central Avenue side and a low, wooden office annex on the north side. Its plain appearance is typical for its construction date. It now houses the Campbell Historical Museum.

149 North Harrison Avenue. Built in ca. 1896. Historic status: Structure of Merit. This is a one-story Queen Anne house whose porch at right was enclosed in later years. The house has altered window sash. Siding and trim are made of wood.

142 North Central Avenue. Built in 1895. Historic status: Structure of Merit. This is a one-story Queen Anne residence with a recessed covered porch. Siding, trim, and sash are made of wood.

63 North First Street. Built in 1900. Historic status: Structure of Merit. This is a one-story hipped-roof Colonial Revival house clad in wooden siding. It has a gabled dormer, a recessed porch, and paired and single windows, all of wood.

75 North First Street. Built in ca. 1900. Historic status: Structure of Merit. This one-story hipped-roof house was originally Queen Anne in style, but was later altered with a coating of stucco. Surviving elements include its pedimented gable, a covered porch with columns, and wooden window sash and trim.

81 North First Street. Built in 1900. Historic status: City Landmark. This is a one-story hipped-roof Colonial Revival house with a hipped dormer, a recessed porch with square columns, and wooden siding, sash, and trim.

91 North First Street. Built in 1900. Historic status: Structure of Merit. This is a one-story hipped-roof Colonial Revival house with a hipped dormer, a recessed porch with Doric columns, replacement vinyl siding, and wooden sash and trim.

131 North First Street. Built in 1915. Historic status: Structure of Merit. This is a one-story side-gabled bungalow with overlapping wooden siding, a recessed porch, and a gabled dormer.

151 North First Street. Built in 1900. Historic status: City Landmark. This is a one-story, hipped-roof, Colonial Revival house with wood shingle siding, a hipped dormer, and a recessed porch with round and square columns. Windows are tripartite and single, with wooden sash.

158 North First Street. Built in ca. 1900. Built in 1915. Historic status: Structure of Merit. This small, cross-gabled one-story house has rustic siding, except in the gables, which are shingled. Porches can be found on the west and south sides.

To summarize: All of the historic buildings listed above are one story in height, except for the Ainsley house, which is two stories. Typically, the siding, window sash, trim, and porch posts of houses are wooden. The main exceptions to this rule are the stucco-clad Ainsley House, and two other houses that were originally clad in wood but now have replacement siding of stucco or vinyl. The Old City Hall and Firehouse, of course, is different from the houses in every way except for its low height.

Description of the proposed project

The proposal is to build a new police station building at the northwest corner of the Civic Center block, close to the corner of North First and Grant streets, on the present site of a parking lot. The new building would be placed 30’-9” from the curb on the First Street side and 22’-6” from the curb on the Grant Street side. It is to be two stories in height, with the second story deeply recessed relative to North First Street (i.e., on its west side). Along the North First Street side, the almost unbroken wall of the first story would be board-form concrete, of a color and finish that have not yet (in April 2021) been determined. The color would most likely be natural gray. Plans indicate that the second story recess could be filled someday by an expansion of the second story, but such an expansion would not occur for many years, if ever, and this report assumes that the recess will not be filled in.

A fence would be built between the new building and the street along both the First Street and the Grant Street sides. On First Street, the fence would be 18'-9" from the curb, and on the Grant Street side it would be 13'-6" from the curb. The height of the fence has not yet been determined, save that it would be from eight to ten feet in height. Regarding its material and finish, one alternative is that it would be of layered metal perforated in an artistic manner to depict an orchard scene. Whether this alternative will be chosen or not has not yet been decided, for budgetary reasons. For the purpose of our present analysis, we have been told to assume this alternative will be pursued.

Currently, several trees are planted along the First Street side, and these are shown in the renderings. How many will be retained is not yet known, and this analysis assumes that all of them will be retained or replanted.

Please see a plan and renderings of the proposed new police building below.



Chosen Site Plan (Option 2). The proposed fence is not shown in this drawing.

Two views of the proposed new police operations building, looking north-northeast from about Civic Center Drive and North First Street. The proposed fence is not shown in these drawings.

View looking southeast from North First Street and Grant Street, with an enlarged detail at bottom. This drawing shows the fence as eight feet in height and as composed of layers of perforated metal articulated with an artistic design. Existing trees are shown. This drawing does not show the fence as wrapping around onto the Grant Street side of the property.

Sight lines between the proposed new police building and nearby historic buildings

Some of the historic buildings surrounding the Civic Center would be clearly within sight of the proposed new police building and its surrounding fence; some would be only barely visible; and some would not be visible. Specifically:

The Ainsley House and Carriage House and the new police building would be separated by only a parking lot and so would be clearly visible from each other.

The Old City Hall and Firehouse at 51 North Central Avenue would be completely hidden from the new building by the existing City Hall.

The house at 149 North Harrison Avenue is so far from the new building that the two buildings would not be visible from each other.

The house at 142 North Central Avenue is so far from the new building that the two buildings would be only barely visible from each other.

The four houses at 63, 75, 81, and 91 North First Street are located sufficiently far south that they and the new building, and its fence, would be only obliquely visible from each other. #63 and #75 would be distantly visible, while #81 and #91 would be closer.

The house at 131 North First Street is directly across the street from the new building, so that the two would be easily visible from each other.

The house at 151 North First Street is cater-corner across the street from the new building, so that the two would be easily visible from each other.

The house at 158 North First Street is hidden from view from the new building by an intervening larger building at 150 North First. Thus, this house and the new building would not be visible from each other.

Please see photographs (below) that illustrate most of these sight lines.



From left to right: 63, 75, 81, and 91 North First Street, looking southwest from the approximate location of the proposed new police building.



131 North First Street (at left) and 151 North First Street (at right), looking west from the location of the proposed new police building.

150 North First Street, looking north. This building completely hides #158 from the proposed new police building.



142 North Central Avenue, looking east from the site of the new police building. This photo also looks toward 149 North Harrison Avenue, which is invisible from this vantage point.

View looking east from North First Street, near Grant Street, with an enlarged detail below. This view looks across the parking lot that occupies the site of the proposed new police station and toward the Ainsley House, visible in the distance.



Historic settings of the historic houses near the Civic Center

Historically, the area surrounding today's Civic Center was residential. It was composed of late 19th and early 20th century houses such as can still be found on North First Street, North Central Avenue, and North Harrison Avenue. Houses were freestanding, were modest in size, were one or two stories in height (usually one story), and were clad in wooden siding, with wooden trim, moldings, and ornament. While houses were vernacular in their design, they had fine details and lots of texture due to their wooden materials. They stood on suburban-sized lots that were mostly 40 to 80 feet in width.

The area within today's Civic Center was very similar to the area surrounding it. In 1920, according to the Sanborn map of that year, it was filled with 25 houses plus a Congregational church. The Sanborn map indicates that these houses were similar in scale to the houses that still stand today to the north and west of the Civic Center (described above).



1920 Sanborn map. North First Street is at left and North Harrison Avenue is at right. Minna Street, near the top, is today's Grant Street. The area south of Minna, between First and Harrison, is today's Civic Center. Although the addresses have changed, eight of the houses shown in this map still stand today and are described above. (Current addresses are added to the map, in red.)

Integrity of setting for the historic buildings near the Civic Center



Ainsley House and Carriage House, 300 Grant Street. As mentioned above, these two buildings were moved to the Civic Center from their original rural location in 1990. Thus, they have lost integrity of setting.

142 North Central Avenue. North of this house, along Central Avenue, are few other suburban houses, two of which appear to pre-date the 1930s; while to the south, across Grant Street, is the Ainsley House and the Civic Center. This house has thus lost most, though not all, of its integrity of setting.

131 North First Street and 151 North First Street. North of these houses, along First Street, are other suburban-scale houses, some of which appear to pre-date the 1930s. To the west, along Grant Street, are modern buildings. To the southeast is a Civic Center parking lot. The primary historic setting of these two houses is each other. On balance, they have lost most, though not all, of their integrity of setting.

63, 75, 81, and 91 North First Street. A Civic Center parking lot and Campbell's City Hall can be found across the street from this row of four houses. A modern commercial building and a parking lot are to the south and southeast. Because they are adjacent to each other, this row of four historic houses creates its own historic setting. On balance, they have lost much of their integrity of setting, but they also retain it to a substantial degree.

158 North First Street, 149 North Harrison Avenue, and the old firehouse at 51 North Central Avenue. The proposed new police operations building will not be visible from these three buildings. Thus, the new police building will not have any possible visual impact on these historic buildings, and so their integrity of setting is not being analyzed here.

Analysis of the impact on this project on historic properties

This analysis assumes that the proposed new fence will be eight feet in height and would be composed of layered metal perforated with an artistic design. It also assumes that existing street trees would be retained. If the fence is taller than eight feet, is made of a different material than is currently projected, and lacks an artistic design, then the visual effect of the new project might be different than is described below.

The new police building would be invisible, or only distantly visible, from four historic buildings, namely the Old City Hall and Fire Station at 51 North Central Avenue, 142 North Central Avenue, 149 North Harrison Avenue, and 158 North First Street. The project would not harm the integrity of such historic setting as they may retain, and thus would have no visual effect on any of these buildings.

The new police building would be prominently visible from the Ainsley House and Carriage House. However, those two buildings lost integrity of their setting when they were moved to the Civic Center in 1990. The construction of a new, two-story building within the Civic Center could not have much more of an effect on these buildings than the 1990 move did. Thus, the project could not have a substantial visual effect on these buildings.

The new police building and its fence would be prominently visible from 131 and 151 North First Street, and would be obliquely visible from 63, 75, 81, and 91 North First Street. The building and fence would be a half-block in length, in contrast to the modest suburban footprint of the historic houses. Thus, the new building would be a somewhat bulky presence for these six houses. Because these six houses have not entirely lost their integrity of setting, the effect of the project on these houses is being considered here. As mentioned above, the proposed fence is considered to be eight feet in height and to be made of perforated metal with an artistic design.

Any visual effect of the new building on the setting of these six houses would be softened by the following factors:

* The second story of the new building would be set back from the first story by a substantial distance, reducing the apparent bulk of the building. This reduces the visual impact of the half-block-long building.

* A strip of lawn along North First Street would be retained, preserving some distance between the new building and the old houses. This further reduces the visual impact of the half-block-long building.

* Existing street trees would be retained, partially shielding the houses from the new fence and building and reducing their visual impact.

* The new fence would be a half-block in length and would be closer to the old houses than the new police building would be, and could potentially cause a substantial visual effect. However, if it is only eight feet in height, instead of ten feet, that will reduce its bulk; and if it is made of layered metal with perforations in an artistic design, that will add articulation and texture that would soften the visual effect. While this articulation and texture would be different in character than the details and texture of the historic houses at 63 to 151 North First Street, the fence would still relate to the houses in a better way than a taller, blank wall would.

To summarize:

* Since the integrity of setting of the six historic houses at 63 to 151 North First Street has already been compromised,

* since the second story of the new police building is to be set back from the first story,

* since street trees are to be retained, and

* since the fence is planned to be eight feet in height and with an artistic pattern,

the project would not have a substantial visual effect on the historic buildings.

According to this analysis, it appears that the proposed project **will not** cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines §15064.5. If a different fence design is decided on later, and if street trees are to be removed, that could result in a different finding.

APPENDIX D

Phase I Environmental Site Assessment

CORNERSTONE EARTH GROUP

TYPE OF SERVICES	Phase I Environmental Site Assessment
LOCATION	New Police Operations Building and Secured Parking Lot 70 North 1st Street Campbell, California
CLIENT	David J. Powers & Associates
PROJECT NUMBER	118-126-1
DATE	May 12, 2021

CORNERSTONE EARTH GROUP

Type of Services	**Phase I Environmental Site Assessment**
Location	**New Police Operations Building and Secured Parking Lot** **70 North 1st Street** **Campbell, California**
Client	**David J. Powers & Associates**
Client Address	**1736 Franklin Street, Suite 300** **Oakland, California 94612**
Project Number	**118-126-1**
Date	**May 12, 2021**



Prepared by **Ron L. Helm, C.E.G.**
Senior Principal Geologist

1259 Oakmead Parkway | Sunnyvale, CA 94085
T 408 245 4600 | F 408 245 4620

1220 Oakland Boulevard, Suite 220 | Walnut Creek, CA 94596
T 925 988 9500 | F 925 988 9501

www.cornerstoneearth.com

Table of Contents

SECTION 1: INTRODUCTION 1
1.1 PURPOSE 1
1.2 SCOPE OF WORK 1
1.3 ASSUMPTIONS 2
1.4 ENVIRONMENTAL PROFESSIONAL 2
SECTION 2: SITE DESCRIPTION 2
2.1 LOCATION AND OWNERSHIP 2
2.2 CURRENT/PROPOSED USE OF THE PROPERTY 3
2.3 SITE SETTING AND ADJOINING PROPERTY USE 3
SECTION 3: USER PROVIDED INFORMATION 3
3.1 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS 3
3.2 SPECIALIZED KNOWLEDGE AND/OR COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION 4
SECTION 4: RECORDS REVIEW 4
4.1 STANDARD ENVIRONMENTAL RECORD SOURCES 4
4.1.1 On-Site Database Listings 4
4.1.2 Nearby Spill Incidents 5
4.1.3 Further Review of Database Listings 5
4.2 ADDITIONAL ENVIRONMENTAL RECORD SOURCES 6
4.2.1 City and County Agency File Review 6
SECTION 5: PHYSICAL SETTING 7
5.1 RECENT USGS TOPOGRAPHIC MAP 7
5.2 HYDROGEOLOGY 7
SECTION 6: HISTORICAL USE INFORMATION 8
6.1 HISTORICAL SUMMARY OF SITE 8
6.2 HISTORICAL SUMMARY OF SITE VICINITY 9
SECTION 7: SITE RECONNAISSANCE 9
7.1 METHODOLOGY AND LIMITING CONDITIONS 9
7.2 OBSERVATIONS 9
7.2.1 Site Photographs 11
SECTION 8: ENVIRONMENTAL QUESTIONNAIRE AND INTERVIEWS 12
8.1 ENVIRONMENTAL QUESTIONNAIRE / OWNER INTERVIEW 12
8.2 INTERVIEWS WITH PREVIOUS OWNERS AND OCCUPANTS 12
SECTION 9: FINDINGS, OPINIONS AND CONCLUSIONS (WITH RECOMMENDATIONS) 12
9.1 HISTORICAL SITE USAGE 12
9.2 CHEMICAL STORAGE AND USE 13
9.3 USTS 13
9.4 ASBESTOS CONTAINING BUILDING MATERIALS (ACBMS) 13
9.5 LEAD-BASED PAINT AND TERMITE CONTROL PESTICIDES 13
9.6 POTENTIAL ENVIRONMENTAL CONCERNS WITHIN THE SITE VICINITY 14
9.7 IMPORTED SOIL 14
9.8 DATA GAPS 14
9.9 DATA FAILURES 15
9.10 RECOGNIZED ENVIRONMENTAL CONDITIONS 15
SECTION 10: LIMITATIONS 15

FIGURE 1 – VICINITY MAP
FIGURE 2 – SITE PLAN

APPENDIX A – DATABASE SEARCH REPORT
APPENDIX B – HISTORICAL AERIAL PHOTOGRAPHS AND MAPS
APPENDIX C – LOCAL STREET DIRECTORY SEARCH RESULTS
APPENDIX D – QUESTIONNAIRE

CORNERSTONE EARTH GROUP

Type of Services	**Phase I Environmental Site Assessment**
Location	**New Police Operations Building and Secured Parking Lot** **70 North 1st Street** **Campbell, California**

SECTION 1: INTRODUCTION

This report presents the results of the Phase I Environmental Site Assessment (ESA) performed at the planned location of a new City of Campbell police operations building and secured parking lot at 70 North 1st Street in Campbell, California (Site) as shown on Figures 1 and 2. This work was performed for David J. Powers & Associates in accordance with our April 28, 2021 Agreement (Agreement).

1.1 PURPOSE

The scope of work presented in the Agreement was prepared in general accordance with ASTM E 1527-13 titled, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process" (ASTM Standard). The ASTM Standard is in general compliance with the Environmental Protection Agency (EPA) rule titled, "Standards and Practices for All Appropriate Inquiries; Final Rule" (AAI Rule). The purpose of this Phase I ESA is to strive to identify, to the extent feasible pursuant to the scope of work presented in the Agreement, Recognized Environmental Conditions at the property.

As defined by ASTM E 1527-13, the term Recognized Environmental Condition means the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not Recognized Environmental Conditions.

We performed this Phase I ESA to support David J. Powers & Associates in evaluation of Recognized Environmental Conditions at the Site. This Phase I ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for Recognized Environmental Conditions at the Site.

1.2 SCOPE OF WORK

As presented in our Agreement, the scope of work performed for this Phase I ESA included the following:

- A reconnaissance of the Site to note readily observable indications of significant hazardous materials releases to structures, soil or groundwater.

- Drive-by observation of adjoining properties to note readily apparent hazardous materials activities that have or could significantly impact the Site.
- Acquisition and review of a regulatory agency database report of public records for the general area of the Site to evaluate potential impacts to the Site from reported contamination incidents at nearby facilities.
- Review of readily available information on file at selected governmental agencies to help evaluate past and current Site use and hazardous materials management practices.
- Review of readily available maps and aerial photographs to help evaluate past and current Site uses.
- Interviews with persons reportedly knowledgeable of existing and prior Site uses.
- Preparation of a written report summarizing our findings and recommendations.

The limitations for the Phase I ESA are presented in Section 10.

1.3 ASSUMPTIONS

In preparing this Phase I ESA, Cornerstone assumed that all information received from interviewed parties is true and accurate. In addition, we assumed that all records obtained by other parties, such as regulatory agency databases, maps, related documents and environmental reports prepared by others are accurate and complete. We also assumed that the boundaries of the Site, based on information provided by David J. Powers & Associates, are as shown on Figure 2. We have not independently verified the accuracy or completeness of any data received.

1.4 ENVIRONMENTAL PROFESSIONAL

This Phase I ESA was performed by Stason I. Foster, P.E. and Ron L. Helm, C.E.G., Environmental Professionals who meet the qualification requirements described in ASTM E 1527-13 and 40 CFR 312 § 312.10 based on professional licensing, education, training and experience to assess a property of the nature, history and setting of the Site.

SECTION 2: SITE DESCRIPTION

This section describes the Site as of the date of this Phase I ESA. The location of the Site is shown on Figures 1 and 2. Tables 1 through 3 summarize general characteristics of the Site and adjoining properties. The Site is described in more detail in Section 7, based on our on-Site observations.

2.1 LOCATION AND OWNERSHIP

Table 1 describes the physical location, and ownership of the property, based on information provided by David J. Powers & Associates.

Table 1. Location and Ownership

Assessor's Parcel No. (APN)	Part of APN 279-41-067
Reported Address/Location	Part of 70 North 1st Street, Campbell, California
Owner	City of Campbell
Approximate Lot Size	1.2 acres

2.2 CURRENT/PROPOSED USE OF THE PROPERTY

The current and proposed uses of the property are summarized in Table 2.

Table 2. Current and Proposed Uses

Current Use	Police Department offices and secured parking lot, and City Hall parking lot.
Proposed Use	Police operations building and secured parking lot

2.3 SITE SETTING AND ADJOINING PROPERTY USE

Land use in the general Site vicinity appears to be primarily public facilities and residential properties. Based on our Site vicinity reconnaissance, adjoining Site uses are summarized below in Table 3.

Table 3. Adjoining Property Uses

North	Residential (across Grant Street)
South	Campbell City Hall and parkin lot
East	Ainsley House (historic house/museum)
West	Saint Mary's Assyrian Chaldean Church and residences (across North 1st Street)

SECTION 3: USER PROVIDED INFORMATION

The ASTM standard defines the User as the party seeking to use a Phase I ESA to evaluate the presence of Recognized Environmental Conditions associated with a property. For the purpose of this Phase I ESA, the User is David J. Powers & Associates. The "All Appropriate Inquiries" Final Rule (40 CFR Part 312) requires specific tasks be performed by or on behalf of the party seeking to qualify for Landowner Liability Protection under CERCLA (*i.e.*, the User).

Per the ASTM standard, if the User has information that is material to Recognized Environmental Conditions, such information should be provided to the Environmental Professional. This information includes: 1) specialized knowledge or experience of the User, 2) commonly known or reasonably ascertainable information within the local community, and 3) knowledge that the purchase price of the Site is lower than the fair market value due to contamination. A search of title records for environmental liens and activity and use limitations also is required.

3.1 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS

An environmental lien is a financial instrument that may be used to recover past environmental cleanup costs. Activity and use limitations (AULs) include other environmental encumbrances,

such as institutional and engineering controls. Institutional controls (ICs) are legal or regulatory restrictions on a property's use, while engineering controls (ECs) are physical mechanisms that restrict property access or use.

The regulatory agency database report described in Section 4.1 did not identify the Site as being in 1) US EPA databases that list properties subject to land use restrictions (*i.e.*, engineering and institutional controls) or Federal Superfund Liens or 2) lists maintained by the California Department of Toxic Substances Control (DTSC) of properties that are subject to AULs or environmental liens where the DTSC is a lien holder.

ASTM E 1527-13 categorizes the requirement to conduct a search for Environmental Liens and AULs as a User responsibility. A search of land title records for environmental liens and AULs was not within the scope of the current Phase I ESA.

3.2 SPECIALIZED KNOWLEDGE AND/OR COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION

Based on information provided by or discussions with David J. Powers & Associates, we understand that David J. Powers & Associates does not have specialized knowledge or experience, commonly known or reasonably ascertainable information regarding the Site, or other information that is material to Recognized Environmental Conditions.

SECTION 4: RECORDS REVIEW

4.1 STANDARD ENVIRONMENTAL RECORD SOURCES

Cornerstone conducted a review of federal, state and local regulatory agency databases provided by Environmental Data Resources (EDR) to evaluate the likelihood of contamination incidents at and near the Site. The database sources and the search distances are in general accordance with the requirements of ASTM E 1527-13. A list of the database sources reviewed, a description of the sources, and a radius map showing the location of reported facilities relative to the project Site are attached in Appendix A.

The purpose of the records review was to obtain reasonably available information to help identify Recognized Environmental Conditions. Accuracy and completeness of record information varies among information sources, including government sources. Record information is often inaccurate or incomplete. The Environmental Professional is not obligated to identify mistakes or insufficiencies or review every possible record that might exist with the Site. The customary practice is to review information from standard sources that is reasonably available within reasonable time and cost constraints.

4.1.1 On-Site Database Listings

The City of Campbell was identified at the Site address on the leaking underground storage tank (LUST) database. The case was opened in 1988 and closed in 1991.

The City was listed on the 1) HIST UST database, a historical listing of underground storage tank (UST) sites, 2) the Statewide Environmental Evaluation and Planning System (SWEEPS) UST database, and 3) on a state database of active UST facilities. The SWEEPS database was updated and maintained by a company contacted by the California State Water Resources

Control Board (SWRCB) in the early 1990s; the database is no longer updated or maintained. The SWEEPS and HIST UST database listings indicate that a 1,500-gallon gasoline UST was installed in 1970.

The City was listed as a chemical storage and UST facility on the California Environmental Reporting System (CERS) database, a statewide web-based system that facilitates electronically collecting and reporting various hazardous materials, hazardous waste and compliance/enforcement data as mandated by the California Health and Safety Code and other legislation.

The City was listed on the Emissions Inventory (EMI) database that includes toxics and criteria pollutant emissions data collected by the California Air Resources Board (ARB) and local air pollution agencies. EMI database listings often are associated with the operation of emergency generators.

The City was listed on the RCRA NonGen/NLR database. This database lists facilities that generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate RCRA hazardous waste. NLR means that the business is no longer registered. No violations were reported. The City also was listed at the Site address on the Hazardous Waste Tracking System (HWTS) database, which is maintained by the DTSC and collects waste manifest copies from the generator and destination facility. Listings on the HAZNET database, which contains data extracted from the copies of hazardous waste manifests received each year by the DTSC, indicate that wastes disposed in 1998 were categorized as unspecified organic liquid mixtures; other organic solids; and unspecified oil-containing waste.

The Site address also is listed on the California Hazardous Material Incident Report System (CHMIRS) database, which is maintained by the Office of Emergency Services and contains information on reported hazardous material incidents. The CHMIRS listing indicates that in 2003, a letter containing an unknown white powder was received by the Campbell Police Department and evaluated by the Santa Clara County Health Department.

4.1.2 Nearby Spill Incidents

Based on the information presented in the agency database report, no off-Site spill incidents were reported that appear likely to significantly impact soil, soil vapor or groundwater beneath the Site. The potential for impact was based on our interpretation of the types of incidents, the locations of the reported incidents in relation to the Site and the assumed groundwater flow direction.

4.1.3 Further Review of Database Listings

To obtain additional information regarding on-Site LUST case, a cursory review of readily available documents obtained from the state Geotracker database (http://geotracker.-waterboards.ca.gov) was performed. Geotracker is a database and geographic information system (GIS) that provides online access to environmental data. It tracks regulatory data about leaking underground storage tank (LUST), Department of Defense, Site Cleanup Program and Landfill sites.

Based on the information reviewed, approximately 1 to 5 gallons of gasoline reportedly was released to soil resulting from overfilling the Police Department UST in June 1988, which triggered a vapor monitoring system alarm. In July 1988, a boring was advanced by Geonomics near the fill end of the 1,500-gallon UST[1]. A soil sample was collected from a depth of approximately 10.8 feet and analyzed for total petroleum hydrocarbons as gasoline (TPHg), benzene, toluene, ethylbenzene and xylenes (BTEX). These analytes were not detected.

In 1991, the Santa Clara Valley Water District (SCVWD) recommended that the case be closed. The Water Board concurred with the case closure recommendation in a February 26, 1991 letter.

4.2 ADDITIONAL ENVIRONMENTAL RECORD SOURCES

The following additional sources of readily ascertainable public information for the Site also were reviewed during this Phase I ESA.

4.2.1 City and County Agency File Review

Cornerstone requested available files pertaining to 70 North 1st Street at the following public agencies: the Campbell Building Department (BD), Santa Clara County Fire Department (FD), and the Santa Clara County Department of Environmental Health (DEH). The information reviewed is summarized in Table 4. Due to City office closures associated with Covid-19, Building Department records were not available as of the date of this report.

Table 4. File Review Information

Agency Name	Date	Occupant	Remarks
FD	1988	City of Campbell	Correspondence regarding the LUST case discussed in Section 4.1.3 noting that the gasoline release resulted from overfilling the Police Department UST in June 1988, which triggered a vapor monitoring system alarm.
FD	1991	City of Campbell	Case closure letters from the SCVWD and Water Board pertaining to the LUST case discussed in Section 4.1.3
FD	1997	City of Campbell	Plan review comments pertaining to a planned UST removal.
FD	1997/1998	City of Campbell	Inspection report and permit application form for a 1,500-gallon gasoline UST that was removed on January 20, 1998. Two soil samples were collected. Analyses for TPHg, BTEX, tetraethyl lead and methyl tert-butyl ether (MTBE) were required; the results were to be provided to the Fire Department. Product and vent piping were pressure tested and were to be closed in place.
FD	1997/1998	City of Campbell	Permit and inspection reports pertaining to the installation of a new double walled, 5000-gallon gasoline UST on January 9, 1998.

[1] Reported as 1,000-gallons in Santa Clara Valley Water District correspondence.

Table 4 (continued). File Review Information

Agency Name	Date	Occupant	Remarks
FD	1998 to 2014 and 2016	City of Campbell	Annual UST inspection reports. No violations were reported.
FD	1999	City of Campbell	Inspection report. An update to the Hazardous Materials Management Plan (HMMP) was required to add above ground fuel tanks associated with emergency generators and a 55-gallon drum of diesel (during our Site visit, these features were observed to be located off-Site and associated with the southerly adjacent City Hall building).
FD	2001	City of Campbell	UST and hazardous materials storage permit.
FD	2005	City of Campbell	Permit and inspection report for UST system upgrades.
FD	2007 and 2012	City of Campbell	Permits to operate a 5,000 gallon gasoline UST.
FD	2015	City of Campbell	Annual UST inspection report. Repair of a spill bucket was required. No other violations were noted.
FD	2017	City of Campbell	Inspection report and permit associated with replacement of a fuel dispenser.
FD	2019	City of Campbell	Permit and plan review comments for replacement of a spill bucket.
DEH	2020	City of Campbell	UST monitoring plan from the California Environmental Reporting System (CERS) indicating the presence of a double-walled, 5,000 gallon gasoline UST that was installed in 1998.

In addition to the above, a 1970 floor plan of the City Hall building was obtained from the City's website. This plan depicts a gasoline dispenser near the location of the former 1,500 gallon gasoline UST (see Figure 2). The dispenser was located behind louvered doors within a room currently used by the Police Department for gun cleaning.

SECTION 5: PHYSICAL SETTING

We reviewed readily available geologic and hydrogeologic information to evaluate the likelihood that chemicals of concern released on a nearby property could pose a significant threat to the Site and/or its intended use.

5.1 RECENT USGS TOPOGRAPHIC MAP

A 1980 USGS 7.5 minute topographic map was reviewed to evaluate the physical setting of the Site. The Site's elevation is approximately 195 feet above mean sea level; topography in the vicinity of the Site slopes downward gently to the north towards the San Francisco Bay.

5.2 HYDROGEOLOGY

Based on our experience and information presented in the California Geotracker database pertaining to nearby properties, groundwater beneath the Site is likely present at depths of approximately 75 to 125 feet. Groundwater likely flows toward the north.

SECTION 6: HISTORICAL USE INFORMATION

The objective of the review of historical use information is to develop a history of the previous uses of the Site and surrounding area in order to help identify the likelihood of past uses having led to Recognized Environmental Conditions at the property. The ASTM standard requires the identification of all obvious uses of the property from the present back to the property's first developed use, or back to 1940, whichever is earlier, using reasonably ascertainable standard historical sources.

6.1 HISTORICAL SUMMARY OF SITE

The historical sources reviewed are summarized below. The results of our review of these sources are summarized in Table 5.

- **Historical Aerial Photographs:** We reviewed aerial photographs dated between 1939 and 2016 obtained from EDR of Shelton, Connecticut; copies of aerial photographs reviewed are presented in Appendix B.

- **Historical Topographic Maps:** We reviewed USGS 15-minute and 7.5-minute historical topographic maps dated 1889, 1897, 1899, 1953, 1961, 1968, 1973, 1980, nd 2012; copies of historical topographic maps reviewed are presented in Appendix B.

- **Historical Fire Insurance Maps:** We reviewed Sanborn fire insurance maps dated 1899, 1905, 1908, 1920, 1928, 1935 and 1950 obtained from EDR; copies of Sanborn maps are presented in Appendix B.

- **Local Street Directories:** We reviewed city directories obtained from EDR that were researched at approximately 5 year intervals between 1922 and 2017 to obtain information pertaining to past Site occupants. The city directory summary is presented in Appendix C.

Table 5. Summary of Historical Source Information for Site

Date	Source	Comment
1889 to 1899	Topographic maps	Several small structures are depicted on-Site that appear typical of residences.
1899 to 1950	Sanborn maps	The Site is shown to be occupied by several residences and associated outbuildings. The number of dwellings is shown to increase over time.
1939 to 1968	Aerial photographs	The Site appears to be developed with several residences and associated outbuildings.
1953 to 1980	Topographic maps	The Site is shown within the urban developed area of Campbell
1974 to 1993	Aerial photographs	The prior residential structure are shown to have been removed and the Site is developed with parking lots associated with the southerly adjacent City Hall structure.
1994 to 2017	City Directories	Occupants listed as various Campbell City offices/departments
1998 to 2016	Aerial photograph	The Site appears similar to the existing conditions.

6.2 HISTORICAL SUMMARY OF SITE VICINITY

Based on our review of the information described in Section 6.1, the general Site vicinity has been developed with mainly residential structures since at least the late 1800s. Commercial building were located to the south of the Site along Campbell Avenue. A gradual increase in both residential and commercial development in the general Site vicinity is apparent over time. The existing southerly adjacent City Hall structure was constructed during the early 1970s, replacing several former residential structures and a church.

SECTION 7: SITE RECONNAISSANCE

We performed a Site reconnaissance to evaluate current Site conditions and to attempt to identify Site Recognized Environmental Conditions. The results of the reconnaissance are discussed below. Additional Site observations are summarized in Table 6. Photographs of the Site are presented in Section 7.2.1.

7.1 METHODOLOGY AND LIMITING CONDITIONS

To observe current Site conditions (readily observable environmental conditions indicative of a significant release of hazardous materials), Cornerstone staff Stason I. Foster, P.E. visited the Site on May 6, 2021. The Site reconnaissance was conducted by walking representative areas of the Site, including the interiors of the on-Site structures, the periphery of the structures and the Site periphery. Cornerstone staff only observed those areas that were reasonably accessible, safe, and did not require movement of equipment, materials or other objects. Physical obstructions that limited our ability to view the ground surface at the Site included the existing buildings and associated asphalt paved parking areas and vehicle drives (typical of developed properties).

7.2 OBSERVATIONS

At the time of our visit, the Site was developed with a parking lot for the adjacent City Hall building, as well as a secured parking lot for Police Department vehicles. Three structures used by the Police Department were located on the southeast portion of the Site. These consisted of a prefabricated structure used for general office purposes, a wood-framed storage shed used by the Police Department for storage of miscellaneous items, and a concrete block structure containing a small gun cleaning room, a motorcycle storage room and lockers.

A gasoline UST and fuel dispenser were observed on-Site near the southeast corner of the Police Department's secured parking lot. A small portable emergency generator with an integral fuel tank was observed on the north exterior side of the storage shed. No other hazardous materials were observed on the Site.

Electricity and/or natural gas fuel sources appeared to be used for building heating/cooling purposes. Potable water appeared to be supplied by the local water service provider. The prefabricated office building presumably is connected to the publicly owned sanitary sewer system; no on-Site septic systems were obvious. On-Site storm water catch basins appeared to discharge via below ground piping to the City's storm water drainage system.

Table 6. Summary of Readily Observable Site Features

General Observation	Comments
Aboveground Storage Tanks	Not Observed
Agricultural Wells	Not Observed
Air Emission Control Systems	Not Observed
Boilers	Not Observed
Burning Areas	Not Observed
Chemical Mixing Areas	Not Observed
Chemical Storage Areas	Not Observed
Clean Rooms	Not Observed
Drainage Ditches	Not Observed
Elevators	Not Observed
Emergency Generators	Observed as described above
Equipment Maintenance Areas	Not Observed
Fill Placement	Not Observed
Groundwater Monitoring Wells	Not Observed
High Power Transmission Lines	Not Observed
Hoods and Ducting	Not Observed
Hydraulic Lifts	Not Observed
Incinerator	Not Observed
Petroleum Pipelines	Not Observed
Petroleum Wells	Not Observed
Ponds or Streams	Not Observed
Railroad Lines	Not Observed
Row Crops or Orchards	Not Observed
Stockpiles of Soil or Debris	Not Observed
Sumps or Clarifiers	Not Observed
Transformers	Not Observed
Underground Storage Tanks	Observed as described above
Vehicle Maintenance Areas	Not Observed
Vehicle Wash Areas	Not Observed
Wastewater Neutralization Systems	Not Observed

The comment “Not Observed” does not warrant that these features are not present on-Site; it only indicates that these features were not readily observed during the Site visit.

7.2.1 Site Photographs

Photograph 1. City Hall parking lot.

Photograph 2. Secured parking lot for Police Department vehicles.

Photograph 3. Prefabricated office building, at right. Concrete block structure (gun cleaning room and motorcycle storage) at left.

Photograph 4. Circular patch in concrete floor at former fuel dispenser location.

Photograph 5. Location of former gasoline UST (removed in 1988).

Photograph 6. Existing gasoline UST and fuel dispenser. Storage shed is shown at left.

SECTION 8: ENVIRONMENTAL QUESTIONNAIRE AND INTERVIEWS

8.1 ENVIRONMENTAL QUESTIONNAIRE / OWNER INTERVIEW

To help obtain information on current and historical Site use and use/storage of hazardous materials on-Site, we provided an environmental questionnaire to the Site owner (the City of Campbell). The completed questionnaire is attached in Appendix D. The information provided on the questionnaire appears generally consistent with our on-Site observations and information obtained from other data sources. No information indicative of Recognized Environmental Conditions was reported on the questionnaire.

The City additionally provided an August 6, 2004 letter from the Water Board. The letter indicated that in 2002, the Water Board required an evaluate of groundwater quality to evaluate potential impacts from MTBE associated with the existing UST system. Groundwater samples were noted to have been collected in August 2003 by Sierra Environmental. The 2003 report was not provided for review by Cornerstone; however, the Water Board stated that *groundwater beneath the subject site has not been impacted from undetected releases from the existing UST system. Since MTBE is currently prohibited for use in fuel there is no ongoing threat posed by the leakage of MTBE and other fuel oxygenates from your UST system. No further action related to monitoring for MTBE or other fuel oxygenates is required at this time.*

8.2 INTERVIEWS WITH PREVIOUS OWNERS AND OCCUPANTS

Contact information for previous Site owners and occupants was not provided to us. Therefore, interviews with previous Site owners and occupants could not be performed.

SECTION 9: FINDINGS, OPINIONS AND CONCLUSIONS (WITH RECOMMENDATIONS)

Cornerstone performed this Phase I ESA in general accordance with ASTM E1527-13 to support David J. Powers & Associates in evaluation of Recognized Environmental Conditions. Our findings, opinions and conclusions are summarized below.

9.1 HISTORICAL SITE USAGE

Based on the information obtained during this study, the Site was developed since at least the late 1800s with several residences and associated outbuildings. These former structures were demolished by the early 1970s.

The Site subsequently was developed with a parking lot for the adjacent City Hall building, as well as a secured parking lot for Police Department vehicles. Three structures used by the Police Department are located on the southeast portion of the Site. These consist of a prefabricated structure used for general office purposes, a wood framed storage shed used by the Police Department for storage of miscellaneous items, and a concrete block structure containing a small gun cleaning room, a motorcycle storage room and lockers.

9.2 CHEMICAL STORAGE AND USE

Except for the existing gasoline UST discussed in the following Section and gasoline within a small portable generator, no hazardous materials were observed at the Site. No evidence of hazardous materials spills was observed during our visit.

9.3 USTS

Gasoline currently is stored on-Site within a 5,000-gallon, double-walled UST that is connected to a nearby fuel dispenser. This fueling system was installed in 1998. When use of the fueling facility is discontinued, the UST and associated equipment should be removed under permit from the Santa Clara County Fire Department. As will be required as a condition of the UST removal permit, soil samples shall be collected during the UST removal to evaluate if the fuel system may have leaked. No evidence of significant leaks or spills was documented in the data sources researched during this study.

A 1,500-gallon gasoline UST installed in 1970 was removed from the Site in 1998. Two soil samples reportedly were collected during the removal activities. Analyses for TPHg, BTEX, tetraethyl lead and MTBE were required by the Fire Department inspector and the results were to be provided to the Fire Department. Product and vent piping were pressure tested and were to be closed in place. The analytical results were not identified within the data sources researched during this study; however, the Site was not listed as a LUST case following the 1998 UST removal. The above suggests that contaminants were not identified at concentrations of concern. If a further degree of confidence is desired or if impacted soil is encountered during future earthwork activities, additional soil sampling should be conducted. The location of the former UST is within the boundary of the planned new secured parking lot; thus, potential risks to future Site occupants appear low.

Approximately 1 to 5 gallons of gasoline reportedly was released to soil resulting from overfilling the former UST in 1988, which triggered a vapor monitoring system alarm. A LUST case subsequently was opened. To evaluate the extent of soil impacts, a boring was advanced near the fill end of the UST and a soil sample was collected from a depth of approximately 10.8 feet and analyzed for TPHg and BTEX. These analytes were not detected. In 1991, the SCVWD recommended that the case be closed. The Water Board concurred with the case closure recommendation in a February 26, 1991 letter.

9.4 ASBESTOS CONTAINING BUILDING MATERIALS (ACBMS)

Bay Area Air Quality Management District (BAAQMD) and National Emissions Standards for Hazardous Air Pollutants (NESHAP) guidelines require the removal of potentially friable ACBMs prior to building demolition or renovation that may disturb the ACBM. Prior to demolition of the on-Site structures, an asbestos survey should be conducted.

9.5 LEAD-BASED PAINT AND TERMITE CONTROL PESTICIDES

In 1978, the Consumer Product Safety Commission banned lead-containing paints and coatings sold for consumer use. Some lead-containing products, such as industrial coatings, however, are still allowed. At least a portion of the existing concrete block structure was constructed concurrent with the City Hall building in approximately 1970. Lead-containing paint is less likely to be preset on the existing office and wood-framed shed structures that appear to have been

constructed during the 1990s. The removal of lead-containing paint is not required prior to building demolition if it is bonded to the building materials. However, if the lead-containing paint is flaking, peeling, or blistering, it should be removed prior to demolition. In either case, applicable OSHA regulations must be followed; these include requirements for worker training, air monitoring and dust control, among others. Any debris or soil containing lead must be disposed appropriately.

Additionally, soil adjacent to structures that are painted with lead-containing paint can become impacted with lead as a result of the weathering and/or peeling of painted surfaces. Soil near wood framed structures also can be impacted by pesticides historically used to control termites. No information was identified during this study documenting the use of lead based paint or termite control pesticides on-Site; however, if used, residual pesticide and lead concentrations may remain in on-Site soil. Lead and/or pesticides often are identified in soil near old residences, such as those historically located on-Site. Prior to redevelopment of the Site, we recommend that shallow soil at the former structure locations be evaluated for the possible presence of lead and pesticides.

9.6 POTENTIAL ENVIRONMENTAL CONCERNS WITHIN THE SITE VICINITY

Based on the information obtained during this study, no hazardous material spill incidents have been reported in the Site vicinity that would be likely to significantly impact the Site.

9.7 IMPORTED SOIL

If the planned development will require importing soil for Site grading, we recommend documenting the source and quality of imported soil. The DTSC's October 2001 Clean Fill Advisory provides useful guidance on evaluating imported fill.

9.8 DATA GAPS

ASTM Standard Designation E 1527-13 requires the Environmental Professional to comment on significant data gaps that affect our ability to identify Recognized Environmental Conditions. A data gap is a lack of or inability to obtain information required by ASTM Standard Designation E 1527-13 despite good faith efforts by the Environmental Professional to gather such information. A data gap by itself is not inherently significant; it only becomes significant if it raises reasonable concerns. The following data gaps were identified:

- Due to City office closures associated with Covid-19, Building Department records were not readily available as of the date of this report. The general environmental setting of the Site appears to have been established based on the information reviewed from other data sources. We do not consider this data gap to be significant.

- Contact information for the former occupants and owners of the Site was not provided to us. Thus, former occupants and owners were not interviewed during this study. The general environmental setting of the Site appears to have been established based on the information reviewed from other data sources. We do not consider this data gap to be significant.

9.9 DATA FAILURES

As described by ASTM Standard Designation E 1527-13, a data failure occurs when all of the standard historical sources that are reasonably ascertainable and likely to be useful have been reviewed and yet the historical research objectives have not been met. Data failures are not uncommon when attempting to identify the use of a Site at five year intervals back to the first use or to 1940 (whichever is earlier). ASTM Standard Designation E 1527-13 requires the Environmental Professional to comment on the significance of data failures and whether the data failure affects our ability to identify Recognized Environmental Conditions. A data failure by itself is not inherently significant; it only becomes significant if it raises reasonable concerns. No significant data failures were identified during this Phase I ESA.

9.10 RECOGNIZED ENVIRONMENTAL CONDITIONS

Cornerstone has performed a Phase I ESA in general conformance with the scope and limitations of ASTM E 1527-13. This assessment identified the following Recognized Environmental Conditions[2].

- Soil adjacent to structures that are painted with lead-containing paint can become impacted with lead as a result of the weathering and/or peeling of painted surfaces. Soil near wood framed structures also can be impacted by pesticides historically used to control termites. There is a potential that residual lead and pesticide concentrations could remain in on-Site soil resulting from prior on-Site structures.

This assessment identified the following Historical Recognized Environmental Conditions[3]:

- Approximately 1 to 5 gallons of gasoline reportedly was released to soil resulting from overfilling a former UST in 1988. A LUST case subsequently was opened. TPHg and BTEX were not detected during subsequent soil sampling and the LUST case was closed by the Water Board in 1991. No further work associated with the LUST case appears required.

As previously noted, gasoline currently is stored on-Site within a 5,000-gallon, double-walled UST that was installed in 1998. Based on the double-walled construction of the UST, the potential for it to have significantly impacted the Site appears relatively low. Although this finding does not clearly meet the definition of a Recognized Environmental Condition per ASTM E 1527-13, Cornerstone considers it to be a potential environmental concern.

SECTION 10: LIMITATIONS

Cornerstone performed this Phase I ESA to support David J. Powers & Associates in evaluation of Recognized Environmental Conditions associated with the Site. David J. Powers & Associates understands that no Phase I ESA can wholly eliminate uncertainty regarding the

[2] The presence or likely presence of hazardous substances or petroleum products on the Site: 1) due to any release to the environment; 2) under conditions indicative of a release to the environment; or 3) under conditions that pose a material threat of a future release to the environment.

[3] A past Recognized Environmental Condition that has been addressed to the satisfaction of the applicable regulatory agency or meeting unrestricted use criteria established by the applicable regulatory agency without subjecting the Site to required controls or restrictions.

potential for Recognized Environmental Conditions to be present at the Site. This Phase I ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for Recognized Environmental Conditions. David J. Powers & Associates understands that the extent of information obtained is based on the reasonable limits of time and budgetary constraints.

Findings, opinions, conclusions and recommendations presented in this report are based on readily available information, conditions readily observed at the time of the Site visit, and/or information readily identified by the interviews and/or the records review process. Phase I ESAs are inherently limited because findings are developed based on information obtained from a non-intrusive Site evaluation. Cornerstone does not accept liability for deficiencies, errors, or misstatements that have resulted from inaccuracies in the publicly available information or from interviews of persons knowledgeable of Site use. In addition, publicly available information and field observations often cannot affirm the presence of Recognized Environmental Conditions; there is a possibility that such conditions exist. If a greater degree of confidence is desired, soil, groundwater, soil vapor and/or air samples should be collected by Cornerstone and analyzed by a state-certified laboratory to establish a more reliable assessment of environmental conditions.

Cornerstone acquired an environmental database of selected publicly available information for the general area of the Site. Cornerstone cannot verify the accuracy or completeness of the database report, nor is Cornerstone obligated to identify mistakes or insufficiencies in the information provided (ASTM E 1527-13, Section 8.1.3). Due to inadequate address information, the environmental database may have mapped several facilities inaccurately or could not map the facilities. Releases from these facilities, if nearby, could impact the Site.

David J. Powers & Associates may have provided Cornerstone environmental documents prepared by others. David J. Powers & Associates understands that Cornerstone reviewed and relied on the information presented in these reports and cannot be responsible for their accuracy.

This report, an instrument of professional service, was prepared for the sole use of David J. Powers & Associates and may not be reproduced or distributed without written authorization from Cornerstone. It is valid for 180 days. An electronic transmission of this report may also have been issued. While Cornerstone has taken precautions to produce a complete and secure electronic transmission, please check the electronic transmission against the hard copy version for conformity.

Cornerstone makes no warranty, expressed or implied, except that our services have been performed in accordance with the environmental principles generally accepted at this time and location.



CORNERSTONE EARTH GROUP

Vicinity Map

New Police Operations Building and Secured Parking Lot
70 North 1st Street
Campbell, California

Project Number	118-126-1
Figure Number	Figure 1
Date	May 2021
Drawn By	RRN

N

0 40 80

APPROXIMATE SCALE (FEET)

Base by Google Earth, dated 08/15/2020

Site Plan

New Police Operations Building and Secured Parking Lot
70 North 1st Street
Campbell, California

Project Number	Figure Number	Date	Drawn By
118-126-1	Figure 2	May 2021	RRN

CORNERSTONE EARTH GROUP

CORNERSTONE
EARTH GROUP

APPENDIX A – DATABASE SEARCH REPORT

CORNERSTONE EARTH GROUP

APPENDIX B – HISTORICAL AERIAL PHOTOGRAPHS AND TOPOGRAPHIC MAPS

CORNERSTONE EARTH GROUP

APPENDIX C – LOCAL STREET DIRECTORY SEARCH RESULTS

CORNERSTONE
EARTH GROUP

APPENDIX D – QUESTIONNAIRE

Phase I ESA
70 North 1st Street
Campbell, CA 95008

Inquiry Number: 6471563.2s
April 29, 2021

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	344
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

70 NORTH 1ST STREET
CAMPBELL, CA 95008

COORDINATES

Latitude (North):	37.2887720 - 37° 17' 19.57''
Longitude (West):	121.9442630 - 121° 56' 39.34''
Universal Tranverse Mercator:	Zone 10
UTM X (Meters):	593582.6
UTM Y (Meters):	4127226.0
Elevation:	198 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5640416 SAN JOSE WEST, CA
Version Date:	2012

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140606
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
70 NORTH 1ST STREET
CAMPBELL, CA 95008

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	CITY OF CAMPBELL POL	70 N 1ST ST	EMI		TP
A2	CAMPBELL CITY HALL	70 1ST ST N	RGA LUST		TP
A3	CITY OF CAMPBELL	70 N 1ST ST	UST		TP
A4	CITY OF CAMPBELL	70 N FIRST ST	UST		TP
A5	CITY OF CAMPBELL	70 N 1ST STREET	EMI, CERS		TP
A6	CITY OF CAMPBELL	70 N 1ST STREET	FINDS		TP
A7	CAMPBELL CITY HALL	70 N 1ST ST	RGA LUST		TP
A8	CITY HALL	70 N 001ST ST CAMPBE	CA FID UST		TP
A9	CITY OF CAMPBELL	70 NORTH FIRST STREE	RCRA NonGen / NLR		TP
A10	CITY HALL	70 N 1ST ST	SWEEPS UST		TP
A11	CITY OF CAMPBELL	70 NORTH FIRST STREE	HWTS		TP
A12	CITY OF CAMPBELL	70 N 1ST STREET	ECHO		TP
A13	CITY OF CAMPBELL / D	70 N 1ST ST	HWTS		TP
A14	CITY HALL	70 N FIRST ST CAMPBE	HIST UST		TP
A15	CAMPBELL CITY HALL	70 N 1ST ST	LUST, HIST LUST, Cortese, HIST CORTESE, CERS		TP
A16		CAMPBELL 70 N. 1ST S	CHMIRS		TP
A17	CAMPBELL CITY HALL	70 N 1ST ST	FINDS		TP
A18	CITY OF CAMPBELL	70 N 1ST ST	CERS TANKS, HAZNET, CERS, HWTS		TP
A19		70 NORTH 1ST STREET	ERNS		TP
A20	IA 062313 SCVTA-LIGH	RAILWAY AV @ SUNNYSI	CUPA Listings	Higher	26, 0.005, WSW
B21	CORE/ROEM DEVELOPMEN	100 HARRISON AVE	LUST, HIST LUST, Cortese, HIST CORTESE, CERS	Higher	419, 0.079, ESE
B22	GRATTAN W F	90 HARRISON AVE	EDR Hist Auto	Higher	425, 0.080, ESE
B23	SUMMERHILL HOMES	126 HARRISON AVE	LUST, HIST LUST, SWEEPS UST, Cortese, HIST...	Lower	432, 0.082, East
24	RONALD J DELEMA	160 N HARRISON AV	CUPA Listings	Lower	449, 0.085, ENE
25	LAURA MOORE	63 NORTH 2ND STREET	RCRA NonGen / NLR	Higher	469, 0.089, WSW
C26	GEOFFREYS DIAMONDS O	350 E CAMPBELL AVE	RCRA NonGen / NLR	Higher	604, 0.114, South
C27	B & J AUTOMOTIVE INC	368 E CAMPBELL AV	CUPA Listings	Higher	616, 0.117, SSE
C28	WYATT PROPERTY	368 E CAMPBELL AVE	LUST, HIST LUST, Cortese, CERS	Higher	616, 0.117, SSE
C29	WYATT PROPERTY	368 EAST CAMPBELL AV	LUST	Higher	616, 0.117, SSE
C30	IMPORT CONNECTION	25 S CENTRAL AVE	RCRA NonGen / NLR	Higher	658, 0.125, South
31	VALLEY PHOTO	394 CAMPBELL AV #E	CUPA Listings	Higher	669, 0.127, SSE
D32	CAMPBELL UNION SCHOO	240 HARRISON AVE.	RCRA NonGen / NLR	Lower	727, 0.138, NE
D33	CAMPBELL UNION SCHOO	240 N HARRISON ST	AST, CERS HAZ WASTE, CUPA Listings, CERS	Lower	727, 0.138, NE
D34	CORPORATION YARD	240 HARRISON AVE	HIST UST, WDS	Lower	727, 0.138, NE
D35	CAMPBELL UNION SCHOO	240 HARRISON AVE.	RCRA-SQG	Lower	727, 0.138, NE
D36	CORPORATION YARD	240 N HARRISON AVE	SWEEPS UST, HIST UST, CA FID UST	Lower	727, 0.138, NE
D37	CAMPBELL SCHOOL YARD	240 HARRISON AVE	AST	Lower	727, 0.138, NE
D38	STEVE SANFORD INC	230 HARRISON AV	CUPA Listings	Lower	763, 0.145, NE
D39	STEVE SANFORD INC	230 HARRISON AVE	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Lower	763, 0.145, NE

MAPPED SITES SUMMARY

Target Property Address:
70 NORTH 1ST STREET
CAMPBELL, CA 95008

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
E40	CAMPBELL BREWING COM	200 E CAMPBELL AVE	CERS HAZ WASTE	Higher	764, 0.145, SW
F41	BENSON'S CLEANERS	467 E CAMPBELL AV	CUPA Listings	Higher	766, 0.145, SE
F42	BENSON CLEANERS	467 E CAMPBELL AVE	RCRA NonGen / NLR	Higher	766, 0.145, SE
F43	BENSON CLEANERS	467 E CAMPBELL AVE	CUPA Listings, DRYCLEANERS, EMI, HWTS	Higher	766, 0.145, SE
F44	BENSON'S CLEANERS	467 E CAMPBELL AV	CERS HAZ WASTE, CERS	Higher	766, 0.145, SE
E45	FROGDESIGN HARTMUT E	34 S 2ND ST	RCRA-SQG, FINDS, ECHO	Higher	821, 0.155, SSW
46	KRISHNA CARRILLO	310 NORTH 1ST STREET	RCRA NonGen / NLR	Lower	866, 0.164, North
G47	OLD GALANTE BROS. CO	535 RODECK WAY	LUST, CHMIRS, HIST CORTESE, CERS	Lower	883, 0.167, East
E48	WESCO MANAGEMENT INC	155 CAMPBELL	San Mateo Co. BI	Higher	887, 0.168, SW
H49	SELF SERV FOOD CORPO	496 SALMAR AVE	HIST UST	Lower	890, 0.169, ENE
H50	SELF SERV FOOD CORPO	496 SALMAR AVE	SWEEPS UST, HIST UST, CA FID UST	Lower	890, 0.169, ENE
F51	WINCHESTER PRINTING	475 E CAMPBELL AV	CERS HAZ WASTE, CUPA Listings	Higher	913, 0.173, SE
D52	SOTIR RESIDENCE	286 HARRISON ST.	RCRA NonGen / NLR	Lower	917, 0.174, NNE
F53	AUTO FIRST LEASING I	28 RAILWAY AVE	RCRA NonGen / NLR	Higher	923, 0.175, SE
G54	BWD VENTURES	FOOTE AVE. & PAGE ST	CPS-SLIC, CERS	Lower	937, 0.177, East
F55	SILICON VALLEY MEDIC	476 E CAMPBELL AVE	RCRA NonGen / NLR	Higher	942, 0.178, SE
F56	CAMPBELL MEDICAL GRO	476 E CAMPBELL AVE	RCRA-SQG, FINDS, ECHO, HAZNET, HWTS	Higher	942, 0.178, SE
F57	SILICON VALLEY MEDIC	476 E CAMPBELL AVE	CUPA Listings, HWTS	Higher	942, 0.178, SE
H58	HUBBARD AND RASKIN	500 SALMAR AVE	LUST, Cortese, CERS	Lower	950, 0.180, ENE
H59	HI LINE PAINT MFG CO	500 SALMAR AVE	SEMS-ARCHIVE, RCRA-SQG, FINDS, ECHO	Lower	950, 0.180, ENE
I60	F & J AUTO REPAIR	64 RAILWAY AVE	CERS HAZ WASTE, SWEEPS UST, CA FID UST, CUPA...	Higher	986, 0.187, SSE
I61	F & J AUTO REPAIR	64 RAILWAY AVE	HIST UST	Higher	986, 0.187, SSE
I62	F AND J AUTO IMPORTS	64 RAILWAY AVE	RCRA NonGen / NLR	Higher	986, 0.187, SSE
H63	CAL-PACIFIC PUBLICAT	485 SALMAR AV	CUPA Listings	Lower	990, 0.188, ENE
G64	NOBLE PROPERTIES	535 REDECK WAY / 159	ENVIROSTOR	Lower	992, 0.188, East
F65	NAMCHING YOUNG DDS	486 E CAMPBELL AV 10	CUPA Listings	Higher	997, 0.189, SE
J66	LLOYD SQUARE SHOPPIN	501-533 EAST CAMPBEL	CPS-SLIC, CERS	Higher	1035, 0.196, ESE
K67	ORCHARD CITY PLAZA	300 ORCHARD CITY (30	LUST, HIST LUST, Cortese, HIST CORTESE, CERS	Higher	1094, 0.207, South
K68	WATER TOWER PLAZA RO	300 ORCHARD CITY	RCRA NonGen / NLR	Higher	1094, 0.207, South
69	PP-CA LP DBA DERMATO	106 EAST CAMPBELL AV	RCRA NonGen / NLR	Higher	1125, 0.213, WSW
I70	H P MACHINE & ENG IN	116 RAILWAY AV	CUPA Listings	Higher	1129, 0.214, SSE
J71	CAMPBELL VILLAGE	540 E CAMPBELL AVE	CPS-SLIC, HIST UST, CERS	Higher	1137, 0.215, ESE
J72	LEE'S EXXON	540 E CAMPBELL AVE	SWEEPS UST, CA FID UST	Higher	1137, 0.215, ESE
L73	JIM BURKHART	210 GOMES CT.	RCRA NonGen / NLR	Lower	1152, 0.218, NW
I74	PERFORMANCE TECHNIQU	109 DILLON	RCRA NonGen / NLR	Higher	1165, 0.221, SSE
I75	PERFORMANCE TECHNIQU	109 DILLON AV	CERS HAZ WASTE, CUPA Listings, CERS	Higher	1165, 0.221, SSE
M76	B.O.S. CONSTRUCTION	580 E EL PATIO DR	LUST, HIST LUST, Cortese, CERS	Lower	1179, 0.223, ENE
M77	BOS CONSTRUCTION INC	580 E EL PATIO	LUST, SWEEPS UST, HIST UST, CA FID UST	Lower	1179, 0.223, ENE
M78	BOS CONSTRUCTION INC	580 EL PATIO DR	HIST UST, HIST CORTESE	Lower	1179, 0.223, ENE

MAPPED SITES SUMMARY

Target Property Address:
70 NORTH 1ST STREET
CAMPBELL, CA 95008

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
M79	AMITY FURNITURE SERV	535 SALMAR AV A	CUPA Listings	Lower	1192, 0.226, ENE
M80	IA 050714 HMI ENTERP	535 SALMAR AV F	CUPA Listings	Lower	1192, 0.226, ENE
81	JOHN SAUNDERS	77 S. 3RD ST	RCRA NonGen / NLR	Higher	1199, 0.227, SW
N82	OLD GALANTE BROS CON	535 RODECK WY	LUST, Cortese, CERS	Lower	1229, 0.233, East
83	SHEILA DALBEC	370 NORTH 1ST STREET	RCRA NonGen / NLR	Lower	1248, 0.236, North
O84	TINY TOTS DAIPER SER	138 RAILWAY AVE	HIST UST	Higher	1258, 0.238, SSE
O85	TINY TOTS DIAPER SER	138 RAILWAY AVE	SWEEPS UST, CA FID UST	Higher	1258, 0.238, SSE
J86	PAUL DEL GRANDE AUTO	566 E CAMPBELL AV	CUPA Listings	Lower	1270, 0.241, ESE
J87	ROBSON HOMES, LLC	63 GILMAN AVENUE	RCRA NonGen / NLR	Higher	1274, 0.241, SE
O88	HAIG PRECISION	426 SAM CAVA	CUPA Listings	Higher	1277, 0.242, SSE
P89	WOLF PROPERTY	126 DILLON AVE	LUST, HIST LUST, SWEEPS UST, CA FID UST, Cortese,...	Higher	1282, 0.243, SE
L90	TODD LEICHT	225 GOMES STREET	RCRA NonGen / NLR	Lower	1305, 0.247, NNW
N91	NOBLE PROPERTIES	535 RODECK WAY	SEMS-ARCHIVE, LUST, HIST LUST, Cortese	Lower	1332, 0.252, East
P92	ETCHED MEDIA CORP.	101 GILMAN AVENUE	ENVIROSTOR	Higher	1336, 0.253, SE
93	IDDINGS, CHERYL A.	BOX 512	HIST CORTESE	Higher	1421, 0.269, WSW
94	BAY AREA MECHANICAL	100 GILMAN AVE	LUST, HIST LUST, SWEEPS UST, Cortese, HIST...	Lower	1461, 0.277, SE
Q95	THRIFTY OIL #166	1820 S WINCHESTER BL	LUST, HIST LUST, CERS HAZ WASTE, Cortese, CUPA...	Lower	1537, 0.291, WNW
Q96	THRIFTY OIL	1820 WINCHESTER	HIST CORTESE	Lower	1537, 0.291, WNW
R97	FIRE-MATIC SYSTEMS,	190 DILLON AVE	LUST, HIST LUST, Cortese, HIST CORTESE, CERS	Higher	1666, 0.316, SSE
S98	ARCO #6147	2015 WINCHESTER BLVD	LUST, CHMIRS, HIST CORTESE, CERS	Higher	1695, 0.321, WSW
S99	ARCO #6147	2015 WINCHESTER BLVD	LUST, HIST LUST, SWEEPS UST, CA FID UST, Cortese	Higher	1695, 0.321, WSW
S100	ARCO SERVICE STATION	2015 WINCHESTER BOUL	Notify 65	Higher	1695, 0.321, WSW
T101	RAILWAY DISTRIBUTING	261-264 RAILWAY AVEN	CPS-SLIC, CERS	Higher	1765, 0.334, South
R102	DILLON AVENUE PROPER	230, 280 & 282 DILLO	CPS-SLIC, CERS	Higher	1786, 0.338, SSE
U103	ROTTEN ROBBIE #3	370 E HAMILTON AVE	LUST, SWEEPS UST, CA FID UST, CHMIRS, CUPA...	Lower	1822, 0.345, North
U104	ROTTEN ROBBIE #03	370 E HAMILTON AVE	LUST, HIST LUST, Cortese	Lower	1822, 0.345, North
V105	CAMPBELL CITY SERVIC	290 DILLON AVE	LUST, HIST LUST, HIST UST, Cortese	Higher	1864, 0.353, South
V106	CAMPBELL CITY SERVIC	290 DILLON	LUST, HIST CORTESE, CERS	Higher	1864, 0.353, South
U107	ROTTEN ROBBIE	370 HAMILTON	HIST CORTESE	Lower	1867, 0.354, North
U108	SUMMERHILL HOMES	HARRISON AVENUE	CPS-SLIC, CERS	Lower	1916, 0.363, NNE
W109	ROTTON ROBBIE #27	2140 WINCHESTER BLVD	LUST, HIST LUST, Cortese	Higher	1956, 0.370, SW
W110	ROTTEN ROBBIE #27	2140 WINCHESTER BLVD	Cortese, HAZNET, HWTS	Higher	1956, 0.370, SW
W111	ROTTEN ROBBIE #27	2140 WINCHESTER BLVD	LUST, HIST LUST, CERS HAZ WASTE, CERS TANKS, CUPA...	Higher	1956, 0.370, SW
T112	ALHAMBRA APARTMENTS	300 RAILWAY AVE	LUST, HIST LUST, Cortese, HAZNET, HIST CORTESE,...	Higher	1971, 0.373, South
U113	UNOCAL #3879	337 HAMILTON AVE	LUST, HIST LUST, HIST UST, Cortese, CERS	Lower	2028, 0.384, North
U114	UNOCAL #3879	337 HAMILTON AVE	LUST, HIST CORTESE	Lower	2033, 0.385, North
X115	SHELL SERVICE STATIO	570 E HAMILTON	RCRA-SQG, LUST, FINDS, ECHO	Lower	2061, 0.390, NE
X116	SHELL	570 E HAMILTON AVE	LUST, HIST LUST, Cortese	Lower	2061, 0.390, NE
X117	HAMILTON AVE SHELL	570 E HAMILTON	LUST, CERS HAZ WASTE, SWEEPS UST, CERS TANKS, CA...	Lower	2061, 0.390, NE

MAPPED SITES SUMMARY

Target Property Address:
70 NORTH 1ST STREET
CAMPBELL, CA 95008

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y118	HENRY LITTLE TRACTOR	310 RAILWAY AVE	LUST, HIST LUST, Cortese	Higher	2110, 0.400, South
Y119	RESIDENCES AT RAILWA	310 330 RAILWAY AVE	LUST, HIST CORTESE, NPDES, CIWQS, CERS	Higher	2110, 0.400, South
Z120	CAMPBELL CITY OF	2220 WINCHESTER	HIST CORTESE	Higher	2410, 0.456, SW
Z121	CAMPBELL, CITY OF	2220 S WINCHESTER BL	LUST, HIST LUST, Cortese, CERS	Higher	2425, 0.459, SW
AA122	JOHNS TEXACO	790 E CAMPBELL AVE	LUST, HIST UST, CERS, HWTS	Lower	2430, 0.460, ESE
AA123	COAST OIL #51	790 E CAMPBELL AVE	LUST, HIST LUST, Cortese	Lower	2430, 0.460, ESE
AA124	JOHN'S TEXACO	790 E CAMPBELL AVE	LUST, SWEEPS UST, CA FID UST	Lower	2430, 0.460, ESE
125	SJWC RIDGELEY STATIO	RIDGELEY DR & CAMPIS	CPS-SLIC, CERS	Lower	2430, 0.460, East
AA126	COAST OIL COMPANY	790 CAMPBELL	HIST CORTESE	Lower	2439, 0.462, ESE
127	SANTA CLARA COUNTY F	123 UNION AVENUE	LUST, HIST LUST, SWEEPS UST, Cortese, EMI, HIST...	Lower	2639, 0.500, ESE
128	SUMMERHILL-CAMPBELL	511-555 WEST CAMPBEL	ENVIROSTOR, VCP	Lower	4052, 0.767, West
129	PACIFIC AEROSPACE SE	354 EAST MCGLINCEY L	ENVIROSTOR, CERS	Higher	4674, 0.885, South

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
CITY OF CAMPBELL POL 70 N 1ST ST CAMPBELL, CA 95008	EMI Facility Id: 109885	N/A
CAMPBELL CITY HALL 70 1ST ST N CAMPBELL, CA	RGA LUST	N/A
CITY OF CAMPBELL 70 N 1ST ST CAMPBELL, CA 95008	UST Database: UST, Date of Government Version: 03/08/2021	N/A
CITY OF CAMPBELL 70 N FIRST ST CAMPBELL, CA 95008	UST Database: UST, Date of Government Version: 03/08/2021 Facility Id: 8	N/A
CITY OF CAMPBELL 70 N 1ST STREET CAMPBELL, CA 95008	EMI Facility Id: 19038 CERS	N/A
CITY OF CAMPBELL 70 N 1ST STREET CAMPBELL, CA 95008	FINDS Registry ID:: 110058309209	N/A
CAMPBELL CITY HALL 70 N 1ST ST CAMPBELL, CA	RGA LUST	N/A
CITY HALL 70 N 001ST ST CAMPBE CAMPBELL, CA 95008	CA FID UST Facility Id: 43012242 Status: A	N/A
CITY OF CAMPBELL 70 NORTH FIRST STREE CAMPBELL, CA 95008	RCRA NonGen / NLR EPA ID:: CAC003048005	CAC003048005
CITY HALL 70 N 1ST ST CAMPBELL, CA 95008	SWEEPS UST	N/A

Status: A
Tank Status: A
Comp Number: 23278

CITY OF CAMPBELL
70 NORTH FIRST STREE
CAMPBELL, CA 95008

HWTS — N/A

CITY OF CAMPBELL
70 N 1ST STREET
CAMPBELL, CA 95008

ECHO — N/A
Registry ID: 110058309209

CITY OF CAMPBELL / D
70 N 1ST ST
CAMPBELL, CA 95008

HWTS — N/A

CITY HALL
70 N FIRST ST CAMPBE
CAMPBELL, CA 95008

HIST UST — N/A
Facility Id: 00000023278

CAMPBELL CITY HALL
70 N 1ST ST
CAMPBELL, CA 95008

LUST — N/A
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 02/26/1991
Global Id: T0608500298
Facility Status: Case Closed
SCVWD ID: 07S1W26P01F
date9: 2/26/1991

HIST LUST
SCVWD ID: 07S1W26P01

Cortese
Cleanup Status: COMPLETED - CASE CLOSED

HIST CORTESE
Reg Id: 43-0239

CERS

CAMPBELL 70 N. 1ST S
CAMPBELL 70 N. 1ST S
CAMPBELL, CA

CHMIRS — N/A
OES Incident Number: 3-2348

CAMPBELL CITY HALL
70 N 1ST ST
CAMPBELL, CA 95008

FINDS — N/A
Registry ID:: 110066232605

EXECUTIVE SUMMARY

CITY OF CAMPBELL 70 N 1ST ST CAMPBELL, CA 95008	CERS TANKS HAZNET GEPAID: CAC001415224 CERS HWTS	N/A
70 NORTH 1ST STREET 70 NORTH 1ST STREET CAMPBELL, CA 95008	ERNS NRC Report #: 754381 Incident Date Time: 2005-03-29 01:00:00	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG ---------- RCRA - Large Quantity Generators
RCRA-VSQG ---------- RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System

US ENG CONTROLS ..... Engineering Controls Sites List
US INST CONTROLS ..... Institutional Controls Sites List

State- and tribal - equivalent NPL

RESPONSE ..... State Response Sites

State and tribal landfill and/or solid waste disposal site lists

SWF/LF ..... Solid Waste Information System

State and tribal leaking storage tank lists

INDIAN LUST ..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST ..... Underground Storage Tank Listing
INDIAN UST ..... Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

VCP ..... Voluntary Cleanup Program Properties
INDIAN VCP ..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

BROWNFIELDS ..... Considered Brownfieds Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT ..... Waste Management Unit Database
SWRCY ..... Recycler Database
HAULERS ..... Registered Waste Tire Haulers Listing
INDIAN ODI ..... Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 ..... Torres Martinez Reservation Illegal Dump Site Locations
ODI ..... Open Dump Inventory
IHS OPEN DUMPS ..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ..... Delisted National Clandestine Laboratory Register
HIST Cal-Sites ..... Historical Calsites Database
SCH ..... School Property Evaluation Program
CDL ..... Clandestine Drug Labs
Toxic Pits ..... Toxic Pits Cleanup Act Sites
US CDL ..... National Clandestine Laboratory Register
PFAS ..... PFAS Contamination Site Location Listing

EXECUTIVE SUMMARY

Local Land Records

LIENS	Environmental Liens Listing
LIENS 2	CERCLA Lien Information
DEED	Deed Restriction Listing

Records of Emergency Release Reports

HMIRS	Hazardous Materials Information Reporting System
LDS	Land Disposal Sites Listing
MCS	Military Cleanup Sites Listing
SPILLS 90	SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS	Formerly Used Defense Sites
DOD	Department of Defense Sites
SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR	Financial Assurance Information
EPA WATCH LIST	EPA WATCH LIST
2020 COR ACTION	2020 Corrective Action Program List
TSCA	Toxic Substances Control Act
TRIS	Toxic Chemical Release Inventory System
SSTS	Section 7 Tracking Systems
ROD	Records Of Decision
RMP	Risk Management Plans
RAATS	RCRA Administrative Action Tracking System
PRP	Potentially Responsible Parties
PADS	PCB Activity Database System
ICIS	Integrated Compliance Information System
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS	Material Licensing Tracking System
COAL ASH DOE	Steam-Electric Plant Operation Data
COAL ASH EPA	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER	PCB Transformer Registration Database
RADINFO	Radiation Information Database
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS	Incident and Accident Data
CONSENT	Superfund (CERCLA) Consent Decrees
INDIAN RESERV	Indian Reservations
FUSRAP	Formerly Utilized Sites Remedial Action Program
UMTRA	Uranium Mill Tailings Sites
LEAD SMELTERS	Lead Smelter Sites
US AIRS	Aerometric Information Retrieval System Facility Subsystem
US MINES	Mines Master Index File
ABANDONED MINES	Abandoned Mines
DOCKET HWC	Hazardous Waste Compliance Docket Listing
UXO	Unexploded Ordnance Sites
FUELS PROGRAM	EPA Fuels Program Registered Listing
CA BOND EXP. PLAN	Bond Expenditure Plan
ENF	Enforcement Action Listing
Financial Assurance	Financial Assurance Information Listing
ICE	ICE

HWP ---- EnviroStor Permitted Facilities Listing
HWT ---- Registered Hazardous Waste Transporter Database
MINES ---- Mines Site Location Listing
MWMP ---- Medical Waste Management Program Listing
NPDES ---- NPDES Permits Listing
PEST LIC ---- Pesticide Regulation Licenses Listing
PROC ---- Certified Processors Database
HAZMAT ---- Hazardous Material Facilities
UIC ---- UIC Listing
UIC GEO ---- UIC GEO (GEOTRACKER)
WASTEWATER PITS ---- Oil Wastewater Pits Listing
WDS ---- Waste Discharge System
WIP ---- Well Investigation Program Case List
MILITARY PRIV SITES ---- MILITARY PRIV SITES (GEOTRACKER)
PROJECT ---- PROJECT (GEOTRACKER)
WDR ---- Waste Discharge Requirements Listing
CIWQS ---- California Integrated Water Quality System
NON-CASE INFO ---- NON-CASE INFO (GEOTRACKER)
OTHER OIL GAS ---- OTHER OIL & GAS (GEOTRACKER)
PROD WATER PONDS ---- PROD WATER PONDS (GEOTRACKER)
SAMPLING POINT ---- SAMPLING POINT (GEOTRACKER)
WELL STIM PROJ ---- Well Stimulation Project (GEOTRACKER)
MINES MRDS ---- Mineral Resources Data System

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP ---- EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner ---- EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF ---- Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 12/30/2020 has revealed that there are 2 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
HI LINE PAINT MFG CO Site ID: 0902302 EPA Id: CAD981377054	***500 SALMAR AVE***	***ENE 1/8 - 1/4 (0.180 mi.)***	***H59***	***147***
NOBLE PROPERTIES Site ID: 0902520 EPA Id: CAD981990021	***535 RODECK WAY***	***E 1/4 - 1/2 (0.252 mi.)***	***N91***	***207***

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/14/2020 has revealed that there are 5 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FROGDESIGN HARTMUT E EPA ID:: CAD102111762	***34 S 2ND ST***	***SSW 1/8 - 1/4 (0.155 mi.)***	***E45***	***108***
CAMPBELL MEDICAL GRO EPA ID:: CAD983616558	***476 E CAMPBELL AVE***	***SE 1/8 - 1/4 (0.178 mi.)***	***F56***	***130***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAMPBELL UNION SCHOO	240 HARRISON AVE.	NE 1/8 - 1/4 (0.138 mi.)	D35	70
STEVE SANFORD INC EPA ID:: CAD983617317	***230 HARRISON AVE***	***NE 1/8 - 1/4 (0.145 mi.)***	***D39***	***76***
HI LINE PAINT MFG CO	***500 SALMAR AVE***	***ENE 1/8 - 1/4 (0.180 mi.)***	***H59***	***147***

EPA ID:: CAD981377054

State- and tribal - equivalent CERCLIS

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 01/25/2021 has revealed that there are 4 ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ETCHED MEDIA CORP. Facility Id: 71003079 Status: No Action Required	101 GILMAN AVENUE	SE 1/4 - 1/2 (0.253 mi.)	P92	209
PACIFIC AEROSPACE SE Facility Id: 71002130 Facility Id: 60000368 Status: Inactive - Needs Evaluation Status: Refer: RCRA	***354 EAST MCGLINCEY L***	***S 1/2 - 1 (0.885 mi.)***	***129***	***341***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NOBLE PROPERTIES Facility Id: 43420008 Status: Refer: RWQCB	535 REDECK WAY / 159	E 1/8 - 1/4 (0.188 mi.)	G64	159
SUMMERHILL-CAMPBELL Facility Id: 60001472 Status: No Further Action	***511-555 WEST CAMPBEL***	***W 1/2 - 1 (0.767 mi.)***	***128***	***337***

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 36 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CORE/ROEM DEVELOPMEN	***100 HARRISON AVE***	***ESE 0 - 1/8 (0.079 mi.)***	***B21***	***39***
Database: LUST REG 2, Date of Government Version: 09/30/2004 Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014 Database: LUST, Date of Government Version: 03/08/2021				

Status: Completed - Case Closed
Date Closed: 02/08/1999
Global Id: T0608501994
Facility Status: Case Closed
SCVWD ID: 07S1W26P04F
date9: 2/8/1999

WYATT PROPERTY ***368 E CAMPBELL AVE*** ***SSE 0 - 1/8 (0.117 mi.)*** ***C28*** ***55***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Global Id: T0608587417
Facility Status: Case Closed
date9: 7/20/2001

WYATT PROPERTY 368 EAST CAMPBELL AV SSE 0 - 1/8 (0.117 mi.) C29 58
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 07/20/2001
SCVWD ID: 07S1W35C05F

ORCHARD CITY PLAZA ***300 ORCHARD CITY (30*** ***S 1/8 - 1/4 (0.207 mi.)*** ***K67*** ***162***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 10/03/1995
Global Id: T0608500998
Facility Status: Case Closed
SCVWD ID: 07S1W35C01F
date9: 10/3/1995

WOLF PROPERTY ***126 DILLON AVE*** ***SE 1/8 - 1/4 (0.243 mi.)*** ***P89*** ***200***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 10/25/1997
Global Id: T0608502343
Facility Status: Case Closed
SCVWD ID: 07S1W35C04F
date9: 10/25/1997

FIRE-MATIC SYSTEMS, ***190 DILLON AVE*** ***SSE 1/4 - 1/2 (0.316 mi.)*** ***R97*** ***222***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 11/06/1990
Global Id: T0608501598
Facility Status: Case Closed
SCVWD ID: 07S1W35C02F
date9: 11/6/1990

ARCO #6147 ***2015 WINCHESTER BLVD*** ***WSW 1/4 - 1/2 (0.321 mi.)*** ***S98*** ***226***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 04/07/2005
Date Closed: 07/02/1991

Global Id: T0608554641
Global Id: T0608500167
SCVWD ID: 07S1W34A03F
SCVWD ID: 07S1W34A01F

ARCO #6147 ***2015 WINCHESTER BLVD*** ***WSW 1/4 - 1/2 (0.321 mi.)*** ***S99*** ***233***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Pollution Characterization
Facility Status: Case Closed
date9: 7/2/1991

CAMPBELL CITY SERVIC ***290 DILLON AVE*** ***S 1/4 - 1/2 (0.353 mi.)*** ***V105*** ***248***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 1/7/1999

CAMPBELL CITY SERVIC ***290 DILLON*** ***S 1/4 - 1/2 (0.353 mi.)*** ***V106*** ***250***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 01/07/1999
Global Id: T0608500299
SCVWD ID: 07S1W35F01F

ROTTON ROBBIE #27 ***2140 WINCHESTER BLVD*** ***SW 1/4 - 1/2 (0.370 mi.)*** ***W109*** ***255***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Preliminary site assessment underway

ROTTEN ROBBIE #27 ***2140 WINCHESTER BLVD*** ***SW 1/4 - 1/2 (0.370 mi.)*** ***W111*** ***263***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 10/12/2004
Date Closed: 06/08/2000
Global Id: T0608520597
Global Id: T0608501129
Facility Status: Case Closed
SCVWD ID: 07S1W35D01F
SCVWD ID: 07S1W34A02F
date9: 6/8/2000

ALHAMBRA APARTMENTS ***300 RAILWAY AVE*** ***S 1/4 - 1/2 (0.373 mi.)*** ***T112*** ***285***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 11/14/1995
Global Id: T0608577310
Facility Status: Case Closed
SCVWD ID: 07S1W35E02F
date9: 11/14/1995

HENRY LITTLE TRACTOR ***310 RAILWAY AVE*** ***S 1/4 - 1/2 (0.400 mi.)*** ***Y118*** ***307***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 1/30/1995

RESIDENCES AT RAILWA ***310 330 RAILWAY AVE*** ***S 1/4 - 1/2 (0.400 mi.)*** ***Y119*** ***308***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021

Status: Completed - Case Closed
Date Closed: 01/30/1995
Global Id: T0608500715
SCVWD ID: 08S1W35F02F

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAMPBELL, CITY OF	***2220 S WINCHESTER BL***	***SW 1/4 - 1/2 (0.459 mi.)***	***Z121***	***318***

Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 07/16/2004
Global Id: T0608500414
Facility Status: Case Closed
SCVWD ID: 07S1W34H01F
date9: 7/16/2004

Lower Elevation	Address	Direction / Distance	Map ID	Page
SUMMERHILL HOMES	***126 HARRISON AVE***	***E 0 - 1/8 (0.082 mi.)***	***B23***	***42***

Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 02/01/1996
Date Closed: 12/27/2000
Global Id: T0608583883
Global Id: T0608501794
Facility Status: Case Closed
SCVWD ID: 07S1W26P03F
SCVWD ID: 07S1W26P05F
date9: 2/1/1996
date9: 12/27/2000

Lower Elevation	Address	Direction / Distance	Map ID	Page
OLD GALANTE BROS. CO	***535 RODECK WAY***	***E 1/8 - 1/4 (0.167 mi.)***	***G47***	***113***

Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 08/26/1994
Global Id: T0608501721
Global Id: T0608517612
SCVWD ID: 07S1W26P02F

Lower Elevation	Address	Direction / Distance	Map ID	Page
HUBBARD AND RASKIN	***500 SALMAR AVE***	***ENE 1/8 - 1/4 (0.180 mi.)***	***H58***	***145***

Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Global Id: T0608591781

Lower Elevation	Address	Direction / Distance	Map ID	Page
B.O.S. CONSTRUCTION	***580 E EL PATIO DR***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M76***	***183***

Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 9/4/1992

Lower Elevation	Address	Direction / Distance	Map ID	Page
BOS CONSTRUCTION INC	***580 E EL PATIO***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M77***	***184***

Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 09/04/1992
Global Id: T0608500253

SCVWD ID: 07S1W26Q01F

OLD GALANTE BROS CON ***535 RODECK WY*** ***E 1/8 - 1/4 (0.233 mi.)*** ***N82*** ***191***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Id: 43-1792
Facility Status: Case Closed
date9: 8/26/1994

NOBLE PROPERTIES ***535 RODECK WAY*** ***E 1/4 - 1/2 (0.252 mi.)*** ***N91*** ***207***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 8/26/1994

BAY AREA MECHANICAL ***100 GILMAN AVE*** ***SE 1/4 - 1/2 (0.277 mi.)*** ***94*** ***211***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 04/20/1994
Global Id: T0608597466
Facility Status: Case Closed
SCVWD ID: 07S1W35C03F
date9: 4/20/1994

THRIFTY OIL #166 ***1820 S WINCHESTER BL*** ***WNW 1/4 - 1/2 (0.291 mi.)*** ***Q95*** ***214***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 06/17/1996
Global Id: T0608501439
Facility Status: Case Closed
SCVWD ID: 07S1W27R01F
date9: 6/17/1996

ROTTEN ROBBIE #3 ***370 E HAMILTON AVE*** ***N 1/4 - 1/2 (0.345 mi.)*** ***U103*** ***239***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 06/02/2000
Global Id: T0608501136
SCVWD ID: 07S1W26L02F

ROTTEN ROBBIE #03 ***370 E HAMILTON AVE*** ***N 1/4 - 1/2 (0.345 mi.)*** ***U104*** ***247***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 6/2/2000

UNOCAL #3879 ***337 HAMILTON AVE*** ***N 1/4 - 1/2 (0.384 mi.)*** ***U113*** ***289***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 7/2/1991

UNOCAL #3879 ***337 HAMILTON AVE*** ***N 1/4 - 1/2 (0.385 mi.)*** ***U114*** ***291***
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Global Id: T0608501523

SHELL SERVICE STATIO ***570 E HAMILTON*** ***NE 1/4 - 1/2 (0.390 mi.)*** ***X115*** ***293***
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed

Global Id: T0608502367

SHELL ***570 E HAMILTON AVE*** ***NE 1/4 - 1/2 (0.390 mi.)*** ***X116*** ***298***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 4/21/2000

HAMILTON AVE SHELL ***570 E HAMILTON*** ***NE 1/4 - 1/2 (0.390 mi.)*** ***X117*** ***299***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 04/21/2000
SCVWD ID: 07S1W26K01F

JOHNS TEXACO ***790 E CAMPBELL AVE*** ***ESE 1/4 - 1/2 (0.460 mi.)*** ***AA122*** ***322***
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Global Id: T0608500437

COAST OIL #51 ***790 E CAMPBELL AVE*** ***ESE 1/4 - 1/2 (0.460 mi.)*** ***AA123*** ***326***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Facility Status: Case Closed
date9: 3/22/1996

JOHN'S TEXACO ***790 E CAMPBELL AVE*** ***ESE 1/4 - 1/2 (0.460 mi.)*** ***AA124*** ***327***
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Date Closed: 03/22/1996
SCVWD ID: 07S1W35B02F

SANTA CLARA COUNTY F ***123 UNION AVENUE*** ***ESE 1/4 - 1/2 (0.500 mi.)*** ***127*** ***330***
Database: LUST REG 2, Date of Government Version: 09/30/2004
Database: LUST SANTA CLARA, Date of Government Version: 03/03/2014
Database: LUST, Date of Government Version: 03/08/2021
Status: Completed - Case Closed
Date Closed: 12/30/1988
Global Id: T0608500300
Facility Status: Case Closed
SCVWD ID: 07S1W35B01F
date9: 12/30/1988

CPS-SLIC: Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CPS-SLIC list, as provided by EDR, has revealed that there are 7 CPS-SLIC sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LLOYD SQUARE SHOPPIN	***501-533 EAST CAMPBEL***	***ESE 1/8 - 1/4 (0.196 mi.)***	***J66***	***161***
Database: CPS-SLIC, Date of Government Version: 03/08/2021 Facility Status: Completed - Case Closed Global Id: T10000005853				
CAMPBELL VILLAGE	***540 E CAMPBELL AVE***	***ESE 1/8 - 1/4 (0.215 mi.)***	***J71***	***170***
Database: CPS-SLIC, Date of Government Version: 03/08/2021 Facility Status: Open - Site Assessment Global Id: T10000011061				
RAILWAY DISTRIBUTING	***261-264 RAILWAY AVEN***	***S 1/4 - 1/2 (0.334 mi.)***	***T101***	***237***
Database: CPS-SLIC, Date of Government Version: 03/08/2021				

Facility Status: Completed - Case Closed
Global Id: T10000008088

DILLON AVENUE PROPER	***230, 280 & 282 DILLO***	***SSE 1/4 - 1/2 (0.338 mi.)***	***R102***	***238***

Database: CPS-SLIC, Date of Government Version: 03/08/2021
Facility Status: Completed - Case Closed
Global Id: T10000005138

Lower Elevation	Address	Direction / Distance	Map ID	Page
BWD VENTURES	***FOOTE AVE. & PAGE ST***	***E 1/8 - 1/4 (0.177 mi.)***	***G54***	***126***

Database: CPS-SLIC, Date of Government Version: 03/08/2021
Facility Status: Open - Eligible for Closure
Global Id: T10000008051

SUMMERHILL HOMES	***HARRISON AVENUE***	***NNE 1/4 - 1/2 (0.363 mi.)***	***U108***	***254***

Database: CPS-SLIC, Date of Government Version: 03/08/2021
Facility Status: Completed - Case Closed
Global Id: T10000008184

SJWC RIDGELEY STATIO	***RIDGELEY DR & CAMPIS***	***E 1/4 - 1/2 (0.460 mi.)***	***125***	***329***

Database: CPS-SLIC, Date of Government Version: 03/08/2021
Facility Status: Open - Remediation
Global Id: T10000008800

HIST LUST: A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

A review of the HIST LUST list, as provided by EDR, and dated 03/29/2005 has revealed that there are 22 HIST LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CORE/ROEM DEVELOPMEN	***100 HARRISON AVE***	***ESE 0 - 1/8 (0.079 mi.)***	***B21***	***39***

SCVWD ID: 07S1W26P04

WYATT PROPERTY	***368 E CAMPBELL AVE***	***SSE 0 - 1/8 (0.117 mi.)***	***C28***	***55***

SCVWD ID: 07S1W35C05

ORCHARD CITY PLAZA	***300 ORCHARD CITY (30***	***S 1/8 - 1/4 (0.207 mi.)***	***K67***	***162***

SCVWD ID: 07S1W35C01

WOLF PROPERTY	***126 DILLON AVE***	***SE 1/8 - 1/4 (0.243 mi.)***	***P89***	***200***

SCVWD ID: 07S1W35C04

FIRE-MATIC SYSTEMS,	***190 DILLON AVE***	***SSE 1/4 - 1/2 (0.316 mi.)***	***R97***	***222***

SCVWD ID: 07S1W35C02

ARCO #6147	***2015 WINCHESTER BLVD***	***WSW 1/4 - 1/2 (0.321 mi.)***	***S99***	***233***

SCVWD ID: 07S1W34A01
SCVWD ID: 07S1W34A03

CAMPBELL CITY SERVIC	***290 DILLON AVE***	***S 1/4 - 1/2 (0.353 mi.)***	***V105***	***248***

SCVWD ID: 07S1W35F01

ROTTON ROBBIE #27	***2140 WINCHESTER BLVD***	***SW 1/4 - 1/2 (0.370 mi.)***	***W109***	***255***

SCVWD ID: 07S1W35D01

ROTTEN ROBBIE #27	***2140 WINCHESTER BLVD***	***SW 1/4 - 1/2 (0.370 mi.)***	***W111***	***263***

SCVWD ID: 07S1W34A02

ALHAMBRA APARTMENTS	***300 RAILWAY AVE***	***S 1/4 - 1/2 (0.373 mi.)***	***T112***	***285***

SCVWD ID: 07S1W35E02				
HENRY LITTLE TRACTOR SCVWD ID: 08S1W35F02	***310 RAILWAY AVE***	***S 1/4 - 1/2 (0.400 mi.)***	***Y118***	***307***
CAMPBELL, CITY OF SCVWD ID: 07S1W34H01	***2220 S WINCHESTER BL***	***SW 1/4 - 1/2 (0.459 mi.)***	***Z121***	***318***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SUMMERHILL HOMES SCVWD ID: 07S1W26P03 SCVWD ID: 07S1W26P05	***126 HARRISON AVE***	***E 0 - 1/8 (0.082 mi.)***	***B23***	***42***
B.O.S. CONSTRUCTION SCVWD ID: 07S1W26Q01	***580 E EL PATIO DR***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M76***	***183***
NOBLE PROPERTIES SCVWD ID: 07S1W26P02	***535 RODECK WAY***	***E 1/4 - 1/2 (0.252 mi.)***	***N91***	***207***
BAY AREA MECHANICAL SCVWD ID: 07S1W35C03	***100 GILMAN AVE***	***SE 1/4 - 1/2 (0.277 mi.)***	***94***	***211***
THRIFTY OIL #166 SCVWD ID: 07S1W27R01	***1820 S WINCHESTER BL***	***WNW 1/4 - 1/2 (0.291 mi.)***	***Q95***	***214***
ROTTEN ROBBIE #03 SCVWD ID: 07S1W26L02	***370 E HAMILTON AVE***	***N 1/4 - 1/2 (0.345 mi.)***	***U104***	***247***
UNOCAL #3879 SCVWD ID: 07S1W26L01	***337 HAMILTON AVE***	***N 1/4 - 1/2 (0.384 mi.)***	***U113***	***289***
SHELL SCVWD ID: 07S1W26K01	***570 E HAMILTON AVE***	***NE 1/4 - 1/2 (0.390 mi.)***	***X116***	***298***
COAST OIL #51 SCVWD ID: 07S1W35B02	***790 E CAMPBELL AVE***	***ESE 1/4 - 1/2 (0.460 mi.)***	***AA123***	***326***
SANTA CLARA COUNTY F SCVWD ID: 07S1W35B01	***123 UNION AVENUE***	***ESE 1/4 - 1/2 (0.500 mi.)***	***127***	***330***

State and tribal registered storage tank lists

AST: A listing of aboveground storage tank petroleum storage tank locations.

A review of the AST list, as provided by EDR, has revealed that there are 2 AST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAMPBELL UNION SCHOO Database: AST, Date of Government Version: 07/06/2016	***240 N HARRISON ST***	***NE 1/8 - 1/4 (0.138 mi.)***	***D33***	***64***
CAMPBELL SCHOOL YARD Database: AST, Date of Government Version: 07/06/2016	240 HARRISON AVE	NE 1/8 - 1/4 (0.138 mi.)	D37	75

EXECUTIVE SUMMARY

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 01/20/2021 has revealed that there are 6 CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CAMPBELL BREWING COM	200 E CAMPBELL AVE	SW 1/8 - 1/4 (0.145 mi.)	E40	93
BENSON'S CLEANERS	***467 E CAMPBELL AV***	***SE 1/8 - 1/4 (0.145 mi.)***	***F44***	***105***
WINCHESTER PRINTING	***475 E CAMPBELL AV***	***SE 1/8 - 1/4 (0.173 mi.)***	***F51***	***120***
F & J AUTO REPAIR	***64 RAILWAY AVE***	***SSE 1/8 - 1/4 (0.187 mi.)***	***I60***	***151***
PERFORMANCE TECHNIQU	***109 DILLON AV***	***SSE 1/8 - 1/4 (0.221 mi.)***	***I75***	***179***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAMPBELL UNION SCHOO	***240 N HARRISON ST***	***NE 1/8 - 1/4 (0.138 mi.)***	***D33***	***64***

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 8 SWEEPS UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
F & J AUTO REPAIR Comp Number: 24158	***64 RAILWAY AVE***	***SSE 1/8 - 1/4 (0.187 mi.)***	***I60***	***151***
LEE'S EXXON Comp Number: 52236	***540 E CAMPBELL AVE***	***ESE 1/8 - 1/4 (0.215 mi.)***	***J72***	***172***
TINY TOTS DIAPER SER Comp Number: 44095	***138 RAILWAY AVE***	***SSE 1/8 - 1/4 (0.238 mi.)***	***O85***	***196***
WOLF PROPERTY Status: A Tank Status: A Comp Number: 51089	***126 DILLON AVE***	***SE 1/8 - 1/4 (0.243 mi.)***	***P89***	***200***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SUMMERHILL HOMES Comp Number: 934	***126 HARRISON AVE***	***E 0 - 1/8 (0.082 mi.)***	***B23***	***42***
CORPORATION YARD	***240 N HARRISON AVE***	***NE 1/8 - 1/4 (0.138 mi.)***	***D36***	***72***

Status: A
Tank Status: A
Comp Number: 32618

SELF SERV FOOD CORPO	***496 SALMAR AVE***	***ENE 1/8 - 1/4 (0.169 mi.)***	***H50***	***119***
Comp Number: 42982				
BOS CONSTRUCTION INC	***580 E EL PATIO***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M77***	***184***
Comp Number: 51392				

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 9 HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
F & J AUTO REPAIR	64 RAILWAY AVE	SSE 1/8 - 1/4 (0.187 mi.)	I61	156
Facility Id: 00000024158				
CAMPBELL VILLAGE	***540 E CAMPBELL AVE***	***ESE 1/8 - 1/4 (0.215 mi.)***	***J71***	***170***
Facility Id: 00000052236				
TINY TOTS DAIPER SER	138 RAILWAY AVE	SSE 1/8 - 1/4 (0.238 mi.)	O84	195
Facility Id: 00000044095				

Lower Elevation	Address	Direction / Distance	Map ID	Page
CORPORATION YARD	***240 HARRISON AVE***	***NE 1/8 - 1/4 (0.138 mi.)***	***D34***	***68***
Facility Id: 00000032618				
CORPORATION YARD	***240 N HARRISON AVE***	***NE 1/8 - 1/4 (0.138 mi.)***	***D36***	***72***
SELF SERV FOOD CORPO	496 SALMAR AVE	ENE 1/8 - 1/4 (0.169 mi.)	H49	118
Facility Id: 00000042982				
SELF SERV FOOD CORPO	***496 SALMAR AVE***	***ENE 1/8 - 1/4 (0.169 mi.)***	***H50***	***119***
BOS CONSTRUCTION INC	***580 E EL PATIO***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M77***	***184***
BOS CONSTRUCTION INC	***580 EL PATIO DR***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M78***	***187***
Facility Id: 00000051392				

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 7 CA FID UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
F & J AUTO REPAIR	***64 RAILWAY AVE***	***SSE 1/8 - 1/4 (0.187 mi.)***	***I60***	***151***
Facility Id: 43007974				
Status: A				
LEE'S EXXON	***540 E CAMPBELL AVE***	***ESE 1/8 - 1/4 (0.215 mi.)***	***J72***	***172***
Facility Id: 43012253				
Status: A				
TINY TOTS DIAPER SER	***138 RAILWAY AVE***	***SSE 1/8 - 1/4 (0.238 mi.)***	***O85***	***196***
Facility Id: 43003886				

Status: A

WOLF PROPERTY Facility Id: 43012251 Status: A	***126 DILLON AVE***	***SE 1/8 - 1/4 (0.243 mi.)***	***P89***	***200***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CORPORATION YARD Facility Id: 43012246 Status: A	***240 N HARRISON AVE***	***NE 1/8 - 1/4 (0.138 mi.)***	***D36***	***72***
SELF SERV FOOD CORPO Facility Id: 43012247 Status: A	***496 SALMAR AVE***	***ENE 1/8 - 1/4 (0.169 mi.)***	***H50***	***119***
BOS CONSTRUCTION INC Facility Id: 43003479 Status: A	***580 E EL PATIO***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M77***	***184***

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/14/2020 has revealed that there are 18 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LAURA MOORE EPA ID:: CAC002970899	63 NORTH 2ND STREET	WSW 0 - 1/8 (0.089 mi.)	25	50
GEOFFREYS DIAMONDS O EPA ID:: CAL000430027	350 E CAMPBELL AVE	S 0 - 1/8 (0.114 mi.)	C26	52
IMPORT CONNECTION EPA ID:: CAL000321902	25 S CENTRAL AVE	S 0 - 1/8 (0.125 mi.)	C30	58
BENSON CLEANERS EPA ID:: CAL000306914	467 E CAMPBELL AVE	SE 1/8 - 1/4 (0.145 mi.)	F42	94
AUTO FIRST LEASING I EPA ID:: CAL000382283	28 RAILWAY AVE	SE 1/8 - 1/4 (0.175 mi.)	F53	124
SILICON VALLEY MEDIC	476 E CAMPBELL AVE	SE 1/8 - 1/4 (0.178 mi.)	F55	127
F AND J AUTO IMPORTS EPA ID:: CAL000038267	64 RAILWAY AVE	SSE 1/8 - 1/4 (0.187 mi.)	I62	157
WATER TOWER PLAZA RO EPA ID:: CAC003018323	300 ORCHARD CITY	S 1/8 - 1/4 (0.207 mi.)	K68	165
PP-CA LP DBA DERMATO EPA ID:: CAL000453252	106 EAST CAMPBELL AV	WSW 1/8 - 1/4 (0.213 mi.)	69	168
PERFORMANCE TECHNIQU EPA ID:: CAL000011139	109 DILLON	SSE 1/8 - 1/4 (0.221 mi.)	I74	177
JOHN SAUNDERS	77 S. 3RD ST	SW 1/8 - 1/4 (0.227 mi.)	81	189

EPA ID:: CAC002972353

ROBSON HOMES, LLC	63 GILMAN AVENUE	SE 1/8 - 1/4 (0.241 mi.)	J87	198

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAMPBELL UNION SCHOO EPA ID:: CAC002988274	240 HARRISON AVE.	NE 1/8 - 1/4 (0.138 mi.)	D32	61
KRISHNA CARRILLO	310 NORTH 1ST STREET	N 1/8 - 1/4 (0.164 mi.)	46	111
SOTIR RESIDENCE EPA ID:: CAC003032655	286 HARRISON ST.	NNE 1/8 - 1/4 (0.174 mi.)	D52	121
JIM BURKHART	210 GOMES CT.	NW 1/8 - 1/4 (0.218 mi.)	L73	174
SHEILA DALBEC	370 NORTH 1ST STREET	N 1/8 - 1/4 (0.236 mi.)	83	193
TODD LEICHT EPA ID:: CAC003000317	225 GOMES STREET	NNW 1/8 - 1/4 (0.247 mi.)	L90	204

Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the Cortese list, as provided by EDR, and dated 12/17/2020 has revealed that there are 24 Cortese sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CORE/ROEM DEVELOPMEN Cleanup Status: COMPLETED - CASE CLOSED	***100 HARRISON AVE***	***ESE 0 - 1/8 (0.079 mi.)***	***B21***	***39***
WYATT PROPERTY Cleanup Status: COMPLETED - CASE CLOSED	***368 E CAMPBELL AVE***	***SSE 0 - 1/8 (0.117 mi.)***	***C28***	***55***
ORCHARD CITY PLAZA Cleanup Status: COMPLETED - CASE CLOSED	***300 ORCHARD CITY (30***	***S 1/8 - 1/4 (0.207 mi.)***	***K67***	***162***
WOLF PROPERTY Cleanup Status: COMPLETED - CASE CLOSED	***126 DILLON AVE***	***SE 1/8 - 1/4 (0.243 mi.)***	***P89***	***200***
FIRE-MATIC SYSTEMS, Cleanup Status: COMPLETED - CASE CLOSED	***190 DILLON AVE***	***SSE 1/4 - 1/2 (0.316 mi.)***	***R97***	***222***
ARCO #6147 Cleanup Status: COMPLETED - CASE CLOSED	***2015 WINCHESTER BLVD***	***WSW 1/4 - 1/2 (0.321 mi.)***	***S99***	***233***
CAMPBELL CITY SERVIC Cleanup Status: COMPLETED - CASE CLOSED	***290 DILLON AVE***	***S 1/4 - 1/2 (0.353 mi.)***	***V105***	***248***
ROTTON ROBBIE #27 Cleanup Status: COMPLETED - CASE CLOSED	***2140 WINCHESTER BLVD***	***SW 1/4 - 1/2 (0.370 mi.)***	***W109***	***255***
ROTTEN ROBBIE #27 Cleanup Status: COMPLETED - CASE CLOSED	***2140 WINCHESTER BLVD***	***SW 1/4 - 1/2 (0.370 mi.)***	***W110***	***256***
ALHAMBRA APARTMENTS Cleanup Status: COMPLETED - CASE CLOSED	***300 RAILWAY AVE***	***S 1/4 - 1/2 (0.373 mi.)***	***T112***	***285***
HENRY LITTLE TRACTOR Cleanup Status: COMPLETED - CASE CLOSED	***310 RAILWAY AVE***	***S 1/4 - 1/2 (0.400 mi.)***	***Y118***	***307***
CAMPBELL, CITY OF Cleanup Status: COMPLETED - CASE CLOSED	***2220 S WINCHESTER BL***	***SW 1/4 - 1/2 (0.459 mi.)***	***Z121***	***318***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SUMMERHILL HOMES	***126 HARRISON AVE***	***E 0 - 1/8 (0.082 mi.)***	***B23***	***42***

Cleanup Status: COMPLETED - CASE CLOSED

HUBBARD AND RASKIN	***500 SALMAR AVE***	***ENE 1/8 - 1/4 (0.180 mi.)***	***H58***	***145***
Cleanup Status: COMPLETED - CASE CLOSED				
B.O.S. CONSTRUCTION	***580 E EL PATIO DR***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M76***	***183***
Cleanup Status: COMPLETED - CASE CLOSED				
OLD GALANTE BROS CON	***535 RODECK WY***	***E 1/8 - 1/4 (0.233 mi.)***	***N82***	***191***
Cleanup Status: COMPLETED - CASE CLOSED				
NOBLE PROPERTIES	***535 RODECK WAY***	***E 1/4 - 1/2 (0.252 mi.)***	***N91***	***207***
Cleanup Status: COMPLETED - CASE CLOSED				
BAY AREA MECHANICAL	***100 GILMAN AVE***	***SE 1/4 - 1/2 (0.277 mi.)***	***94***	***211***
Cleanup Status: COMPLETED - CASE CLOSED				
THRIFTY OIL #166	***1820 S WINCHESTER BL***	***WNW 1/4 - 1/2 (0.291 mi.)***	***Q95***	***214***
Cleanup Status: COMPLETED - CASE CLOSED				
ROTTEN ROBBIE #03	***370 E HAMILTON AVE***	***N 1/4 - 1/2 (0.345 mi.)***	***U104***	***247***
Cleanup Status: COMPLETED - CASE CLOSED				
UNOCAL #3879	***337 HAMILTON AVE***	***N 1/4 - 1/2 (0.384 mi.)***	***U113***	***289***
Cleanup Status: COMPLETED - CASE CLOSED				
SHELL	***570 E HAMILTON AVE***	***NE 1/4 - 1/2 (0.390 mi.)***	***X116***	***298***
Cleanup Status: COMPLETED - CASE CLOSED				
COAST OIL #51	***790 E CAMPBELL AVE***	***ESE 1/4 - 1/2 (0.460 mi.)***	***AA123***	***326***
Cleanup Status: COMPLETED - CASE CLOSED				
SANTA CLARA COUNTY F	***123 UNION AVENUE***	***ESE 1/4 - 1/2 (0.500 mi.)***	***127***	***330***
Cleanup Status: COMPLETED - CASE CLOSED				

CUPA Listings: A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

A review of the CUPA Listings list, as provided by EDR, has revealed that there are 19 CUPA Listings sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
IA 062313 SCVTA-LIGH	RAILWAY AV @ SUNNYSI	WSW 0 - 1/8 (0.005 mi.)	A20	38
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
B & J AUTOMOTIVE INC	368 E CAMPBELL AV	SSE 0 - 1/8 (0.117 mi.)	C27	55
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
VALLEY PHOTO	394 CAMPBELL AV #E	SSE 1/8 - 1/4 (0.127 mi.)	31	61
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
BENSON'S CLEANERS	467 E CAMPBELL AV	SE 1/8 - 1/4 (0.145 mi.)	F41	94
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
BENSON CLEANERS	***467 E CAMPBELL AVE***	***SE 1/8 - 1/4 (0.145 mi.)***	***F43***	***97***
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
WINCHESTER PRINTING	***475 E CAMPBELL AV***	***SE 1/8 - 1/4 (0.173 mi.)***	***F51***	***120***
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
SILICON VALLEY MEDIC	***476 E CAMPBELL AVE***	***SE 1/8 - 1/4 (0.178 mi.)***	***F57***	***143***
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
F & J AUTO REPAIR	***64 RAILWAY AVE***	***SSE 1/8 - 1/4 (0.187 mi.)***	***I60***	***151***
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NAMCHING YOUNG DDS	486 E CAMPBELL AV 10	SE 1/8 - 1/4 (0.189 mi.)	F65	161
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
H P MACHINE & ENG IN	116 RAILWAY AV	SSE 1/8 - 1/4 (0.214 mi.)	I70	170
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
PERFORMANCE TECHNIQU	***109 DILLON AV***	***SSE 1/8 - 1/4 (0.221 mi.)***	***I75***	***179***
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
HAIG PRECISION	426 SAM CAVA	SSE 1/8 - 1/4 (0.242 mi.)	O88	200
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				

Lower Elevation	Address	Direction / Distance	Map ID	Page
RONALD J DELEMA	160 N HARRISON AV	ENE 0 - 1/8 (0.085 mi.)	24	50
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
CAMPBELL UNION SCHOO	***240 N HARRISON ST***	***NE 1/8 - 1/4 (0.138 mi.)***	***D33***	***64***
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
STEVE SANFORD INC	230 HARRISON AV	NE 1/8 - 1/4 (0.145 mi.)	D38	75
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
CAL-PACIFIC PUBLICAT	485 SALMAR AV	ENE 1/8 - 1/4 (0.188 mi.)	H63	159
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
AMITY FURNITURE SERV	535 SALMAR AV A	ENE 1/8 - 1/4 (0.226 mi.)	M79	188
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
IA 050714 HMI ENTERP	535 SALMAR AV F	ENE 1/8 - 1/4 (0.226 mi.)	M80	189
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				
PAUL DEL GRANDE AUTO	566 E CAMPBELL AV	ESE 1/8 - 1/4 (0.241 mi.)	J86	197
Database: CUPA SANTA CLARA, Date of Government Version: 11/20/2020				

DRYCLEANERS: A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaners' agents; linen supply; coin-operated laundries and cleaning; drycleaning plants except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

A review of the DRYCLEANERS list, as provided by EDR, has revealed that there is 1 DRYCLEANERS site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BENSON CLEANERS	***467 E CAMPBELL AVE***	***SE 1/8 - 1/4 (0.145 mi.)***	***F43***	***97***
Database: DRYCLEANERS, Date of Government Version: 11/23/2020				
EPA Id: CAL000281819				
EPA Id: CAL000306914				

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there

are 19 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CORE/ROEM DEVELOPMEN Reg Id: 43-2170	***100 HARRISON AVE***	***ESE 0 - 1/8 (0.079 mi.)***	***B21***	***39***
ORCHARD CITY PLAZA Reg Id: 43-1001	***300 ORCHARD CITY (30***	***S 1/8 - 1/4 (0.207 mi.)***	***K67***	***162***
IDDINGS, CHERYL A. Reg Id: 6A189101N70	BOX 512	WSW 1/4 - 1/2 (0.269 mi.)	93	210
FIRE-MATIC SYSTEMS, Reg Id: 43-1647	***190 DILLON AVE***	***SSE 1/4 - 1/2 (0.316 mi.)***	***R97***	***222***
ARCO #6147 Reg Id: 43-0099	***2015 WINCHESTER BLVD***	***WSW 1/4 - 1/2 (0.321 mi.)***	***S98***	***226***
CAMPBELL CITY SERVIC Reg Id: 43-0240	***290 DILLON***	***S 1/4 - 1/2 (0.353 mi.)***	***V106***	***250***
ROTTEN ROBBIE #27 Reg Id: 43-1138	***2140 WINCHESTER BLVD***	***SW 1/4 - 1/2 (0.370 mi.)***	***W111***	***263***
ALHAMBRA APARTMENTS Reg Id: 43-1424	***300 RAILWAY AVE***	***S 1/4 - 1/2 (0.373 mi.)***	***T112***	***285***
RESIDENCES AT RAILWA Reg Id: 43-0685	***310 330 RAILWAY AVE***	***S 1/4 - 1/2 (0.400 mi.)***	***Y119***	***308***
CAMPBELL CITY OF Reg Id: 43-0359	2220 WINCHESTER	SW 1/4 - 1/2 (0.456 mi.)	Z120	317

Lower Elevation	Address	Direction / Distance	Map ID	Page
SUMMERHILL HOMES Reg Id: 43-1872	***126 HARRISON AVE***	***E 0 - 1/8 (0.082 mi.)***	***B23***	***42***
OLD GALANTE BROS. CO Reg Id: 43-1792	***535 RODECK WAY***	***E 1/8 - 1/4 (0.167 mi.)***	***G47***	***113***
BOS CONSTRUCTION INC Reg Id: 43-0189	***580 EL PATIO DR***	***ENE 1/8 - 1/4 (0.223 mi.)***	***M78***	***187***
BAY AREA MECHANICAL Reg Id: 43-0343	***100 GILMAN AVE***	***SE 1/4 - 1/2 (0.277 mi.)***	***94***	***211***
THRIFTY OIL Reg Id: 43-1469	1820 WINCHESTER	WNW 1/4 - 1/2 (0.291 mi.)	Q96	222
ROTTEN ROBBIE Reg Id: 43-1146	370 HAMILTON	N 1/4 - 1/2 (0.354 mi.)	U107	254
UNOCAL #3879 Reg Id: 43-1562	***337 HAMILTON AVE***	***N 1/4 - 1/2 (0.385 mi.)***	***U114***	***291***
COAST OIL COMPANY Reg Id: 43-0386	790 CAMPBELL	ESE 1/4 - 1/2 (0.462 mi.)	AA126	330
SANTA CLARA COUNTY F Reg Id: 43-0241	***123 UNION AVENUE***	***ESE 1/4 - 1/2 (0.500 mi.)***	***127***	***330***

Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the Notify 65 list, as provided by EDR, and dated 12/07/2020 has revealed that there is 1 Notify 65 site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ARCO SERVICE STATION	2015 WINCHESTER BOUL	WSW 1/4 - 1/2 (0.321 mi.)	S100	237

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there is 1 EDR Hist Auto site within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GRATTAN W F	90 HARRISON AVE	ESE 0 - 1/8 (0.080 mi.)	B22	42

EXECUTIVE SUMMARY

There were no unmapped sites in this report.

OVERVIEW MAP - 6471563.2S



0 1/4 1/2 1 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	Phase I ESA	CLIENT:	Cornerstone Earth Group
ADDRESS:	70 North 1st Street Campbell CA 95008	CONTACT:	Stason Foster
LAT/LONG:	37.288772 / 121.944263	INQUIRY #:	6471563.2s
		DATE:	April 29, 2021 7:41 pm

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 6471563.2S

0 1/16 1/8 1/4 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	Phase I ESA	CLIENT:	Cornerstone Earth Group
ADDRESS:	70 North 1st Street Campbell CA 95008	CONTACT:	Stason Foster
LAT/LONG:	37.288772 / 121.944263	INQUIRY #:	6471563.2s
		DATE:	April 29, 2021 7:46 pm

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	1	1	NR	NR	2
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	5	NR	NR	NR	5
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001	1	0	NR	NR	NR	NR	1
State- and tribal - equivalent NPL								
RESPONSE	1.000		0	0	0	0	NR	0
State- and tribal - equivalent CERCLIS								
ENVIROSTOR	1.000		0	1	1	2	NR	4
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
LUST	0.500	1	4	7	25	NR	NR	37

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		0	3	4	NR	NR	7
HIST LUST	0.500	1	3	3	16	NR	NR	23
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250	2	0	0	NR	NR	NR	2
AST	0.250		0	2	NR	NR	NR	2
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
CERS HAZ WASTE	0.250		0	6	NR	NR	NR	6
US CDL	0.001		0	NR	NR	NR	NR	0
PFAS	0.500		0	0	0	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250	1	1	7	NR	NR	NR	9
HIST UST	0.250	1	0	9	NR	NR	NR	10
CERS TANKS	0.250	1	0	0	NR	NR	NR	1
CA FID UST	0.250	1	0	7	NR	NR	NR	8
Local Land Records								
LIENS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001	1	0	NR	NR	NR	NR	1
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250	1	3	15	NR	NR	NR	19
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	0.001	2	0	NR	NR	NR	NR	2
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
ECHO	0.001	1	0	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
Cortese	0.500	1	3	5	16	NR	NR	25
CUPA Listings	0.250		3	16	NR	NR	NR	19

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DRYCLEANERS	0.250		0	1	NR	NR	NR	1
EMI	0.001	2	0	NR	NR	NR	NR	2
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001	1	0	NR	NR	NR	NR	1
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500	1	2	3	14	NR	NR	20
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	0	NR	NR	NR	0
MINES	0.250		0	0	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		0	NR	NR	NR	NR	0
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	1	0	NR	1
HAZMAT	0.250		0	0	NR	NR	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		0	NR	NR	NR	NR	0
WIP	0.250		0	0	NR	NR	NR	0
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
WDR	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001		0	NR	NR	NR	NR	0
CERS	0.001	3	0	NR	NR	NR	NR	3
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
HWTS	TP	3	NR	NR	NR	NR	NR	3
MINES MRDS	0.001		0	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		1	NR	NR	NR	NR	1
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001	2	0	NR	NR	NR	NR	2
- Totals --		27	20	91	78	2	0	218

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **CITY OF CAMPBELL POLICE STATION** **EMI** **S124452202**
Target **70 N 1ST ST** **N/A**
Property **CAMPBELL, CA 95008**

Site 1 of 20 in cluster A

Actual: **198 ft.**

EMI:

Name:	CITY OF CAMPBELL POLICE STATION
Address:	70 N 1ST ST
City,State,Zip:	CAMPBELL, CA 95008
Year:	2017
County Code:	43
Air Basin:	SF
Facility ID:	109885
Air District Name:	BA
SIC Code:	5411
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000464238
Reactive Organic Gases Tons/Yr:	0.000464238
Carbon Monoxide Emissions Tons/Yr:	Not reported
NOX - Oxides of Nitrogen Tons/Yr:	Not reported
SOX - Oxides of Sulphur Tons/Yr:	Not reported
Particulate Matter Tons/Yr:	Not reported
Part. Matter 10 Micrometers and Smllr Tons/Yr:	Not reported

Name:	CITY OF CAMPBELL POLICE STATION
Address:	70 N 1ST ST
City,State,Zip:	CAMPBELL, CA 95008
Year:	2018
County Code:	43
Air Basin:	SF
Facility ID:	109885
Air District Name:	BA
SIC Code:	9199
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000464238
Reactive Organic Gases Tons/Yr:	0.000464238
Carbon Monoxide Emissions Tons/Yr:	Not reported
NOX - Oxides of Nitrogen Tons/Yr:	Not reported
SOX - Oxides of Sulphur Tons/Yr:	Not reported
Particulate Matter Tons/Yr:	Not reported
Part. Matter 10 Micrometers and Smllr Tons/Yr:	Not reported

A2 **CAMPBELL CITY HALL** **RGA LUST** **S114591987**
Target **70 1ST ST N** **N/A**
Property **CAMPBELL, CA**

Site 2 of 20 in cluster A

Actual: **198 ft.**

RGA LUST:

Name:	CAMPBELL CITY HALL
Address:	70 1ST ST N
City:	CAMPBELL
State:	CAMPBELL
	2002 CAMPBELL CITY HALL 70 1ST ST N
Name:	CAMPBELL CITY HALL

CAMPBELL CITY HALL (Continued) **S114591987**

Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
2001 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
2000 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
1998 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
1997 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
1996 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
1995 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
1994 CAMPBELL CITY HALL 70 1ST ST N
Name: CAMPBELL CITY HALL
Address: 70 1ST ST N
City: CAMPBELL
State: CAMPBELL
1993 CAMPBELL CITY HALL 70 1ST ST N

A3 **CITY OF CAMPBELL** **UST** **U004263183**
Target **70 N 1ST ST** **N/A**
Property **CAMPBELL, CA 95008**

Site 3 of 20 in cluster A

Actual:
198 ft.

UST:
Name: CITY OF CAMPBELL
Address: 70 N 1ST ST
City,State,Zip: CAMPBELL, CA 95008
Facility ID: Not reported
Permitting Agency: Santa Clara County Environmental Health
Latitude: 37.28811
Longitude: -121.94481

Name: CITY OF CAMPBELL
Address: 70 N 1ST ST
City,State,Zip: CAMPBELL, CA 95008

CITY OF CAMPBELL (Continued) **U004263183**

Facility ID: Not reported
Permitting Agency: Santa Clara County Environmental Health
Latitude: 37.28811
Longitude: -121.94481

A4 **CITY OF CAMPBELL** **UST** **U003948855**
Target **70 N FIRST ST** **N/A**
Property **CAMPBELL, CA 95008**

Site 4 of 20 in cluster A

Actual: **198 ft.**

UST:
Name: CITY OF CAMPBELL
Address: 70 N FIRST ST
City,State,Zip: CAMPBELL, CA 95008
Facility ID: 8
Permitting Agency: CAMPBELL,CUPERTINO,LOS GATOS,MORGAN HILL
Latitude: 37.2894813
Longitude: -121.9427677

A5 **CITY OF CAMPBELL** **EMI** **S113748236**
Target **70 N 1ST STREET** **CERS** **N/A**
Property **CAMPBELL, CA 95008**

Site 5 of 20 in cluster A

Actual: **198 ft.**

EMI:
Name: CITY OF CAMPBELL
Address: 70 N 1ST STREET
City,State,Zip: CAMPBELL, CA 95008
Year: 2009
County Code: 43
Air Basin: SF
Facility ID: 19038
Air District Name: BA
SIC Code: 9121
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.002
Reactive Organic Gases Tons/Yr: 0.0016734
Carbon Monoxide Emissions Tons/Yr: 6.0000000000000001E-3
NOX - Oxides of Nitrogen Tons/Yr: 0.027
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.002
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.001952

Name: CITY OF CAMPBELL
Address: 70 N 1ST STREET
City,State,Zip: CAMPBELL, CA 95008
Year: 2010
County Code: 43
Air Basin: SF
Facility ID: 19038
Air District Name: BA
SIC Code: 9121

CITY OF CAMPBELL (Continued) **S113748236**

Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.002
Reactive Organic Gases Tons/Yr:	0.0016734
Carbon Monoxide Emissions Tons/Yr:	6.0000000000000001E-3
NOX - Oxides of Nitrogen Tons/Yr:	0.027
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.00204918032786885
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.002

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2011
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.001
NOX - Oxides of Nitrogen Tons/Yr:	0.003
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2012
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.001
NOX - Oxides of Nitrogen Tons/Yr:	0.003
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2013
County Code:	43
Air Basin:	SF

CITY OF CAMPBELL (Continued) **S113748236**

Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.001
NOX - Oxides of Nitrogen Tons/Yr:	0.005
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2014
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000337772
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.00102
NOX - Oxides of Nitrogen Tons/Yr:	0.004691783
SOX - Oxides of Sulphur Tons/Yr:	2.175e-006
Particulate Matter Tons/Yr:	0.000349264
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000335294

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2015
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000287106
Reactive Organic Gases Tons/Yr:	0.000279523
Carbon Monoxide Emissions Tons/Yr:	0.000867
NOX - Oxides of Nitrogen Tons/Yr:	0.003988015
SOX - Oxides of Sulphur Tons/Yr:	1.849e-006
Particulate Matter Tons/Yr:	5.6954e-005
Part. Matter 10 Micrometers and Smllr Tons/Yr:	5.4676e-005

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008

CITY OF CAMPBELL (Continued) **S113748236**

Year:	2016
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000287106
Reactive Organic Gases Tons/Yr:	0.000252222621
Carbon Monoxide Emissions Tons/Yr:	0.000867
NOX - Oxides of Nitrogen Tons/Yr:	0.003988015
SOX - Oxides of Sulphur Tons/Yr:	1.849e-006
Particulate Matter Tons/Yr:	5.6954e-005
Part. Matter 10 Micrometers and Smllr Tons/Yr:	5.4676e-005

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2017
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000287106
Reactive Organic Gases Tons/Yr:	0.000252222621
Carbon Monoxide Emissions Tons/Yr:	0.000867
NOX - Oxides of Nitrogen Tons/Yr:	0.003988015
SOX - Oxides of Sulphur Tons/Yr:	1.849e-006
Particulate Matter Tons/Yr:	5.6954e-005
Part. Matter 10 Micrometers and Smllr Tons/Yr:	5.4676e-005

Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008
Year:	2018
County Code:	43
Air Basin:	SF
Facility ID:	19038
Air District Name:	BA
SIC Code:	9121
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000287296
Reactive Organic Gases Tons/Yr:	0.000252389536
Carbon Monoxide Emissions Tons/Yr:	0.000867575
NOX - Oxides of Nitrogen Tons/Yr:	0.003990662
SOX - Oxides of Sulphur Tons/Yr:	1.85e-006
Particulate Matter Tons/Yr:	5.6992e-005
Part. Matter 10 Micrometers and Smllr Tons/Yr:	5.4712e-005

CITY OF CAMPBELL (Continued) **S113748236**

CERS:
Name: CITY OF CAMPBELL
Address: 70 N 1ST STREET
City,State,Zip: CAMPBELL, CA 95008
Site ID: 459905
CERS ID: 110058309209
CERS Description: US EPA Air Emission Inventory System (EIS)

Affiliation:
Affiliation Type Desc: UST PO Name
Entity Name: CITY OF CAMPBELL
Entity Title: Not reported
Affiliation Address: 70 N FIRST STREET
Affiliation City: CAMPBELL
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: ALEX MORDWINOW
Entity Title: Not reported
Affiliation Address: 70 N FIRST STREET
Affiliation City: CAMPBELL
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

A6 **CITY OF CAMPBELL** **FINDS** **1016788025**
Target **70 N 1ST STREET** **N/A**
Property **CAMPBELL, CA 95008**

Site 6 of 20 in cluster A

Actual:
198 ft.

FINDS:
Registry ID: 110058309209

Click Here:

Environmental Interest/Information System:
AIR EMISSIONS CLASSIFICATION UNKNOWN
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A7 **CAMPBELL CITY HALL** **RGA LUST** **S114591988**
Target **70 N 1ST ST** **N/A**
Property **CAMPBELL, CA**

Site 7 of 20 in cluster A

Actual: **198 ft.**

RGA LUST:
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2012 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2011 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2010 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2009 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2008 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2007 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2006 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2005 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
2003 CAMPBELL CITY HALL 70 N 1ST ST
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City: CAMPBELL
State: CAMPBELL
1992 CAMPBELL CITY HALL 70 N 1ST ST

A8 **CITY HALL** **CA FID UST** **S101630417**
Target Property **70 N 001ST ST CAMPBELL CA** **N/A**
CAMPBELL, CA 95008

Site 8 of 20 in cluster A

Actual: 198 ft.

CA FID UST:

Facility ID:	43012242
Regulated By:	UTNKA
Regulated ID:	00023278
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4088662174
Mail To:	Not reported
Mailing Address:	70 N 001ST ST
Mailing Address 2:	Not reported
Mailing City,St,Zip:	CAMPBELL 95008
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

A9 **CITY OF CAMPBELL** **RCRA NonGen / NLR** **1026041841**
Target Property **70 NORTH FIRST STREET** **CAC003048005**
CAMPBELL, CA 95008

Site 9 of 20 in cluster A

Actual: 198 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:		2019-12-19 00:00:00.0
Handler Name:	CITY OF CAMPBELL	
Handler Address:		70 NORTH FIRST STREET
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC003048005
Contact Name:		CITY OF CAMPBELL
Contact Address:		70 NORTH FIRST STREET
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-866-2734
Contact Fax:		Not reported
Contact Email:		RONT@CAMPBELLCA.GOV
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		70 NORTH FIRST STREET
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		CITY OF CAMPBELL, PUBLIC WORKS DEPT
Owner Type:		Other
Operator Name:		CITY OF CAMPBELL
Operator Type:		Other
Short-Term Generator Activity:		No

CITY OF CAMPBELL (Continued) **1026041841**

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-02-10 17:51:38.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

CITY OF CAMPBELL (Continued) **1026041841**

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CITY OF CAMPBELL
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	70 NORTH FIRST STREET
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-866-2734
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CITY OF CAMPBELL, PUBLIC WORKS DEPT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	70 NORTH FIRST STREET
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-866-2734
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2019-12-19 00:00:00.0
Handler Name: CITY OF CAMPBELL	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

A10 **CITY HALL** **SWEEPS UST** **S103956828**
Target **70 N 1ST ST** **N/A**
Property **CAMPBELL, CA 95008**

Site 10 of 20 in cluster A

Actual: **198 ft.**

SWEEPS UST:

Name:	CITY HALL
Address:	70 N 1ST ST
City:	CAMPBELL
Status:	Active
Comp Number:	23278
Number:	4
Board Of Equalization:	44-026305
Referral Date:	08-13-93
Action Date:	01-27-94
Created Date:	02-29-88
Owner Tank Id:	9
SWRCB Tank Id:	43-008-023278-000001
Tank Status:	A
Capacity:	1500
Active Date:	07-01-85
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	1

A11 **CITY OF CAMPBELL** **HWTS** **S126098911**
Target **70 NORTH FIRST STREET** **N/A**
Property **CAMPBELL, CA 95008**

Site 11 of 20 in cluster A

Actual: **198 ft.**

HWTS:

Name:	CITY OF CAMPBELL
Address:	70 NORTH FIRST STREET
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAC003048005
Inactive Date:	03/19/2020
Create Date:	12/19/2019
Last Act Date:	03/20/2020
Mailing Name:	Not reported
Mailing Address:	70 NORTH FIRST STREET
Mailing Address 2:	Not reported
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	CITY OF CAMPBELL, PUBLIC WORKS DEPT
Owner Address:	70 NORTH FIRST STREET
Owner Address 2:	Not reported
Owner City,State,Zip:	CAMPBELL, CA 95008
Contact Name:	CITY OF CAMPBELL
Contact Address:	70 NORTH FIRST STREET
Contact Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 95008

NAICS:

EPA ID:	CAC003048005
Create Date:	2019-12-19 13:41:49.630
NAICS Code:	99999
NAICS Description:	Not Otherwise Specified

CITY OF CAMPBELL (Continued) **S126098911**

Issued EPA ID Date:	2019-12-19 13:41:49.63000
Inactive Date:	2020-03-19 13:41:49.61700
Facility Name:	CITY OF CAMPBELL
Facility Address:	70 NORTH FIRST STREET
Facility Address 2:	Not reported
Facility City:	CAMPBELL
Facility County:	Not reported
Facility State:	CA
Facility Zip:	95008

A12 **CITY OF CAMPBELL** **ECHO** **1026178699**
Target Property **70 N 1ST STREET** **N/A**
CAMPBELL, CA 95008

Site 12 of 20 in cluster A

Actual: 198 ft.

ECHO:

Envid:	1026178699
Registry ID:	110058309209
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110058309209
Name:	CITY OF CAMPBELL
Address:	70 N 1ST STREET
City,State,Zip:	CAMPBELL, CA 95008

A13 **CITY OF CAMPBELL / DPW** **HWTS** **S124566442**
Target Property **70 N 1ST ST** **N/A**
CAMPBELL, CA 95008

Site 13 of 20 in cluster A

Actual: 198 ft.

HWTS:

Name:	CITY OF CAMPBELL / DPW
Address:	70 N 1ST ST
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 950080000
EPA ID:	CAC002315249
Inactive Date:	09/11/2001
Create Date:	03/05/2001
Last Act Date:	09/11/2001
Mailing Name:	Not reported
Mailing Address:	70 N 1ST ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	CAMPBELL, CA 950080000
Owner Name:	CITY OF CAMPBELL
Owner Address:	70 N 1ST ST
Owner Address 2:	Not reported
Owner City,State,Zip:	CAMPBELL, CA 950080000
Contact Name:	BOB SIUDZINSKI
Contact Address:	70 N 1ST ST
Contact Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 950080000

A14 **CITY HALL** **HIST UST** **U001600859**
Target **70 N FIRST ST CAMPBELL CA** **N/A**
Property **CAMPBELL, CA 95008**

Site 14 of 20 in cluster A

Actual: **198 ft.**

HIST UST:

Name:	CITY HALL
Address:	70 N FIRST ST CAMPBELL CA
City,State,Zip:	CAMPBELL, CA 95008
File Number:	0002D0DA
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002D0DA.pdf
Region:	STATE
Facility ID:	00000023278
Facility Type:	Other
Other Type:	CITY HALL
Contact Name:	CAPT. JOHN BUTLER P.D.
Telephone:	4088662174
Owner Name:	CITY OF CAMPBELL
Owner Address:	70 N. FIRST ST
Owner City,St,Zip:	CAMPBELL, CA 95008
Total Tanks:	0001
Tank Num:	001
Container Num:	09
Year Installed:	1970
Tank Capacity:	00001500
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Pressure Test

Click here for Geo Tracker PDF:

A15 **CAMPBELL CITY HALL** **LUST** **S102426276**
Target **70 N 1ST ST** **HIST LUST** **N/A**
Property **CAMPBELL, CA 95008** **Cortese**
HIST CORTESE

Site 15 of 20 in cluster A **CERS**

Actual: **198 ft.**

LUST:

Name:	CAMPBELL CITY HALL
Address:	70 N 1ST ST
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500298
Global Id:	T0608500298
Latitude:	37.287986
Longitude:	-121.9439
Status:	Completed - Case Closed
Status Date:	02/26/1991
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

CAMPBELL CITY HALL (Continued) **S102426276**

LUST:
Global Id: T0608500298
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500298
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608500298
Action Type: RESPONSE
Date: 10/19/1987
Action: Other Report / Document

Global Id: T0608500298
Action Type: RESPONSE
Date: 10/19/1987
Action: Other Report / Document

Global Id: T0608500298
Action Type: ENFORCEMENT
Date: 06/09/1989
Action: Notice of Responsibility - #39519

Global Id: T0608500298
Action Type: ENFORCEMENT
Date: 02/26/1991
Action: Closure/No Further Action Letter

Global Id: T0608500298
Action Type: Other
Date: 06/08/1988
Action: Leak Reported

LUST:
Global Id: T0608500298
Status: Open - Case Begin Date
Status Date: 06/08/1988

Global Id: T0608500298
Status: Open - Site Assessment
Status Date: 07/18/1988

Global Id: T0608500298
Status: Completed - Case Closed

CAMPBELL CITY HALL (Continued) **S102426276**

Status Date: 02/26/1991

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26P01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/18/1988
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26P01F
Date Closed: 02/26/1991
EDR Link ID: 07S1W26P01F

HIST LUST SANTA CLARA:
Name: Campbell City Hall
Address: 70 N 1st St
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26P01
Oversite Agency: SCVWD
Date Listed: 1989-01-01 00:00:00
Closed Date: 1991-02-26 00:00:00

CORTESE:
Name: CAMPBELL CITY HALL
Address: 70 N 1ST ST
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500298
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported

CAMPBELL CITY HALL (Continued) **S102426276**

Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	CAMPBELL CITY HALL
edr_fadd1:	70 1ST
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0239

CERS:

Name:	CAMPBELL CITY HALL
Address:	70 N 1ST ST
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	211858
CERS ID:	T0608500298
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

A16 **CHMIRS** **S106400893**
Target Property **CAMPBELL 70 N. 1ST ST.**
CAMPBELL, CA **N/A**

Site 16 of 20 in cluster A

Actual:
198 ft.

CHMIRS:

Name:	Not reported
Address:	CAMPBELL 70 N. 1ST ST.
City,State,Zip:	CAMPBELL, CA
OES Incident Number:	3-2348
OES notification:	05/05/2003
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	No
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Co. Health
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	2003
Agency:	Santa Clara Co. FD
Incident Date:	5/5/200312:00:00 AM
Admin Agency:	Santa Clara County Health Department
Amount:	Not reported
Contained:	Yes
Site Type:	Other
E Date:	Not reported
Substance:	Unk. White powder
Gallons:	0.000000

(Continued) **S106400893**

Ounces:	1
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	30
Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	Credible threat letter containing a suspicious white powder was received at the Los Gatos PD, Campbell PD, and a San Jose residence. An area of City Hall has been cordoned off pending Co. Health Dept. investigation of the scene.

A17 **CAMPBELL CITY HALL** **FINDS** **1023328839**
Target **70 N 1ST ST** **N/A**
Property **CAMPBELL, CA 95008**

Site 17 of 20 in cluster A

Actual: **198 ft.**

FINDS:
Registry ID: 110066232605

Click Here:

Environmental Interest/Information System:
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A18 **CITY OF CAMPBELL** **CERS TANKS** **S112889572**
Target **70 N 1ST ST** **HAZNET** **N/A**
Property **CAMPBELL, CA 95008** **CERS**
HWTS

Site 18 of 20 in cluster A

Actual: **198 ft.**

CERS TANKS:

Name:	CITY OF CAMPBELL
Address:	70 N 1ST ST
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	19452
CERS ID:	10355122
CERS Description:	Underground Storage Tank

HAZNET:

Name:	CITY OF CAMPBELL
Address:	70 N 1ST ST

CITY OF CAMPBELL (Continued) **S112889572**

Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 950080000
Contact:	KELLY MC KENNA/DU-ALL SAFETY
Telephone:	5106518289
Mailing Name:	Not reported
Mailing Address:	70 N 1ST ST
Year:	1998
Gepaid:	CAC001415224
TSD EPA ID:	CAD042345884
CA Waste Code:	343 - Unspecified organic liquid mixture
Disposal Method:	H01 - Transfer Station
Tons:	0.425
Year:	1998
Gepaid:	CAC001415224
TSD EPA ID:	CAD042345884
CA Waste Code:	352 - Other organic solids
Disposal Method:	H01 - Transfer Station
Tons:	1.105
Year:	1998
Gepaid:	CAC001415224
TSD EPA ID:	CAD042345884
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H01 - Transfer Station
Tons:	0.8131

Additional Info:

Year:	1998
Gen EPA ID:	CAC001415224
Shipment Date:	19980415
Creation Date:	8/3/1998 0:00:00
Receipt Date:	19980415
Manifest ID:	96828203
Trans EPA ID:	CAD042345884
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD042345884
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD042345884
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D008
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.688
Waste Quantity:	165
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CITY OF CAMPBELL (Continued) **S112889572**

Shipment Date:	19980415
Creation Date:	8/3/1998 0:00:00
Receipt Date:	19980415
Manifest ID:	96828203
Trans EPA ID:	CAD042345884
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD042345884
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD042345884
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.8131
Waste Quantity:	195
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19980415
Creation Date:	8/3/1998 0:00:00
Receipt Date:	19980415
Manifest ID:	96828203
Trans EPA ID:	CAD042345884
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD042345884
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD042345884
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.417
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19980415
Creation Date:	8/3/1998 0:00:00
Receipt Date:	19980415
Manifest ID:	96828203
Trans EPA ID:	CAD042345884
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD042345884

CITY OF CAMPBELL (Continued) **S112889572**

Trans Name:	Not reported
TSDF Alt EPA ID:	CAD042345884
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.425
Waste Quantity:	125
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	CITY OF CAMPBELL
Address:	70 N 1ST ST
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	19452
CERS ID:	10355122
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-02-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 5060
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-10-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 5060
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-10-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 5060
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-10-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	No violations observed.
Eval Division:	Santa Clara County Fire Department

CITY OF CAMPBELL (Continued) **S112889572**

Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-13-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-13-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-17-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-23-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-24-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-24-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

CITY OF CAMPBELL (Continued) **S112889572**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-29-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-29-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Ocupancy ID: 5060
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 19452
Facility Name: CITY OF CAMPBELL
Env Int Type Code: HMBP
Program ID: 10355122
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.288110
Longitude: -121.944810

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Parent Corporation
Entity Name: CITY OF CAMPBELL Police Dept
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST Tank Operator
Entity Name: City of Campbell
Entity Title: Not reported
Affiliation Address: 70 N First Street
Affiliation City: Campbell
Affiliation State: CA
Affiliation Country: United States

CITY OF CAMPBELL (Continued) **S112889572**

Affiliation Zip:	95008
Affiliation Phone:	(408) 866-2145
Affiliation Type Desc:	UST Tank Owner
Entity Name:	City of Campbell
Entity Title:	Not reported
Affiliation Address:	70 N First Street
Affiliation City:	Campbell
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95008
Affiliation Phone:	(408) 866-2145
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	70 N FIRST ST
Affiliation City:	CAMPBELL
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95008
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	alex mordwinow
Entity Title:	Not reported
Affiliation Address:	70 N First street
Affiliation City:	Campbell
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95008
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	City of Campbell
Entity Title:	Not reported
Affiliation Address:	1 W CAMPBELL AV C31
Affiliation City:	CAMPBELL
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95008
Affiliation Phone:	(408) 866-2145
Affiliation Type Desc:	Operator
Entity Name:	City of Campbell
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 866-2145
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	CITY OF CAMPBELL
Entity Title:	Not reported
Affiliation Address:	70 N First Street

CITY OF CAMPBELL (Continued) **S112889572**

Affiliation City: Campbell
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95008
Affiliation Phone: (408) 866-2145

HWTS:
Name: CITY OF CAMPBELL
Address: 70 N 1ST ST
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 950080000
EPA ID: CAC001415224
Inactive Date: 10/25/2000
Create Date: 04/14/1998
Last Act Date: 10/25/2000
Mailing Name: Not reported
Mailing Address: 70 N 1ST ST
Mailing Address 2: Not reported
Mailing City,State,Zip: CAMPBELL, CA 950080000
Owner Name: CITY OF CAMPBELL
Owner Address: 70 N 1ST ST
Owner Address 2: Not reported
Owner City,State,Zip: CAMPBELL, CA 950080000
Contact Name: KELLY MC KENNA/DU-ALL SAFETY
Contact Address: 49151 MILMONT DR
Contact Address 2: Not reported
City,State,Zip: FREMONT, CA 945380000

A19 **ERNS 2005754381**
Target Property **70 NORTH 1ST STREET CAMPBELL, CA 95008** **N/A**

Site 19 of 20 in cluster A

Actual: 198 ft.

Incident Commons:
NRC Report #: 754381
Description of Incident: CALLER FROM PUBLIC WORKS OFFICE OF CALIFORNIA STATES THAT THE KITCHEN SINK OF A RESTURANT IS SENDING MATERIALS THROUGH THE DRAIN WHICH IS CONNECTED TO THE STORM DRAIN THAT LEADS TO THE GUADALUPE RIVER WHICH LEADS TO THE SAN FRANCISCO BAY.
Type of Incident: FIXED
Incident Cause: DUMPING
Incident Date Time: 2005-03-29 01:00:00
Incident DTG: DISCOVERED
Incident Location: Not reported
Loaction Address: 70 NORTH 1ST STREET
Location Street 1: Not reported
Location Street 2: Not reported
Location Nearest City: CAMPBELL
Location State: CA
Location County: SANTA CLARA
Location Zip: 95008
Distance From City: Not reported
Distance Units: Not reported
Direction From City: Not reported
Lat Deg: Not reported

(Continued) **2005754381**

Lat Min:	Not reported
Lat Sec:	Not reported
Lat Quad:	Not reported
Long Deg:	Not reported
Long Min:	Not reported
Long Sec:	Not reported
Long Quad:	Not reported
Location Section:	Not reported
Location Township:	Not reported
Location range:	Not reported
Potential Range:	Not reported

Incidents:

NRC Report #:	754381
Aircraft Type:	Not reported
Aircraft Model:	Not reported
Aircraft ID:	Not reported
Aircraft Fuel Capacity:	Not reported
Aircraft Fuel Capacity Units:	Not reported
Aircraft Fuel on Board:	Not reported
Aircraft Fuel on Board Units:	Not reported
Aircraft Spot Number:	Not reported
Aircraft Hanger:	Not reported
Aircraft Runway Number:	Not reported
Road Mile Marker:	Not reported
Building ID:	Not reported
Type of Fixed Object:	OTHER
Power Generating Facility:	U
Generating Capacity:	Not reported
Type of Fuel:	Not reported
NPDES:	Not reported
NPDES Compliance:	U
Pipeline Type:	Not reported
DOT Regulated:	U
Pipeline Above Ground:	ABOVE
Exposed Underwater:	N
Pipeline Covered:	U
Railroad Hotline:	Not reported
Grade Crossing:	N
Location Subdivision:	Not reported
Railroad Milepost:	Not reported
Type Vehicle Involved:	Not reported
Crossing Device Type:	Not reported
Device Operational:	Y
DOT Crossing Number:	Not reported
Brake Failure:	N
Description of Tank:	Not reported
Tank Above Ground:	ABOVE
Transportable Container:	U
Tank Regulated:	U
Tank Regulated By:	Not reported
Tank ID:	Not reported
Capacity of Tank:	Not reported
Capacity of Tank Units:	Not reported
Actual Amount:	Not reported
Actual Amount Units:	Not reported
Platform Rig Name:	Not reported
Platform Letter:	Not reported

(Continued) **2005754381**

Location Area ID:	Not reported
Location Block ID:	Not reported
OCSG Number:	Not reported
OCSP Number:	Not reported
State Lease Number:	Not reported
Pier Dock Number:	Not reported
Berth Slip Number:	Not reported
Continuous Release Type:	Not reported
Initial Continuous Release No:	Not reported
Continuous Release Permit:	Not reported
Allision:	N
Type of Structure:	Not reported
Structure Name:	Not reported
Structure Operational:	U
Airbag Deployed:	Not reported
Date Tiem Normal Service:	Not reported
Service Disruption Time:	Not reported
Service Disruption Units:	Not reported
Transit Bus Flag:	Not reported
CR Begin Date:	Not reported
CR End Date:	Not reported
CR Change Date:	Not reported
FBI Contact:	Not reported
FBI Contact Date Time:	Not reported
Sub Part C Testing Req:	XXX
Conductor Testing:	Not reported
Engineer Testing:	Not reported
Trainman Testing:	Not reported
Yard Foreman Testing:	Not reported
RCL Operator Testing:	Not reported
Brakeman Testing:	Not reported
Train Dispatcher Testing:	Not reported
Signalman Testing:	Not reported
Other Employee Testing:	Not reported
Unknown Testing:	Not reported
Passenger Handling:	Not reported
Passenger Route:	XXX
Passenger Delay:	XXX

Incident Details:

NRC Report #:	754381
Fire Involved:	N
Fire Extinguished:	U
Any Evacuations:	N
Number Evacuated:	Not reported
Who Evacuated:	Not reported
Radius of Evacuation:	Not reported
Any Injuries:	N
Number Injured:	Not reported
Number Hospitalized:	Not reported
Any Fatalities:	N
Number Fatalities:	Not reported
Any Damages:	N
Damage Amount:	Not reported
Air Corridor Closed:	N
Air Corridor Desc:	Not reported
Air Closure Time:	Not reported

(Continued) **2005754381**

Waterway Closed:	N
Waterway Desc:	Not reported
Waterway Closure Time:	Not reported
Road Closed:	N
Road Desc:	Not reported
Road Closure Time:	Not reported
Closure Direction:	Not reported
Major Artery:	N
Track Closed:	N
Track Desc:	Not reported
Track Closure Time:	Not reported
Media Interest:	NONE
Medium Desc:	WATER
Additional Medium Info:	GUADALUPE RIVER
Body of Water:	GUADALUPE RIVER
Tributary of:	SAN FRANCISCO BAY
Release Secured:	U
Estimated Duration of Release:	Not reported
Release rate:	Not reported
Desc Remedial Action:	ASKED THE OWNER TO STOP USING THE SINK, PROPERTY OWN SENT LETTER TO BUSINESS TO STOP OR THEY WOULD FIX IT THEMSELVES.
State Agency on Scene:	Not reported
State Agency Report Number:	05-1948
Other Agency Notified:	Not reported
Weather Conditions:	Not reported
Air Temperature:	Not reported
Wind Speed:	Not reported
Wind Direction:	Not reported
Water Supply Contaminated:	U
Sheen Size:	Not reported
Sheen Color:	Not reported
Direction of Sheen Travel:	Not reported
Sheen Odor Description:	Not reported
Wave Condition:	Not reported
Current Speed:	Not reported
Current Direction:	Not reported
Water Temperature:	Not reported
Track Close Dir:	Not reported
Empl Fatality:	Not reported
Pass Fatality:	Not reported
Community Impact:	N
Wind Speed Unit:	Not reported
Employee Injuries:	Not reported
Passenger Injuries:	Not reported
Occupant Fatality:	Not reported
Current Speed Unit:	Not reported
Road Closure Units:	Not reported
Track CLosure Units:	Not reported
Sheen Size Units:	Not reported
Additional Info:	NO ADDITIONAL INFORMATION.
State Agency Notified:	OFFICE OF EMERGENCY SERVICES
Federal Agency Notified:	FISH AND GAME,
nearest River Mile Marker:	Not reported
Sheen Size Length:	Not reported
Sheen Size Length Units:	Not reported
Sheen Size Width:	Not reported
Sheen Size Width Units:	Not reported

(Continued) **2005754381**

Offshore:	N
Duration Unit:	Not reported
Release Rate Unit:	Not reported
Release Rate Rate:	Not reported
Passengers Transferred:	UNK

Calls:

NRC Report #:	754381
Site ID:	2005754381
Date Time Received:	2005-03-31 12:17:36
Date Time Complete:	2005-03-31 12:35:21
Call Type:	INC
Responsible Company:	ZYNG ASIAN GRILL
Responsible Org Type:	PRIVATE ENTERPRISE
Responsible City:	CAMPBELL
Responsible State:	CA
Responsible Zip:	95008
On Behalf:	N
Source:	TELEPHONE

Material Involved:

NRC Report #:	754381
Chris Code:	NCC
Case Number:	000000-00-0
UN Number:	Not reported
Amount of Material:	0
Unit of Measure:	UNKNOWN AMOUNT
Name of Material:	UNKNOWN FLUIDS
If Reached Water:	YES
Amount in Water:	0
Unit of Measure Reach Water:	UNKNOWN AMOUNT

A20 **IA 062313 SCVTA-LIGHT RAIL SUBSTATION 32** **CUPA Listings** **S121473325**
WSW **RAILWAY AV @ SUNNYSIDE AV** **N/A**
< 1/8 **CAMPBELL, CA 95008**
0.005 mi.
26 ft. **Site 20 of 20 in cluster A**

Relative:
Higher

Actual:
199 ft.

CUPA SANTA CLARA:

Name:	IA 062313 SCVTA-LIGHT RAIL SUBSTATION 32
Address:	RAILWAY AV @ SUNNYSIDE AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2502
Program Description:	HAZMAT STORAGE FACILITY-MINIMAL STORAGE SITE
Latitude:	37.28848
Longitude:	-121.944864
Record ID:	PR0378507
Facility ID:	FA0258491

B21 **CORE/ROEM DEVELOPMENT** **LUST** **S103881241**
ESE **100 HARRISON AVE** **HIST LUST** **N/A**
< 1/8 **CAMPBELL, CA 95008** **Cortese**
0.079 mi. **HIST CORTESE**
419 ft. **Site 1 of 3 in cluster B** **CERS**

Relative: Higher

Actual: 198 ft.

LUST:

Name:	CORE/ROEM DEVELOPMENT
Address:	100 HARRISON AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501994
Global Id:	T0608501994
Latitude:	37.2883121
Longitude:	-121.9424061
Status:	Completed - Case Closed
Status Date:	02/08/1999
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Heating Oil / Fuel Oil
Site History:	Not reported

LUST:

Global Id:	T0608501994
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608501994
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608501994
Action Type:	ENFORCEMENT
Date:	02/08/1999
Action:	Closure/No Further Action Letter

Global Id:	T0608501994
Action Type:	Other
Date:	01/01/1996
Action:	Leak Reported

Global Id:	T0608501994
Action Type:	RESPONSE

CORE/ROEM DEVELOPMENT (Continued) **S103881241**

Date: 05/15/1997
Action: Other Report / Document

Global Id: T0608501994
Action Type: RESPONSE
Date: 02/01/1999
Action: Other Report / Document

Global Id: T0608501994
Action Type: RESPONSE
Date: 02/08/1999
Action: Other Report / Document

Global Id: T0608501994
Action Type: RESPONSE
Date: 01/04/1997
Action: Other Report / Document

Global Id: T0608501994
Action Type: RESPONSE
Date: 02/08/1999
Action: Other Report / Document

Global Id: T0608501994
Action Type: RESPONSE
Date: 04/03/1997
Action: Other Report / Document

LUST:
Global Id: T0608501994
Status: Open - Case Begin Date
Status Date: 01/01/1996

Global Id: T0608501994
Status: Open - Site Assessment
Status Date: 05/01/1997

Global Id: T0608501994
Status: Completed - Case Closed
Status Date: 02/08/1999

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26P04f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 5/1/1997
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported

CORE/ROEM DEVELOPMENT (Continued) **S103881241**

Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: CORE/ROEM DEVELOPMENT
Address: 100 HARRISON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26P04F
Date Closed: 02/08/1999
EDR Link ID: 07S1W26P04F

HIST LUST SANTA CLARA:
Name: Core/Roem Development
Address: 100 Harrison Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26P04
Oversite Agency: SCVWD
Date Listed: 1997-06-06 00:00:00
Closed Date: 1999-02-08 00:00:00

CORTESE:
Name: CORE/ROEM DEVELOPMENT
Address: 100 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608501994
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

HIST CORTESE:
edr_fname: CORE ROEM DEVELOPMENT
edr_fadd1: 100 HARRISON
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Facility County Code: 43

CORE/ROEM DEVELOPMENT (Continued) **S103881241**

Reg By: LTNKA
Reg Id: 43-2170

CERS:
Name: CORE/ROEM DEVELOPMENT
Address: 100 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 207990
CERS ID: T0608501994
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

B22 **GRATTAN W F** **EDR Hist Auto** **1009001155**
ESE **90 HARRISON AVE** **N/A**
< 1/8 **SAN JOSE, CA**
0.080 mi.
425 ft. **Site 2 of 3 in cluster B**

Relative: EDR Hist Auto
Higher

Actual: Year: Name: Type:
198 ft. 1930 GRATTAN W F GASOLINE AND OIL SERVICE STATIONS
1930 GRATTAN W F AUTOMOBILE REPAIRING

B23 **SUMMERHILL HOMES** **LUST** **S101303565**
East **126 HARRISON AVE** **HIST LUST** **N/A**
< 1/8 **CAMPBELL, CA 95008** **SWEEPS UST**
0.082 mi. **Cortese**
432 ft. **Site 3 of 3 in cluster B** **HIST CORTESE**
CERS

Relative:
Lower

LUST:
Actual: Name: SUMMERHILL HOMES
197 ft. Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008

SUMMERHILL HOMES (Continued) **S101303565**

Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608583883
Global Id:	T0608583883
Latitude:	37.288924
Longitude:	-121.942433
Status:	Completed - Case Closed
Status Date:	12/27/2000
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608583883
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608583883
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608583883
Action Type:	RESPONSE
Date:	10/27/2000
Action:	Other Report / Document

Global Id:	T0608583883
Action Type:	ENFORCEMENT
Date:	12/27/2000
Action:	Closure/No Further Action Letter

Global Id:	T0608583883
Action Type:	ENFORCEMENT
Date:	10/26/2000
Action:	Staff Letter - #21690

Global Id:	T0608583883
Action Type:	Other
Date:	05/26/2000
Action:	Leak Reported

SUMMERHILL HOMES (Continued) **S101303565**

Global Id: T0608583883
Action Type: RESPONSE
Date: 01/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608583883
Action Type: RESPONSE
Date: 09/24/2002
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608583883
Action Type: RESPONSE
Date: 01/05/2001
Action: Other Report / Document

LUST:
Global Id: T0608583883
Status: Open - Case Begin Date
Status Date: 05/26/2000

Global Id: T0608583883
Status: Open - Site Assessment
Status Date: 06/01/2000

Global Id: T0608583883
Status: Completed - Case Closed
Status Date: 12/27/2000

Name: NOSTALGIA MOTORS
Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501794
Global Id: T0608501794
Latitude: 37.288545
Longitude: -121.9415
Status: Completed - Case Closed
Status Date: 02/01/1996
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501794
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported

SUMMERHILL HOMES (Continued) **S101303565**

Phone Number: Not reported

Global Id: T0608501794
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501794
Action Type: ENFORCEMENT
Date: 02/01/1996
Action: Closure/No Further Action Letter

Global Id: T0608501794
Action Type: ENFORCEMENT
Date: 11/06/1995
Action: Notice of Responsibility - #39520

Global Id: T0608501794
Action Type: Other
Date: 01/01/1993
Action: Leak Reported

Global Id: T0608501794
Action Type: RESPONSE
Date: 02/01/1996
Action: Other Report / Document

Global Id: T0608501794
Action Type: REMEDIATION
Date: 04/13/1995
Action: Excavation

LUST:
Global Id: T0608501794
Status: Open - Case Begin Date
Status Date: 01/01/1993

Global Id: T0608501794
Status: Open - Site Assessment
Status Date: 03/13/1994

Global Id: T0608501794
Status: Completed - Case Closed
Status Date: 02/01/1996

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26P03f

SUMMERHILL HOMES (Continued) **S101303565**

How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/13/1994
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26P05f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 6/1/2000
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: NOSTALGIA MOTORS
Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26P03F
Date Closed: 02/01/1996
EDR Link ID: 07S1W26P03F

Name: SUMMERHILL HOMES
Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26P05F
Date Closed: 12/27/2000
EDR Link ID: 07S1W26P05F

HIST LUST SANTA CLARA:
Name: Nostalgia Motors
Address: 126 Harrison Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26P03
Oversite Agency: SCVWD
Date Listed: 1994-10-31 00:00:00
Closed Date: 1996-02-01 00:00:00

SUMMERHILL HOMES (Continued) **S101303565**

Name: Summerhill Homes
Address: 126 Harrison Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26P05
Oversite Agency: SCVWD
Date Listed: 2000-06-22 00:00:00
Closed Date: 2000-12-27 00:00:00

SWEEPS UST:
Name: NESTALGIA MOTORS
Address: 126 HARRISON AVE
City: CAMPBELL
Status: Not reported
Comp Number: 934
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-000934-000001
Tank Status: Not reported
Capacity: 1000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: LEADED
Number Of Tanks: 2

Name: NESTALGIA MOTORS
Address: 126 HARRISON AVE
City: CAMPBELL
Status: Not reported
Comp Number: 934
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-000934-000002
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: DIESEL
Number Of Tanks: Not reported

CORTESE:
Name: NOSTALGIA MOTORS
Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE

SUMMERHILL HOMES (Continued) **S101303565**

Envirostor Id:	Not reported
Global ID:	T0608501794
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

Name:	SUMMERHILL HOMES
Address:	126 HARRISON AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608583883
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	NOSTALGIA MOTORS
edr_fadd1:	126 HARRISON
City,State,Zip:	CAMPBELL, CA 95125
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1872

CERS:

SUMMERHILL HOMES (Continued) **S101303565**

Name: SUMMERHILL HOMES
Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 223701
CERS ID: T0608583883
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: NOSTALGIA MOTORS
Address: 126 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 247842
CERS ID: T0608501794
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

24
ENE
< 1/8
0.085 mi.
449 ft.

RONALD J DELEMA
160 N HARRISON AV
CAMPBELL, CA 95008

CUPA Listings **S121471520**
N/A

Relative:
Lower

Actual:
196 ft.

CUPA SANTA CLARA:

Name:	RONALD J DELEMA
Address:	160 N HARRISON AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.289542
Longitude:	-121.942304
Record ID:	PR0360201
Facility ID:	FA0250018

25
WSW
< 1/8
0.089 mi.
469 ft.

LAURA MOORE
63 NORTH 2ND STREET
CAMPBELL, CA 95008

RCRA NonGen / NLR **1024751107**
CAC002970899

Relative:
Higher

Actual:
199 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:		2018-07-13 00:00:00.0
Handler Name:	LAURA MOORE	
Handler Address:		63 NORTH 2ND STREET
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC002970899
Contact Name:		LAURA MOORE
Contact Address:		63 NORTH 2ND STREET
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-460-7048
Contact Fax:		Not reported
Contact Email:		DANELLBAGBY@ALLIANCE-ENVIRO.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		63 NORTH 2ND STREET
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		LAURA MOORE
Owner Type:		Other
Operator Name:		LAURA MOORE
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No

LAURA MOORE (Continued) **1024751107**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-08-30 13:25:15.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	LAURA MOORE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	63 NORTH 2ND STREET
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008

LAURA MOORE (Continued) **1024751107**

Owner/Operator Telephone: 408-460-7048
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LAURA MOORE
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 63 NORTH 2ND STREET
Owner/Operator City,State,Zip: CAMPBELL, CA 95008
Owner/Operator Telephone: 408-460-7048
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 2018-07-13 00:00:00.0
Handler Name: LAURA MOORE
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C26 **GEOFFREYS DIAMONDS OF CAMPBELL LLC DBA GEOFFREYS D** **RCRA NonGen / NLR** **1024861547**
South **350 E CAMPBELL AVE** **CAL000430027**
< 1/8 **CAMPBELL, CA 95008**
0.114 mi.
604 ft. **Site 1 of 5 in cluster C**

Relative:
Higher

Actual:
201 ft.

RCRA NonGen / NLR:
Date Form Received by Agency: 2017-08-14 00:00:00.0
Handler Name: GEOFFREYS DIAMONDS OF CAMPBELL LLC DBA GEOFFREYS DIAMONDS & GOLDSMITH
Handler Address: 350 E CAMPBELL AVE
Handler City,State,Zip: CAMPBELL, CA 95008
EPA ID: CAL000430027
Contact Name: WILLIAM CLEEK
Contact Address: 1130 STARBIRD CIR APT 21

GEOFFREYS DIAMONDS OF CAMPBELL LLC DBA GEOFFREYS DIAMONDS & (Continued) 1024861547

Contact City,State,Zip:	SAN JOSE, CA 95117
Contact Telephone:	831-757-4062
Contact Fax:	408-377-9848
Contact Email:	WILLIAMCLEEK@HOTMAIL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	350 E CAMPBELL AVE
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	WILLIAM CLEEK ERAN PELEG NIKKO KAND
Owner Type:	Other
Operator Name:	WILLIAM CLEEK
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

GEOFFREYS DIAMONDS OF CAMPBELL LLC DBA GEOFFREYS DIAMONDS & (Continued) **1024861547**

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-09-07 19:36:25.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	WILLIAM CLEEK ERAN PELEG NIKKO KAND
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	350 E CAMPBELL AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-377-9898
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WILLIAM CLEEK
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1130 STARBIRD CIR APT 21
Owner/Operator City,State,Zip:	SAN JOSE, CA 95117
Owner/Operator Telephone:	831-757-4062
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2017-08-14 00:00:00.0
Handler Name:	GEOFFREYS DIAMONDS OF CAMPBELL LLC DBA GEOFFREYS DIAMONDS & GOLDSMITH
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes

GEOFFREYS DIAMONDS OF CAMPBELL LLC DBA GEOFFREYS DIAMONDS & (Continued) **1024861547**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

C27 **B & J AUTOMOTIVE INC** **CUPA Listings** **S121468377**
SSE **368 E CAMPBELL AV** **N/A**
< 1/8 **CAMPBELL, CA 95008**
0.117 mi.
616 ft. **Site 2 of 5 in cluster C**

Relative: **Higher**
Actual: **201 ft.**

CUPA SANTA CLARA:
Name: B & J AUTOMOTIVE INC
Address: 368 E CAMPBELL AV
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.286905
Longitude: -121.943388
Record ID: PR0313763
Facility ID: FA0200373

C28 **WYATT PROPERTY** **LUST** **S102809806**
SSE **368 E CAMPBELL AVE** **HIST LUST** **N/A**
< 1/8 **CAMPBELL, CA 95008** **Cortese**
0.117 mi. **CERS**
616 ft. **Site 3 of 5 in cluster C**

Relative: **Higher**
Actual: **201 ft.**

LUST:
Name: WYATT PROPERTY
Address: 368 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608587417
Global Id: T0608587417
Latitude: 37.286821
Longitude: -121.943426
Status: Completed - Case Closed
Status Date: 07/20/2001
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported

WYATT PROPERTY (Continued) **S102809806**

Potential Media Affect: Soil
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

LUST:
Global Id: T0608587417
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608587417
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608587417
Action Type: RESPONSE
Date: 01/24/2001
Action: Other Report / Document

Global Id: T0608587417
Action Type: ENFORCEMENT
Date: 07/20/2001
Action: Closure/No Further Action Letter

Global Id: T0608587417
Action Type: Other
Date: 06/08/2001
Action: Leak Reported

Global Id: T0608587417
Action Type: RESPONSE
Date: 05/27/1999
Action: Other Report / Document

LUST:
Global Id: T0608587417
Status: Open - Case Begin Date
Status Date: 06/08/2001

Global Id: T0608587417
Status: Completed - Case Closed
Status Date: 07/20/2001

LUST REG 2:
Region: 2

WYATT PROPERTY (Continued) **S102809806**

Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W35C05f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Wyatt Property
Address: 368 E Campbell Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W35C05
Oversite Agency: SCVWD
Date Listed: 2001-07-20 00:00:00
Closed Date: 2001-07-20 00:00:00

CORTESE:
Name: WYATT PROPERTY
Address: 368 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608587417
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: WYATT PROPERTY
Address: 368 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008

WYATT PROPERTY (Continued) **S102809806**

Site ID: 189938
CERS ID: T0608587417
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

C29 **WYATT PROPERTY** **LUST** **S107997244**
SSE **368 EAST CAMPBELL AVE** **N/A**
< 1/8 **CAMPBELL, CA**
0.117 mi.
616 ft. **Site 4 of 5 in cluster C**

Relative: LUST SANTA CLARA:
Higher Name: WYATT PROPERTY
Address: 368 EAST CAMPBELL AVE
Actual: City,State,Zip: CAMPBELL, CA
201 ft. Region: SANTA CLARA
SCVWD ID: 07S1W35C05F
Date Closed: 07/20/2001
EDR Link ID: 07S1W35C05F

C30 **IMPORT CONNECTION** **RCRA NonGen / NLR** **1024817563**
South **25 S CENTRAL AVE** **CAL000321902**
< 1/8 **CAMPBELL, CA 95008**
0.125 mi.
658 ft. **Site 5 of 5 in cluster C**

Relative: RCRA NonGen / NLR:
Higher Date Form Received by Agency: 2007-07-06 00:00:00.0
Handler Name: IMPORT CONNECTION
Actual: Handler Address: 25 S CENTRAL AVE
201 ft. Handler City,State,Zip: CAMPBELL, CA 95008-2906
EPA ID: CAL000321902
Contact Name: FARHAD GHAMGOSAR
Contact Address: 25 S CENTRAL AVE
Contact City,State,Zip: CAMPBELL, CA 95008
Contact Telephone: 408-379-7828

IMPORT CONNECTION (Continued) **1024817563**

Contact Fax:	408-379-8602
Contact Email:	IMPORTCONNECTION25@GMAIL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	25 S CENTRAL AVE
Mailing City,State,Zip:	CAMPBELL, CA 95008-2906
Owner Name:	FARHAD GHAMGOSAR
Owner Type:	Other
Operator Name:	FARHAD GHAMGOSAR
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

IMPORT CONNECTION (Continued) **1024817563**

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-09-05 20:29:26.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	FARHAD GHAMGOSAR
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	25 S CENTRAL AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008-2906
Owner/Operator Telephone:	408-379-7828
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	FARHAD GHAMGOSAR
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	25 S CENTRAL AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-379-7828
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2007-07-06 00:00:00.0
Handler Name: IMPORT CONNECTION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

IMPORT CONNECTION (Continued) **1024817563**

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

31
SSE
1/8-1/4
0.127 mi.
669 ft.

VALLEY PHOTO
394 CAMPBELL AV #E
CAMPBELL, CA 95008

CUPA Listings **S121471798**
N/A

Relative:
Higher

Actual:
200 ft.

CUPA SANTA CLARA:
Name: VALLEY PHOTO
Address: 394 CAMPBELL AV #E
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2271
Program Description: SILVER WASTE ONLY <100 KG/YR
Latitude: 37.286881
Longitude: -121.94285
Record ID: PR0364378
Facility ID: FA0251105

D32
NE
1/8-1/4
0.138 mi.
727 ft.

CAMPBELL UNION SCHOOL DISTRICT
240 HARRISON AVE.
CAMPBELL, CA 95008

Site 1 of 9 in cluster D

RCRA NonGen / NLR **1024768392**
CAC002988274

Relative:
Lower

Actual:
193 ft.

RCRA NonGen / NLR:
Date Form Received by Agency: 2018-11-07 00:00:00.0
Handler Name: CAMPBELL UNION SCHOOL DISTRICT
Handler Address: 240 HARRISON AVE.
Handler City,State,Zip: CAMPBELL, CA 95008
EPA ID: CAC002988274
Contact Name: DAVID RADKE
Contact Address: 240 HARRISON AVE.
Contact City,State,Zip: CAMPBELL, CA 95008
Contact Telephone: 408-341-7204
Contact Fax: Not reported
Contact Email: DRADKE@CAMPBELLUSD.ORG
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities

CAMPBELL UNION SCHOOL DISTRICT (Continued) **1024768392**

State District Owner:	Not reported
State District:	Not reported
Mailing Address:	240 HARRISON AVE.
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	CAMPBELL UNION SCHOOL DISTRICT
Owner Type:	Other
Operator Name:	DAVID RADKE
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-11-20 16:30:53.0
Recognized Trader-Importer:	No

CAMPBELL UNION SCHOOL DISTRICT (Continued) **1024768392**

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CAMPBELL UNION SCHOOL DISTRICT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	155 N. 3RD ST.
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-341-7204
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	DAVID RADKE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	240 HARRISON AVE.
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-341-7204
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2018-11-07 00:00:00.0
Handler Name:	CAMPBELL UNION SCHOOL DISTRICT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	611110
NAICS Description:	ELEMENTARY AND SECONDARY SCHOOLS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

CAMPBELL UNION SCHOOL DISTRICT (Continued) **1024768392**

Evaluation Action Summary:
Evaluations: No Evaluations Found

D33 NE 1/8-1/4 0.138 mi. 727 ft. **CAMPBELL UNION SCHOOL DIS CORP YARD** **AST** **S103954695**
240 N HARRISON ST **CERS HAZ WASTE** **N/A**
CAMPBELL, CA 95008 **CUPA Listings**
CERS
Site 2 of 9 in cluster D

Relative: Lower
Actual: 193 ft.

AST:

Name:	CAMPBELL UNION SCHOOL DIS CORP YARD
Address:	240 N HARRISON ST
City/Zip:	CAMPBELL,95008
Certified Unified Program Agencies:	Not reported
Owner:	CAMPBELL UNION SCHOOL DISTRICT
Total Gallons:	Not reported
CERSID:	10350181
Facility ID:	Not reported
Business Name:	CAMPBELL UNION SCHOOL DISTRICT
Phone:	4083417204
Fax:	4083417227
Mailing Address:	155 N 3RD ST
Mailing Address City:	CAMPBELL
Mailing Address State:	CA
Mailing Address Zip Code:	95008
Operator Name:	David Radke
Operator Phone:	4083417204
Owner Phone:	4083644200
Owner Mail Address:	155 N. 3rd St. Campbell, Ca. 95008
Owner State:	CA
Owner Zip Code:	95124
Owner Country:	United States
Property Owner Name:	Not reported
Property Owner Phone:	Not reported
Property Owner Mailing Address:	Not reported
Property Owner City:	Not reported
Property Owner Stat :	Not reported
Property Owner Zip Code:	Not reported
Property Owner Country:	Not reported
EPAID:	CAL000172433

CERS HAZ WASTE:

Name:	CAMPBELL UNION SCHOOL DIS CORP YARD
Address:	240 N HARRISON ST
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	16139
CERS ID:	10350181
CERS Description:	Hazardous Waste Generator

CUPA SANTA CLARA:

Name:	CAMPBELL UNION SCHOOL DIS CORP YARD
Address:	240 N HARRISON ST
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2205

CAMPBELL UNION SCHOOL DIS CORP YARD (Continued) **S103954695**

Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.290681
Longitude: -121.942339
Record ID: PR0360765
Facility ID: FA0250419

Name: CAMPBELL UNION SCHOOL DIS CORP YARD
Address: 240 N HARRISON ST
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2011
Program Description: APSA FACILITY-SPCC TEMPLATE (<10,000 GAL CAP)
Latitude: 37.290681
Longitude: -121.942339
Record ID: PR0399680
Facility ID: FA0250419

CERS:
Name: CAMPBELL UNION SCHOOL DIS CORP YARD
Address: 240 N HARRISON ST
City,State,Zip: CAMPBELL, CA 95008
Site ID: 16139
CERS ID: 10350181
CERS Description: Chemical Storage Facilities

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-07-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Onsite to conduct APSA/SPCC verification inspection. Site is not eligible for program as storage capacity for oils/petroleum is less than 1320 gallons. 240 gal double walled used oil tank (in maint building) 350 gal double walled oil tank (behind maint building) 155 gal oil of various weights (3x55 gal drums) transformer owned by PG&E, less than 500 gal capacity. Site previously had a split convault tank holding more than 1000 gallons of diesel and unleaded fuel. Tank was removed and vehicle fleet is now fueled at offsite locations. Site is no longer subject to SPCC/APSA. Provided assistance to Mr. Radke during inspection to change CERS submittal to "NO" for APSA program element. No further actions required.
Eval Division: Santa Clara County Environmental Health
Eval Program: APSA
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-19-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4423
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-22-2019
Violations Found: No

CAMPBELL UNION SCHOOL DIS CORP YARD (Continued) **S103954695**

Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4423
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-30-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4423
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-01-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4423
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-10-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Ocupancy ID: 4423
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-15-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4423
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: David Radke
Entity Title: Not reported
Affiliation Address: 240 Harrison Ave.
Affiliation City: Campbell
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95008
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 155 N 3RD ST

CAMPBELL UNION SCHOOL DIS CORP YARD (Continued) **S103954695**

Affiliation City:	CAMPBELL
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95008
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	CAMPBELL UNION SCHOOL DISTRICT
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	David Radke
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Identification Signer
Entity Name:	David Radke
Entity Title:	Director
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	CAMPBELL UNION SCHOOL DISTRICT
Entity Title:	Not reported
Affiliation Address:	155 N. 3rd St. Campbell, Ca. 95008
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95124
Affiliation Phone:	(408) 364-4200
Affiliation Type Desc:	Operator

CAMPBELL UNION SCHOOL DIS CORP YARD (Continued) **S103954695**

Entity Name:	David Radke
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 341-7204

D34 **CORPORATION YARD** **HIST UST** **U001600861**
NE **240 HARRISON AVE** **WDS** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.138 mi.
727 ft. **Site 3 of 9 in cluster D**

Relative: **Lower**

Actual: **193 ft.**

HIST UST:

Name:	CORPORATION YARD
Address:	240 HARRISON AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000032618
Facility Type:	Other
Other Type:	SCHOOL
Contact Name:	LEONARD H. BATCHELOR
Telephone:	4083786132
Owner Name:	CAMPBELL UNION SCHOOL DISTRICT
Owner Address:	155 NORTH THIRD STREET
Owner City,St,Zip:	CAMPBELL, CA 95008
Total Tanks:	0004
Tank Num:	001
Container Num:	FUEL 2
Year Installed:	Not reported
Tank Capacity:	00002000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	FUEL 1
Year Installed:	Not reported
Tank Capacity:	00002000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	FUEL 3
Year Installed:	1980
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported

CORPORATION YARD (Continued) **U001600861**

Leak Detection: Stock Inventor

Tank Num: 004
Container Num: RECYCLE 1
Year Installed: 1980
Tank Capacity: 00000500
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: None

WDS:
Name: CAMPBELL UNION SCH DIST
Address: 240 Harrison Ave
City: CAMPBELL
Facility ID: San Francisco Bay 43I008012
Facility Type: Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number: CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion: 2
Facility Telephone: 4083417201
Facility Contact: GERRY JENSEN
Agency Name: CAMPBELL UNION SCH DIST
Agency Address: 155 N 3rd St
Agency City,St,Zip: Campbell 950082086
Agency Contact: GERRY JENSEN
Agency Telephone: 4083417201
Agency Type: ?
SIC Code: 0
SIC Code 2: Not reported
Primary Waste Type: Not reported
Primary Waste: Not reported
Waste Type2: Not reported
Waste2: Not reported
Primary Waste Type: Not reported
Secondary Waste: Not reported
Secondary Waste Type: Not reported
Design Flow: 0
Baseline Flow: 0
Reclamation: Not reported
POTW: Not reported
Treat To Water: Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
Complexity: Category C - Facilities having no waste treatment systems, such as cooling water dischargers or thosewho must comply through best management practices, facilities with passive waste treatment and

CORPORATION YARD (Continued) **U001600861**

disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

D35 **CAMPBELL UNION SCHOOL DISTRICT CORPORATION YARD** **RCRA-SQG** **1026494172**
NE **240 HARRISON AVE.** **CAR000312074**
1/8-1/4 **CAMPBELL, CA 95008**
0.138 mi.
727 ft. **Site 4 of 9 in cluster D**

Relative: **Lower**

Actual: **193 ft.**

RCRA-SQG:

Date Form Received by Agency:	2020-09-16 00:00:00.0
Handler Name:	CAMPBELL UNION SCHOOL DISTRICT CORPORATION YARD
Handler Address:	240 HARRISON AVE.
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAR000312074
Contact Name:	DAVID RADKE
Contact Address:	HARRISON AVE.
Contact City,State,Zip:	CAMPBELL, CA 95008
Contact Telephone:	408-341-7204
Contact Fax:	Not reported
Contact Email:	DRADKE@CAMPBELLUSD.ORG
Contact Title:	Not reported
EPA Region:	09
Land Type:	District
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	N. 3RD ST.
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	CAMPBELL UNION SCHOOL DISTRICT
Owner Type:	District
Operator Name:	CAMPBELL UNION SCHOOL DISTRICT
Operator Type:	District
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported

CAMPBELL UNION SCHOOL DISTRICT CORPORATION YARD (Continued) **1026494172**

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-09-22 15:53:15.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CAMPBELL UNION SCHOOL DISTRICT
Legal Status:	District
Date Became Current:	2020-09-16 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	240 HARRISON AVE.
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	DRADKE@CAMPBELLUSD.ORG

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CAMPBELL UNION SCHOOL DISTRICT

CAMPBELL UNION SCHOOL DISTRICT CORPORATION YARD (Continued) **1026494172**

Legal Status:	District
Date Became Current:	2020-09-16 00:00:00.
Date Ended Current:	Not reported
Owner/Operator Address:	240 HARRISON AVE.
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-341-7204
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2020-09-16 00:00:00.0
Handler Name:	CAMPBELL UNION SCHOOL DISTRICT CORPORATION YARD
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	61111
NAICS Description:	ELEMENTARY AND SECONDARY SCHOOLS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

D36 **CORPORATION YARD** **SWEEPS UST** **S101630418**
NE **240 N HARRISON AVE** **HIST UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CA FID UST**
0.138 mi.
727 ft. **Site 5 of 9 in cluster D**

Relative:
Lower

Actual:
193 ft.

SWEEPS UST:

Name:	CORPORATION YARD
Address:	240 N HARRISON AVE
City:	CAMPBELL
Status:	Active
Comp Number:	32618
Number:	4
Board Of Equalization:	44-031726
Referral Date:	07-01-85
Action Date:	Not reported
Created Date:	02-29-88
Owner Tank Id:	FUEL 2
SWRCB Tank Id:	43-008-032618-000001
Tank Status:	A
Capacity:	2000

CORPORATION YARD (Continued) **S101630418**

Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: CORPORATION YARD
Address: 240 N HARRISON AVE
City: CAMPBELL
Status: Active
Comp Number: 32618
Number: 4
Board Of Equalization: 44-031726
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 02-29-88
Owner Tank Id: FUEL 1
SWRCB Tank Id: 43-008-032618-000002
Tank Status: A
Capacity: 2000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Name: CORPORATION YARD
Address: 240 N HARRISON AVE
City: CAMPBELL
Status: Active
Comp Number: 32618
Number: 4
Board Of Equalization: 44-031726
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 02-29-88
Owner Tank Id: FUEL 3
SWRCB Tank Id: 43-008-032618-000003
Tank Status: A
Capacity: 6000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: CORPORATION YARD
Address: 240 N HARRISON AVE
City: CAMPBELL
Status: Active
Comp Number: 32618
Number: 4
Board Of Equalization: 44-031726
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 02-29-88
Owner Tank Id: RECYCLE 1

CORPORATION YARD (Continued) **S101630418**

SWRCB Tank Id: 43-008-032618-000004
Tank Status: A
Capacity: 500
Active Date: 07-01-85
Tank Use: OIL
STG: W
Content: WASTE OIL
Number Of Tanks: Not reported

HIST UST:
Name: CORPORATION YARD
Address: 240 NORTH HARRISON AVENUE
City,State,Zip: CAMPBELL, CA 95008
File Number: 0002CF78
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002CF78.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 43012246
Regulated By: UTNKA
Regulated ID: 00032618
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083786132
Mail To: Not reported
Mailing Address: 155 N 003RD ST
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

D37 **CAMPBELL SCHOOL YARD** **AST** **A100339907**
NE **240 HARRISON AVE** **N/A**
1/8-1/4 **CAMPBELL, CA**
0.138 mi.
727 ft. **Site 6 of 9 in cluster D**

Relative: AST:
Lower

Actual: Name: CAMPBELL SCHOOL YARD
193 ft. Address: 240 HARRISON AVE
City/Zip: CAMPBELL,
Certified Unified Program Agencies: Santa Clara County
Owner: CAMPBELL SCHOOL YARD
Total Gallons: 2,850
CERSID: Not reported
Facility ID: Not reported
Business Name: Not reported
Phone: Not reported
Fax: Not reported
Mailing Address: Not reported
Mailing Address City: Not reported
Mailing Address State: Not reported
Mailing Address Zip Code: Not reported
Operator Name: Not reported
Operator Phone: Not reported
Owner Phone: Not reported
Owner Mail Address: Not reported
Owner State: Not reported
Owner Zip Code: Not reported
Owner Country: Not reported
Property Owner Name: Not reported
Property Owner Phone: Not reported
Property Owner Mailing Address: Not reported
Property Owner City: Not reported
Property Owner Stat : Not reported
Property Owner Zip Code: Not reported
Property Owner Country: Not reported
EPAID: Not reported

D38 **STEVE SANFORD INC** **CUPA Listings** **S121471655**
NE **230 HARRISON AV** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.145 mi.
763 ft. **Site 7 of 9 in cluster D**

Relative: CUPA SANTA CLARA:
Lower

Actual: Name: STEVE SANFORD INC
194 ft. Address: 230 HARRISON AV
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.290573
Longitude: -121.942322
Record ID: PR0365254
Facility ID: FA0250601

D39 **STEVE SANFORD INC** **RCRA-SQG** **1000597706**
NE **230 HARRISON AVE** **FINDS** **CAD983617317**
1/8-1/4 **CAMPBELL, CA 95008** **ECHO**
0.145 mi. **HAZNET**
763 ft. **Site 8 of 9 in cluster D** **HWTS**

Relative: **Lower**
Actual: **194 ft.**

RCRA-SQG:

Date Form Received by Agency:		1992-01-30 00:00:00.0
Handler Name:	STEVE SANFORD INC	
Handler Address:		230 HARRISON AVE
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAD983617317
Contact Name:		STEVE SANFORD
Contact Address:		230 HARRISON AVE
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-364-2760
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		230 HARRISON AVE
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		STEVE SANFORD
Owner Type:		Private
Operator Name:		Not reported
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

STEVE SANFORD INC (Continued) **1000597706**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2002-06-27 03:35:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	STEVE SANFORD
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	230 HARRISON AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-364-2760
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1992-01-30 00:00:00.0
Handler Name: STEVE SANFORD INC	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes

STEVE SANFORD INC (Continued) **1000597706**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 81292
NAICS Description: PHOTOFINISHING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002867700

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000597706
Registry ID: 110002867700
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002867700
Name: STEVE SANFORD INC
Address: 230 HARRISON AVE
City,State,Zip: CAMPBELL, CA 95008

HAZNET:
Name: STEVE SANFORD INC
Address: 230 HARRISON AVE
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 950080000
Contact: MERT E STAPLES
Telephone: 4083642750
Mailing Name: Not reported
Mailing Address: 230 HARRISON AVE

Year: 1996
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.2502

Year: 1996

STEVE SANFORD INC (Continued) **1000597706**

Gepaid: CAD983617317
TSD EPA ID: CAT000613976
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: H01 - Transfer Station
Tons: 0.4503

Year: 1996
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: H01 - Transfer Station
Tons: 0.2502

Year: 1995
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 1.251

Year: 1995
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: H01 - Transfer Station
Tons: 0.5004

Year: 1994
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: -
Tons: 0.7089

Year: 1994
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: T03 - Treatment, Incineration
Tons: 0.9365

Year: 1993
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: T03 - Treatment, Incineration
Tons: 1.6122

Year: 1993
Gepaid: CAD983617317
TSD EPA ID: CAD070148432
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: -
Tons: 0.25

Year: 1992
Gepaid: CAD983617317

STEVE SANFORD INC (Continued) **1000597706**

TSD EPA ID: CAD070148432
CA Waste Code: 171 - Metal sludge (Alkaline solution (pH >= 12.5) with metals)
Disposal Method: T03 - Treatment, Incineration
Tons: 0.3

Click this hyperlink while viewing on your computer to access
1 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 1994
Gen EPA ID: CAD983617317

Shipment Date: 19941223
Creation Date: 3/28/1996 0:00:00
Receipt Date: 19941227
Manifest ID: 93638067
Trans EPA ID: CAD070148432
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD070148432
Trans Name: Not reported
TSDF Alt EPA ID: CAD070148432
TSDF Alt Name: Not reported
Waste Code Description: 541 - Photochemicals / photo processing waste
RCRA Code: D011
Meth Code: T03 - Treatment, Incineration
Quantity Tons: 0.1668
Waste Quantity: 40
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 19941213
Creation Date: 3/28/1996 0:00:00
Receipt Date: 19941214
Manifest ID: 95278808
Trans EPA ID: CAD070148432
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD070148432
Trans Name: Not reported
TSDF Alt EPA ID: CAD070148432
TSDF Alt Name: Not reported
Waste Code Description: 541 - Photochemicals / photo processing waste
RCRA Code: D011
Meth Code: T03 - Treatment, Incineration
Quantity Tons: 0.0417
Waste Quantity: 10
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported

STEVE SANFORD INC (Continued) **1000597706**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19941130
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19941201
Manifest ID:	93575166
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19941104
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19941109
Manifest ID:	93574828
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.0208
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19941005
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19941006
Manifest ID:	93639704
Trans EPA ID:	CAD070148432

STEVE SANFORD INC (Continued) **1000597706**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.2502
Waste Quantity:	60
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19940810
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940811
Manifest ID:	93103416
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.04
Waste Quantity:	80
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19940804
Creation Date:	10/10/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	93101583
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

STEVE SANFORD INC (Continued) **1000597706**

Meth Code:	- Not reported
Quantity Tons:	0.3336
Waste Quantity:	80
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940725
Creation Date:	10/16/1995 0:00:00
Receipt Date:	19940726
Manifest ID:	93101583
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.3336
Waste Quantity:	80
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940526
Creation Date:	3/26/1996 0:00:00
Receipt Date:	Not reported
Manifest ID:	93101169
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.2502
Waste Quantity:	60
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

STEVE SANFORD INC (Continued) **1000597706**

Shipment Date:	19940415
Creation Date:	3/25/1996 0:00:00
Receipt Date:	Not reported
Manifest ID:	93007802
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.1251
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1993
Gen EPA ID:	CAD983617317

Shipment Date:	19931215
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931217
Manifest ID:	93008622
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.02
Waste Quantity:	40
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19931112
Creation Date:	9/14/1995 0:00:00
Receipt Date:	19931116
Manifest ID:	93008518
Trans EPA ID:	CAD070148432

STEVE SANFORD INC (Continued) **1000597706**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.3336
Waste Quantity:	80
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930924
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19930927
Manifest ID:	93007354
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930921
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19930922
Manifest ID:	93007258
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

STEVE SANFORD INC (Continued) **1000597706**

Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.3336
Waste Quantity:	80
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930728
Creation Date:	9/9/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92334455
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930608
Creation Date:	3/26/1996 0:00:00
Receipt Date:	Not reported
Manifest ID:	92334415
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

STEVE SANFORD INC (Continued) **1000597706**

Shipment Date:	19930521
Creation Date:	9/9/1995 0:00:00
Receipt Date:	19930521
Manifest ID:	92336970
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930422
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930423
Manifest ID:	92319576
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930401
Creation Date:	9/1/1995 0:00:00
Receipt Date:	19930402
Manifest ID:	92319513
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432

STEVE SANFORD INC (Continued) **1000597706**

Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930128
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19930129
Manifest ID:	92336451
Trans EPA ID:	CAD070148432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	T03 - Treatment, Incineration
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1995
Gen EPA ID:	CAD983617317

Shipment Date:	19951128
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951201
Manifest ID:	95725548
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

STEVE SANFORD INC (Continued) **1000597706**

Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2502
Waste Quantity:	60
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19951101
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951107
Manifest ID:	95604160
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2502
Waste Quantity:	60
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950815
Creation Date:	4/1/1996 0:00:00
Receipt Date:	19950821
Manifest ID:	95637342
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.7506
Waste Quantity:	180
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

STEVE SANFORD INC (Continued) **1000597706**

Shipment Date:	19950607
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950612
Manifest ID:	95513952
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.1668
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19950525
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950601
Manifest ID:	95522015
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.1668
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19950509
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950510
Manifest ID:	95522045
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432

STEVE SANFORD INC (Continued) **1000597706**

Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.1668
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1996
Gen EPA ID:	CAD983617317
Shipment Date:	19960318
Creation Date:	10/16/1996 0:00:00
Receipt Date:	19960322
Manifest ID:	95981865
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613976
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.4503
Waste Quantity:	108
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19960209
Creation Date:	10/10/1996 0:00:00
Receipt Date:	19960213
Manifest ID:	95481109
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

STEVE SANFORD INC (Continued) **1000597706**

Meth Code:	R01 - Recycler
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19960207
Creation Date:	10/10/1996 0:00:00
Receipt Date:	19960209
Manifest ID:	95958991
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD070148432
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.1668
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19960104
Creation Date:	9/18/1996 0:00:00
Receipt Date:	19960109
Manifest ID:	95825299
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	ILD984908202
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD070148432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2502
Waste Quantity:	60
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

STEVE SANFORD INC (Continued) **1000597706**

HWTS:
Name: STEVE SANFORD INC
Address: 230 HARRISON AVE
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 950080000
EPA ID: CAD983617317
Inactive Date: 06/30/1998
Create Date: 01/30/1992
Last Act Date: 08/10/2004
Mailing Name: Not reported
Mailing Address: 230 HARRISON AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: CAMPBELL, CA 950081410
Owner Name: STEVE SANFORD INC
Owner Address: 230 HARRISON AVE
Owner Address 2: Not reported
Owner City,State,Zip: CAMPBELL, CA 950081410
Contact Name: MERT E STAPLES
Contact Address: INACTIVE PER VQ98 - BMI
Contact Address 2: Not reported
City,State,Zip: CAMPBELL, CA 950080000

E40 **CAMPBELL BREWING COMPANY** **CERS HAZ WASTE** **S121769900**
SW **200 E CAMPBELL AVE** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.145 mi.
764 ft. **Site 1 of 3 in cluster E**

Relative:
Higher

Actual:
201 ft.

CERS HAZ WASTE:
Name: CAMPBELL BREWING COMPANY
Address: 200 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 375457
CERS ID: 10623658
CERS Description: Hazardous Chemical Management

Coordinates:
Site ID: 375457
Facility Name: Campbell Brewing Company
Env Int Type Code: CalARP
Program ID: 10623658
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 37.286670
Longitude: -121.946400

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

CAMPBELL BREWING COMPANY (Continued) **S121769900**

Affiliation Type Desc:	Parent Corporation
Entity Name:	Campbell Brewing Company
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

F41 **BENSON'S CLEANERS** **CUPA Listings** **S121471220**
SE **467 E CAMPBELL AV** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.145 mi.
766 ft. **Site 1 of 10 in cluster F**

Relative: **Higher**
Actual: **199 ft.**

CUPA SANTA CLARA:

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.287084
Longitude:	-121.941282
Record ID:	PR0330349
Facility ID:	FA0230340

F42 **BENSON CLEANERS** **RCRA NonGen / NLR** **1025867331**
SE **467 E CAMPBELL AVE** **CAL000306914**
1/8-1/4 **CAMPBELL, CA 95008**
0.145 mi.
766 ft. **Site 2 of 10 in cluster F**

Relative: **Higher**
Actual: **199 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		2006-05-17 00:00:00.0
Handler Name:	BENSON CLEANERS	
Handler Address:		467 E CAMPBELL AVE
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAL000306914
Contact Name:		JAE S SHIN
Contact Address:		3876 RADBURN DR
Contact City,State,Zip:		SOUTH SAN FRANCISCO, CA 94080-0000
Contact Telephone:		650-922-1209
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported

BENSON CLEANERS (Continued) **1025867331**

State District:	Not reported
Mailing Address:	467 E CAMPBELL AVE
Mailing City,State,Zip:	CAMPBELL, CA 95008-0000
Owner Name:	JAE S SHIN
Owner Type:	Other
Operator Name:	JAE S SHIN
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-10-04 16:30:56.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No

BENSON CLEANERS (Continued) **1025867331**

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JAE S SHIN
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3867 RADBURN DR
Owner/Operator City,State,Zip:	SOUTH SAN FRANCISCO, CA 94080-0000
Owner/Operator Telephone:	650-922-1209
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	JAE S SHIN
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3876 RADBURN DR
Owner/Operator City,State,Zip:	SOUTH SAN FRANCISCO, CA 94080-0000
Owner/Operator Telephone:	650-922-1209
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2006-05-17 00:00:00.0
Handler Name: BENSON CLEANERS	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	Not reported
Recognized Trader Exporter:	Not reported
Spent Lead Acid Battery Importer:	Not reported
Spent Lead Acid Battery Exporter:	Not reported
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	81232
NAICS Description:	DRYCLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

F43 **BENSON CLEANERS** **CUPA Listings** **S105936704**
SE **467 E CAMPBELL AVE** **DRYCLEANERS** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **EMI**
0.145 mi. **HWTS**
766 ft. **Site 3 of 10 in cluster F**

Relative:
Higher

Actual:
199 ft.

CUPA SANTA CLARA:

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.287084
Longitude:	-121.941282
Record ID:	PR0380893
Facility ID:	FA0259920

DRYCLEANERS:

Name:	BENSON CLEANERS
Address:	467 E CAMPBELL AVE
City,State,Zip:	CAMPBELL, CA 95008
EPA Id:	CAL000281819
NAICS Code:	81232
NAICS Description:	Drycleaning and Laundry Services (except Coin-Operated)
SIC Code:	7211
SIC Description:	Power Laundries, Family and Commercial
Create Date:	05/04/2004
Facility Active:	No
Inactive Date:	06/30/2005
Facility Addr2:	Not reported
Owner Name:	IN HWAN YANG
Owner Address:	467 E CAMPBELL AVE
Owner Address 2:	Not reported
Owner Telephone:	4083783657
Contact Name:	IN HWAI YANG
Contact Address:	467 E CAMPBELL AVE
Contact Address 2:	Not reported
Contact Telephone:	4083783657
Mailing Name:	Not reported
Mailing Address 1:	467 E CAMPBELL AVE
Mailing Address 2:	Not reported
Mailing City:	CAMPBELL
Mailing State:	CA
Mailing Zip:	95008
Owner Fax:	Not reported
Region Code:	2

Name:	BENSON CLEANERS
Address:	467 E CAMPBELL AVE
City,State,Zip:	CAMPBELL, CA 95008
EPA Id:	CAL000306914
NAICS Code:	81232
NAICS Description:	Drycleaning and Laundry Services (except Coin-Operated)
SIC Code:	7211
SIC Description:	Power Laundries, Family and Commercial
Create Date:	05/17/2006
Facility Active:	Yes
Inactive Date:	Not reported

BENSON CLEANERS (Continued) **S105936704**

Facility Addr2:	Not reported
Owner Name:	JAE S SHIN
Owner Address:	3867 RADBURN DR
Owner Address 2:	Not reported
Owner Telephone:	6509221209
Contact Name:	JAE S SHIN
Contact Address:	3876 RADBURN DR
Contact Address 2:	Not reported
Contact Telephone:	6509221209
Mailing Name:	Not reported
Mailing Address 1:	467 E CAMPBELL AVE
Mailing Address 2:	Not reported
Mailing City:	CAMPBELL
Mailing State:	CA
Mailing Zip:	950080000
Owner Fax:	0
Region Code:	2

EMI:

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1990
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1993
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0

BENSON CLEANERS (Continued) **S105936704**

Part. Matter 10 Micrometers and Smllr Tons/Yr:0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1995
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1996
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1997
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0

BENSON CLEANERS (Continued) **S105936704**

NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1998
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	1999
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2000
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported

BENSON CLEANERS (Continued) **S105936704**

Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2003
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2004
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.138
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2005
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216

BENSON CLEANERS (Continued) **S105936704**

Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2006
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.165
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2007
County Code:	43
Air Basin:	SF
Facility ID:	3334
Air District Name:	BA
SIC Code:	7216
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.067
Reactive Organic Gases Tons/Yr:	.0468062
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Year:	2008
County Code:	43
Air Basin:	SF

BENSON CLEANERS (Continued) **S105936704**

Facility ID: 3334
Air District Name: BA
SIC Code: 7216
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: .067
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: BENSON'S CLEANERS
Address: 467 E CAMPBELL
City,State,Zip: CAMPBELL, CA 95008
Year: 2009
County Code: 43
Air Basin: SF
Facility ID: 3334
Air District Name: BA
SIC Code: 7216
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.38700000000000001
Reactive Organic Gases Tons/Yr: 0.128
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: BENSON'S CLEANERS
Address: 467 E CAMPBELL
City,State,Zip: CAMPBELL, CA 95008
Year: 2010
County Code: 43
Air Basin: SF
Facility ID: 3334
Air District Name: BA
SIC Code: 7216
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.38700000000000001
Reactive Organic Gases Tons/Yr: 0.17480619999999999
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

HWTS:
Name: BENSON CLEANERS
Address: 467 E CAMPBELL AVE

BENSON CLEANERS (Continued) **S105936704**

Address 2: Not reported
City,State,Zip: CAMPBELL, CA 95008
EPA ID: CAL000281819
Inactive Date: 06/30/2005
Create Date: 05/04/2004
Last Act Date: 04/11/2006
Mailing Name: Not reported
Mailing Address: 467 E CAMPBELL AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: CAMPBELL, CA 95008
Owner Name: IN HWAN YANG
Owner Address: 467 E CAMPBELL AVE
Owner Address 2: Not reported
Owner City,State,Zip: CAMPBELL, CA 95008
Contact Name: IN HWAI YANG
Contact Address: 467 E CAMPBELL AVE
Contact Address 2: Not reported
City,State,Zip: CAMPBELL, CA 95008

NAICS:
EPA ID: CAL000281819
Create Date: 2004-05-04 13:32:38.340
NAICS Code: 81232
NAICS Description: Drycleaning and Laundry Services (except Coin-Operated)
Issued EPA ID Date: 2004-05-04 13:32:38.30700
Inactive Date: 2005-06-30 10:01:00
Facility Name: BENSON CLEANERS
Facility Address: 467 E CAMPBELL AVE
Facility Address 2: Not reported
Facility City: CAMPBELL
Facility County: Not reported
Facility State: CA
Facility Zip: 95008

Name: BENSON CLEANERS
Address: 467 E CAMPBELL AVE
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 95008
EPA ID: CAL000306914
Inactive Date: 06/30/2020
Create Date: 05/17/2006
Last Act Date: 01/04/2021
Mailing Name: Not reported
Mailing Address: 467 E CAMPBELL AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: CAMPBELL, CA 950080000
Owner Name: JAE S SHIN
Owner Address: 3867 RADBURN DR
Owner Address 2: Not reported
Owner City,State,Zip: SOUTH SAN FRANCISCO, CA 940800000
Contact Name: JAE S SHIN
Contact Address: 3876 RADBURN DR
Contact Address 2: Not reported
City,State,Zip: SOUTH SAN FRANCISCO, CA 940800000

NAICS:
EPA ID: CAL000306914

BENSON CLEANERS (Continued) **S105936704**

Create Date:	2006-05-17 13:56:00.120
NAICS Code:	81232
NAICS Description:	Drycleaning and Laundry Services (except Coin-Operated)
Issued EPA ID Date:	2006-05-17 13:56:00.09000
Inactive Date:	2020-06-30 00:00:00
Facility Name:	BENSON CLEANERS
Facility Address:	467 E CAMPBELL AVE
Facility Address 2:	Not reported
Facility City:	CAMPBELL
Facility County:	Not reported
Facility State:	CA
Facility Zip:	95008

F44 **BENSON'S CLEANERS** **CERS HAZ WASTE** **S121795216**
SE **467 E CAMPBELL AV** **CERS** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.145 mi.
766 ft. **Site 4 of 10 in cluster F**

Relative:
Higher

Actual:
199 ft.

CERS HAZ WASTE:

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	98222
CERS ID:	10353193
CERS Description:	Hazardous Waste Generator

CERS:

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008-2128
Site ID:	454335
CERS ID:	110001192726
CERS Description:	US EPA Air Emission Inventory System (EIS)

Name:	BENSON'S CLEANERS
Address:	467 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	98222
CERS ID:	10353193
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	98222
Site Name:	BENSON'S CLEANERS
Violation Date:	04-27-2016
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	Returned to compliance on 05/03/2016. Per the Hazardous Waste Tracking System, EPA ID #CAL000306914 is inactive. Provided facility with DTSC form 1358 to reactivate EPA ID#.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

BENSON'S CLEANERS (Continued) **S121795216**

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-27-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site to conduct a routine hazardous waste inspection. Facility is a dry cleaner that uses DF 2000 cleaning solvent. Observed the following wastes on site: 1 x 30 gallon drum of petroleum distillates 1 x 30 gallon drum of waste water contaminated with petroleum distillates Fire extinguishers have had annual maintenance Emergency information is posted on site Container areas are inspected weekly Mr. Shin has had hazardous waste management training Disposal receipts were reviewed for 2014 and 2013. Per Mr. Shin, in 2008, a new dry cleaning machine was purchased and the disk filters do not need to be replaced as part of regular maintenance. The following violations were corrected on site: 1 x 30 gallon drum of petroleum distillates was missing the hazardous properties and physical state markings. These markings were added during inspection. 1 x 5 gallon container of waste lint was missing hazardous waste markings. These markings were added during [Truncated]
Eval Division:	Santa Clara County Environmental Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-01-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4392
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-06-2016
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Ocupancy ID: 4392
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-27-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4392
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	07-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4392
Eval Division:	Santa Clara County Fire Department

BENSON'S CLEANERS (Continued) **S121795216**

Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-04-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4392
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 467 E CAMPBELL AV
Affiliation City: CAMPBELL
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95008
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SHIN, JAE SUB
Entity Title: Not reported
Affiliation Address: 467 E CAMPBELL AV
Affiliation City: CAMPBELL
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95008
Affiliation Phone: (408) 378-3657

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Parent Corporation
Entity Name: BENSON'S CLEANERS
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

E45 SSW 1/8-1/4 0.155 mi. 821 ft. | **FROGDESIGN HARTMUT ESSLINGER, INC**
34 S 2ND ST
CAMPBELL, CA 95008
Site 2 of 3 in cluster E

RCRA-SQG 1000233135
FINDS CAD102111762
ECHO

Relative: Higher
Actual: 202 ft.

RCRA-SQG:

Date Form Received by Agency:	1985-11-07 00:00:00.0
Handler Name:	FROGDESIGN HARTMUT ESSLINGER, INC
Handler Address:	34 S 2ND ST
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAD102111762
Contact Name:	ENVIRONMENTAL MANAGER
Contact Address:	34 S SECOND ST
Contact City,State,Zip:	CAMPBELL, CA 95008
Contact Telephone:	408-866-1801
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	CA
State District:	2
Mailing Address:	S SECOND ST
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	HARTMUT ESSLINGER
Owner Type:	Private
Operator Name:	NOT REQUIRED
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

FROGDESIGN HARTMUT ESSLINGER, INC (Continued) **1000233135**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2000-09-15 17:29:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HARTMUT ESSLINGER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

FROGDESIGN HARTMUT ESSLINGER, INC (Continued) **1000233135**

Historic Generators:

Receive Date:	1985-11-07 00:00:00.0
Handler Name:	FROGDESIGN HARTMUT ESSLINGER, INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	CA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID:	110002666339

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000233135
Registry ID:	110002666339
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002666339
Name:	FROGDESIGN HARTMUT ESSLINGER, INC
Address:	34 S 2ND ST
City,State,Zip:	CAMPBELL, CA 95008

46
North
1/8-1/4
0.164 mi.
866 ft.

KRISHNA CARRILLO
310 NORTH 1ST STREET
CAMPBELL, CA 95008

RCRA NonGen / NLR

1026465301
CAC003070535

Relative:
Lower

Actual:
193 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:		2020-06-12 00:00:00.0
Handler Name:	KRISHNA CARRILLO	
Handler Address:		310 NORTH 1ST STREET
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC003070535
Contact Name:		KRISHNA CARRILLO
Contact Address:		310 NORTH 1ST STREET
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-466-0804
Contact Fax:		Not reported
Contact Email:		HOLLY@DISASTERHAPPENS.BIZ
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		310 NORTH 1ST STREET
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		KRISHNA CARRILLO
Owner Type:		Other
Operator Name:		KRISHNA CARRILLO
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

KRISHNA CARRILLO (Continued) **1026465301**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-07-10 18:44:02.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KRISHNA CARRILLO
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	310 NORTH 1ST STREET
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-466-0804
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	KRISHNA CARRILLO
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	310 NORTH 1ST STREET
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-466-0804
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

KRISHNA CARRILLO (Continued) **1026465301**

Historic Generators:
Receive Date: 2020-06-12 00:00:00.0
Handler Name: KRISHNA CARRILLO
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

G47 **OLD GALANTE BROS. CONST. SITE** **LUST** **S100221810**
East **535 RODECK WAY** **CHMIRS** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **HIST CORTESE**
0.167 mi. **CERS**
883 ft. **Site 1 of 3 in cluster G**

Relative:
Lower

Actual:
196 ft.

LUST:
Name: OLD GALANTE BROS CONSTRUCTION SITE
Address: 535 RODECK WY
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501721
Global Id: T0608501721
Latitude: 37.2885
Longitude: -121.939527
Status: Completed - Case Closed
Status Date: 08/26/1994
Case Worker: MEJ
RB Case Number: 43-1792
Local Agency: SANTA CLARA COUNTY LOP
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Under Investigation
Potential Contaminants of Concern: Waste Oil / Motor / Hydraulic / Lubricating
Site History: Not reported

LUST:
Global Id: T0608501721
Contact Type: Regional Board Caseworker
Contact Name: MARK JOHNSON

OLD GALANTE BROS. CONST. SITE (Continued) **S100221810**

Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY STREET, SUITE 1400
City: OAKLAND
Email: mjohnson@waterboards.ca.gov
Phone Number: Not reported

Global Id: T0608501721
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501721
Action Type: ENFORCEMENT
Date: 08/02/1987
Action: * Historical Enforcement

Global Id: T0608501721
Action Type: ENFORCEMENT
Date: 09/19/1994
Action: Rescission of Enforcement Action - #2189.8246

Global Id: T0608501721
Action Type: Other
Date: 02/01/1991
Action: Leak Discovery

Global Id: T0608501721
Action Type: Other
Date: 02/01/1991
Action: Leak Stopped

Global Id: T0608501721
Action Type: Other
Date: 10/01/1993
Action: Leak Reported

LUST:
Global Id: T0608501721
Status: Open - Case Begin Date
Status Date: 08/02/1987

Global Id: T0608501721
Status: Open - Site Assessment
Status Date: 05/25/1994

Global Id: T0608501721
Status: Completed - Case Closed
Status Date: 08/26/1994

Name: OLD GALANTE BROS. CONST. SITE

OLD GALANTE BROS. CONST. SITE (Continued) **S100221810**

Address:	535 RODECK WAY
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608517612
Global Id:	T0608517612
Latitude:	37.288448
Longitude:	-121.940721
Status:	Completed - Case Closed
Status Date:	08/26/1994
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

LUST:

Global Id:	T0608517612
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608517612
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608517612
Action Type:	RESPONSE
Date:	06/15/1993
Action:	Other Report / Document

Global Id:	T0608517612
Action Type:	ENFORCEMENT
Date:	09/19/1994
Action:	Rescission of Enforcement Action - #2189.246

Global Id:	T0608517612
Action Type:	Other
Date:	01/01/1991
Action:	Leak Reported

Global Id:	T0608517612
Action Type:	ENFORCEMENT
Date:	08/26/1994

OLD GALANTE BROS. CONST. SITE (Continued) **S100221810**

Action: Closure/No Further Action Letter

LUST:
Global Id: T0608517612
Status: Open - Case Begin Date
Status Date: 01/01/1991

Global Id: T0608517612
Status: Completed - Case Closed
Status Date: 08/26/1994

LUST SANTA CLARA:
Name: OLD GALANTE BROS. CONST. SITE
Address: 535 RODECK WY
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26P02F
Date Closed: 08/26/1994
EDR Link ID: 07S1W26P02F

CHMIRS:

Name:	Not reported
Address:	535 RODECK ST, X OF PAGE ST.
City,State,Zip:	CAMPBELL, CA 95008-2129
OES Incident Number:	990060
OES notification:	Not reported
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**23-APR-88**
Property Use:	800
Agency Id Number:	43005
Agency Incident Number:	0592
Time Notified:	1309
Time Completed:	1650
Surrounding Area:	400
Estimated Temperature:	68
Property Management:	P
More Than Two Substances Involved?:	N
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	TYRONE L. CHEW / 572-66-4716
Report Date:	23-APR-88
Facility Telephone:	408 866-2189
Waterway Involved:	Not reported
Waterway:	Not reported

OLD GALANTE BROS. CONST. SITE (Continued) **S100221810**

Spill Site:	Not reported
Cleanup By:	Not reported
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	88-92
Agency:	Not reported
Incident Date:	23-APR-88
Admin Agency:	Not reported
Amount:	Not reported
Contained:	Not reported
Site Type:	Not reported
E Date:	14-FEB-89
Substance:	Not reported
Unknown:	Not reported
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	Not reported
Number of Injuries:	Not reported
Number of Fatalities:	Not reported
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	N
Description:	Not reported

HIST CORTESE:

edr_fname:	OLD GALANTE BROS CONSTRUC
edr_fadd1:	535 RODECK
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1792

CERS:

Name:	OLD GALANTE BROS. CONST. SITE
Address:	535 RODECK WAY
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	206431
CERS ID:	T0608517612
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400

OLD GALANTE BROS. CONST. SITE (Continued) **S100221810**

Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

E48 **WESCO MANAGEMENT INC** **San Mateo Co. BI** **S106981025**
SW **155 CAMPBELL** **N/A**
1/8-1/4 **CAMPBELL, CA 95009**
0.168 mi.
887 ft. **Site 3 of 3 in cluster E**

Relative: **Higher**
Actual: **200 ft.**

San Mateo Co. BI:

Name:	WESCO MANAGEMENT INC
Address:	155 CAMPBELL
City,State,Zip:	CAMPBELL, CA 950091678
Region:	SAN MATEO
Facility ID:	FA0005194
Prog Element Code:	UNDERGROUND TANK - GENERAL
Record Id:	PR0022017
Description:	UNDERGROUND TANK - GENERAL
Facility Status:	Inactive, non-billable
Program Category:	UNDERGROUND TANK PROGRAM

H49 **SELF SERV FOOD CORPORATION** **HIST UST** **U001600897**
ENE **496 SALMAR AVE** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.169 mi.
890 ft. **Site 1 of 5 in cluster H**

Relative: **Lower**
Actual: **194 ft.**

HIST UST:

Name:	SELF SERV FOOD CORPORATION
Address:	496 SALMAR AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000042982
Facility Type:	Other
Other Type:	COMMISSARY
Contact Name:	Not reported
Telephone:	4083787700
Owner Name:	SELF SERV FOOD CORPORATION
Owner Address:	496 SALMAR AVE.
Owner City,St,Zip:	CAMPBELL, CA 95008

SELF SERV FOOD CORPORATION (Continued) **U001600897**

Total Tanks: 0001

Tank Num: 001
Container Num: 1
Year Installed: 1974
Tank Capacity: 00005000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

H50 **SELF SERV FOOD CORPORATION** **SWEEPS UST** **S101624867**
ENE **496 SALMAR AVE** **HIST UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CA FID UST**
0.169 mi.
890 ft. **Site 2 of 5 in cluster H**

Relative:
Lower

Actual:
194 ft.

SWEEPS UST:
Name: SELF SERV FOOD CORPORATION
Address: 496 SALMAR AVE
City: CAMPBELL
Status: Not reported
Comp Number: 42982
Number: Not reported
Board Of Equalization: 44-026314
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-042982-000001
Tank Status: Not reported
Capacity: 5000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: 1

HIST UST:
Name: SELF SERV FOOD CORPORATION
Address: 496 SALMAR AVE
City,State,Zip: CAMPBEEL, CA 95008
File Number: 00020897
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00020897.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported

SELF SERV FOOD CORPORATION (Continued) **S101624867**

Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 43012247
Regulated By: UTNKA
Regulated ID: 00042982
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083787700
Mail To: Not reported
Mailing Address: 496 SALMAR AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

F51 **WINCHESTER PRINTING** **CERS HAZ WASTE** **S121471996**
SE **475 E CAMPBELL AV** **CUPA Listings** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.173 mi.
913 ft. **Site 5 of 10 in cluster F**

Relative:
Higher

Actual:
198 ft.

CERS HAZ WASTE:
Name: WINCHESTER PRINTING
Address: 475 E CAMPBELL AV
City,State,Zip: CAMPBELL, CA 95008
Site ID: 86287
CERS ID: 10353238
CERS Description: Hazardous Waste Generator

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-06-2016
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous waste inspection. Facility out sources most work. Work performed on site includes styling, text setting and graphic design on a computer. Printing press, film processor and developer machines are no longer on site.
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Facility Mailing Address

WINCHESTER PRINTING (Continued) **S121471996**

Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	475 E CAMPBELL AV
Affiliation City:	CAMPBELL
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95008
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Parent Corporation
Entity Name:	WINCHESTER PRINTING
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

CUPA SANTA CLARA:

Name:	WINCHESTER PRINTING
Address:	475 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2240
Program Description:	GENERATES < 10 GAL/YR
Latitude:	37.287105
Longitude:	-121.941255
Record ID:	PR0366159
Facility ID:	FA0251883

D52 **SOTIR RESIDENCE** **RCRA NonGen / NLR** **1025852489**
NNE **286 HARRISON ST.** **CAC003032655**
1/8-1/4 **CAMPBELL, CA 95008**
0.174 mi.
917 ft. **Site 9 of 9 in cluster D**

Relative: RCRA NonGen / NLR:
Lower

Actual: Date Form Received by Agency:		2019-09-06 00:00:00.0
192 ft. Handler Name:	SOTIR RESIDENCE	
Handler Address:		286 HARRISON ST.
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC003032655
Contact Name:		LE SOTIR
Contact Address:		286 HARRISON ST.
Contact City,State,Zip:		CAMPBELL, CA 95008

SOTIR RESIDENCE (Continued) **1025852489**

Contact Telephone:	408-858-2380
Contact Fax:	Not reported
Contact Email:	LESOTIR@GMAIL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	286 HARRISON ST.
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	LE SOTIR
Owner Type:	Other
Operator Name:	LE SOTIR
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

SOTIR RESIDENCE (Continued) **1025852489**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-09-10 12:40:46.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	LE SOTIR
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	286 HARRISON ST.
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-858-2380
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LE SOTIR
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	286 HARRISON ST.
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-858-2380
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2019-09-06 00:00:00.0
Handler Name: SOTIR RESIDENCE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported

SOTIR RESIDENCE (Continued) **1025852489**

Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

F53 **AUTO FIRST LEASING INC DBA ROADSPORT** **RCRA NonGen / NLR** **1024837264**
SE **28 RAILWAY AVE** **CAL000382283**
1/8-1/4 **CAMPBELL, CA 95008**
0.175 mi.
923 ft. **Site 6 of 10 in cluster F**

Relative: **Higher**
Actual: **200 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	2013-02-08 00:00:00.0
Handler Name:	AUTO FIRST LEASING INC DBA ROADSPORT
Handler Address:	28 RAILWAY AVE
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAL000382283
Contact Name:	CLINT RALLS
Contact Address:	28 RAILWAY AVE
Contact City,State,Zip:	CAMPBELL, CA 95008
Contact Telephone:	408-378-4444
Contact Fax:	408-378-4464
Contact Email:	ROADSPORTUSA@GMAIL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	28 RAILWAY AVE
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	AUTO FIRST LEASING INC
Owner Type:	Other
Operator Name:	CLINT RALLS
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No

AUTO FIRST LEASING INC DBA ROADSPORT (Continued) **1024837264**

Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-09-06 17:01:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	AUTO FIRST LEASING INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	28 RAILWAY AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-378-4444

AUTO FIRST LEASING INC DBA ROADSPORT (Continued) **1024837264**

Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CLINT RALLS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	28 RAILWAY AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-378-4444
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2013-02-08 00:00:00.0
Handler Name:	AUTO FIRST LEASING INC DBA ROADSPORT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	44111
NAICS Description:	NEW CAR DEALERS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

G54 **BWD VENTURES** **CPS-SLIC** **S118406210**
East **FOOTE AVE. & PAGE STREET** **CERS** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.177 mi.
937 ft. **Site 2 of 3 in cluster G**

Relative: **Lower**

Actual: **195 ft.**

CPS-SLIC:

Name:	BWD VENTURES
Address:	FOOTE AVE. & PAGE STREET
City,State,Zip:	CAMPBELL, CA 95008
Region:	STATE
Facility Status:	**Open - Eligible for Closure**
Status Date:	01/12/2018
Global Id:	T10000008051
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)

BWD VENTURES (Continued) **S118406210**

Lead Agency Case Number:	Not reported
Latitude:	37.2884821504248
Longitude:	-121.940533475496
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	43S0397
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Soil
Potential Contaminants of Concern:	Total Petroleum Hydrocarbons (TPH), Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	BWD VENTURES
Address:	FOOTE AVE. & PAGE STREET
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	361312
CERS ID:	T10000008051
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Cheryl L. Prowell - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 Clay Street, Suite 1400
Affiliation City:	Oakland
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	5106222408

F55 **SILICON VALLEY MEDICAL DEVELOPMENT** **RCRA NonGen / NLR** **1026490455**
SE **476 E CAMPBELL AVE** **CAL000455181**
1/8-1/4 **CAMPBELL, CA 95008**
0.178 mi.
942 ft. **Site 7 of 10 in cluster F**

Relative: RCRA NonGen / NLR:
Higher

Date Form Received by Agency:	2020-06-22 00:00:00.0
Handler Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Handler Address:	476 E CAMPBELL AVE
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAL000455181
Contact Name:	BETH RUF
Contact Address:	973 UNIVERSITY AVE
Contact City,State,Zip:	LOS GATOS, CA 95032
Contact Telephone:	408-871-3209
Contact Fax:	Not reported
Contact Email:	BETH_RUF@SVMDMED.ORG
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported

Actual:
199 ft.

SILICON VALLEY MEDICAL DEVELOPMENT (Continued) **1026490455**

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	973 UNIVERSITY AVE
Mailing City,State,Zip:	LOS GATOS, CA 95032
Owner Name:	SILICON VALLEY MEDICAL DEVELPOMENT
Owner Type:	Other
Operator Name:	BETH RUF
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

SILICON VALLEY MEDICAL DEVELOPMENT (Continued) **1026490455**

Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-07-10 18:45:29.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SILICON VALLEY MEDICAL DEVELPOMENT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	973 UNIVERSITY AVE
Owner/Operator City,State,Zip:	LOS GATOS, CA 95032
Owner/Operator Telephone:	408-871-3200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	BETH RUF
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	973 UNIVERSITY AVE
Owner/Operator City,State,Zip:	LOS GATOS, CA 95032
Owner/Operator Telephone:	408-871-3209
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2020-06-22 00:00:00.0
Handler Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	621493
NAICS Description:	FREESTANDING AMBULATORY SURGICAL AND EMERGENCY CENTERS

Facility Has Received Notices of Violations:

SILICON VALLEY MEDICAL DEVELOPMENT (Continued) **1026490455**

Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

F56 **CAMPBELL MEDICAL GROUP** **RCRA-SQG** **1000597636**
SE **476 E CAMPBELL AVE** **FINDS** **CAD983616558**
1/8-1/4 **CAMPBELL, CA 95008** **ECHO**
0.178 mi. **HAZNET**
942 ft. **Site 8 of 10 in cluster F** **HWTS**

Relative:
Higher

Actual:
199 ft.

RCRA-SQG:

Date Form Received by Agency:		1992-01-23 00:00:00.0
Handler Name:	CAMPBELL MEDICAL GROUP	
Handler Address:		476 E CAMPBELL AVE
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAD983616558
Contact Name:		DAWN POLLEX
Contact Address:		476 E CAMPBELL AVE
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-378-3100
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		476 E CAMPBELL AVE
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		DRS KUHLMAN RILEY DEWEES INC
Owner Type:		Private
Operator Name:		Not reported
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2002-06-27 03:35:48.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	DRS KUHLMAN RILEY DEWEES INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	476 E CAMPBELL AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-378-3100
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	1992-01-23 00:00:00.0
Handler Name:	CAMPBELL MEDICAL GROUP

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	621112
NAICS Description:	OFFICES OF PHYSICIANS, MENTAL HEALTH SPECIALISTS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID: 110070849772

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110002867149

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000597636
Registry ID:	110070849772
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110070849772
Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Address:	476 E CAMPBELL AVE
City,State,Zip:	CAMPBELL, CA 95008

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Envid: 1000597636
Registry ID: 110002867149
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002867149
Name: CAMPBELL MEDICAL GROUP
Address: 476 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008

HAZNET:
Name: CAMPBELL MEDICAL GROUP
Address: 476 E CAMPBELL AVE
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 950080000
Contact: PAM CREIDER
Telephone: 4083783100
Mailing Name: Not reported
Mailing Address: 476 E CAMPBELL AVE

Year: 1995
Gepaid: CAD983616558
TSD EPA ID: CAD003963592
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.1499

Year: 1994
Gepaid: CAD983616558
TSD EPA ID: NVD981639826
CA Waste Code: 121 - Alkaline solution (pH >= 12.5) with metals
Disposal Method: *** - Invalid Code
Tons: 0.1668

Year: 1994
Gepaid: CAD983616558
TSD EPA ID: NVD981639826
CA Waste Code: 121 - Alkaline solution (pH >= 12.5) with metals
Disposal Method: -
Tons: 0.0208

Year: 1994
Gepaid: CAD983616558
TSD EPA ID: CAD003963592
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: -
Tons: 0.0208

Year: 1994
Gepaid: CAD983616558
TSD EPA ID: CAD003963592
CA Waste Code: 541 - Photochemicals/photoprocessing waste
Disposal Method: R01 - Recycler
Tons: 0.254

Year: 1993
Gepaid: CAD983616558
TSD EPA ID: NVD981639826
CA Waste Code: 121 - Alkaline solution (pH >= 12.5) with metals
Disposal Method: -

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Tons: 0.2293

Year: 1993
Gepaid: CAD983616558
TSD EPA ID: NVD981639826
CA Waste Code: 121 - Alkaline solution (pH >= 12.5) with metals
Disposal Method: *** - Invalid Code
Tons: 0.3917

Year: 1992
Gepaid: CAD983616558
TSD EPA ID: NVD981639826
CA Waste Code: -
Disposal Method: -
Tons: 0.0834

Additional Info:
Year: 1995
Gen EPA ID: CAD983616558

Shipment Date: 19950309
Creation Date: 10/23/1995 0:00:00
Receipt Date: 19950309
Manifest ID: 93735998
Trans EPA ID: CAL000068366
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD003963592
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 541 - Photochemicals / photo processing waste
RCRA Code: D011
Meth Code: R01 - Recycler
Quantity Tons: 0.0708
Waste Quantity: 17
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 19950209
Creation Date: 3/29/1996 0:00:00
Receipt Date: 19950214
Manifest ID: 93735999
Trans EPA ID: CAL000068366
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD003963592
Trans Name: Not reported
TSDF Alt EPA ID: CAD003963592
TSDF Alt Name: Not reported

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0291
Waste Quantity:	7
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950112
Creation Date:	10/20/1995 0:00:00
Receipt Date:	19950112
Manifest ID:	93735995
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.05
Waste Quantity:	12
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1993
Gen EPA ID:	CAD983616558
Shipment Date:	19931221
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19940128
Manifest ID:	93069772
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Quantity Tons:	0.0667
Waste Quantity:	16
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19931014
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19931022
Manifest ID:	93069602
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0625
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930819
Creation Date:	9/12/1995 0:00:00
Receipt Date:	19930823
Manifest ID:	92654743
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0625
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930624
Creation Date:	9/8/1995 0:00:00
Receipt Date:	19930628
Manifest ID:	92654544
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.1125
Waste Quantity:	27
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930519
Creation Date:	9/9/1995 0:00:00
Receipt Date:	19930524
Manifest ID:	92654503
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0458
Waste Quantity:	11
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930421

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930426
Manifest ID:	92246291
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930210
Creation Date:	9/15/1995 0:00:00
Receipt Date:	19930211
Manifest ID:	92246311
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.2293
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1994
Gen EPA ID:	CAD983616558

Shipment Date:	19941209
Creation Date:	3/28/1996 0:00:00

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Receipt Date:	19941209
Manifest ID:	93735994
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD003963592
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0875
Waste Quantity:	21
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19941020
Creation Date:	10/19/1995 0:00:00
Receipt Date:	19941020
Manifest ID:	93735407
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD003963592
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0291
Waste Quantity:	7
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19940922
Creation Date:	10/17/1995 0:00:00
Receipt Date:	19940927
Manifest ID:	93732522
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0583
Waste Quantity:	14
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940817
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940822
Manifest ID:	93434387
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD003963592
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0583
Waste Quantity:	14
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940615
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940615
Manifest ID:	93434345
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD003963592
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0208
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940601
Creation Date:	10/10/1995 0:00:00
Receipt Date:	19940603
Manifest ID:	93021841
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.0208
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940523
Creation Date:	3/26/1996 0:00:00
Receipt Date:	Not reported
Manifest ID:	93434070
Trans EPA ID:	CAL000068366
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	- Not reported
Quantity Tons:	0.0208
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940504
Creation Date:	10/5/1995 0:00:00
Receipt Date:	19940520

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

Manifest ID:	93021818
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940401
Creation Date:	10/5/1995 0:00:00
Receipt Date:	19940418
Manifest ID:	93021619
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940303
Creation Date:	10/5/1995 0:00:00
Receipt Date:	19940318
Manifest ID:	93069980
Trans EPA ID:	NVD981639826
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported

CAMPBELL MEDICAL GROUP (Continued) **1000597636**

TSDF EPA ID:	NVD981639826
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	121 - Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc
RCRA Code:	D011
Meth Code:	*** - Invalid Code
Quantity Tons:	0.0834
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	CAMPBELL MEDICAL GROUP
Address:	476 E CAMPBELL AVE
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 950080000
EPA ID:	CAD983616558
Inactive Date:	06/30/1999
Create Date:	01/23/1992
Last Act Date:	08/10/2004
Mailing Name:	Not reported
Mailing Address:	476 E CAMPBELL AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	CAMPBELL, CA 950082102
Owner Name:	PAM CREIDER
Owner Address:	476 E CAMPBELL AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	CAMPBELL, CA 950082102
Contact Name:	PAM CREIDER
Contact Address:	INACT 99VQ FINAL NOTICE - BATCH
Contact Address 2:	4/11/00
City,State,Zip:	CAMPBELL, CA 950082102

F57 **SILICON VALLEY MEDICAL DEVELOPMENT** **CUPA Listings** **S121468383**
SE **476 E CAMPBELL AVE** **HWTS** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.178 mi.
942 ft. **Site 9 of 10 in cluster F**

Relative:
Higher

Actual:
199 ft.

CUPA SANTA CLARA:

Name:	CAMPBELL MEDICAL GROUP
Address:	476 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2272
Program Description:	SILVER WASTE ONLY 100+ KG/YR & < 100 KG/MO
Latitude:	37.28705
Longitude:	-121.941274
Record ID:	PR0314715
Facility ID:	FA0200406

SILICON VALLEY MEDICAL DEVELOPMENT (Continued) **S121468383**

Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Address:	476 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2240
Program Description:	GENERATES < 10 GAL/YR
Latitude:	37.287030249
Longitude:	-121.94164162
Record ID:	PR0439281
Facility ID:	FA0297814

HWTS:

Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Address:	476 E CAMPBELL AVE
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAL000455181
Inactive Date:	Not reported
Create Date:	06/22/2020
Last Act Date:	09/14/2020
Mailing Name:	BETH RUF
Mailing Address:	973 UNIVERSITY AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	LOS GATOS, CA 95032
Owner Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Owner Address:	973 UNIVERSITY AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	LOS GATOS, CA 95032
Contact Name:	BETH RUF
Contact Address:	973 UNIVERSITY AVE
Contact Address 2:	Not reported
City,State,Zip:	LOS GATOS, CA 95032

NAICS:

EPA ID:	CAL000455181
Create Date:	2020-06-22 11:48:58.967
NAICS Code:	621493
NAICS Description:	Freestanding Ambulatory Surgical and Emergency Centers
Issued EPA ID Date:	2020-06-22 11:48:58.95000
Inactive Date:	Not reported
Facility Name:	SILICON VALLEY MEDICAL DEVELOPMENT
Facility Address:	476 E CAMPBELL AVE
Facility Address 2:	Not reported
Facility City:	CAMPBELL
Facility County:	Not reported
Facility State:	CA
Facility Zip:	95008

H58 **HUBBARD AND RASKIN** **LUST** **S109285978**
ENE **500 SALMAR AVE** **Cortese** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CERS**
0.180 mi.
950 ft. **Site 3 of 5 in cluster H**

Relative:
Lower

Actual:
194 ft.

LUST:

Name:	HUBBARD AND RASKIN
Address:	500 SALMAR AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608591781
Global Id:	T0608591781
Latitude:	37.290668
Longitude:	-121.93914
Status:	Completed - Case Closed
Status Date:	01/11/2011
Case Worker:	UUU
RB Case Number:	43-1957
Local Agency:	Not reported
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	* Solvents
Site History:	Not reported

LUST:

Global Id:	T0608591781
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

LUST:

Global Id:	T0608591781
Action Type:	ENFORCEMENT
Date:	08/24/1989
Action:	Letter - Notice

Global Id:	T0608591781
Action Type:	Other
Date:	03/21/1991
Action:	Leak Discovery

Global Id:	T0608591781
Action Type:	Other
Date:	03/21/1991
Action:	Leak Stopped

Global Id:	T0608591781
Action Type:	Other
Date:	03/21/1991
Action:	Leak Reported

HUBBARD AND RASKIN (Continued) **S109285978**

LUST:

Global Id:	T0608591781
Status:	Open - Case Begin Date
Status Date:	03/21/1991
Global Id:	T0608591781
Status:	Open - Inactive
Status Date:	03/21/1991
Global Id:	T0608591781
Status:	Open - Site Assessment
Status Date:	03/21/1991
Global Id:	T0608591781
Status:	Completed - Case Closed
Status Date:	01/11/2011

CORTESE:

Name:	HUBBARD AND RASKIN
Address:	500 SALMAR AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608591781
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	HUBBARD AND RASKIN
Address:	500 SALMAR AVE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	241112
CERS ID:	T0608591781
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported

HUBBARD AND RASKIN (Continued) **S109285978**

Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

H59 **HI LINE PAINT MFG CO, INC** **SEMS-ARCHIVE** **1000285391**
ENE **500 SALMAR AVE** **RCRA-SQG** **CAD981377054**
1/8-1/4 **CAMPBELL, CA 95008** **FINDS**
0.180 mi. **ECHO**
950 ft. **Site 4 of 5 in cluster H**

Relative: **Lower**
Actual: **194 ft.**

SEMS Archive:

Site ID:	0902302
EPA ID:	CAD981377054
Name:	HI LINE PAINTS
Address:	500 SALMAR AVE
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 95008
Cong District:	13
FIPS Code:	06085
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0902302
EPA ID:	CAD981377054
Site Name:	HI LINE PAINTS
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	1987-11-01 05:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0902302
EPA ID:	CAD981377054
Site Name:	HI LINE PAINTS
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	Not reported
Finish Date:	1987-11-01 05:00:00
Qual:	N
Current Action Lead:	EPA Perf

HI LINE PAINT MFG CO, INC (Continued) **1000285391**

Region:	09
Site ID:	0902302
EPA ID:	CAD981377054
Site Name:	HI LINE PAINTS
NPL:	N
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1986-05-01 04:00:00
Finish Date:	1986-05-01 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

RCRA-SQG:

Date Form Received by Agency:	1996-09-01 00:00:00.0
Handler Name:	HI LINE PAINT MFG CO, INC
Handler Address:	500 SALMAR AVE
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAD981377054
Contact Name:	Not reported
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	CA
State District:	2
Mailing Address:	SALMAR AVE
Mailing City,State,Zip:	CAMPBELL, CA 95008
Owner Name:	HI LINE PAINT MFG CO,INC
Owner Type:	Private
Operator Name:	NOT REQUIRED
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No

HI LINE PAINT MFG CO, INC (Continued) **1000285391**

Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2000-09-15 17:29:28.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	Not reported

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HI LINE PAINT MFG CO,INC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

HI LINE PAINT MFG CO, INC (Continued) **1000285391**

Owner/Operator Indicator: Operator
Owner/Operator Name: NOT REQUIRED
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 1996-09-01 00:00:00.0
Handler Name: HI LINE PAINT MFG CO, INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002686246

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000285391
Registry ID: 110002686246
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002686246

HI LINE PAINT MFG CO, INC (Continued) **1000285391**

Name: HI LINE PAINT MFG CO, INC
Address: 500 SALMAR AVE
City,State,Zip: CAMPBELL, CA 95008

I60 **F & J AUTO REPAIR** **CERS HAZ WASTE** **S101624848**
SSE **64 RAILWAY AVE** **SWEEPS UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CA FID UST**
0.187 mi. **CUPA Listings**
986 ft. **Site 1 of 6 in cluster I** **CERS**

Relative: Higher

Actual: 201 ft.

CERS HAZ WASTE:
Name: F & J AUTO IMPORTS
Address: 64 RAILWAY AV
City,State,Zip: CAMPBELL, CA 95008
Site ID: 115517
CERS ID: 10354684
CERS Description: Hazardous Waste Generator

SWEEPS UST:
Name: F & J AUTO REPAIR
Address: 64 RAILWAY AVE
City: CAMPBELL
Status: Not reported
Comp Number: 24158
Number: Not reported
Board Of Equalization: 44-026308
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-024158-000001
Tank Status: Not reported
Capacity: 550
Active Date: Not reported
Tank Use: M.V.FUEL
STG: PRODUCT
Content: LEADED
Number Of Tanks: 2

Name: F & J AUTO REPAIR
Address: 64 RAILWAY AVE
City: CAMPBELL
Status: Not reported
Comp Number: 24158
Number: Not reported
Board Of Equalization: 44-026308
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-024158-000002
Tank Status: Not reported
Capacity: 550
Active Date: Not reported
Tank Use: M.V.FUEL
STG: PRODUCT
Content: REG UNLEADED

F & J AUTO REPAIR (Continued) **S101624848**

Number Of Tanks: Not reported

CA FID UST:
Facility ID: 43007974
Regulated By: UTNKA
Regulated ID: 00024158
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083786466
Mail To: Not reported
Mailing Address: 64 RAILWAY AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CUPA SANTA CLARA:
Name: F & J AUTO IMPORTS
Address: 64 RAILWAY AV
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.286128
Longitude: -121.942315
Record ID: PR0330783
Facility ID: FA0230699

CERS:
Name: F & J AUTO IMPORTS
Address: 64 RAILWAY AV
City,State,Zip: CAMPBELL, CA 95008
Site ID: 115517
CERS ID: 10354684
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 115517
Site Name: F & J AUTO IMPORTS
Violation Date: 05-18-2016
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: 2 x 55 gallon drums of used oil had faded markings. 1 x 55 gallon drum of used coolant had faded markings. 1 x 20 gallon used oil roller was missing hazardous waste markings.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW

F & J AUTO REPAIR (Continued) **S101624848**

Violation Source:	CERS
Site ID:	115517
Site Name:	F & J AUTO IMPORTS
Violation Date:	05-18-2016
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain and/or maintain an Active EPA ID.
Violation Notes:	Returned to compliance on 07/08/2016. Per the Hazardous Waste Tracking System EPA ID# CAL000038267 is inactive. Provided facility with DTSC form 1358 to reactivate EPA ID#.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	115517
Site Name:	F & J AUTO IMPORTS
Violation Date:	05-18-2016
Citation:	22 CCR 16 66266.130 - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.130
Violation Description:	Failure to properly handle, manage, label, and recycle used oil and fuel filters.
Violation Notes:	1 x 55 gallon drum of used oil filters was missing the start date and the words "DRAINED USED OIL FILTERS"
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	115517
Site Name:	F & J AUTO IMPORTS
Violation Date:	05-18-2016
Citation:	HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description:	Haz Waste Generator Program - Administration/Documentation - General
Violation Notes:	Returned to compliance on 07/08/2016. No manifests were available for review during inspection. Obtain copies of the manifests and submit them to my office.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	115517
Site Name:	F & J AUTO IMPORTS
Violation Date:	05-18-2016
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to the air, soil, or surface water which could threaten human health or the environment..
Violation Notes:	Observed free flowing amounts of used oil in the secondary containment for the used oil and coolant drums. Ensure that secondary containment is clean of any free flowing oil to prevent an unplanned release to the environment.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW

F & J AUTO REPAIR (Continued) **S101624848**

Violation Source: CERS

Site ID: 115517
Site Name: F & J AUTO IMPORTS
Violation Date: 05-18-2016
Citation: 40 CFR 1 265.32 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.32
Violation Description: Failure of the facility to maintain the following emergency equipment or equivalents: 1) An internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel; 2) A device, such as a telephone (immediately available at the scene of Operations/ Maintenance) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams; 3) Portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals), spill control equipment, and decontamination equipment; and 4) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.
Violation Notes: Returned to compliance on 07/08/2016. No spill control was available on site.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous waste inspection. Facility is an auto shop with 3 service bays. Observed the following wastes on site: 2 x 55 gallon drums of used oil 1 x 55 gallon drum of used coolant 1 x 55 gallon drum of used oil filters 1 x 20 gallon used oil roller Fire extinguishers have had annual maintenance Battery cores are managed by Interstate Rags are laundered by Mission Linen Brake shavings are managed as scrap metal Waste transmission fluid is added to used oil drum. Waste brake fluid is added to used coolant drum. Container areas are inspected weekly. Employees have had hazardous waste management training. The following violations were corrected on site: No emergency information was posted. Emergency procedures template was provided and posted during inspection. 2 x 55 gallon drums of used oil were missing caps. Caps were added during inspection. 1 x 55 gallon drum of used coolant was missing cap. Cap was added during [Truncated]
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-08-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Comments: On site to conduct a follow up inspection. Walked through and confirmed the following violations have been corrected from the 5/18/16 inspection. G001: EPA ID# CAL000038267 is active G111: Spill

F & J AUTO REPAIR (Continued) **S101624848**

control is available on site G052: Disposal receipts were reviewed for used oil, used coolant and used oil filters. The following violations remain uncorrected: G020: Marking of Hazardous Waste: 2 x 55 gallon drums of used oil had faded markings. 1 x 55 gallon drum of used coolant had faded markings. 1 x 20 gallon used oil roller was missing hazardous waste markings. G110: Free flowing amounts of used oil in the secondary containment. Ensure that secondary containment is clean of free flowing liquids. G412: 1 x 55 gallon drum of used oil filters was missing the start date and the words "DRAINED USED OIL FILTERS"

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-20-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupany ID: 4451
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-02-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4451
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-14-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4451
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Parent Corporation
Entity Name: F & J AUTO IMPORTS
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA

F & J AUTO REPAIR (Continued) **S101624848**

Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	64 RAILWAY AV
Affiliation City:	CAMPBELL
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95008
Affiliation Phone:	Not reported

I61 **F & J AUTO REPAIR** **HIST UST** **U001600865**
SSE **64 RAILWAY AVE** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.187 mi.
986 ft. **Site 2 of 6 in cluster I**

Relative: HIST UST:
Higher

Name:	F & J AUTO REPAIR
Address:	64 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000024158
Facility Type:	Gas Station
Other Type:	AUTO REPAIR
Contact Name:	FRANK BENEVENTO
Telephone:	4083786466
Owner Name:	FRANK & SUSAN BENEVENTO
Owner Address:	6059 MONTALVO DRIVE
Owner City,St,Zip:	SAN JOSE, CA 95123
Total Tanks:	0002
Tank Num:	001
Container Num:	#1
Year Installed:	Not reported
Tank Capacity:	00000550
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	#2
Year Installed:	Not reported
Tank Capacity:	00000550
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	None

Actual:
201 ft.

I62 **F AND J AUTO IMPORTS** **RCRA NonGen / NLR** **1024787854**
SSE **64 RAILWAY AVE** **CAL000038267**
1/8-1/4 **CAMPBELL, CA 95008**
0.187 mi.
986 ft. **Site 3 of 6 in cluster I**

Relative: **Higher**
Actual: **201 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		1991-02-15 00:00:00.0
Handler Name:	F AND J AUTO IMPORTS	
Handler Address:		64 RAILWAY AVE
Handler City,State,Zip:		CAMPBELL, CA 95008-3007
EPA ID:		CAL000038267
Contact Name:		SUSAN BENEVENTO
Contact Address:		6018 FOOTHILL GLEN DR
Contact City,State,Zip:		SAN JOSE, CA 95123
Contact Telephone:		408-281-2101
Contact Fax:		Not reported
Contact Email:		S.BENEVENTO@YAHOO.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		64 RAILWAY AVE
Mailing City,State,Zip:		CAMPBELL, CA 95008-3007
Owner Name:		FRANK-SUSAN BENEVENTO
Owner Type:		Other
Operator Name:		SUSAN BENEVENTO
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

F AND J AUTO IMPORTS (Continued) **1024787854**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-09-05 15:41:26.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	FRANK-SUSAN BENEVENTO
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	6018 FOOTHILL GLEN DR
Owner/Operator City,State,Zip:	SAN JOSE, CA 95123-0000
Owner/Operator Telephone:	408-281-1101
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SUSAN BENEVENTO
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	6018 FOOTHILL GLEN DR
Owner/Operator City,State,Zip:	SAN JOSE, CA 95123
Owner/Operator Telephone:	408-281-2101
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

F AND J AUTO IMPORTS (Continued) **1024787854**

Historic Generators:
Receive Date: 1991-02-15 00:00:00.0
Handler Name: F AND J AUTO IMPORTS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

H63 **CAL-PACIFIC PUBLICATIONS** **CUPA Listings** **S121471343**
ENE **485 SALMAR AV** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.188 mi.
990 ft. **Site 5 of 5 in cluster H**

Relative: CUPA SANTA CLARA:
Lower
Name: CAL-PACIFIC PUBLICATIONS
Actual: Address: 485 SALMAR AV
193 ft. City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.290948
Longitude: -121.939788
Record ID: PR0330796
Facility ID: FA0230708

G64 **NOBLE PROPERTIES** **ENVIROSTOR** **S105756719**
East **535 REDECK WAY / 159 ORCHARD OAK CIRCLE** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.188 mi.
992 ft. **Site 3 of 3 in cluster G**

Relative: ENVIROSTOR:
Lower
Name: NOBLE PROPERTIES
Actual: Address: 535 REDECK WAY / 159 ORCHARD OAK CIRCLE
195 ft. City,State,Zip: CAMPBELL, CA 95008
Facility ID: 43420008

NOBLE PROPERTIES (Continued) **S105756719**

Status: Refer: RWQCB
Status Date: 03/06/2002
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1
NPL: NO
Regulatory Agencies: RWQCB 2 - San Francisco Bay
Lead Agency: RWQCB 2 - San Francisco Bay
Program Manager: Not reported
Supervisor: Referred - Not Assigned
Division Branch: Cleanup Berkeley
Assembly: 28
Senate: 15
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Not reported
Latitude: 37.28826
Longitude: -121.9392
APN: NONE SPECIFIED
Past Use: NONE SPECIFIED
Potential COC: * UNSPECIFIED SOLVENT MIXTURES * WASTE OIL & MIXED OIL
Confirmed COC: NONE SPECIFIED
Potential Description: NONE SPECIFIED
Alias Name: NOBLE PROPERTIES
Alias Type: Alternate Name
Alias Name: CAD981990021
Alias Type: EPA Identification Number
Alias Name: 43420008
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Assessment Report
Completed Date: 03/06/2002
Comments: Site was clened up under RWQCB oversight

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 02/13/1998
Comments: Site cleaned up under RWQCB oversight.

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

F65
SE
1/8-1/4
0.189 mi.
997 ft.

NAMCHING YOUNG DDS
486 E CAMPBELL AV 101
CAMPBELL, CA 95008

Site 10 of 10 in cluster F

CUPA Listings **S112346240**
N/A

Relative:
Higher

Actual:
199 ft.

CUPA SANTA CLARA:

Name:	NAMCHING YOUNG DDS
Address:	486 E CAMPBELL AV 101
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2240
Program Description:	GENERATES < 10 GAL/YR
Latitude:	37.28703
Longitude:	-121.941093
Record ID:	PR0379242
Facility ID:	FA0200411

J66
ESE
1/8-1/4
0.196 mi.
1035 ft.

LLOYD SQUARE SHOPPING CENTER
501-533 EAST CAMPBELL AVENUE
CAMPBELL, CA 95008

Site 1 of 5 in cluster J

CPS-SLIC **S116381383**
CERS **N/A**

Relative:
Higher

Actual:
198 ft.

CPS-SLIC:

Name:	LLOYD SQUARE SHOPPING CENTER
Address:	501-533 EAST CAMPBELL AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	04/22/2014
Global Id:	T10000005853
Lead Agency:	SAN FRANCISCO BAY RWQCB (REGION 2)
Lead Agency Case Number:	Not reported
Latitude:	37.2876599
Longitude:	-121.9403514
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	43S1174
File Location:	Not reported
Potential Media Affected:	Not reported
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	LLOYD SQUARE SHOPPING CENTER
Address:	501-533 EAST CAMPBELL AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	259927
CERS ID:	T10000005853
CERS Description:	Cleanup Program Site

K67 **ORCHARD CITY PLAZA** **LUST** **S101308929**
South **300 ORCHARD CITY (307) DR** **HIST LUST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **Cortese**
0.207 mi. **HIST CORTESE**
1094 ft. **Site 1 of 2 in cluster K** **CERS**

Relative:
Higher

Actual:
203 ft.

LUST:

Name:	ORCHARD CITY PLAZA
Address:	300 ORCHARD CITY (307) DR
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500998
Global Id:	T0608500998
Latitude:	37.287
Longitude:	-121.9476
Status:	Completed - Case Closed
Status Date:	10/03/1995
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608500998
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608500998
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608500998
Action Type:	ENFORCEMENT
Date:	08/30/1991
Action:	Notice of Violation - #39489

Global Id:	T0608500998
Action Type:	RESPONSE
Date:	07/19/1989
Action:	Other Report / Document

Global Id:	T0608500998
Action Type:	Other

ORCHARD CITY PLAZA (Continued) **S101308929**

Date: 08/01/1989
Action: Leak Reported

Global Id: T0608500998
Action Type: REMEDIATION
Date: 06/29/1989
Action: Excavation

Global Id: T0608500998
Action Type: ENFORCEMENT
Date: 10/03/1995
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608500998
Status: Open - Case Begin Date
Status Date: 08/01/1989

Global Id: T0608500998
Status: Open - Site Assessment
Status Date: 08/01/1989

Global Id: T0608500998
Status: Open - Site Assessment
Status Date: 10/16/1991

Global Id: T0608500998
Status: Completed - Case Closed
Status Date: 10/03/1995

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W35C01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 8/1/1989
Pollution Characterization Began: 10/16/1991
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: ORCHARD CITY PLAZA
Address: 300 ORCHARD CITY (307) DR
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35C01F
Date Closed: 10/03/1995
EDR Link ID: 07S1W35C01F

ORCHARD CITY PLAZA (Continued) **S101308929**

HIST LUST SANTA CLARA:
Name: Orchard City Plaza
Address: 300 Orchard City (307) Dr
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W35C01
Oversite Agency: SCVWD
Date Listed: 1990-01-01 00:00:00
Closed Date: 1995-10-03 00:00:00

CORTESE:
Name: ORCHARD CITY PLAZA
Address: 300 ORCHARD CITY (307) DR
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500998
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

HIST CORTESE:
edr_fname: ORCHARD CITY PLAZA
edr_fadd1: 300 ORCHARD CITY
City,State,Zip: CAMPBELL, CA
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1001

CERS:
Name: ORCHARD CITY PLAZA
Address: 300 ORCHARD CITY (307) DR
City,State,Zip: CAMPBELL, CA 95008
Site ID: 197142
CERS ID: T0608500998
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker

ORCHARD CITY PLAZA (Continued) **S101308929**

Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

K68 **WATER TOWER PLAZA ROOFING** **RCRA NonGen / NLR** **1025838727**
South **300 ORCHARD CITY** **CAC003018323**
1/8-1/4 **CAMPBELL, CA 95008**
0.207 mi.
1094 ft. **Site 2 of 2 in cluster K**

Relative:
Higher

Actual:
203 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	2019-06-05 00:00:00.0
Handler Name:	WATER TOWER PLAZA ROOFING
Handler Address:	300 ORCHARD CITY
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAC003018323
Contact Name:	JONEL PORTA
Contact Address:	339 S. SAN ANTONIO ROAD SUITE
Contact City,State,Zip:	LOS ALTOS, CA 94022
Contact Telephone:	408-427-2142
Contact Fax:	Not reported
Contact Email:	JPORTA@FOURCORNERPROPERTIES.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	339 S. SAN ANTONIO ROAD SUITE
Mailing City,State,Zip:	LOS ALTOS, CA 94022
Owner Name:	FCP MANAGEMENT, LLC
Owner Type:	Other
Operator Name:	JONEL PORTA
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

WATER TOWER PLAZA ROOFING (Continued) **1025838727**

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-06-27 14:19:33.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	FCP MANAGEMENT, LLC
Legal Status:	Other

WATER TOWER PLAZA ROOFING (Continued) **1025838727**

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	339 S. SAN ANTONIO ROAD SUITE
Owner/Operator City,State,Zip:	LOS ALTOS, CA 94022
Owner/Operator Telephone:	408-427-2142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	JONEL PORTA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	339 S. SAN ANTONIO ROAD SUITE
Owner/Operator City,State,Zip:	LOS ALTOS, CA 94022
Owner/Operator Telephone:	408-427-2142
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2019-06-05 00:00:00.0
Handler Name:	WATER TOWER PLAZA ROOFING
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

69
WSW
1/8-1/4
0.213 mi.
1125 ft.

PP-CA LP DBA DERMATOLOGY FOR ANIMALS
106 EAST CAMPBELL AVE
CAMPBELL, CA 95008

RCRA NonGen / NLR **1026057059**
CAL000453252

Relative:
Higher

Actual:
200 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	2020-03-04 00:00:00.0
Handler Name:	PP-CA LP DBA DERMATOLOGY FOR ANIMALS
Handler Address:	106 EAST CAMPBELL AVE
Handler City,State,Zip:	CAMPBELL, CA 95008
EPA ID:	CAL000453252
Contact Name:	DAVID GENOVESE
Contact Address:	106 EAST CAMPBELL AVE
Contact City,State,Zip:	ANDERSON, CA 95008
Contact Telephone:	408-871-3800
Contact Fax:	512-870-9394
Contact Email:	LEGAL@PATHWAYVETS.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	800 W CESAR CHAVEZ ST B100
Mailing City,State,Zip:	AUSTIN, TX 78701
Owner Name:	PP-CA LP
Owner Type:	Other
Operator Name:	DAVID GENOVESE
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

PP-CA LP DBA DERMATOLOGY FOR ANIMALS (Continued) **1026057059**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-03-06 18:11:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PP-CA LP
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	800 W CESAR CHAVEZ ST B100 (ATTN LEGAL DEPT)
Owner/Operator City,State,Zip:	AUSTIN, TX 78701
Owner/Operator Telephone:	512-717-8647
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	DAVID GENOVESE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	106 EAST CAMPBELL AVE
Owner/Operator City,State,Zip:	ANDERSON, CA 95008
Owner/Operator Telephone:	408-871-3800
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

PP-CA LP DBA DERMATOLOGY FOR ANIMALS (Continued) **1026057059**

Historic Generators:
Receive Date: 2020-03-04 00:00:00.0
Handler Name: PP-CA LP DBA DERMATOLOGY FOR ANIMALS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 541940
NAICS Description: VETERINARY SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

I70 **H P MACHINE & ENG INC** **CUPA Listings** **S121471501**
SSE **116 RAILWAY AV** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.214 mi.
1129 ft. **Site 4 of 6 in cluster I**

Relative:
Higher

Actual:
203 ft.

CUPA SANTA CLARA:
Name: H P MACHINE & ENG INC
Address: 116 RAILWAY AV
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.28562
Longitude: -121.942704
Record ID: PR0350039
Facility ID: FA0240483

J71 **CAMPBELL VILLAGE** **CPS-SLIC** **U001600882**
ESE **540 E CAMPBELL AVE** **HIST UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CERS**
0.215 mi.
1137 ft. **Site 2 of 5 in cluster J**

Relative:
Higher

Actual:
198 ft.

CPS-SLIC:
Name: CAMPBELL VILLAGE
Address: 540 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Region: STATE

CAMPBELL VILLAGE (Continued) **U001600882**

Facility Status:	**Open - Site Assessment**
Status Date:	03/15/2019
Global Id:	T10000011061
Lead Agency:	SANTA CLARA COUNTY LOP
Lead Agency Case Number:	2017-18s
Latitude:	37.28688
Longitude:	-121.94021
Case Type:	Cleanup Program Site
Case Worker:	TLF
Local Agency:	SANTA CLARA COUNTY LOP
RB Case Number:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Other Groundwater (uses other than drinking water), Soil, Soil Vapor
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

HIST UST:

Name:	LEES EXXON
Address:	540 E CAMPBELL AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	000206E3
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/000206E3.pdf
Region:	STATE
Facility ID:	00000052236
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	PAUL DEL GRANDE
Telephone:	4083786713
Owner Name:	PAUL DEL GRANDCE AUTO PARTS
Owner Address:	566 E. CAMPBELL AVE
Owner City,St,Zip:	CAMPBELL, CA 95008
Total Tanks:	0004
Tank Num:	001
Container Num:	1
Year Installed:	1976
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	003
Container Num:	3
Year Installed:	Not reported
Tank Capacity:	00001000

CAMPBELL VILLAGE (Continued) **U001600882**

Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: Visual, Stock Inventor

Tank Num: 004
Container Num: 4
Year Installed: Not reported
Tank Capacity: 00000350
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: Visual, Stock Inventor

Click here for Geo Tracker PDF:

CERS:
Name: CAMPBELL VILLAGE
Address: 540 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 428509
CERS ID: T10000011061
CERS Description: Cleanup Program Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: AARON COSTA - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089181954

J72 **LEE'S EXXON** **SWEEPS UST** **S101624859**
ESE **540 E CAMPBELL AVE** **CA FID UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.215 mi.
1137 ft. **Site 3 of 5 in cluster J**

Relative:
Higher

Actual:
198 ft.

SWEEPS UST:
Name: LEE'S EXXON
Address: 540 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 52236
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-052236-000001
Tank Status: Not reported
Capacity: 1000
Active Date: Not reported

LEE'S EXXON (Continued) **S101624859**

Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: 4

Name: LEE'S EXXON
Address: 540 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 52236
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-052236-000002
Tank Status: Not reported
Capacity: 1000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: LEADED
Number Of Tanks: Not reported

Name: LEE'S EXXON
Address: 540 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 52236
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-052236-000003
Tank Status: Not reported
Capacity: 1000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: LEADED
Number Of Tanks: Not reported

Name: LEE'S EXXON
Address: 540 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 52236
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-052236-000004

LEE'S EXXON (Continued) **S101624859**

Tank Status: Not reported
Capacity: 350
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: WASTE OIL
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 43012253
Regulated By: UTNKA
Regulated ID: 00052236
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083786713
Mail To: Not reported
Mailing Address: 540 E CAMPBELL AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

L73 **JIM BURKHART** **RCRA NonGen / NLR** **1026471201**
NW **210 GOMES CT.** **CAC003076778**
1/8-1/4 **CAMPBELL, CA 48009**
0.218 mi.
1152 ft. **Site 1 of 2 in cluster L**

Relative: RCRA NonGen / NLR:
Lower
Actual: Date Form Received by Agency: 2020-07-28 00:00:00.0
192 ft. Handler Name: JIM BURKHART
Handler Address: 210 GOMES CT.
Handler City,State,Zip: CAMPBELL, CA 48009
EPA ID: CAC003076778
Contact Name: JIM BURKHART
Contact Address: 210 GOMES CT.
Contact City,State,Zip: CAMPBELL, CA 48009
Contact Telephone: 408-768-5315
Contact Fax: Not reported
Contact Email: JASBURKHART@ATT.NET
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Not reported
State District: Not reported
Mailing Address: 210 GOMES CT.
Mailing City,State,Zip: CAMPBELL, CA 48009

JIM BURKHART (Continued) **1026471201**

Owner Name:	JIM BURKHART
Owner Type:	Other
Operator Name:	JIM BURKHART
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-08-14 15:09:43.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No

JIM BURKHART (Continued) **1026471201**

Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: JIM BURKHART
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 210 GOMES CT.
Owner/Operator City,State,Zip: CAMPBELL, CA 48009
Owner/Operator Telephone: 408-768-5315
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: JIM BURKHART
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 210 GOMES CT.
Owner/Operator City,State,Zip: CAMPBELL, CA 48009
Owner/Operator Telephone: 408-768-5315
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 2020-07-28 00:00:00.0
Handler Name: JIM BURKHART
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

I74 **PERFORMANCE TECHNIQUES** **RCRA NonGen / NLR** **1024786012**
SSE **109 DILLON** **CAL000011139**
1/8-1/4 **CAMPBELL, CA 95008**
0.221 mi.
1165 ft. **Site 5 of 6 in cluster I**

Relative:
Higher

Actual:
201 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	1989-11-14 00:00:00.0
Handler Name:	PERFORMANCE TECHNIQUES
Handler Address:	109 DILLON
Handler City,State,Zip:	CAMPBELL, CA 95008-0000
EPA ID:	CAL000011139
Contact Name:	DAVE MAMINSKI PRESIDENT
Contact Address:	109 DILLON
Contact City,State,Zip:	CAMPBELL, CA 95008-0000
Contact Telephone:	408-370-2610
Contact Fax:	Not reported
Contact Email:	DAVE@PERFORMANCE-TECHNIQUES.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	109 DILLON
Mailing City,State,Zip:	CAMPBELL, CA 95008-0000
Owner Name:	MAMINSKI DAVE
Owner Type:	Other
Operator Name:	DAVE MAMINSKI PRESIDENT
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

PERFORMANCE TECHNIQUES (Continued) **1024786012**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-09-05 15:40:54.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MAMINSKI DAVE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	109 DILLON AVE
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008-0000
Owner/Operator Telephone:	408-370-2610
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	DAVE MAMINSKI PRESIDENT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	109 DILLON
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008-0000
Owner/Operator Telephone:	408-370-2610
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

PERFORMANCE TECHNIQUES (Continued) **1024786012**

Historic Generators:
Receive Date: 1989-11-14 00:00:00.0
Handler Name: PERFORMANCE TECHNIQUES
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

I75 **PERFORMANCE TECHNIQUES** **CERS HAZ WASTE** **S102809774**
SSE **109 DILLON AV** **CUPA Listings** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CERS**
0.221 mi.
1165 ft. **Site 6 of 6 in cluster I**

Relative:
Higher

Actual:
201 ft.

CERS HAZ WASTE:
Name: PERFORMANCE TECHNIQUES
Address: 109 DILLON AV
City,State,Zip: CAMPBELL, CA 95008
Site ID: 142552
CERS ID: 10344391
CERS Description: Hazardous Waste Generator

CUPA SANTA CLARA:
Name: PERFORMANCE TECHNIQUES
Address: 109 DILLON AV
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2205
Program Description: GENERATES 100 KG YR TO <5 TONS/YR
Latitude: 37.285891
Longitude: -121.941746
Record ID: PR0315076
Facility ID: FA0200048

CERS:
Name: PERFORMANCE TECHNIQUES
Address: 109 DILLON AV
City,State,Zip: CAMPBELL, CA 95008

PERFORMANCE TECHNIQUES (Continued) **S102809774**

Site ID: 142552
CERS ID: 10344391
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 142552
Site Name: PERFORMANCE TECHNIQUES
Violation Date: 05-10-2016
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: Per the Hazardous Waste Tracking System, EPA ID# CAL000011139 is inactive. Provided facility with DTSC form 1358 to reactivate EPA ID#.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 142552
Site Name: PERFORMANCE TECHNIQUES
Violation Date: 05-10-2016
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to properly close hazardous waste containers when not in active use.
Violation Notes: The following containers were open: 3 x 55 gallon drums of used oil 2 x 55 gallon drums of used coolant 1 x 55 gallon drum of oily solids
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 142552
Site Name: PERFORMANCE TECHNIQUES
Violation Date: 05-10-2016
Citation: 40 CFR 1 262.34(d)(5)(iii) - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 262.34(d)(5)(iii)
Violation Description: Failure to ensure employees are familiar with the handling and compliance of hazardous waste regulations and emergency response.
Violation Notes: As evidenced by the nature and number of violations, employee training has not been effective and employees are not thoroughly familiar with hazardous waste management. Provided facility with the County's free Hazardous Waste Management Class flyer.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 142552
Site Name: PERFORMANCE TECHNIQUES
Violation Date: 05-10-2016
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Abandonment/Illegal Disposal/Unauthorized Treatment - General
Violation Notes: Observed 1 x 5 quart container of motor oil in the outside dumpster with pourable material present. Ensure that all containers are thoroughly emptied of free flowing liquids before disposal.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

PERFORMANCE TECHNIQUES (Continued) **S102809774**

Site ID:	142552
Site Name:	PERFORMANCE TECHNIQUES
Violation Date:	05-10-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	The following containers were missing hazardous waste markings: 3 x 55 gallon drums of used oil 2 x 55 gallon drums of used coolant 1 x 55 gallon drum of oily solids 4 x 15 gallon used oil rollers
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	142552
Site Name:	PERFORMANCE TECHNIQUES
Violation Date:	05-10-2016
Citation:	40 CFR 1 265.174 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.174
Violation Description:	Failure to inspect hazardous waste storage areas at least weekly.
Violation Notes:	Per Mr. Maminiski, container areas are inspected twice a year. Begin conducting container area inspections weekly.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Site ID:	142552
Site Name:	PERFORMANCE TECHNIQUES
Violation Date:	05-10-2016
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to the air, soil, or surface water which could threaten human health or the environment..
Violation Notes:	Observed free flowing amounts of used oil in the secondary containment for 3 x 55 gallon used oil drums. Ensure that the secondary containment is clean of free flowing liquids to prevent an unplanned release to the environment.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-10-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	On site to conduct a routine hazardous waste inspection. Facility is an auto repair shop with 1 service bay that specializes in Volvos. Observed the following wastes on site: 4 x 55 gallon drums of used oil (3 in use) 2 x 55 gallon drums of used coolant 1 x 55 gallon drum of oily solids 4 x 15 gallon used oil rollers Fire extinguishers have had annual maintenance Spill control is available on site Brake shavings

PERFORMANCE TECHNIQUES (Continued) **S102809774**

are recycled Battery cores are managed by Interstate and WorldPac Rags are laundered by AmeriPride Disposal receipts were reviewed for used oil, used coolant and used oil filters The following violations were corrected on site: Emergency information was not posted. Emergency Procedures template was filled out and posted during inspection.

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-05-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4400
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-23-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4400
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Parent Corporation
Entity Name: PERFORMANCE TECHNIQUES
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 109 DILLON AV
Affiliation City: CAMPBELL
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95008
Affiliation Phone: Not reported

M76
ENE
1/8-1/4
0.223 mi.
1179 ft.

B.O.S. CONSTRUCTION
580 E EL PATIO DR
CAMPBELL, CA 95008

Site 1 of 5 in cluster M

LUST
HIST LUST
Cortese
CERS

S104541958
N/A

Relative:
Lower

Actual:
194 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1W26Q01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	6/24/1991
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	B.O.S. Construction
Address:	580 E El Patio Dr
City:	Campbell
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1W26Q01
Oversite Agency:	SCVWD
Date Listed:	1991-01-23 00:00:00
Closed Date:	1992-09-04 00:00:00

CORTESE:

Name:	B.O.S. CONSTRUCTION
Address:	580 E EL PATIO DR
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608500253
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported

B.O.S. CONSTRUCTION (Continued) **S104541958**

File Name: Active Open

CERS:
Name: B.O.S. CONSTRUCTION
Address: 580 E EL PATIO DR
City,State,Zip: CAMPBELL, CA 95008
Site ID: 215407
CERS ID: T0608500253
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

M77 **BOS CONSTRUCTION INC** **LUST** **S101624843**
ENE **580 E EL PATIO** **SWEEPS UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **HIST UST**
0.223 mi. **CA FID UST**
1179 ft. **Site 2 of 5 in cluster M**

Relative: **Lower**
Actual: **194 ft.**

LUST:
Name: B.O.S. CONSTRUCTION
Address: 580 E EL PATIO DR
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500253
Global Id: T0608500253
Latitude: 37.2897344682622
Longitude: -121.939651072025
Status: Completed - Case Closed
Status Date: 09/04/1992
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

BOS CONSTRUCTION INC (Continued) **S101624843**

LUST:
Global Id: T0608500253
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500253
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608500253
Action Type: RESPONSE
Date: 11/29/1990
Action: Other Report / Document

Global Id: T0608500253
Action Type: ENFORCEMENT
Date: 09/04/1992
Action: Closure/No Further Action Letter

Global Id: T0608500253
Action Type: ENFORCEMENT
Date: 06/25/1991
Action: Notice of Responsibility - #39521

Global Id: T0608500253
Action Type: Other
Date: 12/03/1990
Action: Leak Reported

LUST:
Global Id: T0608500253
Status: Open - Case Begin Date
Status Date: 12/03/1990

Global Id: T0608500253
Status: Open - Site Assessment
Status Date: 06/24/1991

Global Id: T0608500253
Status: Completed - Case Closed
Status Date: 09/04/1992

LUST SANTA CLARA:

BOS CONSTRUCTION INC (Continued) **S101624843**

Name: B.O.S. CONSTRUCTION
Address: 580 E EL PATIO DR
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26Q01F
Date Closed: 09/04/1992
EDR Link ID: 07S1W26Q01F

SWEEPS UST:
Name: BOS CONSTRUCTION INC
Address: 580 E EL PATIO
City: CAMPBELL
Status: Not reported
Comp Number: 51392
Number: Not reported
Board Of Equalization: 44-026321
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-051392-000001
Tank Status: Not reported
Capacity: 550
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: 2

Name: BOS CONSTRUCTION INC
Address: 580 E EL PATIO
City: CAMPBELL
Status: Not reported
Comp Number: 51392
Number: Not reported
Board Of Equalization: 44-026321
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-051392-000002
Tank Status: Not reported
Capacity: 550
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: DIESEL
Number Of Tanks: Not reported

HIST UST:
Name: BOS CONSTRUCTION INC
Address: 580 E EL PATIO
City,State,Zip: CAMPBELL, CA 95008
File Number: 0002CEF2
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002CEF2.pdf
Region: Not reported

BOS CONSTRUCTION INC (Continued) **S101624843**

Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID:	43003479
Regulated By:	UTNKA
Regulated ID:	00051392
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4083794033
Mail To:	Not reported
Mailing Address:	580 E EL PATIO
Mailing Address 2:	Not reported
Mailing City,St,Zip:	CAMPBELL 95008
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

M78 **BOS CONSTRUCTION INC.** **HIST UST** **U001600852**
ENE **580 EL PATIO DR** **HIST CORTESE** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.223 mi.
1179 ft. **Site 3 of 5 in cluster M**

Relative:
Lower

Actual:
194 ft.

HIST UST:

Name:	BOS CONSTRUCTION INC.
Address:	580 EL PATIO DR
City,State,Zip:	CAMPBELL, CA 95008
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000051392
Facility Type:	Other
Other Type:	CONSTRUCTION
Contact Name:	BUD BUSSARD

BOS CONSTRUCTION INC. (Continued) **U001600852**

Telephone:	4083794033
Owner Name:	BOS CONSTRUCTION INC.
Owner Address:	580 E. EL PATIO
Owner City,St,Zip:	CAMPBELL, CA 95008
Total Tanks:	0002
Tank Num:	001
Container Num:	01
Year Installed:	Not reported
Tank Capacity:	00000550
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	02
Year Installed:	Not reported
Tank Capacity:	00000550
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	Visual, Stock Inventor

HIST CORTESE:

edr_fname:	BOS CONSTRUCTION
edr_fadd1:	580 EL PATIO
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0189

M79 **AMITY FURNITURE SERVICE** **CUPA Listings** **S121471611**
ENE **535 SALMAR AV A** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.226 mi.
1192 ft. **Site 4 of 5 in cluster M**

Relative: **Lower**
Actual: **193 ft.**

CUPA SANTA CLARA:

Name:	AMITY FURNITURE SERVICE
Address:	535 SALMAR AV A
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.292114
Longitude:	-121.939754
Record ID:	PR0360741
Facility ID:	FA0250394

M80 **IA 050714 HMI ENTERPRISES INC** **CUPA Listings** **S121474611**
ENE **535 SALMAR AV F** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.226 mi.
1192 ft. **Site 5 of 5 in cluster M**

Relative: CUPA SANTA CLARA:
Lower

Actual: Name:	IA 050714 HMI ENTERPRISES INC
193 ft. Address:	535 SALMAR AV F
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.291555
Longitude:	-121.939587
Record ID:	PR0402473
Facility ID:	FA0270350

---

81 **JOHN SAUNDERS** **RCRA NonGen / NLR** **1024752546**
SW **77 S. 3RD ST** **CAC002972353**
1/8-1/4 **CAMPBELL, CA 95008**
0.227 mi.
1199 ft.

Relative: RCRA NonGen / NLR:
Higher

Actual: Date Form Received by Agency:		2018-07-24 00:00:00.0
202 ft. Handler Name:	JOHN SAUNDERS	
Handler Address:		77 S. 3RD ST
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC002972353
Contact Name:		JOHN SAUNDERS
Contact Address:		77 S. 3RD ST
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-316-0661
Contact Fax:		Not reported
Contact Email:		ZCONSSI@AOL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		77 S. 3RD ST
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		JOHN SAUNDERS
Owner Type:		Other
Operator Name:		JOHN SAUNDERS
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No

JOHN SAUNDERS (Continued) **1024752546**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2018-08-31 17:12:53.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JOHN SAUNDERS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	77 S. 3RD ST
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008

JOHN SAUNDERS (Continued) **1024752546**

Owner/Operator Telephone: 408-316-0661
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JOHN SAUNDERS
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 77 S. 3RD ST
Owner/Operator City,State,Zip: CAMPBELL, CA 95008
Owner/Operator Telephone: 408-316-0661
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 2018-07-24 00:00:00.0
Handler Name: JOHN SAUNDERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

N82 **OLD GALANTE BROS CONSTRUCTION SITE** **LUST** **S103879423**
East **535 RODECK WY** **Cortese** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **CERS**
0.233 mi.
1229 ft. **Site 1 of 2 in cluster N**

Relative: LUST REG 2:
Lower
Actual: Region: 2
194 ft. Facility Id: 43-1792
Facility Status: Case Closed
Case Number: 43-1792
How Discovered: Tank Closure
Leak Cause: UNK
Leak Source: UNK

OLD GALANTE BROS CONSTRUCTION SITE (Continued) **S103879423**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: 5/25/1994
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

CORTESE:

Name:	OLD GALANTE BROS CONSTRUCTION SITE
Address:	535 RODECK WY
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608501721
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	OLD GALANTE BROS CONSTRUCTION SITE
Address:	535 RODECK WY
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	218260
CERS ID:	T0608501721
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	MARK JOHNSON - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY STREET, SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported

OLD GALANTE BROS CONSTRUCTION SITE (Continued) **S103879423**

Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

83
North
1/8-1/4
0.236 mi.
1248 ft.

SHEILA DALBEC **RCRA NonGen / NLR** **1026169442**
370 NORTH 1ST STREET #1 **CAC003069490**
CAMPBELL, CA 95008

Relative:
Lower

Actual:
191 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:		2020-06-04 00:00:00.0
Handler Name:	SHEILA DALBEC	
Handler Address:		370 NORTH 1ST STREET #1
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC003069490
Contact Name:		SHEILA DALBEC
Contact Address:		370 NORTH 1ST STREET #1
Contact City,State,Zip:		CAMPBELL, CA 95008
Contact Telephone:		408-377-3037
Contact Fax:		Not reported
Contact Email:		NICOLE@ENV-REM.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		370 NORTH 1ST STREET #1
Mailing City,State,Zip:		CAMPBELL, CA 95008
Owner Name:		SHEILA DALBEC
Owner Type:		Other
Operator Name:		SHEILA DALBEC
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported

SHEILA DALBEC (Continued) **1026169442**

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-06-08 20:36:50.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SHEILA DALBEC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	370 NORTH 1ST STREET #1
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-377-3037
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SHEILA DALBEC
Legal Status:	Other

SHEILA DALBEC (Continued) **1026169442**

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	370 NORTH 1ST STREET #1
Owner/Operator City,State,Zip:	CAMPBELL, CA 95008
Owner/Operator Telephone:	408-377-3037
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	2020-06-04 00:00:00.0
Handler Name: SHEILA DALBEC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

O84 **TINY TOTS DAIPER SERVICE** **HIST UST** **U001600911**
SSE **138 RAILWAY AVE** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.238 mi.
1258 ft. **Site 1 of 3 in cluster O**

Relative:
Higher

Actual:
203 ft.

HIST UST:

Name:	TINY TOTS DAIPER SERVICE
Address:	138 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	000209C0
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/000209C0.pdf
Region:	STATE
Facility ID:	00000044095
Facility Type:	Other
Other Type:	DIAPER SERVICE
Contact Name:	JOHN E. SPARLING
Telephone:	4083786368
Owner Name:	TINY TOTS DIABER SERVICE
Owner Address:	138 RAILWAY AVE.
Owner City,St,Zip:	CAMPBELL, CA 95008
Total Tanks:	0002

TINY TOTS DAIPER SERVICE (Continued) **U001600911**

Tank Num:	001
Container Num:	1
Year Installed:	1980
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor

Tank Num:	002
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00002500
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	1/4
Leak Detection:	Stock Inventor

Click here for Geo Tracker PDF:

O85 **TINY TOTS DIAPER SERVICE** **SWEEPS UST** **S101624876**
SSE **138 RAILWAY AVE** **CA FID UST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.238 mi.
1258 ft. **Site 2 of 3 in cluster O**

Relative: **Higher**
Actual: **203 ft.**

SWEEPS UST:

Name:	TINY TOTS DIAPER SERVICE
Address:	138 RAILWAY AVE
City:	CAMPBELL
Status:	Not reported
Comp Number:	44095
Number:	Not reported
Board Of Equalization:	44-026315
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	43-008-044095-000001
Tank Status:	Not reported
Capacity:	10000
Active Date:	Not reported
Tank Use:	M.V. FUEL
STG:	PRODUCT
Content:	DIESEL
Number Of Tanks:	2

Name:	TINY TOTS DIAPER SERVICE
Address:	138 RAILWAY AVE
City:	CAMPBELL
Status:	Not reported
Comp Number:	44095
Number:	Not reported
Board Of Equalization:	44-026315
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported

TINY TOTS DIAPER SERVICE (Continued) **S101624876**

SWRCB Tank Id:	43-008-044095-000002
Tank Status:	Not reported
Capacity:	3000
Active Date:	Not reported
Tank Use:	M.V. FUEL
STG:	PRODUCT
Content:	REG UNLEADED
Number Of Tanks:	Not reported

CA FID UST:

Facility ID:	43003886
Regulated By:	UTNKA
Regulated ID:	00044095
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	4083786368
Mail To:	Not reported
Mailing Address:	138 RAILWAY AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	CAMPBELL 95008
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

J86 **PAUL DEL GRANDE AUTO PARTS INC** **CUPA Listings** **S121471599**
ESE **566 E CAMPBELL AV** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.241 mi.
1270 ft. **Site 4 of 5 in cluster J**

Relative:
Lower

Actual:
197 ft.

CUPA SANTA CLARA:

Name:	PAUL DEL GRANDE AUTO PARTS INC
Address:	566 E CAMPBELL AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2201
Program Description:	GENERATES WASTE OIL ONLY
Latitude:	37.286921
Longitude:	-121.939845
Record ID:	PR0360659
Facility ID:	FA0250324

J87 **ROBSON HOMES, LLC** **RCRA NonGen / NLR** **1026484258**
SE **63 GILMAN AVENUE** **CAC003090353**
1/8-1/4 **CAMPBELL, CA 95008**
0.241 mi.
1274 ft. **Site 5 of 5 in cluster J**

Relative: **Higher**

Actual: **198 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		2020-10-28 00:00:00.0
Handler Name:	ROBSON HOMES, LLC	
Handler Address:		63 GILMAN AVENUE
Handler City,State,Zip:		CAMPBELL, CA 95008
EPA ID:		CAC003090353
Contact Name:		JERED CHANEY
Contact Address:		120 WESTGATE DRIVE
Contact City,State,Zip:		WATSONVILLE, CA 95076
Contact Telephone:		831-722-3580
Contact Fax:		Not reported
Contact Email:		JERED@WEBER-HAYES.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		2185 THE ALAMEDA
Mailing City,State,Zip:		SAN JOSE, CA 95126
Owner Name:		ROBSON HOMES, LLC
Owner Type:		Other
Operator Name:		JERED CHANEY
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

ROBSON HOMES, LLC (Continued) **1026484258**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2020-11-06 21:05:59.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	JERED CHANEY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	120 WESTGATE DRIVE
Owner/Operator City,State,Zip:	WATSONVILLE, CA 95076
Owner/Operator Telephone:	831-722-3580
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ROBSON HOMES, LLC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2185 THE ALAMEDA
Owner/Operator City,State,Zip:	SAN JOSE, CA 95126
Owner/Operator Telephone:	408-345-1767
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

ROBSON HOMES, LLC (Continued) **1026484258**

Historic Generators:
Receive Date: 2020-10-28 00:00:00.0
Handler Name: ROBSON HOMES, LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

O88 **HAIG PRECISION** **CUPA Listings** **S121472930**
SSE **426 SAM CAVA** **N/A**
1/8-1/4 **CAMPBELL, CA 95008**
0.242 mi.
1277 ft. **Site 3 of 3 in cluster O**

Relative:
Higher

Actual:
202 ft.

CUPA SANTA CLARA:
Name: HAIG PRECISION
Address: 426 SAM CAVA
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2240
Program Description: GENERATES < 10 GAL/YR
Latitude: 37.28517
Longitude: -121.942492
Record ID: PR0374801
Facility ID: FA0256657

P89 **WOLF PROPERTY** **LUST** **S101594651**
SE **126 DILLON AVE** **HIST LUST** **N/A**
1/8-1/4 **CAMPBELL, CA 95008** **SWEEPS UST**
0.243 mi. **CA FID UST**
1282 ft. **Site 1 of 2 in cluster P** **Cortese**
CERS

Relative:
Higher

Actual:
201 ft.

LUST:
Name: WOLF PROPERTY
Address: 126 DILLON AVE
City,State,Zip: CAMPBELL, CA 95008

WOLF PROPERTY (Continued) **S101594651**

Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502343
Global Id: T0608502343
Latitude: 37.285527
Longitude: -121.941471
Status: Completed - Case Closed
Status Date: 10/25/1997
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608502343
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608502343
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608502343
Action Type: Other
Date: 01/01/1996
Action: Leak Reported

Global Id: T0608502343
Action Type: RESPONSE
Date: 10/25/1997
Action: Other Report / Document

Global Id: T0608502343
Action Type: ENFORCEMENT
Date: 10/25/1997
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608502343
Status: Open - Case Begin Date
Status Date: 01/01/1996

WOLF PROPERTY (Continued) **S101594651**

Global Id: T0608502343
Status: Completed - Case Closed
Status Date: 10/25/1997

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W35C04f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: WOLF PROPERTY
Address: 126 DILLON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35C04F
Date Closed: 10/25/1997
EDR Link ID: 07S1W35C04F

HIST LUST SANTA CLARA:
Name: Wolf Property
Address: 126 Dillon Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W35C04
Oversite Agency: SCVWD
Date Listed: 1997-10-22 00:00:00
Closed Date: 1997-10-25 00:00:00

SWEEPS UST:
Name: TERRANCE WOLF
Address: 126 DILLON AVE
City: CAMPBELL
Status: Active
Comp Number: 51089
Number: 2
Board Of Equalization: Not reported
Referral Date: 06-15-93
Action Date: 01-21-94
Created Date: 04-04-91
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-051089-000001

WOLF PROPERTY (Continued) **S101594651**

Tank Status: A
Capacity: 1000
Active Date: 06-15-93
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 1

CA FID UST:
Facility ID: 43012251
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083793832
Mail To: Not reported
Mailing Address: 126 DILLON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CORTESE:
Name: WOLF PROPERTY
Address: 126 DILLON AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608502343
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: WOLF PROPERTY
Address: 126 DILLON AVE

WOLF PROPERTY (Continued) **S101594651**

City,State,Zip: CAMPBELL, CA 95008
Site ID: 247230
CERS ID: T0608502343
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

L90 **TODD LEICHT** **RCRA NonGen / NLR** **1024780356**
NNW **225 GOMES STREET** **CAC003000317**
1/8-1/4 **CAMPBELL, CA 95088**
0.247 mi.
1305 ft. **Site 2 of 2 in cluster L**

Relative: **Lower**
Actual: **191 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 2019-02-08 00:00:00.0
Handler Name: TODD LEICHT
Handler Address: 225 GOMES STREET
Handler City,State,Zip: CAMPBELL, CA 95088
EPA ID: CAC003000317
Contact Name: TODD LEICHT
Contact Address: 225 GOMES STREET
Contact City,State,Zip: CAMPBELL, CA 95088
Contact Telephone: 408-816-4180
Contact Fax: Not reported
Contact Email: CHERILYNIBARRA@ALLIANCE-ENVIRO.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 225 GOMES STREET
Mailing City,State,Zip: CAMPBELL, CA 95088
Owner Name: TODD LEICHT

TODD LEICHT (Continued) **1024780356**

Owner Type:	Other
Operator Name:	TODD LEICHT
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2019-02-22 19:41:18.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

TODD LEICHT (Continued) **1024780356**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: TODD LEICHT
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 225 GOMES STREET
Owner/Operator City,State,Zip: CAMPBELL, CA 95088
Owner/Operator Telephone: 408-816-4180
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: TODD LEICHT
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 225 GOMES STREET
Owner/Operator City,State,Zip: CAMPBELL, CA 95088
Owner/Operator Telephone: 408-816-4180
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 2019-02-08 00:00:00.0
Handler Name: TODD LEICHT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

N91 **NOBLE PROPERTIES** **SEMS-ARCHIVE** **1000203719**
East **535 RODECK WAY** **LUST** **CAD981990021**
1/4-1/2 **CAMPBELL, CA 95009** **HIST LUST**
0.252 mi. **Cortese**
1332 ft. **Site 2 of 2 in cluster N**

Relative:
Lower

Actual:
193 ft.

SEMS Archive:

Site ID:	0902520
EPA ID:	CAD981990021
Name:	NOBLE PROPERTIES
Address:	535 RODECK WAY
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 95009
Cong District:	12
FIPS Code:	06085
FF:	N
NPL:	Not on the NPL
Non NPL Status:	NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:	09
Site ID:	0902520
EPA ID:	CAD981990021
Site Name:	NOBLE PROPERTIES
NPL:	N
FF:	N
OU:	00
Action Code:	VS
Action Name:	ARCH SITE
SEQ:	1
Start Date:	Not reported
Finish Date:	2004-10-21 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf In-Hse

Region:	09
Site ID:	0902520
EPA ID:	CAD981990021
Site Name:	NOBLE PROPERTIES
NPL:	N
FF:	N
OU:	00
Action Code:	SI
Action Name:	SI
SEQ:	1
Start Date:	1993-07-13 04:00:00
Finish Date:	1994-05-17 04:00:00
Qual:	L
Current Action Lead:	EPA Perf

Region:	09
Site ID:	0902520
EPA ID:	CAD981990021
Site Name:	NOBLE PROPERTIES
NPL:	N
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1

NOBLE PROPERTIES (Continued) **1000203719**

Start Date: Not reported
Finish Date: 1987-05-01 04:00:00
Qual: L
Current Action Lead: EPA Perf

Region: 09
Site ID: 0902520
EPA ID: CAD981990021
Site Name: NOBLE PROPERTIES
NPL: N
FF: N
OU: 00
Action Code: DS
Action Name: DISCVRY
SEQ: 1
Start Date: 1987-03-01 05:00:00
Finish Date: 1987-03-01 05:00:00
Qual: Not reported
Current Action Lead: EPA Perf

Region: 09
Site ID: 0902520
EPA ID: CAD981990021
Site Name: NOBLE PROPERTIES
NPL: N
FF: N
OU: 00
Action Code: OO
Action Name: SITE REASS
SEQ: 1
Start Date: 2001-10-29 05:00:00
Finish Date: 2002-05-20 04:00:00
Qual: N
Current Action Lead: St Perf

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26P02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Old Galante Bros. Const. Site
Address: 535 Rodeck Way

NOBLE PROPERTIES (Continued) **1000203719**

City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26P02
Oversite Agency: SCVWD
Date Listed: 1992-06-08 00:00:00
Closed Date: 1994-08-26 00:00:00

CORTESE:
Name: OLD GALANTE BROS. CONST. SITE
Address: 535 RODECK WAY
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608517612
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

P92 **ETCHED MEDIA CORP.** **ENVIROSTOR** **S118757440**
SE **101 GILMAN AVENUE** **N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.253 mi.
1336 ft. **Site 2 of 2 in cluster P**

Relative:
Higher

Actual:
199 ft.

ENVIROSTOR:
Name: ETCHED MEDIA CORP.
Address: 101 GILMAN AVENUE
City,State,Zip: CAMPBELL, CA 95008
Facility ID: 71003079
Status: No Action Required
Status Date: 04/25/2002
Site Code: Not reported
Site Type: Tiered Permit
Site Type Detailed: Tiered Permit
Acres: 0
NPL: NO
Regulatory Agencies: NONE SPECIFIED
Lead Agency: NONE SPECIFIED
Program Manager: Not reported
Supervisor: Mark Piros
Division Branch: Cleanup Berkeley

ETCHED MEDIA CORP. (Continued) **S118757440**

Assembly:	28
Senate:	15
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	Not reported
Latitude:	37.28585
Longitude:	-121.9404
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC:	NONE SPECIFIED
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED
Alias Name:	CAD982487571
Alias Type:	EPA Identification Number
Alias Name:	110001197106
Alias Type:	EPA (FRS #)
Alias Name:	71003079
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Phase I Verification
Completed Date:	04/25/2002
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Phase 1
Completed Date:	04/25/2002
Comments:	Not reported
Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

93
WSW
1/4-1/2
0.269 mi.
1421 ft.

IDDINGS, CHERYL A.
BOX 512
CAMPBELL, CA 95008

HIST CORTESE **S105023039**
N/A

Relative:
Higher

Actual:
198 ft.

HIST CORTESE:

edr_fname:	IDDINGS, CHERYL A.
edr_fadd1:	BOX 512
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	18
Reg By:	WBC&D
Reg Id:	6A189101N70

94
SE
1/4-1/2
0.277 mi.
1461 ft.

Relative:
Lower

Actual:
196 ft.

BAY AREA MECHANICAL
100 GILMAN AVE
CAMPBELL, CA 95008

Database(s): LUST, HIST LUST, SWEEPS UST, Cortese, HIST CORTESE, CERS

EDR ID Number: S102425015
EPA ID Number: N/A

LUST:

Name:	BAY AREA MECHANICAL
Address:	100 GILMAN AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608597466
Global Id:	T0608597466
Latitude:	37.285632
Longitude:	-121.940152
Status:	Completed - Case Closed
Status Date:	04/20/1994
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

LUST:

Global Id:	T0608597466
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608597466
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608597466
Action Type:	RESPONSE
Date:	08/18/1993
Action:	Other Report / Document

Global Id:	T0608597466
Action Type:	Other
Date:	01/01/1991
Action:	Leak Reported

Global Id: T0608597466

BAY AREA MECHANICAL (Continued) **S102425015**

Action Type: ENFORCEMENT
Date: 04/20/1994
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608597466
Status: Open - Case Begin Date
Status Date: 01/01/1991

Global Id: T0608597466
Status: Completed - Case Closed
Status Date: 04/20/1994

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W35C03f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: BAY AREA MECHANICAL
Address: 100 GILMAN AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35C03F
Date Closed: 04/20/1994
EDR Link ID: 07S1W35C03F

HIST LUST SANTA CLARA:
Name: Bay Area Mechanical
Address: 100 Gilman Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W35C03
Oversite Agency: SCVWD
Date Listed: 1992-07-09 00:00:00
Closed Date: 1994-04-20 00:00:00

SWEEPS UST:
Name: JOPOL INC. DBA PLOG SHEET META
Address: 100 GILMAN AVE
City: CAMPBELL

BAY AREA MECHANICAL (Continued) **S102425015**

Status: Not reported
Comp Number: 8144
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-008144-000001
Tank Status: Not reported
Capacity: 1000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: 1

CORTESE:
Name: BAY AREA MECHANICAL
Address: 100 GILMAN AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608597466
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

HIST CORTESE:
edr_fname: BAY AREA MECHANICAL
edr_fadd1: 100 GILMAN
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0343

CERS:
Name: BAY AREA MECHANICAL
Address: 100 GILMAN AVE
City,State,Zip: CAMPBELL, CA 95008

BAY AREA MECHANICAL (Continued) **S102425015**

Site ID: 225707
CERS ID: T0608597466
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Q95 **THRIFTY OIL #166** **LUST** **S104541961**
WNW **1820 S WINCHESTER BLVD** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **CERS HAZ WASTE**
0.291 mi. **Cortese**
1537 ft. **Site 1 of 2 in cluster Q** **CUPA Listings**
CERS

Relative:
Lower

Actual:
192 ft.

LUST:
Name: THRIFTY OIL #166
Address: 1820 S WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501439
Global Id: T0608501439
Latitude: 37.290357
Longitude: -121.948896
Status: Completed - Case Closed
Status Date: 06/17/1996
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501439
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)

THRIFTY OIL #166 (Continued) **S104541961**

Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501439
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501439
Action Type: ENFORCEMENT
Date: 05/21/1992
Action: Notice of Violation - #39530

Global Id: T0608501439
Action Type: Other
Date: 01/07/1987
Action: Leak Reported

Global Id: T0608501439
Action Type: RESPONSE
Date: 06/17/1996
Action: Other Report / Document

Global Id: T0608501439
Action Type: REMEDIATION
Date: 01/14/1987
Action: Excavation

Global Id: T0608501439
Action Type: REMEDIATION
Date: 01/14/1987
Action: Soil Vapor Extraction (SVE)

Global Id: T0608501439
Action Type: ENFORCEMENT
Date: 06/17/1996
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608501439
Status: Open - Case Begin Date
Status Date: 01/07/1987

Global Id: T0608501439
Status: Open - Site Assessment
Status Date: 11/08/1990

Global Id: T0608501439
Status: Open - Site Assessment

THRIFTY OIL #166 (Continued) **S104541961**

Status Date: 07/13/1992

Global Id: T0608501439
Status: Completed - Case Closed
Status Date: 06/17/1996

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W27R01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 11/8/1990
Pollution Characterization Began: 7/13/1992
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: THRIFTY OIL #166
Address: 1820 S WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W27R01F
Date Closed: 06/17/1996
EDR Link ID: 07S1W27R01F

HIST LUST SANTA CLARA:
Name: Thrifty Oil #166
Address: 1820 S Winchester Blvd
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W27R01
Oversite Agency: SCVWD
Date Listed: 1988-01-01 00:00:00
Closed Date: 1996-06-17 00:00:00

CERS HAZ WASTE:
Name: CAR TUNE AUTO CARE
Address: 1820 S WINCHESTER BL
City,State,Zip: CAMPBELL, CA 95008
Site ID: 102951
CERS ID: 10347973
CERS Description: Hazardous Waste Generator

CORTESE:
Name: THRIFTY OIL #166
Address: 1820 S WINCHESTER BLVD

THRIFTY OIL #166 (Continued) **S104541961**

City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608501439
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CUPA SANTA CLARA:

Name:	CAR TUNE AUTO CARE
Address:	1820 S WINCHESTER BL
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.290352
Longitude:	-121.949705
Record ID:	PR0375588
Facility ID:	FA0257058

Name:	CAR TUNE AUTO CARE
Address:	1820 S WINCHESTER BL
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2205
Program Description:	GENERATES 100 KG YR TO <5 TONS/YR
Latitude:	37.290352
Longitude:	-121.949705
Record ID:	PR0384057
Facility ID:	FA0261871

CERS:

Name:	THRIFTY OIL #166
Address:	1820 S WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	209301
CERS ID:	T0608501439
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP

THRIFTY OIL #166 (Continued) **S104541961**

Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Name:	CAR TUNE AUTO CARE
Address:	1820 S WINCHESTER BL
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	102951
CERS ID:	10347973
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	102951
Site Name:	CAR TUNE AUTO CARE
Violation Date:	05-05-2016
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to the air, soil, or surface water which could threaten human health or the environment..
Violation Notes:	Returned to compliance on 06/15/2016. Observed puddle of coolant on service bay floor. Maintain facility in a manner to minimize an unplanned release of hazardous waste to the environment.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	102951
Site Name:	CAR TUNE AUTO CARE
Violation Date:	05-05-2016
Citation:	22 CCR 16 66266.130 - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.130
Violation Description:	Failure to properly handle, manage, label, and recycle used oil and fuel filters.
Violation Notes:	Observed 2 x 55 gallon drums of use oil filters that had both metal and paper filters commingled. Paper filters cannot be recycled for their metal content and must be managed separately as hazardous waste.
Violation Division:	Santa Clara County Environmental Health
Violation Program:	HW
Violation Source:	CERS

THRIFTY OIL #166 (Continued) **S104541961**

Site ID: 102951
Site Name: CAR TUNE AUTO CARE
Violation Date: 05-05-2016
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: 1 x 220 gallon used oil tank was missing the start date 1 x 80 gallon used coolant tank was missing the start date 2 x 20 gallon used oil rollers had faded hazardous waste markings
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 102951
Site Name: CAR TUNE AUTO CARE
Violation Date: 05-05-2016
Citation: HSC 6.5 Multiple - California Health and Safety Code, Chapter 6.5, Section(s) Multiple
Violation Description: Haz Waste Generator Program - Administration/Documentation - General
Violation Notes: Returned to compliance on 06/15/2016. No disposal receipts for used coolant were available for review. Obtain and submit copies of used coolant receipts to my office.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 102951
Site Name: CAR TUNE AUTO CARE
Violation Date: 05-05-2016
Citation: HSC 6.5 Multiple Sections - California Health and Safety Code, Chapter 6.5, Section(s) Multiple Sections
Violation Description: Haz Waste Generator Program - Abandonment/Illegal Disposal/Unauthorized Treatment - General
Violation Notes: Returned to compliance on 06/15/2016. Observed 3 rags that were sitting in a drip pan of used coolant. Ensure that rags are not saturated before sending to commercial laundry or begin managing saturated rags as hazardous waste.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 102951
Site Name: CAR TUNE AUTO CARE
Violation Date: 05-05-2016
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: Returned to compliance on 06/15/2016. Per the Hazardous Waste Tracking System, EPA ID# CAL000283493 is inactive. Provided facility with DTSC form 1358 to reactivate EPA ID#.
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

THRIFTY OIL #166 (Continued) **S104541961**

Site ID: 102951
Site Name: CAR TUNE AUTO CARE
Violation Date: 05-05-2016
Citation: 22 CCR 16 66266.130 - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.130
Violation Description: Failure to properly handle, manage, label, and recycle used oil and fuel filters.
Violation Notes: 1 x 15 gallon drum of used oil filters was missing the lid
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Site ID: 102951
Site Name: CAR TUNE AUTO CARE
Violation Date: 05-05-2016
Citation: 22 CCR 16 66266.130 - California Code of Regulations, Title 22, Chapter 16, Section(s) 66266.130
Violation Description: Failure to properly handle, manage, label, and recycle used oil and fuel filters.
Violation Notes: Returned to compliance on 06/15/2016. 2 x 55 gallon drums of used oil filters were missing the start date 1 x 15 gallon drum of used oil filters was missing the start date
Violation Division: Santa Clara County Environmental Health
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-05-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: On site to conduct a routine hazardous waste inspection. Facility is an auto shop with 2 service bays. Observed the following wastes on site: 1 x 220 gallon tank of used oil 1 x 80 gallon tank of used coolant 2 x 20 gallon used oil rollers 2 x 55 gallon drums of used oil filters 1 x 15 gallon drum of used oil filters Fire extinguishers have had annual maintenance Emergency information is posted on site Rags are managed by Aramark Battery cores are exchanged at Allied Auto Container areas are inspected weekly No brake service is performed at facility. Tanks are inspected daily Mr. Vu has had hazardous waste management training
Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-15-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: On site to conduct a follow up inspection. Walked through and confirmed the following violations have been corrected from the 5/5/16 inspection: G110: Shop floor was free of any free flowing wastes, including the puddle of coolant noted in the 5/5/16 inspection report. G052: Disposal receipts were reviewed for used oil, used coolant, and used oil filters. G001: DTSC form 1358 was mailed 6/15/16 G020: 220 gallon used oil tank, and 80 gallon used coolant tank had start date markings. G412: 2 x 55 gallon drum of used of oil filters and 1 x 15

THRIFTY OIL #166 (Continued) **S104541961**

gallon drum of used oil filters had the start date marked. G430: Rag management practices have been revised so that rags do not get saturated during use. The following violations remain uncorrected: G020: 2 x 20 gallon used oil rollers were missing hazardous waste markings. G410: 2 x 55 gallon drums of used oil filters had paper and metal filters commingled. G413: 1 x 15 gallon drum of used oil filters was missing the [Truncated]

Eval Division: Santa Clara County Environmental Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-05-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5028
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-07-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5028
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-11-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 5028
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Parent Corporation
Entity Name: CAR TUNE AUTO CARE
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1820 S WINCHESTER BL
Affiliation City: CAMPBELL
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95008

THRIFTY OIL #166 (Continued) **S104541961**

Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	TRUONG, RICKY
Entity Title:	Not reported
Affiliation Address:	1820 S WINCHESTER BL
Affiliation City:	CAMPBELL
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95008
Affiliation Phone:	(408) 370-9575
Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Q96 **THRIFTY OIL** **HIST CORTESE** **S101303573**
WNW **1820 WINCHESTER** **N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.291 mi.
1537 ft. **Site 2 of 2 in cluster Q**

Relative: **Lower**
Actual: **192 ft.**

HIST CORTESE:

edr_fname:	THRIFTY OIL
edr_fadd1:	1820 WINCHESTER
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1469

R97 **FIRE-MATIC SYSTEMS, INC.** **LUST** **S103881260**
SSE **190 DILLON AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.316 mi. **HIST CORTESE**
1666 ft. **Site 1 of 2 in cluster R** **CERS**

Relative: **Higher**
Actual: **203 ft.**

LUST:

Name:	FIRE-MATIC SYSTEMS, INC.
Address:	190 DILLON AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501598
Global Id:	T0608501598
Latitude:	37.2865420602228
Longitude:	-121.940785646439
Status:	Completed - Case Closed
Status Date:	11/06/1990

FIRE-MATIC SYSTEMS, INC. (Continued) **S103881260**

Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501598
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501598
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501598
Action Type: RESPONSE
Date: 07/09/1990
Action: Other Report / Document

Global Id: T0608501598
Action Type: ENFORCEMENT
Date: 11/13/1990
Action: Notice of Responsibility - #39450

Global Id: T0608501598
Action Type: ENFORCEMENT
Date: 11/06/1990
Action: Closure/No Further Action Letter

Global Id: T0608501598
Action Type: Other
Date: 09/18/1989
Action: Leak Reported

Global Id: T0608501598
Action Type: REMEDIATION
Date: 09/18/1989
Action: Excavation

Global Id: T0608501598
Action Type: RESPONSE
Date: 09/13/1989

FIRE-MATIC SYSTEMS, INC. (Continued) **S103881260**

Action: Tank Removal Report / UST Sampling Report

LUST:
Global Id: T0608501598
Status: Open - Case Begin Date
Status Date: 09/18/1989

Global Id: T0608501598
Status: Open - Site Assessment
Status Date: 10/25/1990

Global Id: T0608501598
Status: Completed - Case Closed
Status Date: 11/06/1990

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W35C02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 10/25/1990
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: FIRE-MATIC SYSTEMS, INC.
Address: 190 DILLON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35C02F
Date Closed: 11/06/1990
EDR Link ID: 07S1W35C02F

HIST LUST SANTA CLARA:
Name: Fire-Matic Systems, Inc.
Address: 190 Dillon Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W35C02
Oversite Agency: SCVWD
Date Listed: 1990-01-01 00:00:00
Closed Date: 1990-11-06 00:00:00

CORTESE:
Name: FIRE-MATIC SYSTEMS, INC.

FIRE-MATIC SYSTEMS, INC. (Continued) **S103881260**

Address:	190 DILLON AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608501598
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	FIRE MATIC SYSTEMS INC
edr_fadd1:	190 DILLON
City,State,Zip:	CAMPBELL, CA
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1647

CERS:

Name:	FIRE-MATIC SYSTEMS, INC.
Address:	190 DILLON AVE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	188550
CERS ID:	T0608501598
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND

FIRE-MATIC SYSTEMS, INC. (Continued) **S103881260**

Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

S98 **ARCO #6147** **LUST** **S103640144**
WSW **2015 WINCHESTER BLVD** **CHMIRS** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **HIST CORTESE**
0.321 mi. **CERS**
1695 ft. **Site 1 of 3 in cluster S**

Relative:
Higher

Actual:
199 ft.

LUST:
Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608554641
Global Id: T0608554641
Latitude: 37.286683
Longitude: -121.950259
Status: Completed - Case Closed
Status Date: 04/07/2005
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608554641
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608554641
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608554641
Action Type: RESPONSE
Date: 02/06/2004
Action: Other Report / Document

ARCO #6147 (Continued) **S103640144**

Global Id: T0608554641
Action Type: RESPONSE
Date: 12/05/2005
Action: Well Destruction Report

Global Id: T0608554641
Action Type: RESPONSE
Date: 01/20/2003
Action: Unauthorized Release Form

Global Id: T0608554641
Action Type: RESPONSE
Date: 03/11/2002
Action: Soil and Water Investigation Report

Global Id: T0608554641
Action Type: RESPONSE
Date: 08/30/2003
Action: Soil and Water Investigation Workplan

Global Id: T0608554641
Action Type: RESPONSE
Date: 06/11/2003
Action: Correspondence

Global Id: T0608554641
Action Type: RESPONSE
Date: 11/28/2003
Action: Preliminary Site Assessment Report

Global Id: T0608554641
Action Type: RESPONSE
Date: 11/09/2001
Action: Preliminary Site Assessment Workplan

Global Id: T0608554641
Action Type: RESPONSE
Date: 02/11/2004
Action: Other Report / Document

Global Id: T0608554641
Action Type: ENFORCEMENT
Date: 09/03/2003
Action: Staff Letter - #42075

Global Id: T0608554641
Action Type: ENFORCEMENT
Date: 06/11/2003
Action: Staff Letter - #41545

Global Id: T0608554641
Action Type: RESPONSE
Date: 05/31/2004
Action: Monitoring Report - Quarterly

Global Id: T0608554641
Action Type: RESPONSE

ARCO #6147 (Continued) **S103640144**

Date: 11/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608554641
Action Type: RESPONSE
Date: 08/30/2003
Action: Monitoring Report - Quarterly

Global Id: T0608554641
Action Type: RESPONSE
Date: 08/30/2003
Action: Soil and Water Investigation Workplan

Global Id: T0608554641
Action Type: ENFORCEMENT
Date: 04/07/2005
Action: Closure/No Further Action Letter

Global Id: T0608554641
Action Type: Other
Date: 03/11/2002
Action: Leak Reported

Global Id: T0608554641
Action Type: RESPONSE
Date: 02/29/2004
Action: Monitoring Report - Quarterly

Global Id: T0608554641
Action Type: REMEDIATION
Date: 11/01/2002
Action: Excavation

Global Id: T0608554641
Action Type: RESPONSE
Date: 02/06/2004
Action: Preliminary Site Assessment Report

Global Id: T0608554641
Action Type: RESPONSE
Date: 08/30/2003
Action: Preliminary Site Assessment Workplan

Global Id: T0608554641
Action Type: RESPONSE
Date: 12/19/2002
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608554641
Action Type: RESPONSE
Date: 02/18/2005
Action: Monitoring Report - Quarterly

Global Id: T0608554641
Action Type: RESPONSE
Date: 02/27/2004
Action: Correspondence

ARCO #6147 (Continued) **S103640144**

LUST:
Global Id: T0608554641
Status: Open - Case Begin Date
Status Date: 09/17/2001

Global Id: T0608554641
Status: Open - Site Assessment
Status Date: 09/17/2001

Global Id: T0608554641
Status: Open - Site Assessment
Status Date: 06/11/2003

Global Id: T0608554641
Status: Completed - Case Closed
Status Date: 04/07/2005

Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500167
Global Id: T0608500167
Latitude: 37.2867896047277
Longitude: -121.950280666351
Status: Completed - Case Closed
Status Date: 07/02/1991
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608500167
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500167
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

ARCO #6147 (Continued) **S103640144**

LUST:
Global Id: T0608500167
Action Type: RESPONSE
Date: 07/13/1990
Action: Other Report / Document

Global Id: T0608500167
Action Type: ENFORCEMENT
Date: 01/12/1991
Action: Notice of Responsibility - #39543

Global Id: T0608500167
Action Type: ENFORCEMENT
Date: 07/02/1991
Action: Closure/No Further Action Letter

Global Id: T0608500167
Action Type: Other
Date: 01/15/1988
Action: Leak Reported

Global Id: T0608500167
Action Type: REMEDIATION
Date: 01/15/1988
Action: Excavation

LUST:
Global Id: T0608500167
Status: Open - Case Begin Date
Status Date: 01/05/1988

Global Id: T0608500167
Status: Open - Site Assessment
Status Date: 01/05/1988

Global Id: T0608500167
Status: Completed - Case Closed
Status Date: 07/02/1991

LUST SANTA CLARA:
Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W34A03F
Date Closed: 04/07/2005
EDR Link ID: 07S1W34A03F

Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W34A01F
Date Closed: 07/02/1991
EDR Link ID: 07S1W34A01F

ARCO #6147 (Continued) **S103640144**

CHMIRS:

Name:	Not reported
Address:	2015 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 90623
OES Incident Number:	2-0981
OES notification:	02/20/2002
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	Unknown
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Unknown
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	2002
Agency:	NRC
Incident Date:	2/5/200212:00:00 AM
Admin Agency:	Santa Clara County Health Department
Amount:	Not reported
Contained:	Unknown
Site Type:	Service Station
E Date:	Not reported
Substance:	Gasoline
Gallons:	0.000000
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	0

ARCO #6147 (Continued) **S103640144**

Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	The report stated contamination was discovered in the soil during subsurface investigation.

HIST CORTESE:

edr_fname:	ARCO
edr_fadd1:	2015 WINCHESTER
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0099

CERS:

Name:	ARCO #6147
Address:	2015 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	193678
CERS ID:	T0608500167
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Coordinates:

Site ID:	193678
Facility Name:	ARCO #6147
Env Int Type Code:	LUSTCS
Program ID:	T0608500167
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.286790
Longitude:	-121.950280

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported

ARCO #6147 (Continued) **S103640144**

Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Site ID: 193678
CERS ID: T0608554641
CERS Description: Leaking Underground Storage Tank Cleanup Site

Coordinates:
Site ID: 193678
Facility Name: ARCO #6147
Env Int Type Code: LUSTCS
Program ID: T0608500167
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.286790
Longitude: -121.950280

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

S99 **ARCO #6147** **LUST** **S101594490**
WSW **2015 WINCHESTER BLVD** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **SWEEPS UST**
0.321 mi. **CA FID UST**
1695 ft. **Site 2 of 3 in cluster S** **Cortese**

Relative: **Higher**
Actual: **199 ft.**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W34A01f

ARCO #6147 (Continued) **S101594490**

How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 1/5/1988
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

Region: 2
Facility Id: Not reported
Facility Status: Pollution Characterization
Case Number: 07S1W34A03f
How Discovered: Subsurface Monitoring
Leak Cause: Unknown
Leak Source: Unknown
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 9/17/2001
Pollution Characterization Began: 6/11/2003
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: ARCO #6147
Address: 2015 Winchester Blvd
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W34A01
Oversite Agency: SCVWD
Date Listed: 1989-01-01 00:00:00
Closed Date: 1991-07-02 00:00:00

Name: ARCO #6147
Address: 2015 Winchester Blvd
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W34A03
Oversite Agency: SCVWD
Date Listed: 2002-08-15 00:00:00
Closed Date: Not reported

SWEEPS UST:
Name: ARCO FACILITY #6147
Address: 2015 WINCHESTER BLVD
City: CAMPBELL
Status: Active
Comp Number: 51085
Number: 2

ARCO #6147 (Continued) **S101594490**

Board Of Equalization: 44-000506
Referral Date: 02-01-92
Action Date: 07-08-92
Created Date: 04-04-91
Owner Tank Id: 1-UNL-R
SWRCB Tank Id: 43-008-051085-000001
Tank Status: A
Capacity: 12000
Active Date: 07-09-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 3

Name: ARCO FACILITY #6147
Address: 2015 WINCHESTER BLVD
City: CAMPBELL
Status: Active
Comp Number: 51085
Number: 2
Board Of Equalization: 44-000506
Referral Date: 02-01-92
Action Date: 07-08-92
Created Date: 04-04-91
Owner Tank Id: 2-UNL-R
SWRCB Tank Id: 43-008-051085-000002
Tank Status: A
Capacity: 12000
Active Date: 07-09-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ARCO FACILITY #6147
Address: 2015 WINCHESTER BLVD
City: CAMPBELL
Status: Active
Comp Number: 51085
Number: 2
Board Of Equalization: 44-000506
Referral Date: 02-01-92
Action Date: 07-08-92
Created Date: 04-04-91
Owner Tank Id: 3-UNL-P
SWRCB Tank Id: 43-008-051085-000003
Tank Status: A
Capacity: 12000
Active Date: 07-09-92
Tank Use: M.V. FUEL
STG: P
Content: PRM UNLEADED
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 43001887
Regulated By: UTNKA

ARCO #6147 (Continued) **S101594490**

Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083700934
Mail To: Not reported
Mailing Address: 17315 STUDEBAKER RD
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CORTESE:
Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608554641
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

Name: ARCO #6147
Address: 2015 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500167
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported

ARCO #6147 (Continued) **S101594490**

Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

S100 ARCO SERVICE STATION #6147 **Notify 65** **S100179012**
WSW 2015 WINCHESTER BOULEVARD **N/A**
1/4-1/2 CAMPBELL, CA 93040
0.321 mi.
1695 ft. **Site 3 of 3 in cluster S**

Relative: NOTIFY 65:
Higher

Actual: | | |
|---|---|
| **199 ft.** Name: | ARCO SERVICE STATION #6147 |
| Address: | 2015 WINCHESTER BOULEVARD |
| City,State,Zip: | CAMPBELL, CA 93040 |
| Date Reported: | Not reported |
| Staff Initials: | Not reported |
| Board File Number: | Not reported |
| Facility Type: | Not reported |
| Discharge Date: | Not reported |
| Issue Date: | Not reported |
| Incident Description: | Not reported |
| Global ID: | Not reported |
| Status: | Not reported |

T101 RAILWAY DISTRIBUTING INC. **CPS-SLIC** **S118406223**
South 261-264 RAILWAY AVENUE **CERS** **N/A**
1/4-1/2 CAMPBELL, CA 95008
0.334 mi.
1765 ft. **Site 1 of 2 in cluster T**

Relative: CPS-SLIC:
Higher

Actual: | | |
|---|---|
| **207 ft.** Name: | RAILWAY DISTRIBUTING INC. |
| Address: | 261-264 RAILWAY AVENUE |
| City,State,Zip: | CAMPBELL, CA 95008 |
| Region: | STATE |
| **Facility Status:** | **Completed - Case Closed** |
| Status Date: | 12/05/2017 |
| Global Id: | T10000008088 |
| Lead Agency: | SAN FRANCISCO BAY RWQCB (REGION 2) |
| Lead Agency Case Number: | Not reported |
| Latitude: | 37.2836778000742 |
| Longitude: | -121.94455087368 |
| Case Type: | Cleanup Program Site |
| Case Worker: | UUU |
| Local Agency: | Not reported |
| RB Case Number: | 43S0755 |
| File Location: | All Files are on GeoTracker or in the Local Agency Database |
| Potential Media Affected: | Soil |
| Potential Contaminants of Concern: | Waste Oil / Motor / Hydraulic / Lubricating |
| Site History: | Shallow oil and grease contamination from former rail yard and |

RAILWAY DISTRIBUTING INC. (Continued) **S118406223**

maintenance facility reported in early 1990s. Upon redevelopment, environmental sampling (soil vapor) was conducted. No contamination was found. Case closure was issued on December 5, 2017.

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	RAILWAY DISTRIBUTING INC.
Address:	261-264 RAILWAY AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	361374
CERS ID:	T10000008088
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

R102 **DILLON AVENUE PROPERTY** **CPS-SLIC S113888533**
SSE **230, 280 & 282 DILLON AVENUE** **CERS N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.338 mi.
1786 ft. **Site 2 of 2 in cluster R**

Relative:
Higher

Actual:
200 ft.

CPS-SLIC:

Name:	DILLON AVENUE PROPERTY
Address:	230, 280 & 282 DILLON AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	11/18/2014
Global Id:	T10000005138
Lead Agency:	SANTA CLARA COUNTY LOP
Lead Agency Case Number:	07S1W35C06s
Latitude:	37.2837660064729
Longitude:	-121.942405998425
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Soil
Potential Contaminants of Concern:	Polychlorinated biphenyls (PCBs), Other Insecticides / Pesticide / Fumigants / Herbicides, Arsenic, Lead, Zinc, Diesel, Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Subsurface investigation found historic on-site solid waste disposal (rusted can lids, metal pipes, other metal objects, glass bottles, sheet metal, metal conduit and broken chunks of reinforced concrete) on the largest parcel 412-08-035. Proposed to remove solid waste and impacted soil prior to redevelopment of property for residential use.

DILLON AVENUE PROPERTY (Continued) **S113888533**

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	DILLON AVENUE PROPERTY
Address:	230, 280 & 282 DILLON AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	254826
CERS ID:	T10000005138
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

U103 **ROTTEN ROBBIE #3** **LUST** **S101594457**
North **370 E HAMILTON AVE** **SWEEPS UST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **CA FID UST**
0.345 mi. **CHMIRS**
1822 ft. **Site 1 of 6 in cluster U** **CUPA Listings**
CERS

Relative:
Lower

Actual:
188 ft.

LUST:

Name:	ROTTEN ROBBIE #03
Address:	370 E HAMILTON AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501136
Global Id:	T0608501136
Latitude:	37.2942
Longitude:	-121.94195
Status:	Completed - Case Closed
Status Date:	06/02/2000
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608501136
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND

ROTTEN ROBBIE #3 (Continued) **S101594457**

Email: Not reported
Phone Number: Not reported

Global Id: T0608501136
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608501136
Action Type: RESPONSE
Date: 09/18/1992
Action: Other Report / Document

Global Id: T0608501136
Action Type: RESPONSE
Date: 08/15/2003
Action: Soil and Water Investigation Report

Global Id: T0608501136
Action Type: RESPONSE
Date: 03/19/2003
Action: Other Workplan

Global Id: T0608501136
Action Type: RESPONSE
Date: 04/26/2000
Action: Other Report / Document

Global Id: T0608501136
Action Type: RESPONSE
Date: 02/18/1992
Action: Other Report / Document

Global Id: T0608501136
Action Type: RESPONSE
Date: 10/24/1991
Action: Soil and Water Investigation Workplan

Global Id: T0608501136
Action Type: RESPONSE
Date: 11/06/2000
Action: Other Report / Document

Global Id: T0608501136
Action Type: RESPONSE
Date: 02/03/1997
Action: Soil and Water Investigation Report

Global Id: T0608501136
Action Type: RESPONSE
Date: 04/05/1996
Action: Monitoring Report - Quarterly

ROTTEN ROBBIE #3 (Continued) **S101594457**

Global Id: T0608501136
Action Type: RESPONSE
Date: 12/02/1995
Action: Monitoring Report - Quarterly

Global Id: T0608501136
Action Type: RESPONSE
Date: 10/12/1995
Action: Monitoring Report - Quarterly

Global Id: T0608501136
Action Type: RESPONSE
Date: 07/12/1995
Action: Other Report / Document

Global Id: T0608501136
Action Type: RESPONSE
Date: 05/05/1995
Action: Soil and Water Investigation Report

Global Id: T0608501136
Action Type: RESPONSE
Date: 12/19/1994
Action: Soil and Water Investigation Workplan

Global Id: T0608501136
Action Type: RESPONSE
Date: 02/13/1992
Action: Soil and Water Investigation Report

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 09/04/1991
Action: Notice of Responsibility - #39518

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 11/03/2000
Action: Staff Letter - #21687

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 01/20/1997
Action: Staff Letter - #21685

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 06/02/2000
Action: Closure/No Further Action Letter

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 02/11/1992
Action: Staff Letter - #21668

Global Id: T0608501136
Action Type: ENFORCEMENT

ROTTEN ROBBIE #3 (Continued) **S101594457**

Date: 03/25/1996
Action: Staff Letter - #21682

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 12/18/1995
Action: Staff Letter - #21680

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 09/11/1995
Action: Staff Letter - #21678

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 06/30/1995
Action: Staff Letter - #21676

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 05/03/1995
Action: Staff Letter - #21674

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 12/16/1994
Action: Staff Letter - #21670

Global Id: T0608501136
Action Type: ENFORCEMENT
Date: 10/22/1991
Action: Staff Letter - #21664

Global Id: T0608501136
Action Type: Other
Date: 02/26/1988
Action: Leak Reported

Global Id: T0608501136
Action Type: REMEDIATION
Date: 02/26/1988
Action: Excavation

Global Id: T0608501136
Action Type: RESPONSE
Date: 11/09/1992
Action: Other Report / Document

LUST:
Global Id: T0608501136
Status: Open - Case Begin Date
Status Date: 02/26/1988

Global Id: T0608501136
Status: Open - Site Assessment
Status Date: 07/30/1991

ROTTEN ROBBIE #3 (Continued) **S101594457**

Global Id: T0608501136
Status: Completed - Case Closed
Status Date: 06/02/2000

LUST SANTA CLARA:
Name: ROTTEN ROBBIE #03
Address: 370 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26L02F
Date Closed: 06/02/2000
EDR Link ID: 07S1W26L02F

SWEEPS UST:
Name: ROTTEN ROBBIE #3
Address: 370 E HAMILTON AVE
City: CAMPBELL
Status: Active
Comp Number: 51084
Number: 1
Board Of Equalization: Not reported
Referral Date: 04-04-91
Action Date: 04-04-91
Created Date: 04-04-91
Owner Tank Id: C-01
SWRCB Tank Id: 43-008-051084-000001
Tank Status: A
Capacity: 10000
Active Date: 04-04-91
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: 5

Name: ROTTEN ROBBIE #3
Address: 370 E HAMILTON AVE
City: CAMPBELL
Status: Active
Comp Number: 51084
Number: 1
Board Of Equalization: Not reported
Referral Date: 04-04-91
Action Date: 04-04-91
Created Date: 04-04-91
Owner Tank Id: C-01
SWRCB Tank Id: 43-008-051084-000002
Tank Status: A
Capacity: 12000
Active Date: 04-04-91
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: ROTTEN ROBBIE #3

ROTTEN ROBBIE #3 (Continued) **S101594457**

Address:	370 E HAMILTON AVE
City:	CAMPBELL
Status:	Active
Comp Number:	51084
Number:	1
Board Of Equalization:	Not reported
Referral Date:	04-04-91
Action Date:	04-04-91
Created Date:	04-04-91
Owner Tank Id:	C-01
SWRCB Tank Id:	43-008-051084-000003
Tank Status:	A
Capacity:	6000
Active Date:	04-04-91
Tank Use:	M.V. FUEL
STG:	P
Content:	GASHOL
Number Of Tanks:	Not reported

Name:	ROTTEN ROBBIE #3
Address:	370 E HAMILTON AVE
City:	CAMPBELL
Status:	Active
Comp Number:	51084
Number:	1
Board Of Equalization:	Not reported
Referral Date:	04-04-91
Action Date:	04-04-91
Created Date:	04-04-91
Owner Tank Id:	C-01
SWRCB Tank Id:	43-008-051084-000004
Tank Status:	A
Capacity:	12000
Active Date:	04-04-91
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	Not reported

Name:	ROTTEN ROBBIE #3
Address:	370 E HAMILTON AVE
City:	CAMPBELL
Status:	Active
Comp Number:	51084
Number:	1
Board Of Equalization:	Not reported
Referral Date:	04-04-91
Action Date:	04-04-91
Created Date:	04-04-91
Owner Tank Id:	C-01
SWRCB Tank Id:	43-008-051084-000005
Tank Status:	A
Capacity:	6000
Active Date:	04-04-91
Tank Use:	M.V. FUEL
STG:	P
Content:	KEROSENE

ROTTEN ROBBIE #3 (Continued) **S101594457**

Number Of Tanks: Not reported

CA FID UST:
Facility ID: 43001186
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4083783611
Mail To: Not reported
Mailing Address: 4250 WILLIAMS RD
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CHMIRS:
Name: Not reported
Address: 370 E HAMILTON AV
City,State,Zip: CAMPBELL, CA
OES Incident Number: 8-2998
OES notification: 06/30/1998
OES Date: Not reported
OES Time: Not reported
Date Completed: Not reported
Property Use: Not reported
Agency Id Number: Not reported
Agency Incident Number: Not reported
Time Notified: Not reported
Time Completed: Not reported
Surrounding Area: Not reported
Estimated Temperature: Not reported
Property Management: Not reported
More Than Two Substances Involved?: Not reported
Resp Agncy Personel # Of Decontaminated: Not reported
Responding Agency Personel # Of Injuries: Not reported
Responding Agency Personel # Of Fatalities: Not reported
Others Number Of Decontaminated: Not reported
Others Number Of Injuries: Not reported
Others Number Of Fatalities: Not reported
Vehicle Make/year: Not reported
Vehicle License Number: Not reported
Vehicle State: Not reported
Vehicle Id Number: Not reported
CA DOT PUC/ICC Number: Not reported
Company Name: Not reported
Reporting Officer Name/ID: Not reported
Report Date: Not reported
Facility Telephone: Not reported
Waterway Involved: No
Waterway: Not reported

ROTTEN ROBBIE #3 (Continued) **S101594457**

Spill Site:	Not reported
Cleanup By:	Responsible Party
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	1998
Agency:	Santa Clara Fire
Incident Date:	6/30/199812:00:00 AM
Admin Agency:	Santa Clara County Health Department
Amount:	Not reported
Contained:	Yes
Site Type:	Service Station
E Date:	Not reported
Substance:	gasoline
Gallons:	15
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	0
Number of Injuries:	1
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	Controlled with absorbant, did not flow into any storm drains. Filter on line broke, wrong shutoff switch had been thrown.

CUPA SANTA CLARA:

Name:	ROTTEN ROBBIE #3
Address:	370 E HAMILTON AV
City,State,Zip:	CAMPBELL, CA 95008
Region:	SANTA CLARA
PE#:	2202
Program Description:	GENERATES < 100 KG/YR
Latitude:	37.294166
Longitude:	-121.943449
Record ID:	PR0375362
Facility ID:	FA0250729

CERS:

Name:	ROTTEN ROBBIE #03
Address:	370 E HAMILTON AVE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	195906
CERS ID:	T0608501136

ROTTEN ROBBIE #3 (Continued) **S101594457**

CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

U104 **ROTTEN ROBBIE #03** **LUST** **S103881239**
North **370 E HAMILTON AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.345 mi.
1822 ft. **Site 2 of 6 in cluster U**

Relative:
Lower

Actual:
188 ft.

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26L02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 7/30/1991
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Rotten Robbie #03
Address: 370 E Hamilton Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26L02
Oversite Agency: SCVWD
Date Listed: 1989-01-01 00:00:00
Closed Date: 2000-06-02 00:00:00

ROTTEN ROBBIE #03 (Continued) **S103881239**

CORTESE:

Name:	ROTTEN ROBBIE #03
Address:	370 E HAMILTON AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608501136
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

V105 **CAMPBELL CITY SERVICE CENTER** **LUST** **U001600899**
South **290 DILLON AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **HIST UST**
0.353 mi. **Cortese**
1864 ft. **Site 1 of 2 in cluster V**

Relative: Higher

Actual: 204 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1W35F01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	6/19/1989
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Campbell City Service Center
Address:	290 Dillon Ave
City:	Campbell
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1W35F01
Oversite Agency:	SCVWD

CAMPBELL CITY SERVICE CENTER (Continued) **U001600899**

Date Listed: 1989-01-01 00:00:00
Closed Date: 1999-01-07 00:00:00

HIST UST:

Name:	SERVICE CENTER
Address:	290 DILLON AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000023280
Facility Type:	Other
Other Type:	SERVICE YARD
Contact Name:	ROBERT DIAZ, P.W. SUPT.
Telephone:	4088662145
Owner Name:	CITY OF CAMPBELL
Owner Address:	70 N. FIRST STREET
Owner City,St,Zip:	CAMPBELL, CA 95008
Total Tanks:	0005
Tank Num:	001
Container Num:	01
Year Installed:	1969
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	02
Year Installed:	1969
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Pressure Test
Tank Num:	003
Container Num:	03
Year Installed:	1969
Tank Capacity:	00001000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	Pressure Test
Tank Num:	004
Container Num:	04
Year Installed:	1969
Tank Capacity:	00000250
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	005

CAMPBELL CITY SERVICE CENTER (Continued) **U001600899**

Container Num:	05
Year Installed:	1970
Tank Capacity:	00000200
Tank Used for:	WASTE
Type of Fuel:	Not reported
Container Construction Thickness:	4
Leak Detection:	None

CORTESE:

Name:	CAMPBELL CITY SERVICE CENTER
Address:	290 DILLON AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608500299
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

V106 **CAMPBELL CITY SERVICE CEN** **LUST** **S100234499**
South **290 DILLON** **HIST CORTESE** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **CERS**
0.353 mi.
1864 ft. **Site 2 of 2 in cluster V**

Relative:
Higher

Actual:
204 ft.

LUST:

Name:	CAMPBELL CITY SERVICE CENTER
Address:	290 DILLON AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500299
Global Id:	T0608500299
Latitude:	37.28534
Longitude:	-121.94082
Status:	Completed - Case Closed
Status Date:	01/07/1999
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported

CAMPBELL CITY SERVICE CEN (Continued) **S100234499**

Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608500299
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500299
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608500299
Action Type: ENFORCEMENT
Date: 01/07/1999
Action: Closure/No Further Action Letter

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/31/1989
Action: Other Report / Document

Global Id: T0608500299
Action Type: ENFORCEMENT
Date: 06/19/1989
Action: Notice of Responsibility - #39452

Global Id: T0608500299
Action Type: ENFORCEMENT
Date: 06/19/1989
Action: Staff Letter - #21491

Global Id: T0608500299
Action Type: ENFORCEMENT
Date: 07/10/1998
Action: Staff Letter - #21495

Global Id: T0608500299
Action Type: ENFORCEMENT
Date: 10/23/1998
Action: Staff Letter - #21497

Global Id: T0608500299
Action Type: RESPONSE
Date: 09/01/1989

CAMPBELL CITY SERVICE CEN (Continued) **S100234499**

Action: Soil and Water Investigation Workplan

Global Id: T0608500299
Action Type: RESPONSE
Date: 09/11/1998
Action: Soil and Water Investigation Workplan

Global Id: T0608500299
Action Type: RESPONSE
Date: 07/31/1997
Action: Other Report / Document

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/07/1999
Action: Other Report / Document

Global Id: T0608500299
Action Type: Other
Date: 08/19/1988
Action: Leak Reported

Global Id: T0608500299
Action Type: RESPONSE
Date: 12/16/1998
Action: Soil and Water Investigation Report

Global Id: T0608500299
Action Type: RESPONSE
Date: 12/28/1998
Action: Other Report / Document

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/07/1999
Action: Other Report / Document

Global Id: T0608500299
Action Type: RESPONSE
Date: 10/17/1998
Action: Other Report / Document

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/01/1987
Action: Other Report / Document

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/01/1989
Action: Other Report / Document

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/07/1999
Action: Other Report / Document

CAMPBELL CITY SERVICE CEN (Continued) **S100234499**

Global Id: T0608500299
Action Type: RESPONSE
Date: 01/01/1987
Action: Other Report / Document

Global Id: T0608500299
Action Type: ENFORCEMENT
Date: 06/06/1997
Action: Staff Letter - #21493

Global Id: T0608500299
Action Type: RESPONSE
Date: 10/21/1998
Action: Other Report / Document

Global Id: T0608500299
Action Type: REMEDIATION
Date: 04/01/1987
Action: Excavation

LUST:
Global Id: T0608500299
Status: Open - Case Begin Date
Status Date: 08/19/1988

Global Id: T0608500299
Status: Open - Site Assessment
Status Date: 06/19/1989

Global Id: T0608500299
Status: Completed - Case Closed
Status Date: 01/07/1999

LUST SANTA CLARA:
Name: CAMPBELL CITY SERVICE CENTER
Address: 290 DILLON AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35F01F
Date Closed: 01/07/1999
EDR Link ID: 07S1W35F01F

HIST CORTESE:
edr_fname: CAMPBELL CITY SERVICE CEN
edr_fadd1: 290 DILLON
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0240

CERS:
Name: CAMPBELL CITY SERVICE CENTER
Address: 290 DILLON AVE

CAMPBELL CITY SERVICE CEN (Continued) **S100234499**

City,State,Zip: CAMPBELL, CA 95008
Site ID: 212108
CERS ID: T0608500299
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

U107 **ROTTEN ROBBIE** **HIST CORTESE** **S102436050**
North **370 HAMILTON** **N/A**
1/4-1/2 **CAMPBELL, CA**
0.354 mi.
1867 ft. **Site 3 of 6 in cluster U**

Relative: HIST CORTESE:
Lower
Actual: edr_fname: ROTTEN ROBBIE
188 ft. edr_fadd1: 370 HAMILTON
City,State,Zip: CAMPBELL, CA
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1146

U108 **SUMMERHILL HOMES** **CPS-SLIC** **S118504720**
NNE **HARRISON AVENUE** **CERS** **N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.363 mi.
1916 ft. **Site 4 of 6 in cluster U**

Relative: CPS-SLIC:
Lower
Actual: Name: SUMMERHILL HOMES
187 ft. Address: HARRISON AVENUE
City,State,Zip: CAMPBELL, CA 95008
Region: STATE
Facility Status: **Completed - Case Closed**
Status Date: 12/17/2015
Global Id: T10000008184
Lead Agency: SAN FRANCISCO BAY RWQCB (REGION 2)

SUMMERHILL HOMES (Continued) **S118504720**

Lead Agency Case Number:	Not reported
Latitude:	37.29422
Longitude:	-121.94254
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	43S0957
File Location:	Regional Board
Potential Media Affected:	Soil
Potential Contaminants of Concern:	Lead, Total Petroleum Hydrocarbons (TPH)
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	SUMMERHILL HOMES
Address:	HARRISON AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	362157
CERS ID:	T10000008184
CERS Description:	Cleanup Program Site

W109 **ROTTON ROBBIE #27** **LUST** **S105512807**
SW **2140 WINCHESTER BLVD** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.370 mi.
1956 ft. **Site 1 of 3 in cluster W**

Relative:
Higher

Actual:
204 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Preliminary site assessment underway
Case Number:	07S1W35D01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	2/20/2001
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Rotton Robbie #27
Address:	2140 Winchester Blvd
City:	Campbell
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1W35D01
Oversite Agency:	SCVWD
Date Listed:	2000-12-26 00:00:00
Closed Date:	2004-10-12 00:00:00

ROTTON ROBBIE #27 (Continued) **S105512807**

CORTESE:

Name:	ROTTON ROBBIE #27
Address:	2140 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608520597
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

W110 **ROTTEN ROBBIE #27** **Cortese** **S113041327**
SW **2140 WINCHESTER BLVD** **HAZNET** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **HWTS**
0.370 mi.
1956 ft. **Site 2 of 3 in cluster W**

Relative:
Higher

Actual:
204 ft.

CORTESE:

Name:	ROTTEN ROBBIE #27
Address:	2140 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608501129
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

ROTTEN ROBBIE #27 (Continued) **S113041327**

HAZNET:

Name:	ROTTEN ROBBIE #27
Address:	2140 WINCHESTER BLVD
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 950502608
Contact:	TAMMY THACKER
Telephone:	4083274349
Mailing Name:	Not reported
Mailing Address:	955 MARTIN AVENUE
Year:	2019
Gepaid:	CAL000048070
TSD EPA ID:	NVD980895338
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.18150
Year:	2019
Gepaid:	CAL000048070
TSD EPA ID:	NVD980895338
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.09000
Year:	2018
Gepaid:	CAL000048070
TSD EPA ID:	NVD980895338
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.02500
Year:	2006
Gepaid:	CAL000048070
TSD EPA ID:	CAL000190816
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	R01 - Recycler
Tons:	0.152
Year:	2005
Gepaid:	CAL000048070
TSD EPA ID:	CAD982444481
CA Waste Code:	352 - Other organic solids
Disposal Method:	R01 - Recycler
Tons:	0.045
Year:	2005
Gepaid:	CAL000048070
TSD EPA ID:	CAD982444481
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	T01 - Treatment, Tank
Tons:	0.0252
Year:	2004

ROTTEN ROBBIE #27 (Continued) **S113041327**

Gepaid: CAL000048070
TSD EPA ID: CAD008364432
CA Waste Code: 352 - Other organic solids
Disposal Method: H01 - Transfer Station
Tons: 0.0375

Year: 1994
Gepaid: CAL000048070
TSD EPA ID: CAD004771168
CA Waste Code: 512 - Other empty containers 30 gallons or more
Disposal Method: R01 - Recycler
Tons: 18

Year: 1994
Gepaid: CAL000048070
TSD EPA ID: CAD083166728
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: R01 - Recycler
Tons: 4.17

Year: 1991
Gepaid: CAL000048070
TSD EPA ID: CAD980887418
CA Waste Code: 221 - Waste oil and mixed oil
Disposal Method: R01 - Recycler
Tons: 0.4587

Click this hyperlink while viewing on your computer to access additional CA HAZNET: detail in the EDR Site Report.

Additional Info:
Year: 1994
Gen EPA ID: CAL000048070

Shipment Date: 19940621
Creation Date: 3/26/1996 0:00:00
Receipt Date: 19940621
Manifest ID: 92218261
Trans EPA ID: CAD004771168
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD004771168
Trans Name: Not reported
TSDF Alt EPA ID: CAD004771168
TSDF Alt Name: Not reported
Waste Code Description: 512 - Other empty containers 30 gallons or more
RCRA Code: Not reported
Meth Code: R01 - Recycler
Quantity Tons: 6
Waste Quantity: 12000
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported

ROTTEN ROBBIE #27 (Continued) **S113041327**

Additional Code 5:	Not reported
Shipment Date:	19940621
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940621
Manifest ID:	92218262
Trans EPA ID:	CAD004771168
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD004771168
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD004771168
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	5
Waste Quantity:	10000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940621
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940621
Manifest ID:	92218262
Trans EPA ID:	CAD004771168
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD004771168
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD004771168
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	1
Waste Quantity:	2000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940615
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940615
Manifest ID:	92218226
Trans EPA ID:	CAD004771168
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported

ROTTEN ROBBIE #27 (Continued) **S113041327**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD004771168
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD004771168
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	6
Waste Quantity:	12000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19940614
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940616
Manifest ID:	92218223
Trans EPA ID:	CAD004771168
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD083166728
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	4.17
Waste Quantity:	1000
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2006
Gen EPA ID:	CAL000048070

Shipment Date:	20060316
Creation Date:	7/27/2006 18:31:56
Receipt Date:	20060320
Manifest ID:	24167525
Trans EPA ID:	CAL000209350
Trans Name:	EXCEL ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAL000190816
Trans Name:	RIVERBANK OIL
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

ROTTEN ROBBIE #27 (Continued) **S113041327**

Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.152
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2005
Gen EPA ID:	CAL000048070
Shipment Date:	20051003
Creation Date:	5/24/2006 18:31:13
Receipt Date:	20051010
Manifest ID:	24506554
Trans EPA ID:	CAR000129304
Trans Name:	FILTER RECYCLING SVS INC-NO
Trans 2 EPA ID:	CAD982444481
Trans 2 Name:	FILTER RECYCLING SERVICES INC
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES INC
TSDF Alt EPA ID:	CAD982444481
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051003
Creation Date:	5/24/2006 18:31:13
Receipt Date:	20051010
Manifest ID:	24506554
Trans EPA ID:	CAR000129304
Trans Name:	FILTER RECYCLING SVS INC-NO
Trans 2 EPA ID:	CAD982444481
Trans 2 Name:	FILTER RECYCLING SERVICES INC
TSDF EPA ID:	CAD982444481
Trans Name:	FILTER RECYCLING SERVICES INC
TSDF Alt EPA ID:	CAD982444481
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	Not reported
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	0.0252
Waste Quantity:	6

ROTTEN ROBBIE #27 (Continued) **S113041327**

Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2004
Gen EPA ID:	CAL000048070
Shipment Date:	20040909
Creation Date:	12/22/2004 18:31:08
Receipt Date:	20040922
Manifest ID:	23375031
Trans EPA ID:	CA0000646497
Trans Name:	SHOP HAZARDS SOLUTIONS
Trans 2 EPA ID:	CAD063547996
Trans 2 Name:	PHILIP TRANSPORTATION & REMEDIATION INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D001
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	ROTTEN ROBBIE #27
Address:	2140 WINCHESTER BLVD
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 950080000
EPA ID:	CAL000048070
Inactive Date:	Not reported
Create Date:	06/25/1991
Last Act Date:	07/13/2020
Mailing Name:	T THACKER
Mailing Address:	955 MARTIN AVENUE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	SANTA CLARA, CA 950502608
Owner Name:	ROBINSON OIL CORPORATION
Owner Address:	955 MARTIN AVENUE
Owner Address 2:	Not reported
Owner City,State,Zip:	SANTA CLARA, CA 950502608
Contact Name:	TAMMY THACKER
Contact Address:	955 MARTIN AVENUE
Contact Address 2:	Not reported
City,State,Zip:	SANTA CLARA, CA 95050

ROTTEN ROBBIE #27 (Continued) **S113041327**

NAICS:

EPA ID:	CAL000048070
Create Date:	2004-01-15 12:12:20.463
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	1991-06-25 00:00:00
Inactive Date:	Not reported
Facility Name:	ROTTEN ROBBIE #27
Facility Address:	2140 WINCHESTER BLVD
Facility Address 2:	Not reported
Facility City:	CAMPBELL
Facility County:	Not reported
Facility State:	CA
Facility Zip:	950080000

W111 **ROTTEN ROBBIE #27** **LUST** **S101303574**
SW **2140 WINCHESTER BLVD** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **CERS HAZ WASTE**
0.370 mi. **CERS TANKS**
1956 ft. **Site 3 of 3 in cluster W** **CUPA Listings**
EMI
Relative: **HIST CORTESE**
Higher **CERS**

Actual:
204 ft.

LUST:

Name:	ROTTON ROBBIE #27
Address:	2140 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608520597
Global Id:	T0608520597
Latitude:	37.28465
Longitude:	-121.949468
Status:	Completed - Case Closed
Status Date:	10/12/2004
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608520597
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608520597
Contact Type:	Local Agency Caseworker

ROTTEN ROBBIE #27 (Continued) **S101303574**

Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608520597
Action Type: RESPONSE
Date: 11/15/1991
Action: Other Report / Document

Global Id: T0608520597
Action Type: RESPONSE
Date: 12/06/2002
Action: Soil and Water Investigation Workplan

Global Id: T0608520597
Action Type: RESPONSE
Date: 09/25/2000
Action: Unauthorized Release Form

Global Id: T0608520597
Action Type: ENFORCEMENT
Date: 08/24/2001
Action: Staff Letter - #21489

Global Id: T0608520597
Action Type: RESPONSE
Date: 09/28/2001
Action: Soil and Water Investigation Workplan

Global Id: T0608520597
Action Type: ENFORCEMENT
Date: 10/12/2004
Action: Closure/No Further Action Letter

Global Id: T0608520597
Action Type: Other
Date: 09/25/2000
Action: Leak Reported

Global Id: T0608520597
Action Type: RESPONSE
Date: 08/27/2003
Action: Soil and Water Investigation Report

Global Id: T0608520597
Action Type: RESPONSE
Date: 11/15/1991
Action: Other Report / Document

Global Id: T0608520597
Action Type: RESPONSE
Date: 10/27/1999
Action: Other Report / Document

ROTTEN ROBBIE #27 (Continued) **S101303574**

Global Id: T0608520597
Action Type: RESPONSE
Date: 11/15/1991
Action: Monitoring Report - Quarterly

Global Id: T0608520597
Action Type: RESPONSE
Date: 09/04/2003
Action: Correspondence

Global Id: T0608520597
Action Type: RESPONSE
Date: 01/30/2003
Action: Correspondence

LUST:
Global Id: T0608520597
Status: Open - Case Begin Date
Status Date: 09/25/2000

Global Id: T0608520597
Status: Open - Site Assessment
Status Date: 02/20/2001

Global Id: T0608520597
Status: Completed - Case Closed
Status Date: 10/12/2004

Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501129
Global Id: T0608501129
Latitude: 37.284655573626
Longitude: -121.949315071106
Status: Completed - Case Closed
Status Date: 06/08/2000
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: T0608501129
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported

ROTTEN ROBBIE #27 (Continued) **S101303574**

Phone Number: Not reported

Global Id: T0608501129
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608501129
Action Type: RESPONSE
Date: 02/05/1990
Action: Soil and Water Investigation Report

Global Id: T0608501129
Action Type: RESPONSE
Date: 08/17/1994
Action: Soil and Water Investigation Report

Global Id: T0608501129
Action Type: RESPONSE
Date: 03/25/1992
Action: Monitoring Report - Quarterly

Global Id: T0608501129
Action Type: RESPONSE
Date: 11/24/1992
Action: Monitoring Report - Quarterly

Global Id: T0608501129
Action Type: RESPONSE
Date: 12/16/1993
Action: Soil and Water Investigation Report

Global Id: T0608501129
Action Type: RESPONSE
Date: 11/12/1993
Action: Soil and Water Investigation Workplan

Global Id: T0608501129
Action Type: RESPONSE
Date: 07/15/1993
Action: Monitoring Report - Quarterly

Global Id: T0608501129
Action Type: RESPONSE
Date: 02/08/1993
Action: Monitoring Report - Quarterly

Global Id: T0608501129
Action Type: RESPONSE
Date: 09/21/1992
Action: Monitoring Report - Quarterly

ROTTEN ROBBIE #27 (Continued) **S101303574**

Global Id: T0608501129
Action Type: RESPONSE
Date: 12/14/2000
Action: Other Report / Document

Global Id: T0608501129
Action Type: RESPONSE
Date: 07/11/1990
Action: Soil and Water Investigation Report

Global Id: T0608501129
Action Type: RESPONSE
Date: 04/19/1991
Action: Soil and Water Investigation Report

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 03/23/1992
Action: Staff Letter - #21636

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 11/23/1992
Action: Staff Letter - #21640

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 08/15/1994
Action: Staff Letter - #21650

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 12/15/1993
Action: Staff Letter - #21648

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 11/11/1993
Action: Staff Letter - #21646

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 07/13/1993
Action: Staff Letter - #21644

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 01/25/1993
Action: Staff Letter - #21642

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 09/18/1992
Action: Staff Letter - #21638

Global Id: T0608501129
Action Type: ENFORCEMENT

ROTTEN ROBBIE #27 (Continued) **S101303574**

Date: 02/01/1990
Action: Staff Letter - #21630

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 12/12/2000
Action: Staff Letter - #21472

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 04/30/1990
Action: Staff Letter - #21632

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 06/08/2000
Action: Closure/No Further Action Letter

Global Id: T0608501129
Action Type: Other
Date: 02/01/1990
Action: Leak Reported

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 06/24/1993
Action: Notice of Violation - #39544

Global Id: T0608501129
Action Type: ENFORCEMENT
Date: 04/19/1991
Action: Staff Letter - #21634

Global Id: T0608501129
Action Type: RESPONSE
Date: 04/26/2000
Action: Other Report / Document

Global Id: T0608501129
Action Type: RESPONSE
Date: 11/09/1992
Action: Other Report / Document

LUST:
Global Id: T0608501129
Status: Open - Case Begin Date
Status Date: 02/01/1990

Global Id: T0608501129
Status: Open - Site Assessment
Status Date: 03/27/1990

Global Id: T0608501129
Status: Open - Site Assessment
Status Date: 05/28/1991

Global Id: T0608501129

ROTTEN ROBBIE #27 (Continued) **S101303574**

Status: Completed - Case Closed
Status Date: 06/08/2000

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W34A02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 3/27/1990
Pollution Characterization Began: 5/28/1991
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: ROTTON ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35D01F
Date Closed: 10/12/2004
EDR Link ID: 07S1W35D01F

Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W34A02F
Date Closed: 06/08/2000
EDR Link ID: 07S1W34A02F

HIST LUST SANTA CLARA:
Name: Rotten Robbie #27
Address: 2140 Winchester Blvd
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W34A02
Oversite Agency: SCVWD
Date Listed: 1991-01-01 00:00:00
Closed Date: 2000-06-08 00:00:00

CERS HAZ WASTE:
Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Site ID: 63062
CERS ID: 10083388

ROTTEN ROBBIE #27 (Continued) **S101303574**

CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Site ID: 63062
CERS ID: 10083388
CERS Description: Underground Storage Tank

CUPA SANTA CLARA:
Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BL
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.284818
Longitude: -121.949754
Record ID: PR0375390
Facility ID: FA0250721

EMI:
Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Year: 2017
County Code: 43
Air Basin: SF
Facility ID: 103403
Air District Name: BA
SIC Code: 5411
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.52944229
Reactive Organic Gases Tons/Yr: 0.52944229
Carbon Monoxide Emissions Tons/Yr: Not reported
NOX - Oxides of Nitrogen Tons/Yr: Not reported
SOX - Oxides of Sulphur Tons/Yr: Not reported
Particulate Matter Tons/Yr: Not reported
Part. Matter 10 Micrometers and Smllr Tons/Yr: Not reported

Name: ROTTEN ROBBIE #27
Address: 2140 WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Year: 2018
County Code: 43
Air Basin: SF
Facility ID: 103403
Air District Name: BA
SIC Code: 5541
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.52944229

ROTTEN ROBBIE #27 (Continued) **S101303574**

Reactive Organic Gases Tons/Yr:	0.52944229
Carbon Monoxide Emissions Tons/Yr:	Not reported
NOX - Oxides of Nitrogen Tons/Yr:	Not reported
SOX - Oxides of Sulphur Tons/Yr:	Not reported
Particulate Matter Tons/Yr:	Not reported
Part. Matter 10 Micrometers and Smllr Tons/Yr:	Not reported

HIST CORTESE:

edr_fname:	ROTTEN ROBBIE
edr_fadd1:	2140 WINCHESTER
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-1138

CERS:

Name:	ROTTEN ROBBIE #27
Address:	2140 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	63062
CERS ID:	T0608501129
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Violations:

Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	"Failure to meet one or more of the following requirements: Install or maintain a liquid-tight spill container. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill container. Be resistant to galvanic corrosion. Perform a tightness test at installation, every 12 months thereafter, or within 30 days after a repair to the spill container. Tested using applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Tested by a certified UST service technician. Maintain records of spill containment testing for 36 months. "
Violation Notes:	The 91 fill spill container does not contain the minimum required 5 gallon capacity.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS

Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description:	Failure of the functional line leak detector (LLD) monitoring pressurized piping to meet one or more of the following requirements: Monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour leak at 10 pounds per square inch and restrict or shut off the flow of product through the piping when a leak is detected.

ROTTEN ROBBIE #27 (Continued) **S101303574**

Violation Notes:	Returned to compliance on 09/23/2020. Tank 2: Unleaded 1 (15K tank) LLD failed testing. This LLD was replaced, tested and passed before testing technicians left the site on 9/23/2020.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS
Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes:	Returned to compliance on 09/23/2020. The SB989 test boot was still affixed over the opening of the secondary pipe within the 91 turbine sump. The valve was not pointed downward and the valve stem was still in place. This boot was pulled back during this inspection.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS
Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	DO has noted the incorrect SB989 testing date on monthly inspection reports from March 2020 through August 2020.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS
Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes:	Returned to compliance on 09/23/2020. Multiple float and chain mechanisms failed to trip the shear valve upon initial testing. Failed mechanisms: -diesel and 87 outer in dispenser 1/2 -87 inner in dispenser 3/4 -87 inner and 91 in dispenser 5/6 -diesel, 91, and 87 outer in dispenser 7/8 -87 inner in dispenser 9/10 -diesel in dispenser 11/12 *All mechanisms were cleaned, adjusted as necessary, retested and passed during this inspection.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection

ROTTEN ROBBIE #27 (Continued) **S101303574**

Eval Date:	09-23-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupany ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-23-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2019
Violations Found:	No
Eval Type:	Routine done by local agency

ROTTEN ROBBIE #27 (Continued) **S101303574**

Eval Notes:	Not reported
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupany ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-30-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-02-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-02-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-09-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-09-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST

ROTTEN ROBBIE #27 (Continued) **S101303574**

Eval Source: CERS

Coordinates:
Site ID: 63062
Facility Name: ROTTEN ROBBIE #27
Env Int Type Code: LUSTCS
Program ID: T0608501129
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.284656
Longitude: -121.949315

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: UST Property Owner Name
Entity Name: Robinson Oil Corporation
Entity Title: Not reported
Affiliation Address: 955 Martin Avenue
Affiliation City: Santa Clara
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95050
Affiliation Phone: (408) 327-4300

Affiliation Type Desc: Identification Signer
Entity Name: David C. Mordick
Entity Title: Enviro. Compliance Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Robinson Oil Corporation
Entity Title: Not reported

ROTTEN ROBBIE #27 (Continued) **S101303574**

Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 327-4300
Affiliation Type Desc:	UST Tank Operator
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300
Affiliation Type Desc:	Document Preparer
Entity Name:	Tammy Thacker
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300
Affiliation Type Desc:	Environmental Contact
Entity Name:	Tammy Thacker
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95050
Affiliation Phone:	Not reported

ROTTEN ROBBIE #27 (Continued) **S101303574**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95050
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Robinson Oil Corporation Attn: Tammy Thacker
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Permit Applicant
Entity Name:	David C. Mordick
Entity Title:	Enviro. Compliance Mgr.
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 327-4325

Affiliation Type Desc:	UST Tank Owner
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300

Name:	ROTTEN ROBBIE #27
Address:	2140 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	63062
CERS ID:	10083388
CERS Description:	Chemical Storage Facilities

ROTTEN ROBBIE #27 (Continued) **S101303574**

Violations:

Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	"Failure to meet one or more of the following requirements: Install or maintain a liquid-tight spill container. Have a minimum capacity of five gallons. Have a functional drain valve or other method for the removal of liquid from the spill container. Be resistant to galvanic corrosion. Perform a tightness test at installation, every 12 months thereafter, or within 30 days after a repair to the spill container. Tested using applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Tested by a certified UST service technician. Maintain records of spill containment testing for 36 months. "
Violation Notes:	The 91 fill spill container does not contain the minimum required 5 gallon capacity.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS

Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description:	Failure of the functional line leak detector (LLD) monitoring pressurized piping to meet one or more of the following requirements: Monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour leak at 10 pounds per square inch and restrict or shut off the flow of product through the piping when a leak is detected.
Violation Notes:	Returned to compliance on 09/23/2020. Tank 2: Unleaded 1 (15K tank) LLD failed testing. This LLD was replaced, tested and passed before testing technicians left the site on 9/23/2020.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS

Site ID:	63062
Site Name:	ROTTEN ROBBIE #27
Violation Date:	09-23-2020
Citation:	23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description:	Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes:	Returned to compliance on 09/23/2020. The SB989 test boot was still affixed over the opening of the secondary pipe within the 91 turbine sump. The valve was not pointed downward and the valve stem was still in place. This boot was pulled back during this inspection.
Violation Division:	Santa Clara County Fire Department
Violation Program:	UST
Violation Source:	CERS

Site ID:	63062

ROTTEN ROBBIE #27 (Continued) **S101303574**

Site Name: ROTTEN ROBBIE #27
Violation Date: 09-23-2020
Citation: HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description: Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes: DO has noted the incorrect SB989 testing date on monthly inspection reports from March 2020 through August 2020.
Violation Division: Santa Clara County Fire Department
Violation Program: UST
Violation Source: CERS

Site ID: 63062
Site Name: ROTTEN ROBBIE #27
Violation Date: 09-23-2020
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: Returned to compliance on 09/23/2020. Multiple float and chain mechanisms failed to trip the shear valve upon initial testing. Failed mechanisms: -diesel and 87 outer in dispenser 1/2 -87 inner in dispenser 3/4 -87 inner and 91 in dispenser 5/6 -diesel, 91, and 87 outer in dispenser 7/8 -87 inner in dispenser 9/10 -diesel in dispenser 11/12 *All mechanisms were cleaned, adjusted as necessary, retested and passed during this inspection.
Violation Division: Santa Clara County Fire Department
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-23-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupany ID: 4485
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-23-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-25-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4485
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP

ROTTEN ROBBIE #27 (Continued) **S101303574**

Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-25-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupany ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-30-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4485
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection

ROTTEN ROBBIE #27 (Continued) **S101303574**

Eval Date: 10-02-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4485
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-02-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4485
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-09-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4485
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-09-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4485
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Coordinates:
Site ID: 63062
Facility Name: ROTTEN ROBBIE #27
Env Int Type Code: LUSTCS
Program ID: T0608501129
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 37.284656
Longitude: -121.949315

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Santa Clara County Environmental Health
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: San Jose
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95112-2716
Affiliation Phone: (408) 918-3400

ROTTEN ROBBIE #27 (Continued) **S101303574**

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300

Affiliation Type Desc:	Identification Signer
Entity Name:	David C. Mordick
Entity Title:	Enviro. Compliance Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 327-4300

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300

Affiliation Type Desc:	Document Preparer
Entity Name:	Tammy Thacker
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

ROTTEN ROBBIE #27 (Continued) **S101303574**

Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300
Affiliation Type Desc:	Environmental Contact
Entity Name:	Tammy Thacker
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95050
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95050
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Robinson Oil Corporation Attn: Tammy Thacker
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400

ROTTEN ROBBIE #27 (Continued) **S101303574**

Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	David C. Mordick
Entity Title:	Enviro. Compliance Mgr.
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(408) 327-4325
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Robinson Oil Corporation
Entity Title:	Not reported
Affiliation Address:	955 Martin Avenue
Affiliation City:	Santa Clara
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95050
Affiliation Phone:	(408) 327-4300
Name:	ROTTON ROBBIE #27
Address:	2140 WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	218370
CERS ID:	T0608520597
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

T112
South
1/4-1/2
0.373 mi.
1971 ft.

Relative:
Higher

Actual:
206 ft.

ALHAMBRA APARTMENTS L.P.
300 RAILWAY AVE
CAMPBELL, CA 95008

Site 2 of 2 in cluster T

Database(s): LUST, HIST LUST, Cortese, HAZNET, HIST CORTESE, CERS, HWTS

EDR ID Number: S103951582
EPA ID Number: N/A

LUST:

Name:	SWEDISH AUTO SERVICE
Address:	300 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608577310
Global Id:	T0608577310
Latitude:	37.283181
Longitude:	-121.944726
Status:	Completed - Case Closed
Status Date:	11/14/1995
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Not reported

LUST:

Global Id:	T0608577310
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608577310
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608577310
Action Type:	ENFORCEMENT
Date:	10/31/1995
Action:	Notice of Responsibility - #39451

Global Id:	T0608577310
Action Type:	RESPONSE
Date:	11/09/1995
Action:	Other Report / Document

ALHAMBRA APARTMENTS L.P. (Continued) **S103951582**

Global Id: T0608577310
Action Type: Other
Date: 09/07/1995
Action: Leak Reported

Global Id: T0608577310
Action Type: ENFORCEMENT
Date: 11/14/1995
Action: Closure/No Further Action Letter

LUST:
Global Id: T0608577310
Status: Open - Case Begin Date
Status Date: 04/23/1987

Global Id: T0608577310
Status: Open - Site Assessment
Status Date: 04/23/1987

Global Id: T0608577310
Status: Completed - Case Closed
Status Date: 11/14/1995

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W35E02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 4/23/1987
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: SWEDISH AUTO SERVICE
Address: 300 RAILWAY AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35E02F
Date Closed: 11/14/1995
EDR Link ID: 07S1W35E02F

HIST LUST SANTA CLARA:
Name: Swedish Auto Service
Address: 300 Railway Ave
City: Campbell
Region: SANTA CLARA

ALHAMBRA APARTMENTS L.P. (Continued) **S103951582**

Region Code: 2
SCVWD ID: 07S1W35E02
Oversite Agency: SCVWD
Date Listed: 1996-01-01 00:00:00
Closed Date: 1995-11-14 00:00:00

CORTESE:

Name:	SWEDISH AUTO SERVICE
Address:	300 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608577310
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HAZNET:

Name:	ALHAMBRA APARTMENTS L.P.
Address:	300 RAILWAY AVE
Address 2:	Not reported
City,State,Zip:	CAMPBELL, CA 95008
Contact:	JAY COLE
Telephone:	9164449821
Mailing Name:	Not reported
Mailing Address:	1801 I ST STE 200
Year:	2016
Gepaid:	CAC002850301
TSD EPA ID:	CAD044429835
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05
Year:	2016
Gepaid:	CAC002850301
TSD EPA ID:	CAD044429835
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

ALHAMBRA APARTMENTS L.P. (Continued) **S103951582**

Tons: 0.684

HIST CORTESE:
edr_fname: SWEDISH AUTO SERVICE
edr_fadd1: 300 RAILWAY
City,State,Zip: CAMPBELL, CA
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1424

CERS:
Name: SWEDISH AUTO SERVICE
Address: 300 RAILWAY AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 198225
CERS ID: T0608577310
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

HWTS:
Name: ALHAMBRA APARTMENTS L.P.
Address: 300 RAILWAY AVE
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 95008
EPA ID: CAC002850301
Inactive Date: 05/26/2016
Create Date: 02/24/2016
Last Act Date: 05/26/2016
Mailing Name: Not reported
Mailing Address: 1801 I ST STE 200
Mailing Address 2: Not reported
Mailing City,State,Zip: SACRAMENTO, CA 958113000
Owner Name: ALHAMBRA APATRNMENTS

ALHAMBRA APARTMENTS L.P. (Continued) **S103951582**

Owner Address:	1801 I ST STE 200
Owner Address 2:	Not reported
Owner City,State,Zip:	SACRAMENTO, CA 958113000
Contact Name:	JAY COLE
Contact Address:	1801 I ST STE 200
Contact Address 2:	Not reported
City,State,Zip:	SACRAMENTO, CA 958113000

U113 **UNOCAL #3879** **LUST** **1000167189**
North **337 HAMILTON AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **HIST UST**
0.384 mi. **Cortese**
2028 ft. **Site 5 of 6 in cluster U** **CERS**

Relative:
Lower

Actual:
188 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1W26L01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	11/29/1990
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Unocal #3879
Address:	337 Hamilton Ave
City:	Campbell
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1W26L01
Oversite Agency:	SCVWD
Date Listed:	1988-01-01 00:00:00
Closed Date:	1991-07-02 00:00:00

HIST UST:

Name:	UNION OIL SS # 3879
Address:	337 E HAMILTON AVE
City,State,Zip:	CAMPBELL, CA 95008
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000006043
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	ROBERT NARANJO
Telephone:	4083796151
Owner Name:	UNION OIL CO.
Owner Address:	1 CALIFORNIA ST. SUITE 2700
Owner City,St,Zip:	SAN FRANCISCO, CA 94111

UNOCAL #3879 (Continued) **1000167189**

Total Tanks: 0003

Tank Num: 001
Container Num: 3879-1-1
Year Installed: 1967
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor, 10

Tank Num: 002
Container Num: 3879-2-1
Year Installed: 1967
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor, 10

Tank Num: 003
Container Num: 3879-4-1
Year Installed: Not reported
Tank Capacity: 00000550
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

CORTESE:
Name: UNOCAL #3879
Address: 337 HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608501523
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:

UNOCAL #3879 (Continued) **1000167189**

Name: UNOCAL #3879
Address: 337 HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 227621
CERS ID: T0608501523
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

U114 **UNOCAL #3879** **LUST S103881238**
North **337 HAMILTON AVE** **HIST CORTESE N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.385 mi.
2033 ft. **Site 6 of 6 in cluster U**

Relative:
Lower

Actual:
188 ft.

LUST:
Name: UNOCAL #3879
Address: 337 HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608501523
Global Id: T0608501523
Latitude: 37.2946350560124
Longitude: -121.9438638632
Status: Completed - Case Closed
Status Date: 07/02/1991
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608501523
Contact Type: Regional Board Caseworker

UNOCAL #3879 (Continued) **S103881238**

Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608501523
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:

Global Id: T0608501523
Action Type: RESPONSE
Date: 06/04/2003
Action: Correspondence

Global Id: T0608501523
Action Type: RESPONSE
Date: 07/05/2001
Action: Other Report / Document

Global Id: T0608501523
Action Type: ENFORCEMENT
Date: 07/02/1991
Action: Closure/No Further Action Letter

Global Id: T0608501523
Action Type: Other
Date: 05/14/1987
Action: Leak Reported

Global Id: T0608501523
Action Type: ENFORCEMENT
Date: 11/29/1990
Action: Notice of Responsibility - #39517

Global Id: T0608501523
Action Type: RESPONSE
Date: 10/18/2002
Action: Other Workplan

Global Id: T0608501523
Action Type: RESPONSE
Date: 05/19/1987
Action: Other Report / Document

Global Id: T0608501523
Action Type: RESPONSE
Date: 04/17/2003
Action: Soil and Water Investigation Report

UNOCAL #3879 (Continued) **S103881238**

Global Id: T0608501523
Action Type: REMEDIATION
Date: 05/14/1987
Action: Excavation

LUST:
Global Id: T0608501523
Status: Open - Case Begin Date
Status Date: 05/14/1987

Global Id: T0608501523
Status: Open - Site Assessment
Status Date: 11/29/1990

Global Id: T0608501523
Status: Completed - Case Closed
Status Date: 07/02/1991

HIST CORTESE:
edr_fname: UNOCAL
edr_fadd1: 337 HAMILTON
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-1562

X115 **SHELL SERVICE STATION** **RCRA-SQG 1004677546**
NE **570 E HAMILTON** **LUST CAR000098707**
1/4-1/2 **CAMPBELL, CA 95008** **FINDS**
0.390 mi. **ECHO**
2061 ft. **Site 1 of 3 in cluster X**

Relative: **Lower**
Actual: **186 ft.**

RCRA-SQG:
Date Form Received by Agency: 2001-06-19 00:00:00.0
Handler Name: SHELL SERVICE STATION
Handler Address: 570 E HAMILTON
Handler City,State,Zip: CAMPBELL, CA 95008
EPA ID: CAR000098707
Contact Name: SONDRA BIENVENU
Contact Address: P O BOX 2099
Contact City,State,Zip: HOUSTON, TX 77252-2099
Contact Telephone: 713-241-5036
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 09
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: P O BOX 2099

SHELL SERVICE STATION (Continued) **1004677546**

Mailing City,State,Zip:	HOUSTON, TX 77252-2099
Owner Name:	SHELL OIL COMPANY
Owner Type:	Private
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	2002-10-07 16:36:22.0
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No

SHELL SERVICE STATION (Continued) **1004677546**

Recycler Activity Without Storage: Not reported
Manifest Broker: Not reported
Sub-Part P Indicator: Not reported

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D018
Waste Description: BENZENE

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: SHELL OIL COMPANY
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: P O BOX 2099
Owner/Operator City,State,Zip: HOUSTON, TX 77252-2099
Owner/Operator Telephone: 713-241-5036
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 2001-06-19 00:00:00.0
Handler Name: SHELL SERVICE STATION
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

LUST:
Name: SHELL
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP

SHELL SERVICE STATION (Continued) **1004677546**

Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608502367
Global Id:	T0608502367
Latitude:	37.293964
Longitude:	-121.939922
Status:	Completed - Case Closed
Status Date:	04/21/2000
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608502367
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608502367
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608502367
Action Type:	RESPONSE
Date:	07/24/2007
Action:	Monitoring Report - Quarterly

Global Id:	T0608502367
Action Type:	RESPONSE
Date:	02/15/2000
Action:	Other Report / Document

Global Id:	T0608502367
Action Type:	RESPONSE
Date:	10/14/2008
Action:	Preliminary Site Assessment Report

Global Id:	T0608502367
Action Type:	RESPONSE
Date:	09/21/2010
Action:	Other Report / Document

Global Id: T0608502367

SHELL SERVICE STATION (Continued) **1004677546**

Action Type: ENFORCEMENT
Date: 04/21/2000
Action: Closure/No Further Action Letter

Global Id: T0608502367
Action Type: RESPONSE
Date: 02/06/2003
Action: Proposed Plan

Global Id: T0608502367
Action Type: ENFORCEMENT
Date: 12/20/2002
Action: 13267 Requirement

Global Id: T0608502367
Action Type: Other
Date: 12/11/1998
Action: Leak Reported

Global Id: T0608502367
Action Type: RESPONSE
Date: 04/17/2003
Action: Monitoring Report - Quarterly

Global Id: T0608502367
Action Type: RESPONSE
Date: 10/30/2009
Action: Monitoring Report - Quarterly

Global Id: T0608502367
Action Type: RESPONSE
Date: 04/28/2006
Action: Other Report / Document

Global Id: T0608502367
Action Type: RESPONSE
Date: 04/15/2008
Action: Other Report / Document

Global Id: T0608502367
Action Type: RESPONSE
Date: 05/04/2006
Action: Monitoring Report - Quarterly

Global Id: T0608502367
Action Type: RESPONSE
Date: 04/27/2007
Action: Monitoring Report - Quarterly

Global Id: T0608502367
Action Type: RESPONSE
Date: 06/23/2005
Action: Other Report / Document

LUST:
Global Id: T0608502367
Status: Open - Case Begin Date

SHELL SERVICE STATION (Continued) **1004677546**

Status Date: 09/01/1998

Global Id: T0608502367
Status: Open - Site Assessment
Status Date: 09/01/1998

Global Id: T0608502367
Status: Completed - Case Closed
Status Date: 04/21/2000

FINDS:
Registry ID: 110058246562

Click Here:

Environmental Interest/Information System:
STATE MASTER
Registry ID: 110012213238

Click Here:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1004677546
Registry ID: 110012213238
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110012213238
Name: SHELL SERVICE STATION
Address: 570 E HAMILTON
City,State,Zip: CAMPBELL, CA 95008

X116 **SHELL** **LUST** **S105126401**
NE **570 E HAMILTON AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.390 mi.
2061 ft. **Site 2 of 3 in cluster X**

Relative: **Lower**
Actual: **186 ft.**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W26K01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported

SHELL (Continued) **S105126401**

Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 9/1/1998
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Shell
Address: 570 E Hamilton Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W26K01
Oversite Agency: SCVWD
Date Listed: 1999-01-11 00:00:00
Closed Date: 2000-04-21 00:00:00

CORTESE:
Name: SHELL
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608502367
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

X117 **HAMILTON AVE SHELL** **LUST** **S101594591**
NE **570 E HAMILTON** **CERS HAZ WASTE** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **SWEEPS UST**
0.390 mi. **CERS TANKS**
2061 ft. **Site 3 of 3 in cluster X** **CA FID UST**
CUPA Listings
Relative: **CERS**
Lower

Actual: LUST SANTA CLARA:
186 ft. Name: SHELL
Address: 570 E HAMILTON AVE

HAMILTON AVE SHELL (Continued) **S101594591**

City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W26K01F
Date Closed: 04/21/2000
EDR Link ID: 07S1W26K01F

CERS HAZ WASTE:
Name: HAMILTON SHELL #7004
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 35218
CERS ID: 10083271
CERS Description: Hazardous Waste Generator

SWEEPS UST:
Name: HAMILTON AVE SHELL
Address: 570 E HAMILTON
City: CAMPBELL
Status: Active
Comp Number: 67180
Number: 2
Board Of Equalization: 44-026336
Referral Date: 04-06-92
Action Date: 04-06-92
Created Date: 02-29-88
Owner Tank Id: 11820606-1-SRU
SWRCB Tank Id: 43-008-067180-000001
Tank Status: A
Capacity: 10000
Active Date: 04-06-92
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Name: HAMILTON AVE SHELL
Address: 570 E HAMILTON
City: CAMPBELL
Status: Active
Comp Number: 67180
Number: 2
Board Of Equalization: 44-026336
Referral Date: 04-06-92
Action Date: 04-06-92
Created Date: 02-29-88
Owner Tank Id: 2
SWRCB Tank Id: 43-008-067180-000002
Tank Status: A
Capacity: 10000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Name: HAMILTON AVE SHELL

HAMILTON AVE SHELL (Continued) **S101594591**

Address: 570 E HAMILTON
City: CAMPBELL
Status: Active
Comp Number: 67180
Number: 2
Board Of Equalization: 44-026336
Referral Date: 04-06-92
Action Date: 04-06-92
Created Date: 02-29-88
Owner Tank Id: 3
SWRCB Tank Id: 43-008-067180-000003
Tank Status: A
Capacity: 10000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: HAMILTON AVE SHELL
Address: 570 E HAMILTON
City: CAMPBELL
Status: Active
Comp Number: 67180
Number: 2
Board Of Equalization: 44-026336
Referral Date: 04-06-92
Action Date: 04-06-92
Created Date: 02-29-88
Owner Tank Id: 4
SWRCB Tank Id: 43-008-067180-000004
Tank Status: A
Capacity: 10000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

CERS TANKS:
Name: HAMILTON SHELL #7004
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 35218
CERS ID: 10083271
CERS Description: Underground Storage Tank

CA FID UST:
Facility ID: 43011259
Regulated By: UTNKA
Regulated ID: 00067180
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4088669404
Mail To: Not reported
Mailing Address: P O BOX

HAMILTON AVE SHELL (Continued) **S101594591**

Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CUPA SANTA CLARA:
Name: HAMILTON SHELL #7004
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Region: SANTA CLARA
PE#: 2202
Program Description: GENERATES < 100 KG/YR
Latitude: 37.293817
Longitude: -121.939997
Record ID: PR0381066
Facility ID: FA0271897

CERS:
Name: HAMILTON SHELL #7004
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 35218
CERS ID: 10083271
CERS Description: Chemical Storage Facilities

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-26-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4407
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-19-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4407
Eval Division: Santa Clara County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-19-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Occupancy ID: 4407
Eval Division: Santa Clara County Fire Department
Eval Program: UST
Eval Source: CERS

HAMILTON AVE SHELL (Continued) **S101594591**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-19-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupany ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-19-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupany ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-22-2016
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-23-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-23-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-23-2016
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-26-2014
Violations Found:	No

HAMILTON AVE SHELL (Continued) **S101594591**

Eval Type:	Routine done by local agency
Eval Notes:	Occupancy ID: 4407
Eval Division:	Santa Clara County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	35218
Facility Name:	Hamilton Shell #7004
Env Int Type Code:	HWG
Program ID:	10083271
Coord Name:	Not reported
Ref Point Type Desc:	Unknown
Latitude:	37.293831
Longitude:	-121.939964

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Santa Clara County Environmental Health
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	San Jose
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95112-2716
Affiliation Phone:	(408) 918-3400

Affiliation Type Desc:	Operator
Entity Name:	Jerry Anderson
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(510) 581-0230

Affiliation Type Desc:	UST Tank Owner
Entity Name:	AU Energy, LLC
Entity Title:	Not reported
Affiliation Address:	41805 Albrae Street
Affiliation City:	Fremont
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94538
Affiliation Phone:	(650) 657-9150

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	41805 Albrae Street
Affiliation City:	Fremont
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	94538
Affiliation Phone:	Not reported

HAMILTON AVE SHELL (Continued) **S101594591**

Affiliation Type Desc:	Parent Corporation
Entity Name:	HAMILTON SHELL
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	AU Energy, LLC
Entity Title:	Not reported
Affiliation Address:	41805 Albrae Street
Affiliation City:	Fremont
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	94538
Affiliation Phone:	(650) 657-9150

Affiliation Type Desc:	Identification Signer
Entity Name:	Jack Edwards
Entity Title:	Dealer
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Jerry Anderson
Entity Title:	Not reported
Affiliation Address:	570 E Hamilton Ave
Affiliation City:	Campbell
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	95008
Affiliation Phone:	(510) 581-0230

Affiliation Type Desc:	Document Preparer
Entity Name:	Stantec Consulting Services Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	Sunny Goyal
Entity Title:	Not reported
Affiliation Address:	41805 Albrae Street
Affiliation City:	Fremont
Affiliation State:	CA
Affiliation Country:	Not reported

HAMILTON AVE SHELL (Continued) **S101594591**

Affiliation Zip: 94538
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: AU Energy, LLC
Entity Title: Not reported
Affiliation Address: 41805 Albrae Street
Affiliation City: Fremont
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 94538
Affiliation Phone: (650) 657-9150

Affiliation Type Desc: UST Permit Applicant
Entity Name: Sunny Goyal
Entity Title: Project Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (510) 657-9150

Affiliation Type Desc: UST Tank Operator
Entity Name: Hamilton Shell - Jerry Anderson
Entity Title: Not reported
Affiliation Address: 570 E. Hamilton Avenue
Affiliation City: Campbell
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 95008
Affiliation Phone: (510) 581-0230

Name: SHELL
Address: 570 E HAMILTON AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 187050
CERS ID: T0608502367
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA

HAMILTON AVE SHELL (Continued) **S101594591**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Y118 **HENRY LITTLE TRACTOR SVC.** **LUST** **S102431316**
South **310 RAILWAY AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.400 mi.
2110 ft. **Site 1 of 2 in cluster Y**

Relative:
Higher

Actual:
206 ft.

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 08S1W35F02f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 11/21/1990
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

HIST LUST SANTA CLARA:
Name: Henry Little Tractor Svc.
Address: 310 Railway Ave
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 08S1W35F02
Oversite Agency: SCVWD
Date Listed: 1991-02-21 00:00:00
Closed Date: 1995-01-30 00:00:00

CORTESE:
Name: HENRY LITTLE TRACTOR SVC.
Address: 310 RAILWAY AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500715
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported

HENRY LITTLE TRACTOR SVC. (Continued) **S102431316**

Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

Y119 **RESIDENCES AT RAILWAY** **LUST** **S103881391**
South **310 330 RAILWAY AVE** **HIST CORTESE** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **NPDES**
0.400 mi. **CIWQS**
2110 ft. **Site 2 of 2 in cluster Y** **CERS**

Relative:
Higher

Actual:
206 ft.

LUST:

Name:	HENRY LITTLE TRACTOR SVC.
Address:	310 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500715
Global Id:	T0608500715
Latitude:	37.2827263574272
Longitude:	-121.944208145142
Status:	Completed - Case Closed
Status Date:	01/30/1995
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0608500715
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608500715
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608500715
Action Type:	ENFORCEMENT
Date:	05/21/1991

RESIDENCES AT RAILWAY (Continued) **S103881391**

Action: Notice of Responsibility - #39257

Global Id: T0608500715
Action Type: RESPONSE
Date: 11/21/1990
Action: Other Report / Document

Global Id: T0608500715
Action Type: Other
Date: 12/03/1990
Action: Leak Reported

Global Id: T0608500715
Action Type: ENFORCEMENT
Date: 01/30/1995
Action: Closure/No Further Action Letter

Global Id: T0608500715
Action Type: REMEDIATION
Date: 11/21/1990
Action: Excavation

LUST:
Global Id: T0608500715
Status: Open - Case Begin Date
Status Date: 11/21/1990

Global Id: T0608500715
Status: Open - Site Assessment
Status Date: 11/21/1990

Global Id: T0608500715
Status: Completed - Case Closed
Status Date: 01/30/1995

LUST SANTA CLARA:
Name: HENRY LITTLE TRACTOR SVC.
Address: 310 RAILWAY AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 08S1W35F02F
Date Closed: 01/30/1995
EDR Link ID: 08S1W35F02F

HIST CORTESE:
edr_fname: HENRY LITTLE TRACTOR SERV
edr_fadd1: 310 RAILWAY
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0685

NPDES:

RESIDENCES AT RAILWAY (Continued) **S103881391**

Name:	RESIDENCES AT RAILWAY
Address:	310 330 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	2 43C375144
Regulatory Measure Type:	Construction
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	01/25/2016
Operator Name:	Hurley Contractors
Operator Address:	1801 I Street
Operator City:	Sacramento
Operator State:	California
Operator Zip:	95811

NPDES as of 03/2018:

NPDES Number:	CAS000002
Status:	Active
Agency Number:	0
Region:	2
Regulatory Measure ID:	468523
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	2 43C375144
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	01/25/2016
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Hurley Contractors
Discharge Address:	1801 I Street
Discharge City:	Sacramento
Discharge State:	California
Discharge Zip:	95811
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported

RESIDENCES AT RAILWAY (Continued) **S103881391**

Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	2
Regulatory Measure ID:	468523
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported

RESIDENCES AT RAILWAY (Continued) **S103881391**

WDID:	2 43C375144
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	01/13/2016
Processed Date:	01/25/2016
Status:	Active
Status Date:	01/25/2016
Place Size:	3.76
Place Size Unit:	Acres
Contact:	Nick Linkert
Contact Title:	Not reported
Contact Phone:	916-471-3001
Contact Phone Ext:	Not reported
Contact Email:	nsl@antoncap.com
Operator Name:	Hurley Contractors
Operator Address:	1801 I Street
Operator City:	Sacramento
Operator State:	California
Operator Zip:	95811
Operator Contact:	Nick Linkert
Operator Contact Title:	Not reported
Operator Contact Phone:	916-471-3001
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	nsl@antoncap.com
Operator Type:	Private Business
Developer:	Hurley Contractors
Developer Address:	1801 I Street
Developer City:	Sacramento
Developer State:	California
Developer Zip:	95811
Developer Contact:	Nick Linkert
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	Not reported
Constype Other Ind:	Y
Constype Recons Ind:	N
Constype Residential Ind:	Y
Constype Transport Ind:	N
Constype Utility Description:	Not reported

RESIDENCES AT RAILWAY (Continued) **S103881391**

Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	San Tomas Aquinas Creek
Certifier:	Nick Linkert
Certifier Title:	Project Manager
Certification Date:	13-JAN-16
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name:	RESIDENCES AT RAILWAY
Address:	310 330 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
Facility Status:	Active
NPDES Number:	CAS000002
Region:	2
Agency Number:	0
Regulatory Measure ID:	468523
Place ID:	Not reported
Order Number:	2009-0009-DWQ
WDID:	2 43C375144
Regulatory Measure Type:	Enrollee
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	01/25/2016
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	1801 I Street
Discharge Name:	Hurley Contractors
Discharge City:	Sacramento
Discharge State:	California
Discharge Zip:	95811
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000002
Status:	Active
Agency Number:	0
Region:	2
Regulatory Measure ID:	468523
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	2 43C375144
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	01/25/2016
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Hurley Contractors

RESIDENCES AT RAILWAY (Continued) **S103881391**

Discharge Address:	1801 I Street
Discharge City:	Sacramento
Discharge State:	California
Discharge Zip:	95811
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported

RESIDENCES AT RAILWAY (Continued) **S103881391**

Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	2
Regulatory Measure ID:	468523
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	2 43C375144
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	01/13/2016
Processed Date:	01/25/2016
Status:	Active
Status Date:	01/25/2016
Place Size:	3.76
Place Size Unit:	Acres
Contact:	Nick Linkert
Contact Title:	Not reported
Contact Phone:	916-471-3001
Contact Phone Ext:	Not reported
Contact Email:	nsl@antoncap.com
Operator Name:	Hurley Contractors
Operator Address:	1801 I Street
Operator City:	Sacramento
Operator State:	California
Operator Zip:	95811
Operator Contact:	Nick Linkert
Operator Contact Title:	Not reported
Operator Contact Phone:	916-471-3001
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	nsl@antoncap.com
Operator Type:	Private Business
Developer:	Hurley Contractors
Developer Address:	1801 I Street
Developer City:	Sacramento
Developer State:	California
Developer Zip:	95811
Developer Contact:	Nick Linkert
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	N
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N

RESIDENCES AT RAILWAY (Continued) **S103881391**

Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commertial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	N
Constype Other Description:	Not reported
Constype Other Ind:	Y
Constype Recons Ind:	N
Constype Residential Ind:	Y
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	San Tomas Aquinas Creek
Certifier:	Nick Linkert
Certifier Title:	Project Manager
Certification Date:	13-JAN-16
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Name:	RESIDENCES AT RAILWAY
Address:	310 330 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008
Agency:	Hurley Contractors
Agency Address:	1801 I Street, Sacramento, CA 95811
Place/Project Type:	Construction - Other, Residential
SIC/NAICS:	Not reported
Region:	2
Program:	CONSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water construction
Order Number:	2009-0009-DWQ
WDID:	2 43C375144
NPDES Number:	CAS000002
Adoption Date:	01/01/1900
Effective Date:	01/25/2016
Termination Date:	01/01/1900
Expiration/Review Date:	01/01/1900
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	37.282226
Longitude:	-121.945832

CERS:

Name:	HENRY LITTLE TRACTOR SVC.
Address:	310 RAILWAY AVE
City,State,Zip:	CAMPBELL, CA 95008

RESIDENCES AT RAILWAY (Continued) **S103881391**

Site ID: 230455
CERS ID: T0608500715
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Name: RESIDENCES AT RAILWAY
Address: 310 330 RAILWAY AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 540722
CERS ID: 843803
CERS Description: Construction Storm Water

Affiliation:
Affiliation Type Desc: Owner/Operator
Entity Name: Hurley Contractors
Entity Title: Operator
Affiliation Address: 1801 I Street
Affiliation City: Sacramento
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 95811
Affiliation Phone: Not reported

Z120 **CAMPBELL CITY OF** **HIST CORTESE** **S101303575**
SW **2220 WINCHESTER** **N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.456 mi.
2410 ft. **Site 1 of 2 in cluster Z**

Relative:
Higher

Actual:
207 ft.

HIST CORTESE:
edr_fname: CAMPBELL CITY OF
edr_fadd1: 2220 WINCHESTER
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Facility County Code: 43
Reg By: LTNKA
Reg Id: 43-0359

Z121 **CAMPBELL, CITY OF** **LUST** **S104541964**
SW **2220 S WINCHESTER BLVD** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.459 mi. **CERS**
2425 ft. **Site 2 of 2 in cluster Z**

Relative:
Higher

Actual:
207 ft.

LUST:

Name:	CAMPBELL, CITY OF
Address:	2220 S WINCHESTER BLVD
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500414
Global Id:	T0608500414
Latitude:	37.283085
Longitude:	-121.9488
Status:	Completed - Case Closed
Status Date:	07/16/2004
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608500414
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608500414
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE
Email:	Not reported
Phone Number:	4089183400

LUST:

Global Id:	T0608500414
Action Type:	RESPONSE
Date:	04/01/2003
Action:	Monitoring Report - Quarterly

Global Id:	T0608500414
Action Type:	RESPONSE
Date:	11/09/1998
Action:	Verbal Communication

Global Id:	T0608500414
Action Type:	RESPONSE

CAMPBELL, CITY OF (Continued) **S104541964**

Date: 08/12/2002
Action: Preliminary Site Assessment Report

Global Id: T0608500414
Action Type: RESPONSE
Date: 03/25/2002
Action: Preliminary Site Assessment Workplan

Global Id: T0608500414
Action Type: ENFORCEMENT
Date: 09/20/1991
Action: Notice of Responsibility - #39545

Global Id: T0608500414
Action Type: ENFORCEMENT
Date: 03/25/2002
Action: Staff Letter - #21478

Global Id: T0608500414
Action Type: ENFORCEMENT
Date: 07/10/1998
Action: Staff Letter - #21476

Global Id: T0608500414
Action Type: ENFORCEMENT
Date: 06/06/1997
Action: Staff Letter - #21474

Global Id: T0608500414
Action Type: ENFORCEMENT
Date: 08/14/2002
Action: Staff Letter - #38469

Global Id: T0608500414
Action Type: RESPONSE
Date: 09/11/1998
Action: Soil and Water Investigation Report

Global Id: T0608500414
Action Type: RESPONSE
Date: 07/31/1997
Action: Other Report / Document

Global Id: T0608500414
Action Type: RESPONSE
Date: 11/18/2002
Action: Monitoring Report - Quarterly

Global Id: T0608500414
Action Type: ENFORCEMENT
Date: 07/16/2004
Action: Closure/No Further Action Letter

Global Id: T0608500414
Action Type: Other
Date: 08/19/1988
Action: Leak Reported

CAMPBELL, CITY OF (Continued) **S104541964**

Global Id: T0608500414
Action Type: RESPONSE
Date: 03/27/2002
Action: Soil and Water Investigation Workplan

Global Id: T0608500414
Action Type: RESPONSE
Date: 10/12/1987
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608500414
Action Type: RESPONSE
Date: 04/01/2003
Action: Other Report / Document

Global Id: T0608500414
Action Type: RESPONSE
Date: 01/21/1999
Action: Correspondence

Global Id: T0608500414
Action Type: RESPONSE
Date: 10/12/1987
Action: Unauthorized Release Form

Global Id: T0608500414
Action Type: RESPONSE
Date: 10/02/2003
Action: Correspondence

Global Id: T0608500414
Action Type: RESPONSE
Date: 04/27/1989
Action: Other Report / Document

Global Id: T0608500414
Action Type: RESPONSE
Date: 08/14/1989
Action: Soil and Water Investigation Report

LUST:
Global Id: T0608500414
Status: Open - Case Begin Date
Status Date: 09/01/1987

Global Id: T0608500414
Status: Open - Site Assessment
Status Date: 09/01/1987

Global Id: T0608500414
Status: Completed - Case Closed
Status Date: 07/16/2004

LUST REG 2:
Region: 2

CAMPBELL, CITY OF (Continued) **S104541964**

Facility Id: Not reported
Facility Status: Case Closed
Case Number: 07S1W34H01f
How Discovered: Not reported
Leak Cause: Not reported
Leak Source: Not reported
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assesment Wokplan Submitted: Not reported
Preliminary Site Assesment Began: 9/1/1987
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

LUST SANTA CLARA:
Name: CAMPBELL, CITY OF
Address: 2220 S WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W34H01F
Date Closed: 07/16/2004
EDR Link ID: 07S1W34H01F

HIST LUST SANTA CLARA:
Name: Campbell, City of
Address: 2220 S Winchester Blvd
City: Campbell
Region: SANTA CLARA
Region Code: 2
SCVWD ID: 07S1W34H01
Oversite Agency: SCVWD
Date Listed: 1989-01-01 00:00:00
Closed Date: 2004-07-16 00:00:00

CORTESE:
Name: CAMPBELL, CITY OF
Address: 2220 S WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500414
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported

CAMPBELL, CITY OF (Continued) **S104541964**

WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: CAMPBELL, CITY OF
Address: 2220 S WINCHESTER BLVD
City,State,Zip: CAMPBELL, CA 95008
Site ID: 225176
CERS ID: T0608500414
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

AA122 **JOHNS TEXACO** **LUST** **U001600876**
ESE **790 E CAMPBELL AVE** **HIST UST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **CERS**
0.460 mi. **HWTS**
2430 ft. **Site 1 of 4 in cluster AA**

Relative: **Lower**
Actual: **193 ft.**

LUST:
Name: COAST OIL #51
Address: 790 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Lead Agency: SANTA CLARA COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500437
Global Id: T0608500437
Latitude: 37.2869
Longitude: -121.935669408737
Status: Completed - Case Closed
Status Date: 03/22/1996
Case Worker: UST
RB Case Number: Not reported
Local Agency: SANTA CLARA COUNTY LOP
File Location: All Files are on GeoTracker or in the Local Agency Database
Local Case Number: Not reported

JOHNS TEXACO (Continued) **U001600876**

Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0608500437
Contact Type: Regional Board Caseworker
Contact Name: Regional Water Board
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608500437
Contact Type: Local Agency Caseworker
Contact Name: UST CASE WORKER
Organization Name: SANTA CLARA COUNTY LOP
Address: 1555 Berger Drive, Suite 300
City: SAN JOSE
Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608500437
Action Type: ENFORCEMENT
Date: 03/22/1996
Action: Closure/No Further Action Letter

Global Id: T0608500437
Action Type: ENFORCEMENT
Date: 06/09/1990
Action: Notice of Responsibility - #39549

Global Id: T0608500437
Action Type: Other
Date: 04/16/1990
Action: Leak Reported

Global Id: T0608500437
Action Type: RESPONSE
Date: 03/22/1996
Action: Other Report / Document

Global Id: T0608500437
Action Type: REMEDIATION
Date: 06/15/1990
Action: Excavation

LUST:
Global Id: T0608500437
Status: Open - Case Begin Date
Status Date: 02/22/1990

Global Id: T0608500437
Status: Open - Site Assessment
Status Date: 02/22/1990

JOHNS TEXACO (Continued) **U001600876**

Global Id: T0608500437
Status: Open - Site Assessment
Status Date: 06/15/1990

Global Id: T0608500437
Status: Completed - Case Closed
Status Date: 03/22/1996

HIST UST:
Name: JOHNS TEXACO
Address: 790 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
File Number: 0002075B
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002075B.pdf
Region: STATE
Facility ID: 00000015868
Facility Type: Gas Station
Other Type: Not reported
Contact Name: JOHN DURR
Telephone: 4085594052
Owner Name: R. LEE SALTER AND MARTHA SALTE
Owner Address: 8515 PALACE DR.
Owner City,St,Zip: KELSEYVILLE, CA 95451
Total Tanks: 0004

Tank Num: 001
Container Num: 1
Year Installed: 1960
Tank Capacity: 00012000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1960
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: 1/4
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: 1975
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: 3/16
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 4
Year Installed: 1960
Tank Capacity: 00000000

JOHNS TEXACO (Continued) **U001600876**

Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: 3/16
Leak Detection: Stock Inventor

Click here for Geo Tracker PDF:

CERS:
Name: COAST OIL #51
Address: 790 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 192547
CERS ID: T0608500437
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title: Not reported
Affiliation Address: 1515 CLAY ST SUITE 1400
Affiliation City: OAKLAND
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title: Not reported
Affiliation Address: 1555 Berger Drive, Suite 300
Affiliation City: SAN JOSE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 4089183400

HWTS:
Name: JOHNS TEXACO
Address: 790 E CAMPBELL AVE
Address 2: Not reported
City,State,Zip: CAMPBELL, CA 950080000
EPA ID: CAL000006531
Inactive Date: 01/01/1995
Create Date: 11/14/1989
Last Act Date: 07/24/2001
Mailing Name: Not reported
Mailing Address: 790 E CAMPBELL AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: CAMPBELL, CA 950080000
Owner Name: DURR JOHN
Owner Address: --
Owner Address 2: Not reported
Owner City,State,Zip: --, 99 --
Contact Name: UNDELIVERABLE 1/95 SURVEY HN
Contact Address: --
Contact Address 2: Not reported

JOHNS TEXACO (Continued) **U001600876**

City,State,Zip: --, 99 --

AA123 **COAST OIL #51** **LUST** **S103881259**
ESE **790 E CAMPBELL AVE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **Cortese**
0.460 mi.
2430 ft. **Site 2 of 4 in cluster AA**

Relative:
Lower

Actual:
193 ft.

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1W35B02f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	2/22/1990
Pollution Characterization Began:	6/15/1990
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

HIST LUST SANTA CLARA:

Name:	Coast Oil #51
Address:	790 E Campbell Ave
City:	Campbell
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1W35B02
Oversite Agency:	SCVWD
Date Listed:	1990-05-30 00:00:00
Closed Date:	1996-03-22 00:00:00

CORTESE:

Name:	COAST OIL #51
Address:	790 E CAMPBELL AVE
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0608500437
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported

COAST OIL #51 (Continued) **S103881259**

WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

AA124 **JOHN'S TEXACO** **LUST** **S101624853**
ESE **790 E CAMPBELL AVE** **SWEEPS UST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **CA FID UST**
0.460 mi.
2430 ft. **Site 3 of 4 in cluster AA**

Relative:
Lower

Actual:
193 ft.

LUST SANTA CLARA:
Name: COAST OIL #51
Address: 790 E CAMPBELL AVE
City,State,Zip: CAMPBELL, CA
Region: SANTA CLARA
SCVWD ID: 07S1W35B02F
Date Closed: 03/22/1996
EDR Link ID: 07S1W35B02F

SWEEPS UST:
Name: JOHN'S TEXACO
Address: 790 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 15868
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-015868-000001
Tank Status: Not reported
Capacity: 12000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: LEADED
Number Of Tanks: 4

Name: JOHN'S TEXACO
Address: 790 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 15868
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-015868-000002
Tank Status: Not reported
Capacity: 10000
Active Date: Not reported
Tank Use: M.V. FUEL

JOHN'S TEXACO (Continued) **S101624853**

STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: JOHN'S TEXACO
Address: 790 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 15868
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-015868-000003
Tank Status: Not reported
Capacity: 2000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: JOHN'S TEXACO
Address: 790 E CAMPBELL AVE
City: CAMPBELL
Status: Not reported
Comp Number: 15868
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 43-008-015868-000004
Tank Status: Not reported
Capacity: 1
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: WASTE OIL
Number Of Tanks: Not reported

CA FID UST:
Facility ID: 43000573
Regulated By: UTNKA
Regulated ID: 00015868
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 4085594052
Mail To: Not reported
Mailing Address: 790 E CAMPBELL AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: CAMPBELL 95008
Contact: Not reported
Contact Phone: Not reported

JOHN'S TEXACO (Continued) **S101624853**

DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

---

125 East 1/4-1/2 0.460 mi. 2430 ft.

SJWC RIDGELEY STATION
RIDGELEY DR & CAMPISI WAY
CAMPBELL, CA 95008

CPS-SLIC **S118504866**
CERS **N/A**

Relative: Lower

Actual: 177 ft.

CPS-SLIC:

Name:	SJWC RIDGELEY STATION
Address:	RIDGELEY DR & CAMPISI WAY
City,State,Zip:	CAMPBELL, CA 95008
Region:	STATE
Facility Status:	**Open - Remediation**
Status Date:	04/18/2016
Global Id:	T10000008800
Lead Agency:	SANTA CLARA COUNTY LOP
Lead Agency Case Number:	2016-14s
Latitude:	37.29002
Longitude:	-121.93549
Case Type:	Cleanup Program Site
Case Worker:	GOR
Local Agency:	SANTA CLARA COUNTY LOP
RB Case Number:	Not reported
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Soil
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

CERS:

Name:	SJWC RIDGELEY STATION
Address:	RIDGELEY DR & CAMPISI WAY
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	368564
CERS ID:	T10000008800
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	Gerald O'Regan - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 BERGER DRIVE STE 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AA126 **COAST OIL COMPANY** **HIST CORTESE** **S103472890**
ESE **790 CAMPBELL** **N/A**
1/4-1/2 **CAMPBELL, CA 95008**
0.462 mi.
2439 ft. **Site 4 of 4 in cluster AA**

Relative:
Lower

Actual:
193 ft.

HIST CORTESE:

edr_fname:	COAST OIL COMPANY
edr_fadd1:	790 CAMPBELL
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0386

---

127 **SANTA CLARA COUNTY FIRE DEPT** **LUST** **S103626177**
ESE **123 UNION AVENUE** **HIST LUST** **N/A**
1/4-1/2 **CAMPBELL, CA 95008** **SWEEPS UST**
0.500 mi. **Cortese**
2639 ft. **EMI**
HIST CORTESE

Relative:
Lower

CERS

Actual:
195 ft.

LUST:

Name:	CAMPBELL FIRE DEPARTMENT
Address:	123 UNION AVE
City,State,Zip:	CAMPBELL, CA 95008
Lead Agency:	SANTA CLARA COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0608500300
Global Id:	T0608500300
Latitude:	37.2854162893042
Longitude:	-121.935801629639
Status:	Completed - Case Closed
Status Date:	12/30/1988
Case Worker:	UST
RB Case Number:	Not reported
Local Agency:	SANTA CLARA COUNTY LOP
File Location:	All Files are on GeoTracker or in the Local Agency Database
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0608500300
Contact Type:	Regional Board Caseworker
Contact Name:	Regional Water Board
Organization Name:	SAN FRANCISCO BAY RWQCB (REGION 2)
Address:	1515 CLAY ST SUITE 1400
City:	OAKLAND
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0608500300
Contact Type:	Local Agency Caseworker
Contact Name:	UST CASE WORKER
Organization Name:	SANTA CLARA COUNTY LOP
Address:	1555 Berger Drive, Suite 300
City:	SAN JOSE

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

Email: Not reported
Phone Number: 4089183400

LUST:
Global Id: T0608500300
Action Type: RESPONSE
Date: 03/07/1988
Action: Tank Removal Report / UST Sampling Report

Global Id: T0608500300
Action Type: RESPONSE
Date: 02/02/1987
Action: Unauthorized Release Form

Global Id: T0608500300
Action Type: RESPONSE
Date: 06/08/1988
Action: Correspondence

Global Id: T0608500300
Action Type: RESPONSE
Date: 02/11/1987
Action: Correspondence

Global Id: T0608500300
Action Type: RESPONSE
Date: 02/11/1987
Action: Other Report / Document

Global Id: T0608500300
Action Type: ENFORCEMENT
Date: 10/26/1987
Action: Notice of Responsibility - #39548

Global Id: T0608500300
Action Type: ENFORCEMENT
Date: 11/01/1988
Action: Closure/No Further Action Letter

Global Id: T0608500300
Action Type: Other
Date: 02/02/1987
Action: Leak Reported

LUST:
Global Id: T0608500300
Status: Open - Case Begin Date
Status Date: 02/02/1987

Global Id: T0608500300
Status: Open - Site Assessment
Status Date: 10/21/1987

Global Id: T0608500300
Status: Completed - Case Closed
Status Date: 12/30/1988

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

LUST REG 2:

Region:	2
Facility Id:	Not reported
Facility Status:	Case Closed
Case Number:	07S1W35B01f
How Discovered:	Not reported
Leak Cause:	Not reported
Leak Source:	Not reported
Date Leak Confirmed:	Not reported
Oversight Program:	LUST
Prelim. Site Assesment Wokplan Submitted:	Not reported
Preliminary Site Assesment Began:	10/21/1987
Pollution Characterization Began:	Not reported
Pollution Remediation Plan Submitted:	Not reported
Date Remediation Action Underway:	Not reported
Date Post Remedial Action Monitoring Began:	Not reported

LUST SANTA CLARA:

Name:	CAMPBELL FIRE DEPARTMENT
Address:	123 UNION AVE
City,State,Zip:	CAMPBELL, CA
Region:	SANTA CLARA
SCVWD ID:	07S1W35B01F
Date Closed:	12/30/1988
EDR Link ID:	07S1W35B01F

HIST LUST SANTA CLARA:

Name:	Campbell Fire Department
Address:	123 Union Ave
City:	Campbell
Region:	SANTA CLARA
Region Code:	2
SCVWD ID:	07S1W35B01
Oversite Agency:	SCVWD
Date Listed:	1988-01-01 00:00:00
Closed Date:	1988-12-30 00:00:00

SWEEPS UST:

Name:	HEADQUARTERS, FIRE STA.
Address:	123 UNION AVE
City:	CAMPBELL
Status:	Active
Comp Number:	23279
Number:	4
Board Of Equalization:	44-026306
Referral Date:	08-13-93
Action Date:	01-31-94
Created Date:	02-29-88
Owner Tank Id:	6
SWRCB Tank Id:	43-008-023279-000001
Tank Status:	A
Capacity:	6000
Active Date:	07-01-85
Tank Use:	M.V. FUEL
STG:	P

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

Content: REG UNLEADED
Number Of Tanks: 2

Name: HEADQUARTERS, FIRE STA.
Address: 123 UNION AVE
City: CAMPBELL
Status: Active
Comp Number: 23279
Number: 4
Board Of Equalization: 44-026306
Referral Date: 08-13-93
Action Date: 01-31-94
Created Date: 02-29-88
Owner Tank Id: 7
SWRCB Tank Id: 43-008-023279-000002
Tank Status: A
Capacity: 6000
Active Date: 07-01-85
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

CORTESE:
Name: CAMPBELL FIRE DEPARTMENT
Address: 123 UNION AVE
City,State,Zip: CAMPBELL, CA 95008
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0608500300
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

EMI:
Name: SANTA CLARA COUNTY FIRE DEPT
Address: 123 UNION AVENUE
City,State,Zip: CAMPBELL, CA 95008
Year: 2011
County Code: 43
Air Basin: SF

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.001
Reactive Organic Gases Tons/Yr:	0.0008367
Carbon Monoxide Emissions Tons/Yr:	0.004
NOX - Oxides of Nitrogen Tons/Yr:	0.018
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	SANTA CLARA COUNTY FIRE DEPT
Address:	123 UNION AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Year:	2012
County Code:	43
Air Basin:	SF
Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.001
Reactive Organic Gases Tons/Yr:	0.0008367
Carbon Monoxide Emissions Tons/Yr:	0.004
NOX - Oxides of Nitrogen Tons/Yr:	0.018
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.0010245901639
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001

Name:	SANTA CLARA COUNTY FIRE DEPT
Address:	123 UNION AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Year:	2013
County Code:	43
Air Basin:	SF
Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.001
Reactive Organic Gases Tons/Yr:	0.0008367
Carbon Monoxide Emissions Tons/Yr:	0.004
NOX - Oxides of Nitrogen Tons/Yr:	0.018
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0.001
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001

Name:	SANTA CLARA COUNTY FIRE DEPT
Address:	123 UNION AVENUE
City,State,Zip:	CAMPBELL, CA 95008

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

Year:	2014
County Code:	43
Air Basin:	SF
Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.00131731
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	0.003978
NOX - Oxides of Nitrogen Tons/Yr:	0.018297961
SOX - Oxides of Sulphur Tons/Yr:	8.482e-006
Particulate Matter Tons/Yr:	0.001362132
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.001307646

Name:	SANTA CLARA COUNTY FIRE DEPT
Address:	123 UNION AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Year:	2015
County Code:	43
Air Basin:	SF
Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000942383
Reactive Organic Gases Tons/Yr:	0.000917494
Carbon Monoxide Emissions Tons/Yr:	0.002845799
NOX - Oxides of Nitrogen Tons/Yr:	0.01309008
SOX - Oxides of Sulphur Tons/Yr:	6.068e-006
Particulate Matter Tons/Yr:	0.000186944
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000179466

Name:	SANTA CLARA COUNTY FIRE DEPT
Address:	123 UNION AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Year:	2016
County Code:	43
Air Basin:	SF
Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.000942383
Reactive Organic Gases Tons/Yr:	0.0008278834655
Carbon Monoxide Emissions Tons/Yr:	0.002845799
NOX - Oxides of Nitrogen Tons/Yr:	0.013090076
SOX - Oxides of Sulphur Tons/Yr:	6.068e-006
Particulate Matter Tons/Yr:	0.000186944
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000179466

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

Name:	SANTA CLARA COUNTY FIRE DEPT
Address:	123 UNION AVENUE
City,State,Zip:	CAMPBELL, CA 95008
Year:	2018
County Code:	43
Air Basin:	SF
Facility ID:	19959
Air District Name:	BA
SIC Code:	9224
Air District Name:	BAY AREA AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.00138144
Reactive Organic Gases Tons/Yr:	0.00121359504
Carbon Monoxide Emissions Tons/Yr:	0.00366732
NOX - Oxides of Nitrogen Tons/Yr:	0.017019
SOX - Oxides of Sulphur Tons/Yr:	6.643e-006
Particulate Matter Tons/Yr:	0.0001402334004
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.000139392

HIST CORTESE:

edr_fname:	CAMPBELL FIRE DEPARTMENT
edr_fadd1:	123 UNION
City,State,Zip:	CAMPBELL, CA 95008
Region:	CORTESE
Facility County Code:	43
Reg By:	LTNKA
Reg Id:	43-0241

CERS:

Name:	CAMPBELL FIRE DEPARTMENT
Address:	123 UNION AVE
City,State,Zip:	CAMPBELL, CA 95008
Site ID:	236670
CERS ID:	T0608500300
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	UST CASE WORKER - SANTA CLARA COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	1555 Berger Drive, Suite 300
Affiliation City:	SAN JOSE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	4089183400

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Regional Water Board - SAN FRANCISCO BAY RWQCB (REGION 2)
Entity Title:	Not reported
Affiliation Address:	1515 CLAY ST SUITE 1400
Affiliation City:	OAKLAND
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

SANTA CLARA COUNTY FIRE DEPT (Continued) **S103626177**

Name: SANTA CLARA COUNTY FIRE DEPT
Address: 123 UNION AVENUE
City,State,Zip: CAMPBELL, CA 95008
Site ID: 492471
CERS ID: 110058319500
CERS Description: US EPA Air Emission Inventory System (EIS)

128
West
1/2-1
0.767 mi.
4052 ft.

SUMMERHILL-CAMPBELL AVENUE SITE **ENVIROSTOR** **S111022971**
511-555 WEST CAMPBELL AVENUE **VCP** **N/A**
CAMPBELL, CA 95008

Relative:
Lower

Actual:
195 ft.

ENVIROSTOR:
Name: SUMMERHILL-CAMPBELL AVENUE SITE
Address: 511-555 WEST CAMPBELL AVENUE
City,State,Zip: CAMPBELL, CA 95008
Facility ID: 60001472
Status: No Further Action
Status Date: 11/02/2011
Site Code: 201911
Site Type: Voluntary Cleanup
Site Type Detailed: Voluntary Cleanup
Acres: 3
NPL: NO
Regulatory Agencies: SMBRP
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: Mark Piros
Division Branch: Cleanup Berkeley
Assembly: 28
Senate: 15
Special Program: Voluntary Cleanup Program
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 37.28730
Longitude: -121.9588
APN: NONE SPECIFIED
Past Use: AGRICULTURAL - ORCHARD
Potential COC: Chlordane DDT Lead Toxaphene Heptachlor epoxide
Confirmed COC: Chlordane Lead DDT Heptachlor epoxide Toxaphene
Potential Description: SOIL
Alias Name: 201911
Alias Type: Project Code (Site Code)
Alias Name: 60001472
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Application
Completed Date: 05/19/2011
Comments: After review of the Oversight Request, it was determined that DTSC is the appropriate lead agency.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

SUMMERHILL-CAMPBELL AVENUE SITE (Continued) **S111022971**

Completed Document Type: Site Characterization Report
Completed Date: 07/21/2011
Comments: Based upon the information provided in the reports submitted, DTSC concludes additional assessment, environmental investigation, and remediation may be warranted at the Site. Therefore, DTSC cannot provide the Site with a no further action determination at this time.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Report
Completed Date: 08/29/2011
Comments: Based on the analytical results for sampling conducted at the Site on July 27, 30, and August 1, 2011 that were provided to DTSC in the Report, it appears the extent of soil contamination at the Site has been adequately defined.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 11/01/2011
Comments: Site investigation and remediation report review complete. Based upon an evaluation of the information contained in the submitted reports, DTSC concludes the Site does not pose a threat to human health or the environment under residential land use. Therefore, DTSC determined that no further action is necessary with respect to address hazardous substances at the Site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement Termination Notification
Completed Date: 11/07/2011
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 11/01/2011
Comments: Site investigation and remediation report review complete and DTSC concluded no further action is necessary to address hazardous substances at the Site. The Voluntary Cleanup Agreement scope of work has been completed, so a close-out memo was sent to the DTSC Cost Recovery Unit.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Standard Voluntary Agreement
Completed Date: 06/23/2011
Comments: Summerhill Homes and DTSC signed a Voluntary Cleanup Agreement for DTSC to review existing Site investigation and remediation documents and make a determination whether further action is required at the Site. DTSC will issue a no further action letter if the Site has been adequately investigated and remediated.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 01/26/2012

SUMMERHILL-CAMPBELL AVENUE SITE (Continued) **S111022971**

Comments: Demand letter #1

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

VCP:
Name: SUMMERHILL-CAMPBELL AVENUE SITE
Address: 511-555 WEST CAMPBELL AVENUE
City,State,Zip: CAMPBELL, CA 95008
Facility ID: 60001472
Site Type: Voluntary Cleanup
Site Type Detail: Voluntary Cleanup
Site Mgmt. Req.: NONE SPECIFIED
Acres: 3
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP
Lead Agency: SMBRP
Lead Agency Description: DTSC - Site Cleanup Program
Project Manager: Not reported
Supervisor: Mark Piros
Division Branch: Cleanup Berkeley
Site Code: 201911
Assembly: 28
Senate: 15
Special Programs Code: Voluntary Cleanup Program
Status: No Further Action
Status Date: 11/02/2011
Restricted Use: NO
Funding: Responsible Party
Lat/Long: 37.28730 / -121.9588
APN: NONE SPECIFIED
Past Use: AGRICULTURAL - ORCHARD
Potential COC: 30004, 30008, 30013, 30023, 30309
Confirmed COC: 30004,30013,30008,30309,30023
Potential Description: SOIL
Alias Name: 201911
Alias Type: Project Code (Site Code)
Alias Name: 60001472
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Application
Completed Date: 05/19/2011
Comments: After review of the Oversight Request, it was determined that DTSC is the appropriate lead agency.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

SUMMERHILL-CAMPBELL AVENUE SITE (Continued) **S111022971**

Completed Document Type: Site Characterization Report
Completed Date: 07/21/2011
Comments: Based upon the information provided in the reports submitted, DTSC concludes additional assessment, environmental investigation, and remediation may be warranted at the Site. Therefore, DTSC cannot provide the Site with a no further action determination at this time.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Report
Completed Date: 08/29/2011
Comments: Based on the analytical results for sampling conducted at the Site on July 27, 30, and August 1, 2011 that were provided to DTSC in the Report, it appears the extent of soil contamination at the Site has been adequately defined.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 11/01/2011
Comments: Site investigation and remediation report review complete. Based upon an evaluation of the information contained in the submitted reports, DTSC concludes the Site does not pose a threat to human health or the environment under residential land use. Therefore, DTSC determined that no further action is necessary with respect to address hazardous substances at the Site.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Voluntary Cleanup Agreement Termination Notification
Completed Date: 11/07/2011
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 11/01/2011
Comments: Site investigation and remediation report review complete and DTSC concluded no further action is necessary to address hazardous substances at the Site. The Voluntary Cleanup Agreement scope of work has been completed, so a close-out memo was sent to the DTSC Cost Recovery Unit.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Standard Voluntary Agreement
Completed Date: 06/23/2011
Comments: Summerhill Homes and DTSC signed a Voluntary Cleanup Agreement for DTSC to review existing Site investigation and remediation documents and make a determination whether further action is required at the Site. DTSC will issue a no further action letter if the Site has been adequately investigated and remediated.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Letter - Demand
Completed Date: 01/26/2012

SUMMERHILL-CAMPBELL AVENUE SITE (Continued) **S111022971**

Comments: Demand letter #1

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

---

129 South 1/2-1 0.885 mi. 4674 ft.

PACIFIC AEROSPACE SERVICES
354 EAST MCGLINCEY LANE
CAMPBELL, CA 95008

ENVIROSTOR CERS **S108054470 N/A**

Relative: Higher

Actual: 219 ft.

ENVIROSTOR:
Name: PACIFIC AEROSPACE SVCS., INC.
Address: 354 MCGLINCEY LANE
City,State,Zip: CAMPBELL, CA 95008
Facility ID: 71002130
Status: Inactive - Needs Evaluation
Status Date: 06/20/2012
Site Code: Not reported
Site Type: Tiered Permit
Site Type Detailed: Tiered Permit
Acres: 0.5
NPL: NO
Regulatory Agencies: SMBRP
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: Mark Piros
Division Branch: Cleanup Berkeley
Assembly: 28
Senate: 15
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Not reported
Latitude: 37.27560
Longitude: -121.9429
APN: NONE SPECIFIED
Past Use: NONE SPECIFIED
Potential COC: NONE SPECIFIED
Confirmed COC: NONE SPECIFIED
Potential Description: NONE SPECIFIED
Alias Name: CAD000819730
Alias Type: EPA Identification Number
Alias Name: 110024778114
Alias Type: EPA (FRS #)
Alias Name: 71002130
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

PACIFIC AEROSPACE SERVICES (Continued) **S108054470**

Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 11/07/2006
Comments: DTSC prepared a Site Screening Assessment under a cooperative agreement with the U.S. Environmental Protection Agency. The Site was ranked with a high overall site priority level. The Site Screening Assessment summarized the regulatory agency involvement and actions that had been taken at the Site

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

Name: PACIFIC AEROSPACE SERVICES
Address: 354 EAST MCGLINCEY LANE
City,State,Zip: CAMPBELL, CA 95008
Facility ID: 60000368
Status: Refer: RCRA
Status Date: 05/24/2007
Site Code: Not reported
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 1.25
NPL: NO
Regulatory Agencies: HWMP
Lead Agency: HWMP
Program Manager: Not reported
Supervisor: Denise Tsuji
Division Branch: Cleanup Berkeley
Assembly: 28
Senate: 15
Special Program: EPA - PASI
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: EPA Grant
Latitude: 37.27564
Longitude: -121.9428
APN: 412-31-012
Past Use: METAL PLATING - CHROME, METAL PLATING - OTHER
Potential COC: Under Investigation
Confirmed COC: NONE SPECIFIED
Potential Description: UE
Alias Name: 412-31-012
Alias Type: APN
Alias Name: 60000368
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Screening
Completed Date: 10/24/2006
Comments: Not reported

PACIFIC AEROSPACE SERVICES (Continued) **S108054470**

Future Area Name:	Not reported
Future Sub Area Name:	Not reported
Future Document Type:	Not reported
Future Due Date:	Not reported
Schedule Area Name:	Not reported
Schedule Sub Area Name:	Not reported
Schedule Document Type:	Not reported
Schedule Due Date:	Not reported
Schedule Revised Date:	Not reported

CERS:

Name:	PACIFIC AEROSPACE SERVICES
Address:	354 EAST MCGLINCEY LANE
City,State,Zip:	CAMPBELL, CA 95008-4903
Site ID:	485070
CERS ID:	110024778114
CERS Description:	US EPA Air Emission Inventory System (EIS)

Count: 0 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
		NO SITES FOUND			

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 03/30/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/18/2021
Number of Days to Update: 35

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/18/2021
Number of Days to Update: 35

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 5

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 02/09/2021
Date Data Arrived at EDR: 02/11/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 39

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 02/08/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/18/2020
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/23/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 11/18/2020
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/23/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/15/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 7

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 12/15/2020
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 01/25/2021
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/13/2021
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 01/25/2021
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/13/2021
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inve ntory of solid waste disposal facilities or landfills. These may be active or i nactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 11/09/2020
Date Data Arrived at EDR: 11/10/2020
Date Made Active in Reports: 01/14/2021
Number of Days to Update: 65

Source: Department of Resources Recycling and Recovery
Telephone: 916-341-6320
Last EDR Contact: 02/09/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/12/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/07/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/09/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 09/30/2020
Date Data Arrived at EDR: 12/22/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 80

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 10/02/2020
Date Data Arrived at EDR: 12/18/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 84

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)
Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 6L: SLIC Sites
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/29/2021
Date Data Arrived at EDR: 02/17/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 33

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 04/05/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Varies

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases
UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 03/05/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 04/01/2021
Number of Days to Update: 23
Source: State Water Resources Control Board
Telephone: 916-327-7844
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

MILITARY UST SITES: Military UST Sites (GEOTRACKER)
Military ust sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

UST: Active UST Facilities
Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22
Source: SWRCB
Telephone: 916-341-5851
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Semi-Annually

AST: Aboveground Petroleum Storage Tank Facilities
A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016
Date Data Arrived at EDR: 07/12/2016
Date Made Active in Reports: 09/19/2016
Number of Days to Update: 69
Source: California Environmental Protection Agency
Telephone: 916-327-5092
Last EDR Contact: 03/12/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86
Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 10/02/2020
Date Data Arrived at EDR: 12/18/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 84
Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/12/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/08/2020
Date Data Arrived at EDR: 05/20/2020
Date Made Active in Reports: 08/12/2020
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/09/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/30/2020
Date Data Arrived at EDR: 12/22/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 80

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 10/07/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 86

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 03/22/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 01/25/2021
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/13/2021
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Quarterly

State and tribal Brownfields sites

BROWNFIELDS: Considered Brownfieds Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 12/17/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 03/09/2021
Number of Days to Update: 82

Source: State Water Resources Control Board
Telephone: 916-323-7905
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/11/2020
Date Data Arrived at EDR: 12/11/2020
Date Made Active in Reports: 03/02/2021
Number of Days to Update: 81

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/16/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000
Date Data Arrived at EDR: 04/10/2000
Date Made Active in Reports: 05/10/2000
Number of Days to Update: 30

Source: State Water Resources Control Board
Telephone: 916-227-4448
Last EDR Contact: 04/21/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 03/09/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 11/23/2020
Date Data Arrived at EDR: 11/23/2020
Date Made Active in Reports: 02/08/2021
Number of Days to Update: 77

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 02/08/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 04/22/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 01/29/2021
Next Scheduled EDR Contact: 05/10/2021
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 12/07/2020
Date Data Arrived at EDR: 12/09/2020
Date Made Active in Reports: 03/02/2021
Number of Days to Update: 83

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 01/25/2021
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/13/2021
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Varies

CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 01/20/2021
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: CalEPA
Telephone: 916-323-2514
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 12/07/2020
Date Data Arrived at EDR: 12/09/2020
Date Made Active in Reports: 03/02/2021
Number of Days to Update: 83

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 12/07/2020
Date Data Arrived at EDR: 12/08/2020
Date Made Active in Reports: 02/22/2021
Number of Days to Update: 76

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 02/24/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994
Date Data Arrived at EDR: 07/07/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/03/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing
Aboveground storage tank sites

Date of Government Version: 11/05/2020
Date Data Arrived at EDR: 11/06/2020
Date Made Active in Reports: 01/26/2021
Number of Days to Update: 81

Source: San Francisco County Department of Public Health
Telephone: 415-252-3896
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

CERS TANKS: California Environmental Reporting System (CERS) Tanks
List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 01/20/2021
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Quarterly

CA FID UST: Facility Inventory Database
The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Environmental Liens Listing
A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 11/24/2020
Date Data Arrived at EDR: 11/30/2020
Date Made Active in Reports: 02/10/2021
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/18/2021
Number of Days to Update: 35

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 11/30/2020
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/12/2021
Number of Days to Update: 73

Source: DTSC and SWRCB
Telephone: 916-323-3400
Last EDR Contact: 03/03/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/16/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 85

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 03/24/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22

Source: State Water Qualilty Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/22/2013
Number of Days to Update: 50

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 02/11/2021
Date Data Arrived at EDR: 02/17/2021
Date Made Active in Reports: 04/05/2021
Number of Days to Update: 47

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 02/17/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 04/16/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/05/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/09/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 12/14/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 03/12/2021
Number of Days to Update: 85

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 02/02/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/05/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/17/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 03/19/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 08/14/2020
Date Made Active in Reports: 11/04/2020
Number of Days to Update: 82

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/02/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 01/20/2021
Date Data Arrived at EDR: 01/21/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 60

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/18/2021
Number of Days to Update: 35

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/02/2020
Date Data Arrived at EDR: 11/12/2020
Date Made Active in Reports: 01/25/2021
Number of Days to Update: 74

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/19/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties
A listing of verified Potentially Responsible Parties

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 03/05/2021
Number of Days to Update: 50
Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 03/11/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Quarterly

PADS: PCB Activity Database System
PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/19/2020
Date Data Arrived at EDR: 01/08/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 73
Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/09/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/05/2020
Date Data Arrived at EDR: 08/10/2020
Date Made Active in Reports: 10/08/2020
Number of Days to Update: 59
Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 04/16/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 70
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 03/05/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 03/02/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 02/05/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84
Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 03/25/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 01/13/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 68

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 04/05/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 11/20/2020
Number of Days to Update: 151

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/06/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 04/28/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 02/18/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 26

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 11/24/2020
Date Data Arrived at EDR: 11/30/2020
Date Made Active in Reports: 01/25/2021
Number of Days to Update: 56

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 03/01/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/03/2020
Date Data Arrived at EDR: 11/23/2020
Date Made Active in Reports: 01/25/2021
Number of Days to Update: 63

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/24/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 12/11/2020
Date Data Arrived at EDR: 12/11/2020
Date Made Active in Reports: 03/02/2021
Number of Days to Update: 81

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 03/10/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/03/2021
Date Data Arrived at EDR: 03/03/2021
Date Made Active in Reports: 04/05/2021
Number of Days to Update: 33

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 03/03/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 07/02/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 77

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 04/13/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 01/02/2021
Date Data Arrived at EDR: 01/08/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 04/06/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 11/03/2020
Date Data Arrived at EDR: 11/17/2020
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/17/2021
Date Data Arrived at EDR: 02/17/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 33

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/17/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6

Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 12/17/2020
Date Data Arrived at EDR: 12/17/2020
Date Made Active in Reports: 03/09/2021
Number of Days to Update: 82

Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 03/23/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing

list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 05/01/2019
Date Data Arrived at EDR: 05/14/2019
Date Made Active in Reports: 07/17/2019
Number of Days to Update: 64

Source: Livermore-Pleasanton Fire Department
Telephone: 925-454-2361
Last EDR Contact: 02/12/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Varies

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 11/23/2020
Date Data Arrived at EDR: 11/24/2020
Date Made Active in Reports: 02/10/2021
Number of Days to Update: 78

Source: Antelope Valley Air Quality Management District
Telephone: 661-723-8070
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Varies

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing
A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 11/17/2020
Date Data Arrived at EDR: 11/18/2020
Date Made Active in Reports: 02/04/2021
Number of Days to Update: 78

Source: South Coast Air Quality Management District
Telephone: 909-396-3211
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities
A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 11/23/2020
Date Data Arrived at EDR: 11/25/2020
Date Made Active in Reports: 02/10/2021
Number of Days to Update: 77

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Annually

EMI: Emissions Inventory Data
Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 06/16/2020
Date Made Active in Reports: 08/28/2020
Number of Days to Update: 73

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 03/19/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Varies

ENF: Enforcement Action Listing
A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/09/2021
Number of Days to Update: 79

Source: State Water Resoruces Control Board
Telephone: 916-445-9379
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing
Financial Assurance information

Date of Government Version: 01/25/2021
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/13/2021
Number of Days to Update: 77

Source: Department of Toxic Substances Control
Telephone: 916-255-3628
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing
A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 11/12/2020
Date Data Arrived at EDR: 11/13/2020
Date Made Active in Reports: 01/29/2021
Number of Days to Update: 77

Source: California Integrated Waste Management Board
Telephone: 916-341-6066
Last EDR Contact: 02/08/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 04/15/2020
Date Made Active in Reports: 07/02/2020
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 04/09/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Annually

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 11/13/2020
Date Data Arrived at EDR: 11/13/2020
Date Made Active in Reports: 02/01/2021
Number of Days to Update: 80

Source: Department of Toxic Subsances Control
Telephone: 877-786-9427
Last EDR Contact: 02/17/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 11/13/2020
Date Data Arrived at EDR: 11/13/2020
Date Made Active in Reports: 02/01/2021
Number of Days to Update: 80

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 02/17/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 01/05/2021
Date Data Arrived at EDR: 01/05/2021
Date Made Active in Reports: 03/18/2021
Number of Days to Update: 72

Source: Department of Toxic Substances Control
Telephone: 916-440-7145
Last EDR Contact: 04/06/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Quarterly

MINES: Mines Site Location Listing
A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: Department of Conservation
Telephone: 916-322-1080
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing
The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 10/30/2020
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/12/2021
Number of Days to Update: 73

Source: Department of Public Health
Telephone: 916-558-1784
Last EDR Contact: 03/03/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Varies

NPDES: NPDES Permits Listing
A listing of NPDES permits, including stormwater.

Date of Government Version: 11/09/2020
Date Data Arrived at EDR: 11/10/2020
Date Made Active in Reports: 01/27/2021
Number of Days to Update: 78

Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 02/09/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing
A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 11/30/2020
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/12/2021
Number of Days to Update: 73

Source: Department of Pesticide Regulation
Telephone: 916-445-4038
Last EDR Contact: 03/03/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Quarterly

PROC: Certified Processors Database
A listing of certified processors.

Date of Government Version: 03/09/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records
Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 12/07/2020
Date Data Arrived at EDR: 12/09/2020
Date Made Active in Reports: 12/10/2020
Number of Days to Update: 1

Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 03/12/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: No Update Planned

UIC: UIC Listing
A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22
Source: Deaprtment of Conservation
Telephone: 916-445-2408
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)
Underground control injection sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21
Source: State Water Resource Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing
Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 11/19/2019
Date Data Arrived at EDR: 01/07/2020
Date Made Active in Reports: 03/09/2020
Number of Days to Update: 62
Source: RWQCB, Central Valley Region
Telephone: 559-445-5577
Last EDR Contact: 04/09/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Varies

WDS: Waste Discharge System
Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9
Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List
Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13
Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 03/19/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)
Military privatized sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)
Projects sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 03/09/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22

Source: State Water Resources Control Board
Telephone: 916-341-5810
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 11/30/2020
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/12/2021
Number of Days to Update: 73

Source: State Water Resources Control Board
Telephone: 866-794-4977
Last EDR Contact: 03/03/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 01/20/2021
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)
Produced water ponds sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)
Sampling point - public sites

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)
Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 03/08/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/30/2021
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Varies

HWTS: Hazardous Waste Tracking System
DTSC maintains the Hazardous Waste Tracking System that stores ID number information since the early 1980s and manifest data since 1993. The system collects both manifest copies from the generator and destination facility.

Date of Government Version: 04/08/2021
Date Data Arrived at EDR: 04/09/2021
Date Made Active in Reports: 04/20/2021
Number of Days to Update: 11

Source: Department of Toxic Substances Control
Telephone: 916-324-2444
Last EDR Contact: 04/05/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Varies

PCS: Permit Compliance System
PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Semi-Annually

PCS ENF: Enforcement data
No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 04/06/2018
Date Data Arrived at EDR: 10/21/2019
Date Made Active in Reports: 10/24/2019
Number of Days to Update: 3

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 09/10/2018
Data Release Frequency: Varies

PCS INACTIVE: Listing of Inactive PCS Permits
An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014
Date Data Arrived at EDR: 01/06/2015
Date Made Active in Reports: 05/06/2015
Number of Days to Update: 120

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Semi-Annually

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations
EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners
EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019
Date Data Arrived at EDR: 01/11/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 53

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 03/17/2021
Date Data Arrived at EDR: 03/18/2021
Date Made Active in Reports: 03/25/2021
Number of Days to Update: 7

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 03/17/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List
Cupa Facility List

Date of Government Version: 02/02/2021
Date Data Arrived at EDR: 02/04/2021
Date Made Active in Reports: 04/23/2021
Number of Days to Update: 78

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing
Cupa facility list.

Date of Government Version: 04/21/2017
Date Data Arrived at EDR: 04/25/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 106

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing
Cupa Facility Listing

Date of Government Version: 12/15/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 12/24/2020
Number of Days to Update: 8

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/06/2020
Date Data Arrived at EDR: 04/23/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 78

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List
List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 01/25/2021
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/16/2021
Number of Days to Update: 80

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 04/20/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA DEL NORTE: CUPA Facility List
Cupa Facility list

Date of Government Version: 12/17/2020
Date Data Arrived at EDR: 01/28/2021
Date Made Active in Reports: 04/16/2021
Number of Days to Update: 78

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 04/21/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List
CUPA facility list.

Date of Government Version: 10/22/2020
Date Data Arrived at EDR: 11/03/2020
Date Made Active in Reports: 01/20/2021
Number of Days to Update: 78

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 04/21/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List
Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 01/14/2021
Date Data Arrived at EDR: 01/15/2021
Date Made Active in Reports: 04/05/2021
Number of Days to Update: 80

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/22/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 03/14/2018
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District
Telephone: 830-934-6500
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: No Update Planned

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List
CUPA facility list.

Date of Government Version: 11/18/2020
Date Data Arrived at EDR: 11/19/2020
Date Made Active in Reports: 02/04/2021
Number of Days to Update: 77

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List
Cupa facility list.

Date of Government Version: 01/19/2021
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/03/2018
Date Made Active in Reports: 06/14/2018
Number of Days to Update: 72

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

KERN COUNTY:

CUPA KERN: CUPA Facility List
A listing of sites included in the Kern County Hazardous Material Business Plan.

Date of Government Version: 10/29/2020
Date Data Arrived at EDR: 10/30/2020
Date Made Active in Reports: 01/15/2021
Number of Days to Update: 77

Source: Kern County Public Health
Telephone: 661-321-3000
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

UST KERN: Underground Storage Tank Sites & Tank Listing
Kern County Sites and Tanks Listing.

Date of Government Version: 01/19/2021
Date Data Arrived at EDR: 01/21/2021
Date Made Active in Reports: 01/28/2021
Number of Days to Update: 7

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 12/03/2020
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/14/2021
Number of Days to Update: 78

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List
Cupa facility list

Date of Government Version: 02/10/2021
Date Data Arrived at EDR: 02/12/2021
Date Made Active in Reports: 03/11/2021
Number of Days to Update: 27

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 04/07/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List
Cupa facility list

Date of Government Version: 07/31/2020
Date Data Arrived at EDR: 08/21/2020
Date Made Active in Reports: 11/09/2020
Number of Days to Update: 80

Source: Lassen County Environmental Health
Telephone: 530-251-8528
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County
San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: N/A
Telephone: N/A
Last EDR Contact: 03/12/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List
Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 01/11/2021
Date Data Arrived at EDR: 01/12/2021
Date Made Active in Reports: 03/25/2021
Number of Days to Update: 72

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 04/05/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities
Solid Waste Facilities in Los Angeles County.

Date of Government Version: 01/11/2021
Date Data Arrived at EDR: 01/12/2021
Date Made Active in Reports: 03/26/2021
Number of Days to Update: 73

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 04/13/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills
Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 08/17/2020
Date Made Active in Reports: 11/05/2020
Number of Days to Update: 80

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 04/07/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Varies

LOS ANGELES AST: Active & Inactive AST Inventory
A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019
Date Data Arrived at EDR: 06/25/2019
Date Made Active in Reports: 08/22/2019
Number of Days to Update: 58
Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 03/26/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Varies

LOS ANGELES CO LF METHANE: Methane Producing Landfills
This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 02/04/2021
Date Data Arrived at EDR: 04/16/2021
Date Made Active in Reports: 04/21/2021
Number of Days to Update: 5
Source: Los Angeles County Department of Public Works
Telephone: 626-458-6973
Last EDR Contact: 04/16/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: No Update Planned

LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory
A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019
Date Data Arrived at EDR: 06/25/2019
Date Made Active in Reports: 08/22/2019
Number of Days to Update: 58
Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 03/26/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Varies

LOS ANGELES UST: Active & Inactive UST Inventory
A listing of active & inactive underground storage tank site locations and underground storage tank historical sites, located in the City of Los Angeles.

Date of Government Version: 06/01/2019
Date Data Arrived at EDR: 06/25/2019
Date Made Active in Reports: 08/22/2019
Number of Days to Update: 58
Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 03/26/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List
Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 10/19/2020
Date Data Arrived at EDR: 01/12/2021
Date Made Active in Reports: 03/26/2021
Number of Days to Update: 73
Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 04/16/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank
Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/10/2017
Number of Days to Update: 21
Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 04/07/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: No Update Planned

UST LONG BEACH: City of Long Beach Underground Storage Tank
Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 65

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 09/11/2020
Date Data Arrived at EDR: 10/07/2020
Date Made Active in Reports: 12/23/2020
Number of Days to Update: 77

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 04/23/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 08/10/2020
Date Data Arrived at EDR: 08/12/2020
Date Made Active in Reports: 10/23/2020
Number of Days to Update: 72

Source: Madera County Environmental Health
Telephone: 559-675-7823
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites
Currently permitted USTs in Marin County.

Date of Government Version: 09/26/2018
Date Data Arrived at EDR: 10/04/2018
Date Made Active in Reports: 11/02/2018
Number of Days to Update: 29

Source: Public Works Department Waste Management
Telephone: 415-473-6647
Last EDR Contact: 03/25/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Semi-Annually

MENDOCINO COUNTY:

UST MENDOCINO: Mendocino County UST Database
A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 12/21/2020
Date Data Arrived at EDR: 12/21/2020
Date Made Active in Reports: 03/10/2021
Number of Days to Update: 79

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List
CUPA facility list.

Date of Government Version: 02/04/2021
Date Data Arrived at EDR: 02/09/2021
Date Made Active in Reports: 02/18/2021
Number of Days to Update: 9

Source: Merced County Environmental Health
Telephone: 209-381-1094
Last EDR Contact: 01/29/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

MONO COUNTY:

CUPA MONO: CUPA Facility List
CUPA Facility List

Date of Government Version: 11/16/2020
Date Data Arrived at EDR: 11/23/2020
Date Made Active in Reports: 02/08/2021
Number of Days to Update: 77

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/3021
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing
CUPA Program listing from the Environmental Health Division.

Date of Government Version: 01/08/2021
Date Data Arrived at EDR: 01/12/2021
Date Made Active in Reports: 03/25/2021
Number of Days to Update: 72

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 03/25/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination
A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 03/02/2017
Number of Days to Update: 50

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites
Underground storage tank sites located in Napa county.

Date of Government Version: 09/05/2019
Date Data Arrived at EDR: 09/09/2019
Date Made Active in Reports: 10/31/2019
Number of Days to Update: 52

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List
CUPA facility list.

Date of Government Version: 02/03/2021
Date Data Arrived at EDR: 02/04/2021
Date Made Active in Reports: 04/23/2021
Number of Days to Update: 78

Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 04/21/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups
Petroleum and non-petroleum spills.

Date of Government Version: 02/01/2021
Date Data Arrived at EDR: 02/04/2021
Date Made Active in Reports: 04/23/2021
Number of Days to Update: 78

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 02/01/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 09/01/2020
Date Data Arrived at EDR: 11/06/2020
Date Made Active in Reports: 01/26/2021
Number of Days to Update: 81

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 02/05/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 02/01/2021
Date Data Arrived at EDR: 02/02/2021
Date Made Active in Reports: 04/20/2021
Number of Days to Update: 77

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 02/02/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities
List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 11/24/2020
Date Data Arrived at EDR: 11/24/2020
Date Made Active in Reports: 11/25/2020
Number of Days to Update: 1

Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List
Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/26/2019
Number of Days to Update: 64

Source: Plumas County Environmental Health
Telephone: 530-283-6355
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites
Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 01/13/2021
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 03/10/2021
Number of Days to Update: 55

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 03/15/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List
Underground storage tank sites located in Riverside county.

Date of Government Version: 01/13/2021
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 03/10/2021
Number of Days to Update: 55

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 03/15/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List
List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 02/18/2020
Date Data Arrived at EDR: 03/31/2020
Date Made Active in Reports: 06/15/2020
Number of Days to Update: 76

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 03/31/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List
Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 02/24/2020
Date Data Arrived at EDR: 03/31/2020
Date Made Active in Reports: 06/17/2020
Number of Days to Update: 78

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 04/01/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List
Cupa facility list

Date of Government Version: 10/28/2020
Date Data Arrived at EDR: 10/30/2020
Date Made Active in Reports: 01/15/2021
Number of Days to Update: 77

Source: San Benito County Environmental Health
Telephone: N/A
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits
This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 11/16/2020
Date Data Arrived at EDR: 11/18/2020
Date Made Active in Reports: 02/04/2021
Number of Days to Update: 78

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 02/01/2021
Next Scheduled EDR Contact: 05/17/2021
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 11/30/2020
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/16/2021
Number of Days to Update: 77

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 03/03/2021
Next Scheduled EDR Contact: 03/15/2021
Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 11/23/2020
Date Made Active in Reports: 02/08/2021
Number of Days to Update: 77

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/14/2020
Date Data Arrived at EDR: 07/16/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 75

Source: Department of Environmental Health
Telephone: 858-505-6874
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

SAN DIEGO CO SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

CUPA SAN FRANCISCO CO: CUPA Facility Listing

Cupa facilities

Date of Government Version: 11/05/2020
Date Data Arrived at EDR: 11/06/2020
Date Made Active in Reports: 01/27/2021
Number of Days to Update: 82

Source: San Francisco County Department of Environmental Health
Telephone: 415-252-3896
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

LUST SAN FRANCISCO: Local Oversite Facilities
A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information
Underground storage tank sites located in San Francisco county.

Date of Government Version: 11/05/2020
Date Data Arrived at EDR: 11/06/2020
Date Made Active in Reports: 01/26/2021
Number of Days to Update: 81

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST
A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018
Date Data Arrived at EDR: 06/26/2018
Date Made Active in Reports: 07/11/2018
Number of Days to Update: 15

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 03/12/2021
Next Scheduled EDR Contact: 06/28/2021
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List
Cupa Facility List.

Date of Government Version: 11/12/2020
Date Data Arrived at EDR: 11/13/2020
Date Made Active in Reports: 02/01/2021
Number of Days to Update: 80

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory
List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 02/20/2020
Date Data Arrived at EDR: 02/20/2020
Date Made Active in Reports: 04/24/2020
Number of Days to Update: 64

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 03/12/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List
A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019
Date Data Arrived at EDR: 03/29/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 61

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 03/08/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing
CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List
Cupa facility list

Date of Government Version: 11/20/2020
Date Data Arrived at EDR: 11/23/2020
Date Made Active in Reports: 02/05/2021
Number of Days to Update: 74

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report
A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing
A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 02/22/2021
Next Scheduled EDR Contact: 06/06/2021
Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities
Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 11/03/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 01/26/2021
Number of Days to Update: 82

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List
CUPA facility listing.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/23/2017
Number of Days to Update: 90

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List
Cupa Facility List.

Date of Government Version: 06/15/2017
Date Data Arrived at EDR: 06/19/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 51

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 02/16/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks
A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2019
Date Data Arrived at EDR: 06/06/2019
Date Made Active in Reports: 08/13/2019
Number of Days to Update: 68

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks
Underground storage tank sites located in Solano county.

Date of Government Version: 12/03/2020
Date Data Arrived at EDR: 12/03/2020
Date Made Active in Reports: 02/18/2021
Number of Days to Update: 77

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 03/12/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List
Cupa Facility list

Date of Government Version: 12/15/2020
Date Data Arrived at EDR: 12/16/2020
Date Made Active in Reports: 12/23/2020
Number of Days to Update: 7

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 03/19/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites
A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 01/05/2021
Date Data Arrived at EDR: 01/06/2021
Date Made Active in Reports: 03/18/2021
Number of Days to Update: 71

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 03/19/2021
Next Scheduled EDR Contact: 07/05/2021
Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List
Cupa facility list

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 10/06/2020
Date Made Active in Reports: 12/22/2020
Number of Days to Update: 77

Source: Stanislaus County Department of Ennvironmental Protection
Telephone: 209-525-6751
Last EDR Contact: 04/21/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Varies

SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks
Underground storage tank sites located in Sutter county.

Date of Government Version: 11/23/2020
Date Data Arrived at EDR: 11/24/2020
Date Made Active in Reports: 02/10/2021
Number of Days to Update: 78

Source: Sutter County Environmental Health Services
Telephone: 530-822-7500
Last EDR Contact: 02/26/2021
Next Scheduled EDR Contact: 06/14/2021
Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List
Cupa facilities

Date of Government Version: 01/13/2021
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 04/06/2021
Number of Days to Update: 82

Source: Tehama County Department of Environmental Health
Telephone: 530-527-8020
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List
Cupa facility list

Date of Government Version: 01/19/2021
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 760-352-0381
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List
Cupa program facilities

Date of Government Version: 02/02/2021
Date Data Arrived at EDR: 02/04/2021
Date Made Active in Reports: 04/23/2021
Number of Days to Update: 78

Source: Tulare County Environmental Health Services Division
Telephone: 559-624-7400
Last EDR Contact: 04/27/2021
Next Scheduled EDR Contact: 08/16/2021
Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List
Cupa facility list

Date of Government Version: 04/23/2018
Date Data Arrived at EDR: 04/25/2018
Date Made Active in Reports: 06/25/2018
Number of Days to Update: 61

Source: Divison of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 04/14/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Varies

VENTURA COUNTY:

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks
The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 12/28/2020
Date Data Arrived at EDR: 01/29/2021
Date Made Active in Reports: 04/22/2021
Number of Days to Update: 83

Source: Ventura County Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 04/19/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites
Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011
Date Data Arrived at EDR: 12/01/2011
Date Made Active in Reports: 01/19/2012
Number of Days to Update: 49

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 03/25/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: No Update Planned

LUST VENTURA: Listing of Underground Tank Cleanup Sites
Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008
Date Data Arrived at EDR: 06/24/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 37

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 02/08/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: No Update Planned

MED WASTE VENTURA: Medical Waste Program List
To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 03/29/2021
Date Data Arrived at EDR: 04/21/2021
Date Made Active in Reports: 04/23/2021
Number of Days to Update: 2

Source: Ventura County Resource Management Agency
Telephone: 805-654-2813
Last EDR Contact: 04/19/2021
Next Scheduled EDR Contact: 08/02/2021
Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List
Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 03/01/2021
Date Data Arrived at EDR: 03/09/2021
Date Made Active in Reports: 03/31/2021
Number of Days to Update: 22

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 03/09/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report
Underground storage tank sites located in Yolo county.

Date of Government Version: 12/21/2020
Date Data Arrived at EDR: 12/23/2020
Date Made Active in Reports: 01/04/2021
Number of Days to Update: 12

Source: Yolo County Department of Health
Telephone: 530-666-8646
Last EDR Contact: 03/26/2021
Next Scheduled EDR Contact: 07/12/2021
Data Release Frequency: Annually

YUBA COUNTY:

CUPA YUBA: CUPA Facility List
CUPA facility listing for Yuba County.

Date of Government Version: 01/26/2021
Date Data Arrived at EDR: 01/28/2021
Date Made Active in Reports: 02/03/2021
Number of Days to Update: 6

Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 04/24/2021
Next Scheduled EDR Contact: 08/09/2021
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 08/10/2020
Date Data Arrived at EDR: 10/20/2020
Date Made Active in Reports: 11/02/2020
Number of Days to Update: 13

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/12/2021
Next Scheduled EDR Contact: 05/24/2021
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/09/2021
Next Scheduled EDR Contact: 07/19/2021
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/29/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 01/29/2021
Next Scheduled EDR Contact: 05/10/2021
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/09/2021
Next Scheduled EDR Contact: 07/26/2021
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 02/11/2021
Date Made Active in Reports: 02/24/2021
Number of Days to Update: 13

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/09/2021
Next Scheduled EDR Contact: 05/31/2021
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/08/2021
Next Scheduled EDR Contact: 06/21/2021
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Licensed Facilities
Source: Department of Social Services
Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

PHASE I ESA
70 NORTH 1ST STREET
CAMPBELL, CA 95008

TARGET PROPERTY COORDINATES

Latitude (North):	37.288772 - 37° 17' 19.58''
Longitude (West):	121.944263 - 121° 56' 39.35''
Universal Tranverse Mercator:	Zone 10
UTM X (Meters):	593582.6
UTM Y (Meters):	4127226.0
Elevation:	198 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5640416 SAN JOSE WEST, CA
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General North

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
06085C0237H	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
06085C0241H	FEMA FIRM Flood data
06085C0239H	FEMA FIRM Flood data
06085C0243H	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
SAN JOSE WEST	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1/8 - 1/4 Mile ESE
Site Name:	Noble Properties/Orchard Oak
Site EPA ID Number:	CAD981990021
Groundwater Flow Direction:	NNE, BUT MAY BE ALTERED BY LOCAL PUMPING.
Inferred Depth to Water:	100 feet to 130 feet.
Hydraulic Connection:	An aquitard that separates the surficial and lower aquifers is discontinuous or leaky in the vicinity of the site.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site--specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Quaternary
Code:	Q *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name:	BOTELLA
Soil Surface Texture:	clay loam
Hydrologic Group:	Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.
Soil Drainage Class:	Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel:	MODERATE
Depth to Bedrock Min:	> 60 inches
Depth to Bedrock Max:	> 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	9 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.60 Min: 0.20	Max: 7.30 Min: 5.60
2	9 inches	41 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.60 Min: 0.20	Max: 7.80 Min: 5.60
3	41 inches	76 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 0.60 Min: 0.20	Max: 7.80 Min: 5.60

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: No Other Soil Types

Surficial Soil Types: No Other Soil Types

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: No Other Soil Types

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
D13	USGS40000181945	1/4 - 1/2 Mile East
E17	USGS40000181948	1/2 - 1 Mile ENE
34	USGS40000181887	1/2 - 1 Mile SW
J47	USGS40000181858	1/2 - 1 Mile South
J48	USGS40000181857	1/2 - 1 Mile South
J49	USGS40000181861	1/2 - 1 Mile South
J50	USGS40000181860	1/2 - 1 Mile South
58	USGS40000181859	1/2 - 1 Mile SSW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	CADWR0000034488	1/8 - 1/4 Mile SW
A2	CADWR0000020570	1/8 - 1/4 Mile SW
B3	CADDW0000013251	1/8 - 1/4 Mile South
B4	CADDW0000018589	1/8 - 1/4 Mile South
5	CADDW0000013786	1/4 - 1/2 Mile South
C6	CAEDF0000063449	1/4 - 1/2 Mile WSW
C7	CAEDF0000063825	1/4 - 1/2 Mile WSW
C8	CAEDF0000021055	1/4 - 1/2 Mile WSW
C9	CAEDF0000143756	1/4 - 1/2 Mile WSW
D10	CADWR0000022939	1/4 - 1/2 Mile ENE
D11	CADWR0000016966	1/4 - 1/2 Mile ENE
D12	CADWR0000024123	1/4 - 1/2 Mile ENE
E14	CADDW0000018084	1/4 - 1/2 Mile East
E15	CADDW0000000054	1/4 - 1/2 Mile ENE
E16	CADDW0000002735	1/2 - 1 Mile East
E18	CAUSGSN00009246	1/2 - 1 Mile East
E19	CALLNL000000446	1/2 - 1 Mile East
F20	7808	1/2 - 1 Mile SW
F21	7809	1/2 - 1 Mile SW
F22	7810	1/2 - 1 Mile SW
F23	7799	1/2 - 1 Mile SW
F24	7798	1/2 - 1 Mile SW
F25	7806	1/2 - 1 Mile SW
F26	7800	1/2 - 1 Mile SW
27	CADWR0000002586	1/2 - 1 Mile SE
28	7807	1/2 - 1 Mile SW
29	CADDW0000018930	1/2 - 1 Mile NNW
G30	7813	1/2 - 1 Mile SE
G31	7795	1/2 - 1 Mile SE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
G32	7793	1/2 - 1 Mile SE
33	CADWR0000035674	1/2 - 1 Mile WSW
35	CADWR0000024149	1/2 - 1 Mile NNW
H36	7811	1/2 - 1 Mile SE
H37	7812	1/2 - 1 Mile SE
I38	CADDW0000022646	1/2 - 1 Mile West
I39	CAPFAS000001338	1/2 - 1 Mile West
I40	CADDW0000005420	1/2 - 1 Mile West
J41	CADWR8000033643	1/2 - 1 Mile South
J42	CADWR8000033642	1/2 - 1 Mile South
J43	CADWR8000033644	1/2 - 1 Mile South
J44	CADWR8000033646	1/2 - 1 Mile South
J45	CADWR8000033645	1/2 - 1 Mile South
I46	CADDW0000005602	1/2 - 1 Mile West
I51	CADDW0000021414	1/2 - 1 Mile West
I52	CADDW0000015159	1/2 - 1 Mile West
I53	CAPFAS000000869	1/2 - 1 Mile West
54	7792	1/2 - 1 Mile NNW
I55	CADDW0000008099	1/2 - 1 Mile West
I56	CAPFAS000001140	1/2 - 1 Mile West
I57	CALLNL000000257	1/2 - 1 Mile West
59	CADWR0000031403	1/2 - 1 Mile NE
60	CADDW0000015163	1/2 - 1 Mile WNW
K61	7784	1/2 - 1 Mile NE
K62	7783	1/2 - 1 Mile NE
K63	7782	1/2 - 1 Mile NE
K64	7787	1/2 - 1 Mile NE
K65	7786	1/2 - 1 Mile NE
K66	7785	1/2 - 1 Mile NE
67	CADDW0000010586	1/2 - 1 Mile WSW

PHYSICAL SETTING SOURCE MAP - 6471563.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	Phase I ESA	CLIENT:	Cornerstone Earth Group
ADDRESS:	70 North 1st Street Campbell CA 95008	CONTACT:	Stason Foster
LAT/LONG:	37.288772 / 121.944263	INQUIRY #:	6471563.2s
		DATE:	April 29, 2021 7:47 pm

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

A1
SW
1/8 - 1/4 Mile
Higher

CA WELLS **CADWR0000034488**

Well ID:	07S01W35C003M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W35C003M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W35C003M&store_num=		
GeoTracker Data:	Not Reported		

A2
SW
1/8 - 1/4 Mile
Higher

CA WELLS **CADWR0000020570**

Well ID:	07S01W35C002M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W35C002M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W35C002M&store_num=		
GeoTracker Data:	Not Reported		

B3
South
1/8 - 1/4 Mile
Higher

CA WELLS **CADDW0000013251**

Well ID:	4310011-046	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	FIRST STREET WELL 02 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-046&store_num=		
GeoTracker Data:	Not Reported		

B4
South
1/8 - 1/4 Mile
Higher

CA WELLS **CADDW0000018589**

Well ID:	4310011-047	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	FIRST STREET WELL 03 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-047&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

5
South
1/4 - 1/2 Mile
Higher

CA WELLS **CADDW0000013786**

Well ID:	4310011-045	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	FIRST STREET WELL 01 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-045&store_num=		
GeoTracker Data:	Not Reported		

C6
WSW
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000063449**

Well ID:	T0608554641-MW-1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608554641&assigned_name=MW-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608554641&assigned_name=MW-1		

C7
WSW
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000063825**

Well ID:	T0608554641-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608554641&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608554641&assigned_name=MW-2		

C8
WSW
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000021055**

Well ID:	T0608554641-MW-4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608554641&assigned_name=MW-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608554641&assigned_name=MW-4		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

C9
WSW
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000143756**

Well ID:	T0608554641-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0608554641&assigned_name=MW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0608554641&assigned_name=MW-3		

D10
ENE
1/4 - 1/2 Mile
Lower

CA WELLS **CADWR0000022939**

Well ID:	07S01W26R003M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W26R003M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W26R003M&store_num=		
GeoTracker Data:	Not Reported		

D11
ENE
1/4 - 1/2 Mile
Lower

CA WELLS **CADWR0000016966**

Well ID:	07S01W26R004M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W26R004M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W26R004M&store_num=		
GeoTracker Data:	Not Reported		

D12
ENE
1/4 - 1/2 Mile
Lower

CA WELLS **CADWR0000024123**

Well ID:	07S01W26R002M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W26R002M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W26R002M&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

D13
East
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000181945**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W26R003M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	841
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

E14
East
1/4 - 1/2 Mile
Lower

CA WELLS **CADDW0000018084**

Well ID:	4310011-078	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	RIDGLEY DR. WELL 01 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-078&store_num=		
GeoTracker Data:	Not Reported		

E15
ENE
1/4 - 1/2 Mile
Lower

CA WELLS **CADDW0000000054**

Well ID:	4310011-080	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	RIDGLEY DR. WELL 03 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-080&store_num=		
GeoTracker Data:	Not Reported		

E16
East
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000002735**

Well ID:	4310011-079	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	RIDGLEY WELL 02 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-079&store_num=		

GeoTracker Data: Not Reported

E17
ENE **FED USGS** **USGS40000181948**
1/2 - 1 Mile
Lower

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W26R004M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	850
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

E18
East **CA WELLS** **CAUSGSN00009246**
1/2 - 1 Mile
Lower

Well ID:	USGS-371725121560303	Well Type:	UNK
Source:	United States Geological Survey		
Other Name:	USGS-371725121560303	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&samp_date=&global_id=&assigned_name=USGS-371725121560303&store_num=		
GeoTracker Data:	Not Reported		

E19
East **CA WELLS** **CALLNL000000446**
1/2 - 1 Mile
Lower

Well ID:	101094	Well Type:	MUNICIPAL
Source:	Lawrence Livermore National Laboratory		
Other Name:	07S/01W-26R04 M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	Not Reported		
GeoTracker Data:	Not Reported		

Chemical:	Tritium (Hydrogen 3)	Results:	12.21
Units:	pCi/L	Date:	04/17/2002
Chemical:	Neon	Results:	.000000428445
Units:	cm3STP/g	Date:	03/25/2002
Chemical:	Helium-3/Helium-4	Results:	.00000143829
Units:	atom ratio	Date:	03/25/2002
Chemical:	Xenon	Results:	.0000000357493

Units:	cm3STP/g	Date:	03/25/2002
Chemical:	Helium-4	Results:	.00000011868
Units:	cm3STP/g	Date:	03/25/2002
Chemical:	Argon	Results:	.000486071
Units:	cm3STP/g	Date:	03/25/2002

F20
SW
1/2 - 1 Mile
Higher

CA WELLS 7808

Seq:	7808	Prim sta c:	07S/01W-34F03 M
Frds no:	4310011122	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	VIRGINIA WELL 03	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215700.0
Precision:	8	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	09-SEP-14	Finding:	4.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	09-SEP-14	Finding:	2.5
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	21-AUG-14	Finding:	110.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	11-MAR-14	Finding:	2.8
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	11-MAR-14	Finding:	4.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	10-FEB-14	Finding:	230.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	10-DEC-13	Finding:	4.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L

Dlr:	0.5		
Sample date:	10-DEC-13	Finding:	3.1
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	15-NOV-13	Finding:	45.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		
Sample date:	15-NOV-13	Finding:	320.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	17-SEP-13	Finding:	17.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	2500.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	17-SEP-13	Finding:	11.26
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	6.1
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	17-SEP-13	Finding:	38000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	370.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	4.2
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	17-SEP-13	Finding:	6.3
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	17-SEP-13	Finding:	35.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		
Sample date:	17-SEP-13	Finding:	470.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	17-SEP-13	Finding:	0.15
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	17-SEP-13	Finding:	49.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		

Sample date:	17-SEP-13	Finding:	41.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	21.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	5.
Chemical:	COLOR	Report units:	UNITS
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	540.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	6.93
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	160.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	190.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	222.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	17-SEP-13	Finding:	55.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	12-JUN-13	Finding:	5.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	12-JUN-13	Finding:	3.5
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	13-MAY-13	Finding:	170.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	22-MAR-13	Finding:	4.2
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	22-MAR-13	Finding:	5.3
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	06-SEP-12	Finding:	3.3
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L

Dlr:	0.5		
Sample date:	06-SEP-12	Finding:	5.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	21-AUG-12	Finding:	270.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	16-JUL-12	Finding:	4.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	12-JUN-12	Finding:	2.9
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	12-JUN-12	Finding:	4.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	15-MAY-12	Finding:	29.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		
Sample date:	15-MAY-12	Finding:	520.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	01-MAR-12	Finding:	5.1
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	01-MAR-12	Finding:	3.2
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	08-FEB-12	Finding:	190.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

F21
SW
1/2 - 1 Mile
Higher

CA WELLS 7809

Seq:	7809	Prim sta c:	07S/01W-34F04 M
Frds no:	4310011123	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	VIRGINIA WELL 04	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215700.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	16-JUL-14	Finding:	350.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	14-JAN-14	Finding:	280.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	10-DEC-13	Finding:	0.78
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	17-SEP-13	Finding:	0.92
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	08-MAY-13	Finding:	0.8
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-MAY-13	Finding:	2.5
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	3400.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	03-APR-13	Finding:	14000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	0.77
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	03-APR-13	Finding:	11.55
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-APR-13	Finding:	320.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	0.65
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	03-APR-13	Finding:	360.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	03-APR-13	Finding:	0.17
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	03-APR-13	Finding:	500.

Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	03-APR-13	Finding:	7.25
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-APR-13	Finding:	160.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	200.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	213.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	50.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	22.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	30.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	40.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	03-APR-13	Finding:	37.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	22-MAR-13	Finding:	0.67
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	22-MAR-13	Finding:	290.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	22-MAR-13	Finding:	520.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	24-JUL-12	Finding:	0.79
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	24-JUL-12	Finding:	0.54
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		

Sample date:	24-JUL-12	Finding:	260.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

F22
SW
1/2 - 1 Mile
Higher

CA WELLS 7810

Seq:	7810	Prim sta c:	07S/01W-34F05 M
Frds no:	4310011124	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	VIRGINIA WELL 05	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	371700.0	Longitude:	1215700.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	08-FEB-13	Finding:	51.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	08-FEB-13	Finding:	21.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	08-FEB-13	Finding:	32.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	08-FEB-13	Finding:	1.9
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	08-FEB-13	Finding:	4.7
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		

Sample date:	08-FEB-13	Finding:	130.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		

Sample date:	08-FEB-13	Finding:	64000.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

Sample date:	08-FEB-13	Finding:	570.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		

Sample date:	08-FEB-13	Finding:	43.

Chemical:	NICKEL	Report units:	UG/L
Dlr:	10.		
Sample date:	08-FEB-13	Finding:	29.
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dlr:	10.		

F23
SW
1/2 - 1 Mile
Higher

CA WELLS 7799

Seq:	7799	Prim sta c:	07S/01W-27P03 M
Frds no:	4310011081	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	SAN TOMAS WELL 02 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215700.0
Precision:	4	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

F24
SW
1/2 - 1 Mile
Higher

CA WELLS 7798

Seq:	7798	Prim sta c:	07S/01W-27P01 M
Frds no:	4310011082	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	SAN TOMAS WELL 04 - INACTIVE	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215700.0
Precision:	5	Status:	IU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
F25 **SW** **1/2 - 1 Mile** **Higher**	**CA WELLS**	**7806**

Seq:	7806	Prim sta c:	07S/01W-34F01 M
Frds no:	4310011121	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	VIRGINIA WELL 02	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215700.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	09-SEP-14	Finding:	1.2
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Sample date:	09-SEP-14	Finding:	1.2
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	15-JUL-14	Finding:	176.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		

Sample date:	15-JUL-14	Finding:	1500.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	15-JUL-14	Finding:	11.55
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		

Sample date:	15-JUL-14	Finding:	0.89
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		

Sample date:	15-JUL-14	Finding:	19000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	15-JUL-14	Finding:	6.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

Sample date:	15-JUL-14	Finding:	290.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		

Sample date:	15-JUL-14	Finding:	30.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	15-JUL-14	Finding:	29.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	1.1
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	510.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	7.3
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	160.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	200.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	44.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	16.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	15-JUL-14	Finding:	32.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	14-JAN-14	Finding:	0.69
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	10-DEC-13	Finding:	8.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-OCT-13	Finding:	0.84
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	13-MAY-13	Finding:	0.97
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	04-APR-13	Finding:	0.55
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	22-MAR-13	Finding:	0.73
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L

Dlr:	0.5		
Sample date:	22-MAR-13	Finding:	0.58
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	16-JUL-12	Finding:	0.63
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	16-JUL-12	Finding:	1.1
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

F26
SW
1/2 - 1 Mile
Higher

CA WELLS **7800**

Seq:	7800	Prim sta c:	07S/01W-27P05 M
Frds no:	4310011083	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	SAN TOMAS WELL 05 - INACTIVE	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215700.0
Precision:	5	Status:	IU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

27
SE
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000002586**

Well ID:	07S01W35H001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W35H001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W35H001M&store_num=		
GeoTracker Data:	Not Reported		

28
SW
1/2 - 1 Mile
Higher

CA WELLS **7807**

Seq:	7807	Prim sta c:	07S/01W-34F02 M
Frds no:	4310011120	County:	43
District:	05	User id:	HEN

System no:	4310011	Water type:	G
Source nam:	VIRGINIA WELL 01	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215705.0
Precision:	5	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	06-SEP-12	Finding:	7.3
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		

29
NNW
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000018930**

Well ID:	4310011-039	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	DAVID WELL 01 - DESTROYED	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-039&store_num=		
GeoTracker Data:	Not Reported		

G30
SE
1/2 - 1 Mile
Higher

CA WELLS **7813**

Seq:	7813	Prim sta c:	07S/01W-35C03 M
Frds no:	4310011047	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	FIRST STREET WELL 03	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215600.0
Precision:	4	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

G31
SE
1/2 - 1 Mile
Higher

CA WELLS **7795**

Seq:	7795	Prim sta c:	07S/01W-26R04 M
Frds no:	4310011080	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	RIDGLEY WELL 03 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215600.0
Precision:	8	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

G32
SE
1/2 - 1 Mile
Higher

CA WELLS **7793**

Seq:	7793	Prim sta c:	07S/01W-26R02 M
Frds no:	4310011078	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	RIDGLEY WELL 01 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371700.0	Longitude:	1215600.0
Precision:	4	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

33
WSW
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000035674**

Well ID:	07S01W34H001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W34H001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W34H001M&store_num=		

GeoTracker Data: Not Reported

34
SW
1/2 - 1 Mile
Higher

FED USGS **USGS40000181887**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W34F002M	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	846
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

35
NNW
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000024149**

Well ID:	07S01W26E001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W26E001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W26E001M&store_num=		
GeoTracker Data:	Not Reported		

H36
SE
1/2 - 1 Mile
Higher

CA WELLS **7811**

Seq:	7811	Prim sta c:	07S/01W-35C01 M
Frds no:	4310011045	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	FIRST STREET WELL 01 - DESTROYED	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371650.0	Longitude:	1215600.0
Precision:	5	Status:	DS
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H37
SE
1/2 - 1 Mile
Higher

CA WELLS **7812**

Seq:	7812	Prim sta c:	07S/01W-35C02 M
Frds no:	4310011046	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	FIRST STREET WELL 02 - DESTROYED	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371650.0	Longitude:	1215600.0
Precision:	5	Status:	DS
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

I38
West
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000022646**

Well ID:	4310027-022	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	W CAMPBELL AVE - WELL A	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-022&store_num=		
GeoTracker Data:	Not Reported		

I39
West
1/2 - 1 Mile
Lower

CA WELLS **CAPFAS000001338**

Well ID:	4310027-022	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	W CAMPBELL AVE - WELL A	GAMA PFAS Testing:	Yes
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-022&store_num=		
GeoTracker Data:	Not Reported		

I40
West
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000005420**

Well ID:	4310011-081	Well Type:	MUNICIPAL
Source:	Department of Health Services		

Other Name: SAN TOMAS WELL 02 - DESTROYED
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-081&store_num=
GeoTracker Data: Not Reported

J41
South
1/2 - 1 Mile
Higher

CA WELLS **CADWR8000033643**

State Well #: 07S01W35L014M
Well Name: 07S01W35L014
Well Type: Part of a nested/multi-completion well
Well Depth: 410
Well Completion Rpt #: 772119
Station ID: 47653
Well Use: Observation
Basin Name: Santa Clara

J42
South
1/2 - 1 Mile
Higher

CA WELLS **CADWR8000033642**

State Well #: 07S01W35L013M
Well Name: 07S01W35L013
Well Type: Part of a nested/multi-completion well
Well Depth: 530
Well Completion Rpt #: 772118
Station ID: 47652
Well Use: Observation
Basin Name: Santa Clara

J43
South
1/2 - 1 Mile
Higher

CA WELLS **CADWR8000033644**

State Well #: 07S01W35L015M
Well Name: 07S01W35L015
Well Type: Part of a nested/multi-completion well
Well Depth: 300
Well Completion Rpt #: 772120
Station ID: 47654
Well Use: Observation
Basin Name: Santa Clara

J44
South
1/2 - 1 Mile
Higher

CA WELLS **CADWR8000033646**

State Well #: 07S01W35L017M
Well Name: 07S01W35L017
Well Type: Part of a nested/multi-completion well
Well Depth: 850
Well Completion Rpt #: 772117
Station ID: 47656
Well Use: Observation
Basin Name: Santa Clara

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

J45
South
1/2 - 1 Mile
Higher

CA WELLS **CADWR8000033645**

State Well #:	07S01W35L016M	Station ID:	47655
Well Name:	07S01W35L016	Well Use:	Observation
Well Type:	Part of a nested/multi-completion well		
Well Depth:	180	Basin Name:	Santa Clara
Well Completion Rpt #:	772121		

I46
West
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000005602**

Well ID:	4310011-082	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	SAN TOMAS WELL 04 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-082&store_num=		
GeoTracker Data:	Not Reported		

J47
South
1/2 - 1 Mile
Higher

FED USGS **USGS40000181858**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W35L013M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Unconfined multiple aquifers
Construction Date:	20010804	Well Depth:	530
Well Depth Units:	ft	Well Hole Depth:	873
Well Hole Depth Units:	ft		

J48
South
1/2 - 1 Mile
Higher

FED USGS **USGS40000181857**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W35L012M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Unconfined multiple aquifers

Construction Date:	20010804	Well Depth:	850
Well Depth Units:	ft	Well Hole Depth:	873
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2001-12-13
Feet below surface:	145	Feet to sea level:	Not Reported
Note:	The site had been pumped recently.		

J49
South
1/2 - 1 Mile
Higher

FED USGS **USGS40000181861**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W35L016M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Unconfined multiple aquifers
Construction Date:	20010804	Well Depth:	180
Well Depth Units:	ft	Well Hole Depth:	873
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	3	Level reading date:	2001-12-16
Feet below surface:	60	Feet to sea level:	Not Reported
Note:	The site had been pumped recently.		

Level reading date:	2001-12-14	Feet below surface:	60
Feet to sea level:	Not Reported	Note:	The site had been pumped recently.

Level reading date:	2001-12-11	Feet below surface:	28.8
Feet to sea level:	Not Reported	Note:	The site had been pumped recently.

J50
South
1/2 - 1 Mile
Higher

FED USGS **USGS40000181860**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W35L015M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Unconfined multiple aquifers
Construction Date:	20010804	Well Depth:	300
Well Depth Units:	ft	Well Hole Depth:	873
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	2001-12-11
Feet below surface:	120	Feet to sea level:	Not Reported
Note:	The site had been pumped recently.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

I51
West
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000021414**

Well ID:	4310011-083	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	SAN TOMAS WELL 05 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-083&store_num=		
GeoTracker Data:	Not Reported		

I52
West
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000015159**

Well ID:	4310027-024	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	W CAMPBELL AVE - WELL C	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-024&store_num=		
GeoTracker Data:	Not Reported		

I53
West
1/2 - 1 Mile
Lower

CA WELLS **CAPFAS000000869**

Well ID:	4310027-024	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	W CAMPBELL AVE - WELL C	GAMA PFAS Testing:	Yes
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-024&store_num=		
GeoTracker Data:	Not Reported		

54
NNW
1/2 - 1 Mile
Lower

CA WELLS **7792**

Seq:	7792	Prim sta c:	07S/01W-26E01 M
Frds no:	4310011039	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	DAVID WELL 01 - STANDBY	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	371800.0	Longitude:	1215700.0
Precision:	4	Status:	SU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

I55
West
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000008099**

Well ID:	4310027-023	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	W CAMPBELL AVE - WELL B	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-023&store_num=		
GeoTracker Data:	Not Reported		

I56
West
1/2 - 1 Mile
Lower

CA WELLS **CAPFAS000001140**

Well ID:	4310027-023	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	W CAMPBELL AVE - WELL B	GAMA PFAS Testing:	Yes
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-023&store_num=		
GeoTracker Data:	Not Reported		

I57
West
1/2 - 1 Mile
Lower

CA WELLS **CALLNL000000257**

Well ID:	101130	Well Type:	MUNICIPAL
Source:	Lawrence Livermore National Laboratory		
Other Name:	07S/01W-27P05 M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	Not Reported		
GeoTracker Data:	Not Reported		

Chemical:	Tritium (Hydrogen 3)	Results:	10.83
Units:	pCi/L	Date:	04/15/2002
Chemical:	Helium-3/Helium-4	Results:	.00000130898
Units:	atom ratio	Date:	12/08/2002
Chemical:	Helium-4	Results:	.000000199563
Units:	cm3STP/g	Date:	12/08/2002
Chemical:	Krypton	Results:	.000000105312
Units:	cm3STP/g	Date:	12/08/2002

Chemical:	Neon	Results:	.00000066262
Units:	cm3STP/g	Date:	12/08/2002
Chemical:	Argon	Results:	.000488548
Units:	cm3STP/g	Date:	12/08/2002
Chemical:	Xenon	Results:	.0000000130444
Units:	cm3STP/g	Date:	12/08/2002

58
SSW
1/2 - 1 Mile
Higher

FED USGS **USGS40000181859**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	007S001W35L014M	Type:	Well
Description:	Not Reported	HUC:	18050003
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Unconfined multiple aquifers
Construction Date:	20010804	Well Depth:	410
Well Depth Units:	ft	Well Hole Depth:	873
Well Hole Depth Units:	ft		
Ground water levels,Number of Measurements:	1	Level reading date:	2001-12-16
Feet below surface:	145	Feet to sea level:	Not Reported
Note:	The site had been pumped recently.		

59
NE
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000031403**

Well ID:	07S01W25E001M	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	07S01W25E001M	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=07S01W25E001M&store_num=		
GeoTracker Data:	Not Reported		

60
WNW
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000015163**

Well ID:	4310011-073	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	MERRIMAC WELL 01 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310011-073&store_num=		
GeoTracker Data:	Not Reported		

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
K61		
NE	**CA WELLS**	**7784**
1/2 - 1 Mile		
Lower		

Seq:	7784	Prim sta c:	07S/01W-23R04 M
Frds no:	4310011103	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	THREE MILE WELL 04	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371800.0	Longitude:	1215600.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	04-FEB-16	Finding:	0.81
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	04-FEB-16	Finding:	710.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	04-FEB-16	Finding:	0.64
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	10-DEC-15	Finding:	0.72
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	10-DEC-15	Finding:	150.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	10-DEC-15	Finding:	0.58
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	17-JUN-15	Finding:	1.2
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	17-JUN-15	Finding:	17.
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dlr:	10.		
Sample date:	17-JUN-15	Finding:	300.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		

Sample date:	17-JUN-15	Finding:	0.13
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	2.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	17-JUN-15	Finding:	2500.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	1.1
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	17-JUN-15	Finding:	12.19
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	610.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	17-JUN-15	Finding:	0.14
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	17-JUN-15	Finding:	40.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	17-JUN-15	Finding:	40.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	52.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	20.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	193.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	150.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	120.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	17-JUN-15	Finding:	8.
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	17-JUN-15	Finding:	490.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	12-MAY-15	Finding:	460.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	18-MAR-15	Finding:	1.4
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	18-MAR-15	Finding:	300.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	04-SEP-14	Finding:	3.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	04-SEP-14	Finding:	0.65
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	13-MAR-14	Finding:	120.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	06-DEC-13	Finding:	0.68
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	11-SEP-13	Finding:	0.56
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	11-JUN-13	Finding:	3.2
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-JUN-13	Finding:	0.91
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	05-FEB-13	Finding:	0.76
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	05-DEC-12	Finding:	1.1
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-SEP-12	Finding:	0.75
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

Sample date:	12-JUN-12	Finding:	2700.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	12-JUN-12	Finding:	2.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	07-JUN-12	Finding:	11.65
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	0.44
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	07-JUN-12	Finding:	9000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	290.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	1.
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-JUN-12	Finding:	450.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	07-JUN-12	Finding:	0.21
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	07-JUN-12	Finding:	40.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	07-JUN-12	Finding:	34.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	18.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	192.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	52.
Chemical:	CALCIUM	Report units:	MG/L

Dlr:	0.		
Sample date:	07-JUN-12	Finding:	440.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	160.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-JUN-12	Finding:	7.43
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	01-MAY-12	Finding:	410.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	07-MAR-12	Finding:	0.74
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

K62
NE
1/2 - 1 Mile
Lower

CA WELLS 7783

Seq:	7783	Prim sta c:	07S/01W-23R03 M
Frds no:	4310011102	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	THREE MILE WELL 03	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371800.0	Longitude:	1215600.0
Precision:	8	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	24-JAN-18	Finding:	0.61
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	14-NOV-17	Finding:	1.1
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	14-NOV-17	Finding:	0.58
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		

Sample date:	06-SEP-17	Finding:	0.87
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	06-SEP-17	Finding:	1.2
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	22-MAR-17	Finding:	270.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	120.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	22-MAR-17	Finding:	0.13
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	22-MAR-17	Finding:	30.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	22-MAR-17	Finding:	13.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	15.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	53.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	194.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	160.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	7.82
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	460.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US

Dlr:	0.		
Sample date:	22-MAR-17	Finding:	3.4
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	22-MAR-17	Finding:	0.44
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	22-MAR-17	Finding:	12.05
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	01-DEC-16	Finding:	1.6
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	18-JUL-16	Finding:	1.3
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	20-JUN-16	Finding:	1.1
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	07-APR-16	Finding:	0.86
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-APR-16	Finding:	0.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	07-APR-16	Finding:	1.7
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	03-NOV-14	Finding:	11.71
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	590.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	03-NOV-14	Finding:	9000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	2.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	03-NOV-14	Finding:	320.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	1.6
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

Sample date:	03-NOV-14	Finding:	0.76
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	03-NOV-14	Finding:	0.16
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	03-NOV-14	Finding:	41.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	03-NOV-14	Finding:	35.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	15.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	14.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	51.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	188.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	160.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	7.48
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	460.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	03-NOV-14	Finding:	0.2
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	13-NOV-13	Finding:	1.5
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	13-NOV-13	Finding:	0.61
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L

Dlr:	0.5		
Sample date:	13-NOV-13	Finding:	2.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	15-NOV-12	Finding:	2.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	15-NOV-12	Finding:	1.2
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

K63
NE
1/2 - 1 Mile
Lower

CA WELLS 7782

Seq:	7782	Prim sta c:	07S/01W-23R02 M
Frds no:	4310011101	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	THREE MILE WELL 02	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371800.0	Longitude:	1215600.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	24-JAN-18	Finding:	470.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	0.69
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	24-JAN-18	Finding:	7.61
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	150.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	0.68
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	24-JAN-18	Finding:	193.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	52.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	19.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	43.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	39.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	24-JAN-18	Finding:	0.12
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	24-JAN-18	Finding:	170.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	24-JAN-18	Finding:	300.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	6.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	24-JAN-18	Finding:	1.1
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	24-JAN-18	Finding:	11.83
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	21-MAR-17	Finding:	0.59
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	01-MAR-16	Finding:	440.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	7.2
Chemical:	PH, LABORATORY	Report units:	Not Reported

Dlr:	0.		
Sample date:	01-MAR-16	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	400.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	0.64
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	01-MAR-16	Finding:	196.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	53.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	18.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	1.3
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	41.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	40.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	01-MAR-16	Finding:	0.15
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	01-MAR-16	Finding:	1.4
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	01-MAR-16	Finding:	150.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	01-MAR-16	Finding:	300.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	17.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	01-MAR-16	Finding:	0.32
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	01-MAR-16	Finding:	11.44
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	01-MAR-16	Finding:	0.64
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	06-APR-15	Finding:	460.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	06-APR-15	Finding:	0.57
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	06-APR-15	Finding:	2.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	09-DEC-13	Finding:	0.59
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	09-DEC-13	Finding:	2.9
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	10-JUL-13	Finding:	1.6
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	07-MAY-13	Finding:	16.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	17.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	1.2
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	40.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	07-MAY-13	Finding:	0.17
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	07-MAY-13	Finding:	0.83
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-MAY-13	Finding:	310.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L

Dlr:	0.		
Sample date:	07-MAY-13	Finding:	2.9
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	07-MAY-13	Finding:	7000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	0.51
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	07-MAY-13	Finding:	11.72
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	660.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	07-MAY-13	Finding:	50.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	190.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	140.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	110.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	7.57
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	430.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	07-MAY-13	Finding:	38.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	05-DEC-12	Finding:	1.1
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	05-DEC-12	Finding:	2.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	05-DEC-12	Finding:	0.62
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

Sample date:	05-DEC-12	Finding:	1.8
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

K64
NE
1/2 - 1 Mile
Lower

CA WELLS 7787

Seq:	7787	Prim sta c:	07S/01W-23R08 M
Frds no:	4310011106	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	THREE MILE WELL 08	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371800.0	Longitude:	1215600.0
Precision:	8	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

Sample date:	02-MAR-18	Finding:	200.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

Sample date:	02-MAR-18	Finding:	0.65
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

Sample date:	15-DEC-17	Finding:	0.3
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		

Sample date:	15-DEC-17	Finding:	0.19
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	15-DEC-17	Finding:	0.46
Chemical:	RADIUM 226 MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	15-DEC-17	Finding:	0.72
Chemical:	RADIUM 228 MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	08-DEC-17	Finding:	210.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		

Sample date:	08-DEC-17	Finding:	56.
Chemical:	ALUMINUM	Report units:	UG/L
Dlr:	50.		

Sample date:	08-DEC-17	Finding:	0.45

Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-DEC-17	Finding:	1.4
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-DEC-17	Finding:	0.36
Chemical:	RADIUM 226 MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-DEC-17	Finding:	0.75
Chemical:	RADIUM 228 MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	08-DEC-17	Finding:	0.74
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	01-AUG-17	Finding:	210.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	01-AUG-17	Finding:	0.65
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	20-MAR-15	Finding:	260.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	14-OCT-14	Finding:	3.1
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	05-SEP-14	Finding:	280.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	17-JUN-14	Finding:	320.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	17-JUN-14	Finding:	0.89
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	10-JAN-14	Finding:	210.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	09-DEC-13	Finding:	150.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	07-OCT-13	Finding:	0.51
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-OCT-13	Finding:	1.3
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

Sample date:	07-OCT-13	Finding:	2.9
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	18-SEP-13	Finding:	130.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	16-JAN-13	Finding:	220.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	05-DEC-12	Finding:	200.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	04-OCT-12	Finding:	1.1
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	04-OCT-12	Finding:	2.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-SEP-12	Finding:	800.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	11-SEP-12	Finding:	42.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	11-SEP-12	Finding:	34.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	1.3
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	17.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	55.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	201.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	170.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	140.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	11-SEP-12	Finding:	7.05
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	450.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	8.
Chemical:	COLOR	Report units:	UNITS
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	320.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	2.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	11-SEP-12	Finding:	21000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	5.
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	11-SEP-12	Finding:	11.33
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	11-SEP-12	Finding:	620.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	11-SEP-12	Finding:	0.14
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		

K65
NE
1/2 - 1 Mile
Lower

CA WELLS 7786

Seq:	7786	Prim sta c:	07S/01W-23R07 M
Frds no:	4310011105	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	THREE MILE WELL 07	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371800.0	Longitude:	1215600.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		
Sample date:	04-MAR-14	Finding:	0.67
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	04-MAR-14	Finding:	2.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	09-DEC-13	Finding:	470.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	14-NOV-13	Finding:	0.85
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	14-NOV-13	Finding:	0.26
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	17.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	640.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	07-OCT-13	Finding:	11.39
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	0.59
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dlr:	0.1		
Sample date:	07-OCT-13	Finding:	16000.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	2.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	07-OCT-13	Finding:	340.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	0.64
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-OCT-13	Finding:	160.
Chemical:	IRON	Report units:	UG/L
Dlr:	100.		
Sample date:	07-OCT-13	Finding:	0.14

Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	07-OCT-13	Finding:	470.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	7.19
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	130.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	160.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	183.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	48.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	15.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	44.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	07-OCT-13	Finding:	44.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	18-SEP-13	Finding:	0.58
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	18-SEP-13	Finding:	1.9
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	11-JUN-13	Finding:	0.26
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	11-JUN-13	Finding:	0.95
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	16-JAN-13	Finding:	1.5
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	16-JAN-13	Finding:	0.84
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		

Sample date:	16-JAN-13	Finding:	0.44
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	07-MAR-12	Finding:	2.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	07-MAR-12	Finding:	0.62
Chemical:	1,1,1-TRICHLOROETHANE	Report units:	UG/L
Dlr:	0.5		

K66
NE
1/2 - 1 Mile
Lower

CA WELLS **7785**

Seq:	7785	Prim sta c:	07S/01W-23R05 M
Frds no:	4310011104	County:	43
District:	05	User id:	HEN
System no:	4310011	Water type:	G
Source nam:	THREE MILE WELL 05	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	371800.0	Longitude:	1215600.0
Precision:	4	Status:	AU
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	4310011	System nam:	San Jose Water Company
Hqname:	Not Reported	Address:	1221 S. Bascom Avenue
City:	San Jose	State:	CA
Zip:	95128	Zip ext:	Not Reported
Pop serv:	944000	Connection:	206890
Area serve:	SAN JOSE VICINITY		

67
WSW
1/2 - 1 Mile
Higher

CA WELLS **CADDW0000010586**

Well ID:	4310027-019	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	SAN TOMAS INJECTION WELL - INACTIVE		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=4310027-019&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
95008	36	2

Federal EPA Radon Zone for SANTA CLARA County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 95008

Number of sites tested: 2

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.100 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

Groundwater Ambient Monitoring & Assessment Program
State Water Resources Control Board
Telephone: 916-341-5577
The GAMA Program is Californias comprehensive groundwater quality monitoring program. GAMA collects data by testing the untreated, raw water in different types of wells for naturally-occurring and man-made chemicals. The GAMA data includes Domestic, Monitoring and Municipal well types from the following sources, Department of Water Resources, Department of Heath Services, EDF, Agricultural Lands, Lawrence Livermore National Laboratory, Department of Pesticide Regulation, United States Geological Survey, Groundwater Ambient Monitoring and Assessment Program and Local Groundwater Projects.

Water Well Database
Source: Department of Water Resources
Telephone: 916-651-9648

California Drinking Water Quality Database
Source: Department of Public Health
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations
Source: Dept of Conservation, Geologic Energy Management Division
Telephone: 916-323-1779
Oil and Gas well locations in the state.

California Earthquake Fault Lines
Source: California Division of Mines and Geology
The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon
Source: Department of Public Health
Telephone: 916-210-8558
Radon Database for California

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Phase I ESA

70 North 1st Street

Campbell, CA 95008

Inquiry Number: 6471563.8

April 29, 2021

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

04/29/21

Site Name:

Phase I ESA
70 North 1st Street
Campbell, CA 95008
EDR Inquiry # 6471563.8

Client Name:

Cornerstone Earth Group
1259 Oakmead Parkway
Sunnyvale, CA 94085
Contact: Stason Foster

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1998	1"=500'	Flight Date: September 06, 1998	USDA
1993	1"=500'	Acquisition Date: June 14, 1993	USGS/DOQQ
1982	1"=500'	Flight Date: July 05, 1982	USDA
1974	1"=500'	Flight Date: June 26, 1974	USGS
1968	1"=500'	Flight Date: June 14, 1968	USGS
1963	1"=500'	Flight Date: June 23, 1963	EDR Proprietary Aerial Viewpoint
1956	1"=500'	Flight Date: June 09, 1956	USDA
1950	1"=500'	Flight Date: April 01, 1950	USDA
1948	1"=500'	Flight Date: September 26, 1948	USDA
1939	1"=500'	Flight Date: July 31, 1939	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


INQUIRY #: 6471563.8
YEAR: 2016
= 500'
N
EDR


INQUIRY #: 6471563.8
YEAR: 2012
= 500'
N
EDR


INQUIRY #: 6471563.8
YEAR: 2009
= 500'
N
EDR

INQUIRY #: 6471563.8
YEAR: 2006
= 500'
N
EDR

INQUIRY #: 6471563.8
YEAR: 1998
= 500'
N
EDR

INQUIRY #: 6471563.8
YEAR: 1993
= 500'
N
EDR

INQUIRY #: 6471563.8
YEAR: 1982
= 500'
N
EDR



INQUIRY #: 6471563.8

YEAR: 1974

= 500'

N

EDR

INQUIRY #: 6471563.8
YEAR: 1968
= 500'
N
EDR

INQUIRY #: 6471563.8

YEAR: 1963

= 500'

N

EDR

INQUIRY #: 6471563.8
YEAR: 1956
= 500'
N
EDR

INQUIRY #: 6471563.8
YEAR: 1950
= 500'
N
EDR

INQUIRY #: 6471563.8

YEAR: 1948

= 500'

N

EDR


INQUIRY #: 6471563.8
YEAR: 1939
= 500'
N
EDR

Phase I ESA

70 North 1st Street

Campbell, CA 95008

Inquiry Number: 6471563.3

April 29, 2021

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Phase I ESA

70 North 1st Street

Campbell, CA 95008

Inquiry Number: 6471563.4

April 29, 2021

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

04/29/21

Site Name:

Phase I ESA
70 North 1st Street
Campbell, CA 95008
EDR Inquiry # 6471563.4

Client Name:

Cornerstone Earth Group
1259 Oakmead Parkway
Sunnyvale, CA 94085
Contact: Stason Foster

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Cornerstone Earth Group were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# 118-126-1
Project: 70 N 1st St Campbell

Coordinates:

Latitude:	37.288772 37° 17' 20" North
Longitude:	-121.944263 -121° 56' 39" West
UTM Zone:	Zone 10 North
UTM X Meters:	593580.32
UTM Y Meters:	4127429.93
Elevation:	198.00' above sea level

Maps Provided:

2012	1889
1980	
1973	
1968	
1961	
1953	
1899	
1897	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2012 Source Sheets

San Jose West
2012
7.5-minute, 24000

1980 Source Sheets

San Jose West
1980
7.5-minute, 24000
Aerial Photo Revised 1979

1973 Source Sheets

San Jose West
1973
7.5-minute, 24000
Aerial Photo Revised 1973

1968 Source Sheets

San Jose West
1968
7.5-minute, 24000
Aerial Photo Revised 1968

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1961 Source Sheets



San Jose West
1961
7.5-minute, 24000
Aerial Photo Revised 1960

1953 Source Sheets



San Jose West
1953
7.5-minute, 24000
Aerial Photo Revised 1948

1899 Source Sheets

San Jose
1899
15-minute, 62500

1897 Source Sheets

San Jose
1897
15-minute, 62500

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1889 Source Sheets



San Jose
1889
15-minute, 62500

Historical Topo Map

2012



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose West, 2012, 7.5-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N

Historical Topo Map

1980



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose West, 1980, 7.5-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N

Historical Topo Map

1973



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose West, 1973, 7.5-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose West, 1968, 7.5-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose West, 1961, 7.5-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N

Historical Topo Map

1953



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose West, 1953, 7.5-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose, 1899, 15-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N

Historical Topo Map

1897



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose, 1897, 15-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, San Jose, 1889, 15-minute

SITE NAME: Phase I ESA
ADDRESS: 70 North 1st Street
Campbell, CA 95008
CLIENT: Cornerstone Earth Group

N

Certified Sanborn® Map Report

04/29/21

Site Name:

Phase I ESA
70 North 1st Street
Campbell, CA 95008
EDR Inquiry # 6471563.3

Client Name:

Cornerstone Earth Group
1259 Oakmead Parkway
Sunnyvale, CA 94085
Contact: Stason Foster

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Cornerstone Earth Group were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 83C8-4E2E-A0C9

PO # 118-126-1

Project 70 N 1st St Campbell

Maps Provided:

1950
1935
1928
1920
1908
1905
1899

Sanborn® Library search results

Certification #: 83C8-4E2E-A0C9

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Cornerstone Earth Group (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1950 Source Sheets



Volume 1, Sheet 5
1950

1935 Source Sheets



Volume 1, Sheet Keymap/Sheet1
1935

Volume 1, Sheet 5
1935

1928 Source Sheets



Volume 1, Sheet Keymap/Sheet1
1928



Volume 1, Sheet 5
1928

1920 Source Sheets



Volume 1, Sheet 2
1920

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1908 Source Sheets

Volume 1, Sheet 2
1908



Volume 1, Sheet 3
1908

1905 Source Sheets

Volume 1, Sheet 2
1905

Volume 1, Sheet 3
1905

1899 Source Sheets

Volume 1, Sheet Keymap/Sheet1
1899



Volume 1, Sheet 2
1899



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1950

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 5

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1935

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



Volume 1, Sheet 5
Volume 1, Sheet Keymap/Sheet1

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1928

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 5
Volume 1, Sheet Keymap/Sheet1

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1920

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 2

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #83C8-4E2E-A0C9

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1908

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 3
Volume 1, Sheet 2

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1905

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 3
Volume 1, Sheet 2

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Phase I ESA
Address:	70 North 1st Street
City, ST, ZIP:	Campbell, CA 95008
Client:	Cornerstone Earth Group
EDR Inquiry:	6471563.3
Order Date:	04/29/2021
Certification #:	83C8-4E2E-A0C9
Copyright	1899

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 2
Volume 1, Sheet Keymap/Sheet1

N

Phase I ESA
70 North 1st Street
Campbell, CA 95008

Inquiry Number: 6471563.5
April 29, 2021

The EDR-City Directory Abstract

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

California Regional Water Quality Control Board
San Francisco Bay Region

Terry Tamminen
Secretary for Environmental Protection

1515 Clay Street, Suite 1400, Oakland, California 94612
(510) 622-2300 • Fax (510) 622-2460
http://www.swrcb.ca.gov/rwqcb2

Arnold Schwarzenegger
Governor

PUBLIC WORKS ADMINISTRATION
AUG 12 2004
RECEIVED

August 6, 2004
File No: 1280.01-013 (BGS)

City of Campbell
Attn: Mr. Bill Helms
70 N. First Street
Campbell, CA 95008

SUBJECT: No Further Action for Environmental Monitoring of MtBE and Other Fuel Oxygenates at Campbell Police Department, 70 N. First Street, Campbell, Santa Clara County

Dear Mr. Helms:

In December 2002, you were required to submit a work plan, and subsequently perform environmental monitoring for methyl tertiary butyl ether (MtBE) to determine if groundwater beneath the site has been impacted from undetected releases from the existing UST system. Thank you for submitting the analytical results for groundwater samples collected in August 2003. Upon reviewing of the report dated August 27, 2003, prepared by Sierra Environmental, Inc., we have determined that groundwater beneath the subject site has not been impacted from undetected releases from the existing UST system. Since MtBE is currently prohibited for use in fuel there is no ongoing threat posed by the leakage of MTBE and other fuel oxygenates from your UST system. No further action related to monitoring for MtBE or other fuel oxygenates is required at this time.

Thank you for your willingness and promptness in responding to our inquiries concerning the existing underground storage tank(s) at the above site. Please direct all questions and correspondence regarding this matter to Barbara Sieminski at 510-622-2423 or email at bgs@rb2.swrcb.ca.gov.

Sincerely,

Bruce H. Wolfe
Executive Officer

cc:
Mr. James Crowley
SCVWD
5750 Almaden Expwy
San Jose, CA 95118

Mr. John Justice
Santa Clara County Fire Dept.
14700 Winchester Boulevard
Los Gatos, CA 95032-1818

Ms. Shahla Farahnak
SWRCB
P.O. Box
Sacramento, CA 95812-0100

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through 2017. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2017	Cole Information Services	X	X	X	-
2014	Cole Information Services	X	X	X	-
2009	Cole Information Services	X	X	X	-
2006	Haines Company, Inc.	-	-	-	-
2004	Cole Information Services	X	X	X	-
2001	Haines Company, Inc.	-	X	X	-
	Haines Company, Inc.	X	X	X	-
2000	Haines Company	-	-	-	-
1999	Cole Information Services	X	X	X	-
1996	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1994	Cole Information Services	X	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1991	PACIFIC BELL WHITE PAGES	-	X	X	-
1986	Pacific Bell	-	X	X	-
1985	Pacific Bell	-	X	X	-
1982	Pacific Telephone	-	X	X	-
1980	Pacific Telephone	-	X	X	-
1978	R. L. Polk & Co.	-	-	-	-
1975	Pacific Telephone	-	X	X	-
1974	R. L. Polk Co.	-	X	X	-
1970	R. L. Polk & Co.	-	X	X	-
1968	R. L. Polk Co.	-	-	-	-
1966	R. L. Polk & Co.	-	X	X	-
1965	R. L. Polk Co.	-	-	-	-
1964	R. L. Polk Co.	-	-	-	-
1963	Pacific Telephone	-	X	X	-
1962	R. L. Polk & Co.	-	-	-	-
1960	R. L. Polk Co.	-	X	X	-
1957	Pacific Telephone	-	X	X	-
	R. L. Polk Co.	-	X	X	-
1955	R. L. Polk Co.	-	X	X	-
1950	R. L. Polk & Co.	-	X	X	-
1946	R. L. Polk Co.	-	-	-	-
1945	R. L. Polk Co.	-	X	X	-
1942	R.L. Polk	-	-	-	-
1940	R. L. Polk Co.	-	X	X	-
1936	R. L. Polk Co.	-	-	-	-
1935	R. L. Polk & Co. of California	-	X	X	-
1931	R. L. Polk Co.	-	-	-	-
1930	R. L. Polk Co. of California	-	X	X	-
1926	R. L. Polk Co.	-	-	-	-
1925	R. L. Polk & Co.	-	X	X	-
1922	R. L. Polk Co.	-	X	X	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

70 North 1st Street
Campbell, CA 95008

FINDINGS DETAIL

Target Property research detail.

1ST N

70 1ST N

Year	Uses	Source
2001	BUILDING	Haines Company, Inc.
	CAMPBLL CTY OFFICES TDD TTY	Haines Company, Inc.
	CAMPBLL CTY PERSONNEL	Haines Company, Inc.
	CAMPBLLCOTOFCS	Haines Company, Inc.
	CAMPBLLCTTCMNTY DVLP HOUSING	Haines Company, Inc.
	CAMPBLLCTY	Haines Company, Inc.
	CAMPBLLCTY FINANCE DEFT	Haines Company, Inc.
	CAMPBLLCTY MANAGER	Haines Company, Inc.
	CAMPBLLCTYCLERK	Haines Company, Inc.
	CAMPBLLCTYCMNTY DVLP BL DIV	Haines Company, Inc.
	CAMPBLLCTYCMNTY DVLP PLNG	Haines Company, Inc.
	CAMPBLLCTYPOL	Haines Company, Inc.
	CAMPBLLCTYPOL CRIME PREVENTN	Haines Company, Inc.
	CAMPBLLCTYPOL PARKING CITATN	Haines Company, Inc.
	CAMPBLLCTYPOLGENERAL INFO	Haines Company, Inc.
	CAMPBLLCTYPUB WRKS ENGRG	Haines Company, Inc.
	CAMPBLLCTYPUB WRKS ST LIGHT	Haines Company, Inc.
	CAMPBLLCTYREC	Haines Company, Inc.
	CAMPBLLCTYRECAINSLEYHOUSE	Haines Company, Inc.
	CITY OF CAMPBELL	Haines Company, Inc.

N 1ST ST

70 N 1ST ST

Year	Uses	Source
2017	CITY OF CAMPBELL	Cole Information Services
2014	CITY OF CAMPBELL	Cole Information Services

FINDINGS

Year	Uses	Source
2009	CAMPBELL CY PUB WORKS MAINTENANCE DI	Cole Information Services
	CAMPBELL HISTORICAL MUSEUM & AINSLE	Cole Information Services
	CAMPBELL POLICE DEPARTMENT	Cole Information Services
	CITY OF CAMPBELL	Cole Information Services
2004	CITY OF CAMPBELL CITY OFFICES	Cole Information Services
	TAX HELP INC	Cole Information Services
1999	CAMPBELL CITY OF CITY OFFICES	Cole Information Services
	CAMPBELL POLICE DEPARTMENT	Cole Information Services
	CAMPBELL POLICE OFFICERS ASSOCIATION	Cole Information Services
1996	CAMPBELL CITY OF	Pacific Bell
	CAMPBELL POLICE OFFICERS ASSOCIATION	Pacific Bell
1994	CAMPBELL CITY OFFICES	Cole Information Services
	CAMPBELL POLICE DEPT	Cole Information Services
	CAMPBLL CTY BLDG SV	Cole Information Services

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

1ST N

20 1ST N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

21 1ST N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

33 1ST N

Year	Uses	Source
2001	DEVRIESDATA	Haines Company, Inc.
	DEVRIESGregory	Haines Company, Inc.

45 1ST N

Year	Uses	Source
2001	NORTH STAR	Haines Company, Inc.
	GRAHAM J MICHEAL EA	Haines Company, Inc.
	VALERIES EXECUTIVE SECRTLSRV	Haines Company, Inc.
	UNETTIX	Haines Company, Inc.
	SCHMIDT PETER DESIGN ASSOCTS	Haines Company, Inc.
	NORTH STAR	Haines Company, Inc.
	NORTH STAR MORTGAGE	Haines Company, Inc.
	MICHAELIS INSURANCESERVICES	Haines Company, Inc.

53 1ST N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

63 1ST N

Year	Uses	Source
2001	CUMMINGS Roger SNYDER David	Haines Company, Inc.

73 1ST N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

FINDINGS

75 1ST N

Year	Uses	Source
2001	SCOTT Cynthia L	Haines Company, Inc.

81 1ST N

Year	Uses	Source
2001	LONACTodd	Haines Company, Inc.

83 1ST N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

91 1ST N

Year	Uses	Source
2001	SCHROEDERHerbert	Haines Company, Inc.

109 1ST N

Year	Uses	Source
2001	ST MARYS ASSYRNCHLDN CATH CH	Haines Company, Inc.

121 1ST N

Year	Uses	Source
2001	SANAYoshra STMARYSASSYRIANCHALDEAN CH	Haines Company, Inc.

131 1ST N

Year	Uses	Source
2001	SAHAGUN Olivia	Haines Company, Inc.

150 1ST N

Year	Uses	Source
2001	CORTESEGirolamo	Haines Company, Inc.
	MORRISON Connie M	Haines Company, Inc.
	NEELYW Shields	Haines Company, Inc.

151 1ST N

Year	Uses	Source
2001	MARTINESROBERTD DC	Haines Company, Inc.
	CHIROPRACTIC HEALTH CENTER	Haines Company, Inc.
	CJ HAIR DESIGN	Haines Company, Inc.

FINDINGS

159 1ST N

Year	Uses	Source
2001	MCVAYJulie	Haines Company, Inc.

166 1ST N

Year	Uses	Source
2001	CAMPBELLOtis	Haines Company, Inc.

171 1ST N

Year	Uses	Source
2001	OSMITHKerry	Haines Company, Inc.

176 1ST N

Year	Uses	Source
2001	ROGGASCHRex	Haines Company, Inc.

186 1ST N

Year	Uses	Source
2001	SOMMERWaldemar Jr	Haines Company, Inc.

193 1ST N

Year	Uses	Source
2001	OLEOPARDI Jack	Haines Company, Inc.

198 1ST N

Year	Uses	Source
2001	SZIGETIA	Haines Company, Inc.

203 1ST N

Year	Uses	Source
2001	ORUIZMaria	Haines Company, Inc.
	OCHOAIgnacto	Haines Company, Inc.

204 1ST N

Year	Uses	Source
2001	ARMSTRONG James	Haines Company, Inc.

215 1ST N

Year	Uses	Source
2001	HERGENROETHERD	Haines Company, Inc.

FINDINGS

216 1ST N

Year	*Uses*	*Source*
2001	GREY Robert	Haines Company, Inc.

220 1ST N

Year	*Uses*	*Source*
2001	XXXX	Haines Company, Inc.

225 1ST N

Year	*Uses*	*Source*
2001	SDWYERDon	Haines Company, Inc.

226 1ST N

Year	*Uses*	*Source*
2001	OSANFORDJack	Haines Company, Inc.

2ND

207 2ND

Year	*Uses*	*Source*
1957	WENDT APTS	Pacific Telephone

2ND N

83 2ND N

Year	*Uses*	*Source*
1996	Eidt Erik	Pacific Bell

86 2ND N

Year	*Uses*	*Source*
1996	Goularte Michael P	Pacific Bell

101 2ND N

Year	*Uses*	*Source*
1996	Griswold E M	Pacific Bell

112 2ND N

Year	*Uses*	*Source*
1996	Tuttle Thos	Pacific Bell

FINDINGS

113 2ND N

Year	Uses	Source
1996	Young Kim	Pacific Bell

174 2ND N

Year	Uses	Source
1996	Gault Richard	Pacific Bell

175 2ND N

Year	Uses	Source
1996	Rill James F	Pacific Bell

189 2ND N

Year	Uses	Source
1996	Corrigan James	Pacific Bell

210 2ND N

Year	Uses	Source
1996	Hale Larry	Pacific Bell

2ND S

22 2ND S

Year	Uses	Source
1996	FIRST PLACE MORTGAGE	Pacific Bell

34 2ND S

Year	Uses	Source
1996	CALIFORNIA TEACHERS ASSOCIATION NEA	Pacific Bell
	205 UNITED TEACHERS OF SANTA CLARA CTA	Pacific Bell
	TEACHERS PROFESSIONAL CENTER	Pacific Bell
	BLOSSOM RIDGE	Pacific Bell

2ND ST N

19 2ND ST N

Year	Uses	Source
1974	Wells Betty J Mrs	R. L. Polk Co.
	Wells Residential Care Home	R. L. Polk Co.
1970	Wells Betty J Mrs	R. L. Polk & Co.
	Wells Residential Care Home	R. L. Polk & Co.

FINDINGS

41 2ND ST N

Year	Uses	Source
1974	a Shulthise Blanche Mrs	R. L. Polk Co.
	Perry Inez	R. L. Polk Co.
1970	a Shulthise Blanche Mrs	R. L. Polk & Co.
	Perry Inez	R. L. Polk & Co.

46 2ND ST N

Year	Uses	Source
1974	Graham Opal E Mrs	R. L. Polk Co.
1970	Ll l NW Aft 0 0 oft so	R. L. Polk & Co.
	Graham Opal E Mrs	R. L. Polk & Co.

54 2ND ST N

Year	Uses	Source
1974	Trevethan Gilbert E	R. L. Polk Co.
1970	Ti evethan Dorothy P Mrs	R. L. Polk & Co.

55 2ND ST N

Year	Uses	Source
1974	Pierce Charles	R. L. Polk Co.
1970	Pierce Chailes	R. L. Polk & Co.

62 2ND ST N

Year	Uses	Source
1974	Smith Edna F Mrs	R. L. Polk Co.
1970	Smith Edna F Mrs	R. L. Polk & Co.

63 2ND ST N

Year	Uses	Source
1974	De Selle Charles E	R. L. Polk Co.
1970	De Selle Charles E	R. L. Polk & Co.

74 2ND ST N

Year	Uses	Source
1974	N Croall Robt L	R. L. Polk Co.
1970	Me Kenzie Clarabel Mrs	R. L. Polk & Co.

75 2ND ST N

Year	Uses	Source
1974	N Travagli Michael	R. L. Polk Co.
1970	Shea John E	R. L. Polk & Co.

FINDINGS

83 2ND ST N

Year	Uses	Source
1974	Guina Bernard B	R. L. Polk Co.
1970	Guina Bernard B	R. L. Polk & Co.

86 2ND ST N

Year	Uses	Source
1974	N Goularte Michael P	R. L. Polk Co.
1970	Johnson Robt C	R. L. Polk & Co.

91 2ND ST N

Year	Uses	Source
1974	Reed Roy A	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

101 2ND ST N

Year	Uses	Source
1974	Griswold Elver M	R. L. Polk Co.
	Rear Stevens Delbert	R. L. Polk Co.
1970	Griswold Elvei nl	R. L. Polk & Co.

112 2ND ST N

Year	Uses	Source
1974	Tuttle Therese	R. L. Polk Co.
	Tuttle Thos	R. L. Polk Co.
1970	Tuttle Thos	R. L. Polk & Co.

113 2ND ST N

Year	Uses	Source
1974	Cary Henry B	R. L. Polk Co.
1970	Carv Henry B	R. L. Polk & Co.

125 2ND ST N

Year	Uses	Source
1974	Field Roberta J Mrs	R. L. Polk Co.
1970	Field Cal I B	R. L. Polk & Co.

126 2ND ST N

Year	Uses	Source
1974	Yerkovich Chester N	R. L. Polk Co.
1970	Yerkovich Chester	R. L. Polk & Co.

FINDINGS

149 2ND ST N

Year	Uses	Source
1974	Bloomfield Dainel L	R. L. Polk Co.
1970	Loy Ronald A	R. L. Polk & Co.

156 2ND ST N

Year	Uses	Source
1970	Rear Vacant	R. L. Polk & Co.
	Jensen Oliver C	R. L. Polk & Co.

161 2ND ST N

Year	Uses	Source
1974	Cordero Barbara R Mrs	R. L. Polk Co.
1970	Corders Barbar	R. L. Polk & Co.

166 2ND ST N

Year	Uses	Source
1974	Jensen Oliver C	R. L. Polk Co.

169 2ND ST N

Year	Uses	Source
1974	Wyatt Roberta D Mrs	R. L. Polk Co.
1970	Wyatt Michl S	R. L. Polk & Co.

174 2ND ST N

Year	Uses	Source
1974	Brown Arth F	R. L. Polk Co.
1970	Brown Arth F	R. L. Polk & Co.

175 2ND ST N

Year	Uses	Source
1974	Daves Marlys I Mrs	R. L. Polk Co.
1970	Daves Marlys Mrs	R. L. Polk & Co.

188 2ND ST N

Year	Uses	Source
1974	Cristich Peter A	R. L. Polk Co.
1970	Cristich Peter A	R. L. Polk & Co.

189 2ND ST N

Year	Uses	Source
1974	N Kim Sue	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1970	Raab Warren J	R. L. Polk & Co.

200 2ND ST N

Year	Uses	Source
1974	Proctor Sadie S Mrs	R. L. Polk Co.
1970	Proctor Guy	R. L. Polk & Co.

201 2ND ST N

Year	Uses	Source
1974	Rhea Zelia M Mrs	R. L. Polk Co.
1970	Rhea Zelia M Mrs	R. L. Polk & Co.

210 2ND ST N

Year	Uses	Source
1974	Olds Corwin H Rev	R. L. Polk Co.
1970	Olds Corwin H Rev	R. L. Polk & Co.

213 2ND ST N

Year	Uses	Source
1974	Fairchild Leslie C	R. L. Polk Co.
1970	Fairchild Leslie C	R. L. Polk & Co.

2ND ST S

24 2ND ST S

Year	Uses	Source
1974	hardware & supply co	R. L. Polk Co.
	Imperial Hardware And Supply Co	R. L. Polk Co.

CAMPBELL AVE

252 CAMPBELL AVE

Year	Uses	Source
1963	Smith Dollie	Pacific Telephone

253 CAMPBELL AVE

Year	Uses	Source
1991	MARIA S FLOWERS	PACIFIC BELL WHITE PAGES
	Marias Flowers	PACIFIC BELL WHITE PAGES

FINDINGS

313 CAMPBELL AVE

Year	Uses	Source
1985	J & M GENERAL STORE	Pacific Bell
1957	MORLEY LANE	Pacific Telephone

334 CAMPBELL AVE

Year	Uses	Source
1963	PUBLIC FINANCE CORPORATION	Pacific Telephone

CAMPBELL AVE E

172 CAMPBELL AVE E

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	E CAMPBELL AV C Contd	R. L. Polk & Co.
	No Return	R. L. Polk & Co.

174 CAMPBELL AVE E

Year	Uses	Source
1974	Vacant	R. L. Polk Co.

198 CAMPBELL AVE E

Year	Uses	Source
1974	Wells Fargo Bank	R. L. Polk Co.
1970	Werthmann Paul A phy	R. L. Polk & Co.
	Wells Fargo Bank	R. L. Polk & Co.

201 CAMPBELL AVE E

Year	Uses	Source
1996	ASSOCIATED MAINTENANCE	Pacific Bell
1974	Vacant	R. L. Polk Co.

204 CAMPBELL AVE E

Year	Uses	Source
1996	HERNANDEZ JOE G ARCHITECTS AIA	Pacific Bell

220 CAMPBELL AVE E

Year	Uses	Source
1974	Campbell Liquor & Sporting Goods	R. L. Polk Co.

FINDINGS

231 CAMPBELL AVE E

Year	Uses	Source
1996	+I 232 NORTH AMERICAN TITLE INC	Pacific Bell
	CAMPBELL MEMORIAL CHAPEL	Pacific Bell
1974	Campbell Memorial Chapel	R. L. Polk Co.

232 CAMPBELL AVE E

Year	Uses	Source
1974	Dahl J M Real Estate	R. L. Polk Co.
	Quinsland Lawrence real est	R. L. Polk Co.

234 CAMPBELL AVE E

Year	Uses	Source
1996	PFIRRMAN CINDY REALTOR	Pacific Bell
	ASSOCIATES INC CORNISH	Pacific Bell
	SANTA CLARA VALLEY	Pacific Bell
	SANTA CLARA VALLEY ASSOCIATES	Pacific Bell
	GEM PROPERTY MANAGEMENT	Pacific Bell
1974	A B C Electronics equip & sup	R. L. Polk Co.

238 CAMPBELL AVE E

Year	Uses	Source
1974	Franks Minute Man Shoe Repair	R. L. Polk Co.

241 CAMPBELL AVE E

Year	Uses	Source
1996	LZ PREMIUMS SUPER I DISCOUNT	Pacific Bell
1974	Jeffers Mens & Boys Wear	R. L. Polk Co.
1970	Jeffers G E Mens & Boys Wear	R. L. Polk & Co.

245 CAMPBELL AVE E

Year	Uses	Source
1996	KIRBY COMPANY OF CAMPBELL	Pacific Bell

247 CAMPBELL AVE E

Year	Uses	Source
1996	REPAIR	Pacific Bell
	PIGNATARO SHOE	Pacific Bell
	CAMPBELL AV E	Pacific Bell
1974	Goddess Hair Fashions	R. L. Polk Co.
1970	Goddess Hair Fashions	R. L. Polk & Co.

FINDINGS

250 CAMPBELL AVE E

Year	Uses	Source
1996	2058 APPLIED	Pacific Bell
	2068 BEANCOUNTER	Pacific Bell
	NETWORK SYSTEMS	Pacific Bell
	SUPPORT CENTER MORTGAGE CO THE	Pacific Bell
	PROCESSING	Pacific Bell
	TECHNOLOGY ASSOCIATES	Pacific Bell

253 CAMPBELL AVE E

Year	Uses	Source
1996	A NICKS JEWELRY & WATCHES	Pacific Bell
	NICE TWICE DOLL SHOP	Pacific Bell
1974	Valley Diaper Service	R. L. Polk Co.

255 CAMPBELL AVE E

Year	Uses	Source
1996	CHRISTIAN SCIENCE	Pacific Bell
	CHURCHES AND READING ROOMS	Pacific Bell

257 CAMPBELL AVE E

Year	Uses	Source
1996	1 ALLSTATEINSURANCE COMPANIES	Pacific Bell
	4 COMMUNITY PROPERTIES INC	Pacific Bell
	1 PENINSULA INSURANCE ADJUSTERS	Pacific Bell
	2 KENT BETTY	Pacific Bell
1974	Coveys Wine Crafts hobby shop	R. L. Polk Co.
	Master Carpet Cleaning Co cleaners & dyers	R. L. Polk Co.
	Speno Realty	R. L. Polk Co.
1970	Stivers Insurance Service genl ins	R. L. Polk & Co.
	Lundgaard & Co geni ins	R. L. Polk & Co.
	Speno Realty	R. L. Polk & Co.

259 CAMPBELL AVE E

Year	Uses	Source
1970	Vacant	R. L. Polk & Co.

260 CAMPBELL AVE E

Year	Uses	Source
1996	CARDIFF LOUNGE	Pacific Bell

FINDINGS

Year	Uses	Source
1974	Bee Hive Lounge	R. L. Polk Co.
1970	Bee Hive Lounge	R. L. Polk & Co.

266 CAMPBELL AVE E

Year	Uses	Source
1996	FREEZE DRIED FLOWERS	Pacific Bell
	A SHANELS SPRING	Pacific Bell
	8 BARADOS COFFEE CO	Pacific Bell
1974	Campbell Billiard Center	R. L. Polk Co.
1970	Campbell Billiard Center	R. L. Polk & Co.

267 CAMPBELL AVE E

Year	Uses	Source
1996	SPORTS	Pacific Bell
	ANTELOPE MOUNTAIN	Pacific Bell
1974	Campbell Graphics Inc	R. L. Polk Co.
	1ST ST INTERSECTS	R. L. Polk Co.
1970	Campbell Blue Print & Supply Co	R. L. Polk & Co.

271 CAMPBELL AVE E

Year	Uses	Source
1996	HOUSE OF ENGRAVING BY FORSMAN	Pacific Bell
1970	1ST ST INTERSECTS	R. L. Polk & Co.
	Caroles Flowers	R. L. Polk & Co.

272 CAMPBELL AVE E

Year	Uses	Source
1996	GOLDEN GATE KITCHENS	Pacific Bell
1974	Kirby Co Of Campbell	R. L. Polk Co.
1970	Country Womens Club Museum	R. L. Polk & Co.

274 CAMPBELL AVE E

Year	Uses	Source
1996	101 GARGOYLES A SALON	Pacific Bell
1970	Kiwanis Club	R. L. Polk & Co.
	Country Womens Club	R. L. Polk & Co.
	Italian American Civic Club	R. L. Polk & Co.

FINDINGS

275 CAMPBELL AVE E

Year	Uses	Source
1996	SILVER BUCKLE WESTERN WEAR	Pacific Bell
1974	Campbell Office Machine & Furniture Inc	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

276 CAMPBELL AVE E

Year	Uses	Source
1996	ODD FELLOWS HALL	Pacific Bell
1974	Odd Fellows Morning Light No	R. L. Polk Co.
	Meeting Hall	R. L. Polk Co.
	E CAMPBELL AV C Contd Bridge Club social club	R. L. Polk Co.
1970	Odd Fellows Morning Light No	R. L. Polk & Co.
	Meeting Hall	R. L. Polk & Co.

287 CAMPBELL AVE E

Year	Uses	Source
1996	B DENIM DEPOT	Pacific Bell
	SKIS ROYAL FURNITURE	Pacific Bell
	SECURITY PLUS SAFETY	Pacific Bell
1974	Skis Royal Furniture & Appliance	R. L. Polk Co.
1970	Royal Furniture & Appliance	R. L. Polk & Co.

295 CAMPBELL AVE E

Year	Uses	Source
1996	CLOCK DOCTOR THE	Pacific Bell
1974	Iron Village iron art ware	R. L. Polk Co.
1970	Jim & Trudies Campbell Barber Shop	R. L. Polk & Co.

296 CAMPBELL AVE E

Year	Uses	Source
1974	Spanglers Furniture antiques	R. L. Polk Co.
1970	2D ST INTERSECTS	R. L. Polk & Co.
	Blue Bell Cafe	R. L. Polk & Co.

299 CAMPBELL AVE E

Year	Uses	Source
1996	DANTE	Pacific Bell
	INTERCONTINENTAL CORP LTD	Pacific Bell
1974	2D ST INTERSECTS	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1974	Albright Valley China Supplies glassware	R. L. Polk Co.

301 CAMPBELL AVE E

Year	Uses	Source
1996	DONNAS ANTIQUES	Pacific Bell
1974	Wesco Dental Laboratory	R. L. Polk Co.
1970	Wesco Dental Laboratory	R. L. Polk & Co.

305 CAMPBELL AVE E

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	Arden Realty	R. L. Polk & Co.

309 CAMPBELL AVE E

Year	Uses	Source
1996	CUSTOM NAIL	Pacific Bell
1974	Vacant	R. L. Polk Co.
1970	Boles Upholstery Service	R. L. Polk & Co.

311 CAMPBELL AVE E

Year	Uses	Source
1996	SHARONS CORNER	Pacific Bell
1974	Wonnell Douglass	R. L. Polk Co.
1970	A B C Electronics equip & sups	R. L. Polk & Co.

313 CAMPBELL AVE E

Year	Uses	Source
1996	ALL THINGS PAST & PRESENT	Pacific Bell
1974	Bigelow Frank	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

315 CAMPBELL AVE E

Year	Uses	Source
1974	N Kiesle Eileen M	R. L. Polk Co.
1970	Bigelow Frank	R. L. Polk & Co.

317 CAMPBELL AVE E

Year	Uses	Source
1974	N Jones R S	R. L. Polk Co.
1970	Hayes David W	R. L. Polk & Co.

FINDINGS

321 CAMPBELL AVE E

Year	Uses	Source
1996	SONIA HUCKABONE	Pacific Bell
	PROFESSIONAL SKIN CARE	Pacific Bell
1974	Grundys Vic Guitar Shop	R. L. Polk Co.
1970	Grundys Vice Guitar Shop	R. L. Polk & Co.

323 CAMPBELL AVE E

Year	Uses	Source
1996	COURTYARD CABANA SALON	Pacific Bell
1974	Vacant	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

325 CAMPBELL AVE E

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	A B C Electronics auto repr	R. L. Polk & Co.

327 CAMPBELL AVE E

Year	Uses	Source
1996	SECOND TIME AROUND	Pacific Bell
1974	Curious Collectors The antiques	R. L. Polk Co.

328 CAMPBELL AVE E

Year	Uses	Source
1996	G TEK K	Pacific Bell
1974	Salvation Army Thrift Shop genl mdse used	R. L. Polk Co.
1970	Salvation Army Thrift Shop genl mdse used	R. L. Polk & Co.

329 CAMPBELL AVE E

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	Bigelows jwlrs	R. L. Polk & Co.

330 CAMPBELL AVE E

Year	Uses	Source
1996	FREE RANGE CHICKEN RANCH	Pacific Bell

FINDINGS

334 CAMPBELL AVE E

Year	Uses	Source
1996	CAMPBELL EXPRESS	Pacific Bell
1974	Cirimele Photography	R. L. Polk Co.
1970	Cirimele Photography	R. L. Polk & Co.

342 CAMPBELL AVE E

Year	Uses	Source
1996	TICKLED PINK COSTUME RENTAL	Pacific Bell
1974	Vacant	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

346 CAMPBELL AVE E

Year	Uses	Source
1996	Hedley Marllee	Pacific Bell
1974	Hedley Wm W Jr archt	R. L. Polk Co.
1970	Hedley Wm W Jr archt	R. L. Polk & Co.

347 CAMPBELL AVE E

Year	Uses	Source
1996	PIZZA PICTURE FRAMERS	Pacific Bell
	REBECCAS WELL	Pacific Bell
	CALHOUN PATRICK	Pacific Bell

349 CAMPBELL AVE E

Year	Uses	Source
1996	ORCHARD VALLEY COFFEE	Pacific Bell
1974	Campbell Public Library	R. L. Polk Co.
1970	Campbell Public Library	R. L. Polk & Co.

354 CAMPBELL AVE E

Year	Uses	Source
1996	BRIANS CUSTOM FRAMING	Pacific Bell
1974	Iron Apple tavern	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

360 CAMPBELL AVE E

Year	Uses	Source
1996	INTER CITY OFFICE MACHINES	Pacific Bell
1974	Western Lifetime Housewares	R. L. Polk Co.
1970	Stitchery The womens do	R. L. Polk & Co.

FINDINGS

365 CAMPBELL AVE E

Year	Uses	Source
1996	DORNBUSH LEWIS INS AGCY	Pacific Bell
1974	Farley Insurance Agency	R. L. Polk Co.
1970	Parley Insurance Agency	R. L. Polk & Co.

368 CAMPBELL AVE E

Year	Uses	Source
1996	B & J AUTOMOTIVE	Pacific Bell
1974	Bremers Gulf Service	R. L. Polk Co.
1970	Ds Service gas st	R. L. Polk & Co.
	Rear Ds Automotive Service auto repr	R. L. Polk & Co.

369 CAMPBELL AVE E

Year	Uses	Source
1974	Campbell Stationery	R. L. Polk Co.
1970	Transparent Glass Coatings bldg materials & plastic	R. L. Polk & Co.

373 CAMPBELL AVE E

Year	Uses	Source
1974	Potpourri adv	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

376 CAMPBELL AVE E

Year	Uses	Source
1974	Christian Science Reading Room	R. L. Polk Co.
1970	Christian Science Reading Room	R. L. Polk & Co.

378 CAMPBELL AVE E

Year	Uses	Source
1996	FAUX SALON	Pacific Bell
1974	Miss Charlenes Campbell Beauty College	R. L. Polk Co.
1970	Campbell Beauty College	R. L. Polk & Co.
	I	R. L. Polk & Co.

379 CAMPBELL AVE E

Year	Uses	Source
1996	YESTERYEARS	Pacific Bell
	ANTIQUES & COLLECTIBLES	Pacific Bell
	I 381 MAGPIES	Pacific Bell
1974	Sanford & Myers Photo Graphic	R. L. Polk Co.

Year	Uses	Source
1970	Jostens American Photo Graphic	R. L. Polk & Co.

381 CAMPBELL AVE E

Year	Uses	Source
1974	Douthit David R Interiors int dec	R. L. Polk Co.

383 CAMPBELL AVE E

Year	Uses	Source
1996	ILDIS BETTER IMAGE	Pacific Bell
	BARRIENTOS ALFRED R	Pacific Bell
	+ 384 MIO VICINO	Pacific Bell
1974	Main Street Beauty Salon	R. L. Polk Co.
1970	Main Street Beauty Salon	R. L. Polk & Co.

384 CAMPBELL AVE E

Year	Uses	Source
1974	Tastegood Bakery	R. L. Polk Co.
1970	Tastegood Bakery	R. L. Polk & Co.

389 CAMPBELL AVE E

Year	Uses	Source
1996	CAMPBELL TRAVEL SERVICE	Pacific Bell
1974	Campbell Travel Service	R. L. Polk Co.
1970	Campbell Travel Service	R. L. Polk & Co.

393 CAMPBELL AVE E

Year	Uses	Source
1996	A SKIN DEEP BEAUTY AND BEYOND	Pacific Bell
	STILIANOS THE TAILORS	Pacific Bell
	ANASTASIA	Pacific Bell

394 CAMPBELL AVE E

Year	Uses	Source
1996	HI FI EXCHANGE	Pacific Bell
	CAMPBELL AV E CONTo	Pacific Bell
	Vazlrl All	Pacific Bell
	MUSICAL MEMORIES	Pacific Bell
	VALLEY PHOTO	Pacific Bell
1974	Golden Rule dept store	R. L. Polk Co.
1970	Golden Rule dept store	R. L. Polk & Co.

FINDINGS

395 CAMPBELL AVE E

Year	Uses	Source
1996	KNIGHTS PURPLE COW	Pacific Bell
1974	Roland Ira L optom	R. L. Polk Co.
1970	Roland Ira L optom	R. L. Polk & Co.

397 CAMPBELL AVE E

Year	Uses	Source
1974	Gamier Studios int dec & landscape	R. L. Polk Co.
1970	Gamier Paul int dec	R. L. Polk & Co.

400 CAMPBELL AVE E

Year	Uses	Source
1996	GASLIGHTER THEATER	Pacific Bell
1974	Gaslighter Theatre	R. L. Polk Co.
1970	Gaslighter Theatre	R. L. Polk & Co.

401 CAMPBELL AVE E

Year	Uses	Source
1996	D B SMITH CO	Pacific Bell
	GARGOYLES ETC	Pacific Bell
	A TOWN SQUARE BEAUTY SALON	Pacific Bell
	B JASMINE SKINCARE & ELECTROLYSIS	Pacific Bell
1974	Town Square Shoe Service	R. L. Polk Co.
	a Towne Square Beauty Salon	R. L. Polk Co.
	b Jacobsen Niskala Architects A I A	R. L. Polk Co.
1970	Town Square Shoe Service	R. L. Polk & Co.
	la Bettys Towne Square Beauty Salon	R. L. Polk & Co.
	b Vacant	R. L. Polk & Co.

412 CAMPBELL AVE E

Year	Uses	Source
1996	SOFTBALL EQUIPMENT	Pacific Bell
	BASEBALL	Pacific Bell
	CHARLIE ROSE	Pacific Bell
1974	Campbell Rock Shop lapidary	R. L. Polk Co.
1970	Campbell Rock Shop lapidary	R. L. Polk & Co.

FINDINGS

CENTRAL AVE

121 CENTRAL AVE

Year	Uses	Source
1957	LAINE SARAH	Pacific Telephone

141 CENTRAL AVE

Year	Uses	Source
1957	TON ROBT H	Pacific Telephone

145 CENTRAL AVE

Year	Uses	Source
1957	TOTTEN DONALD	Pacific Telephone

CENTRAL AVE N

1 CENTRAL AVE N

Year	Uses	Source
2001	PROGRSV DESIGN	Haines Company, Inc.
	RIDLEYMarlene SHELBYMARK	Haines Company, Inc.
	SPENCER EDCTNL	Haines Company, Inc.
	P Y INVESTMENTS	Haines Company, Inc.
	LOAN ARRANGER THE	Haines Company, Inc.
	TECHNOLOGY LOANARRANGERTHE	Haines Company, Inc.
	HIROSEPAULY	Haines Company, Inc.
	NVSTS&TAX GUERCIOJACKRLTR	Haines Company, Inc.
	INTGRTD SUPPORT	Haines Company, Inc.

3 CENTRAL AVE N

Year	Uses	Source
1974	$7a N Le Gue Bernard	R. L. Polk Co.

14 CENTRAL AVE N

Year	Uses	Source
2001	LABAMBA	Haines Company, Inc.
1996	PIRATE CAT RECORDS	Pacific Bell
1974	State Farm Insurance Co	R. L. Polk Co.
1970	State Farm Insurance Co	R. L. Polk & Co.

FINDINGS

18 CENTRAL AVE N

Year	Uses	Source
2001	BROWN LYNDAD DC	Haines Company, Inc.
	RAPALAUNADC	Haines Company, Inc.
	BROWN FAMILY	Haines Company, Inc.
	CHIROPRACTIC BROWN GORDON DC	Haines Company, Inc.
1996	BROWN GORDON DC	Pacific Bell
	RAPA LAUNA DC	Pacific Bell
1974	Tipton Lillian Mrs chiropractor	R. L. Polk Co.
1970	Tipton Lillian 0 Mrs chiropractor	R. L. Polk & Co.

29 CENTRAL AVE N

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	Spitzer Mike F	R. L. Polk & Co.

31 CENTRAL AVE N

Year	Uses	Source
2001	COMNCTN NATION	Haines Company, Inc.
1996	INTERBAHN NET	Pacific Bell
1974	Mc Kinley Young Electric contrs	R. L. Polk Co.
1970	Me Kinley Young Electric contrs	R. L. Polk & Co.

39 CENTRAL AVE N

Year	Uses	Source
2001	SANCHEZJ	Haines Company, Inc.
1974	Alvarado Robt	R. L. Polk Co.
1970	Gass Donald E	R. L. Polk & Co.

44 CENTRAL AVE N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1974	N Rubio Rudolfo	R. L. Polk Co.
1970	Green Wm D	R. L. Polk & Co.

51 CENTRAL AVE N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1974	Campbe U Fire Dept sub sta no	R. L. Polk Co.
1970	Campbell Fire Dept	R. L. Polk & Co.

FINDINGS

54 CENTRAL AVE N

Year	Uses	Source
2001	X 2 XX	Haines Company, Inc.
1996	HIGHLAND FINANCIAL MORTGAGE	Pacific Bell
	2 B & CINC	Pacific Bell
	HIGHLAND PROPERTIES	Pacific Bell
1974	N West Randy	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

64 CENTRAL AVE N

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	Ferro Cath Mrs	R. L. Polk & Co.

75 CENTRAL AVE N

Year	Uses	Source
2001	CAMPBELLCTY	Haines Company, Inc.
1996	CAMPBELL CITY OF	Pacific Bell
1974	Campbell City Hall	R. L. Polk Co.
	City Atty	R. L. Polk Co.
	City Bldg Insp	R. L. Polk Co.
	City Clk	R. L. Polk Co.
	City Council	R. L. Polk Co.
	City Eng	R. L. Polk Co.
	City Finance Dept	R. L. Polk Co.
	City Mgr	R. L. Polk Co.
	City Mayor	R. L. Polk Co.
	City Planning Dept	R. L. Polk Co.
	City Police Dept	R. L. Polk Co.
	City Treas	R. L. Polk Co.
	STREET CONTINUED	R. L. Polk Co.
1970	City Council	R. L. Polk & Co.
	Campbell City Hall	R. L. Polk & Co.
	City Finance Dept	R. L. Polk & Co.
	City Mgr	R. L. Polk & Co.
	City Mayor	R. L. Polk & Co.
	City Planning Dept	R. L. Polk & Co.
	City Police Dept	R. L. Polk & Co.
	City Treas	R. L. Polk & Co.
	STREET CONTINUED	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1970	N CENTRAL AV C Contd City Clk	R. L. Polk & Co.
	City Bldg Insp	R. L. Polk & Co.
	City Atty	R. L. Polk & Co.
	City Eng	R. L. Polk & Co.

78 CENTRAL AVE N

Year	Uses	Source
1970	B GRANT AV f NTERSECTS	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.

88 CENTRAL AVE N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

116 CENTRAL AVE N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1974	James Frank H	R. L. Polk Co.

122 CENTRAL AVE N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1974	Rodriquez Gustavas	R. L. Polk Co.

130 CENTRAL AVE N

Year	Uses	Source
1974	Scott Bryan	R. L. Polk Co.

142 CENTRAL AVE N

Year	Uses	Source
2001	CORONA Hallinan	Haines Company, Inc.
	ENGINEERING	Haines Company, Inc.
1996	INTERGRATED	Pacific Bell
	COMPUTER ENGINEERING INC	Pacific Bell
1974	N Hoppin John	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

144 CENTRAL AVE N

Year	Uses	Source
2001	RICHARDSON K	Haines Company, Inc.

FINDINGS

147 CENTRAL AVE N

Year	Uses	Source
2001	AUDYSKt Ca Ihy	Haines Company, Inc.
1996	Cross L R	Pacific Bell
1974	Pannell Maude	R. L. Polk Co.
1970	Pannell Maude	R. L. Polk & Co.

149 CENTRAL AVE N

Year	Uses	Source
2001	BERTOLACCISleven	Haines Company, Inc.

151 CENTRAL AVE N

Year	Uses	Source
2001	YODER Dennis	Haines Company, Inc.

153 CENTRAL AVE N

Year	Uses	Source
2001	LUNDLloyd	Haines Company, Inc.

155 CENTRAL AVE N

Year	Uses	Source
2001	BRADLEYMichael J	Haines Company, Inc.

156 CENTRAL AVE N

Year	Uses	Source
1974	N Nunes Bruce	R. L. Polk Co.
	Goolsby Bryan	R. L. Polk Co.
1970	Pickens Byron L	R. L. Polk & Co.
	Matthews John S	R. L. Polk & Co.

157 CENTRAL AVE N

Year	Uses	Source
2001	OTIMMERSharon	Haines Company, Inc.
1996	Chiba Kazumi	Pacific Bell

159 CENTRAL AVE N

Year	Uses	Source
2001	RUSSIE Emily	Haines Company, Inc.

161 CENTRAL AVE N

Year	Uses	Source
2001	0 BEEDE Kevin	Haines Company, Inc.

Year	Uses	Source
1974	Relfe James T C	R. L. Polk Co.
1970	Relfe James T	R. L. Polk & Co.

166 CENTRAL AVE N

Year	Uses	Source
1974	N Flautt Michael	R. L. Polk Co.
1970	Kramer Gary C	R. L. Polk & Co.

168 CENTRAL AVE N

Year	Uses	Source
2001	WHITLOCKEdna	Haines Company, Inc.
	LLOYD Jesse T	Haines Company, Inc.
1996	Lloyd Jesse T	Pacific Bell
1974	Booth Robt E	R. L. Polk Co.
1970	Lamachy Ray J	R. L. Polk & Co.

169 CENTRAL AVE N

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1974	N Valdez Leo	R. L. Polk Co.
1970	Gallegos Shirley Mrs	R. L. Polk & Co.

CENTRAL AVE S

21 CENTRAL AVE S

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

22 CENTRAL AVE S

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

25 CENTRAL AVE S

Year	Uses	Source
2001	GHAMGOSARFarhad	Haines Company, Inc.
1996	CAN AM TRUCK & AUTO REPAIR	Pacific Bell
1974	Botts Garage	R. L. Polk Co.
1970	Botts Garage	R. L. Polk & Co.

FINDINGS

29 CENTRAL AVE S

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

30 CENTRAL AVE S

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1974	Bodega Restaurant & Gallery	R. L. Polk Co.
	Becker Foods Co canned fruit & veg distrs	R. L. Polk Co.
1970	Becker Foods Co canned fruit & veg distr	R. L. Polk & Co.

33 CENTRAL AVE S

Year	Uses	Source
2001	GIUSEPPEITALIAN	Haines Company, Inc.
	OJAIRJack	Haines Company, Inc.
	RESTAURANT	Haines Company, Inc.
1996	GIUSEPPE ITALIAN RESTAURANT	Pacific Bell

46 CENTRAL AVE S

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1970	Sunaweet Dryer D 1 dried fruit whol	R. L. Polk & Co.
	Sunsweet Growers Inc dried fruit whol	R. L. Polk & Co.

50 CENTRAL AVE S

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

CIVIC CENTER DR

45 CIVIC CENTER DR

Year	Uses	Source
1980	Frederick Tax Service M	Pacific Telephone

54 CIVIC CENTER DR

Year	Uses	Source
1975	FRANK VERA U	Pacific Telephone

FINDINGS

E C CAOMPBELL AVE

231 E C CAOMPBELL AVE

Year	Uses	Source
1991	FISCHER JACK G CAMPBELL MEMORIAL CHAPEL	PACIFIC BELL WHITE PAGES

E CAMPBELL AVE

170 E CAMPBELL AVE

Year	Uses	Source
1957	Windbigler J F	R. L. Polk Co.
	WINDBIG ILER JF	Pacific Telephone

174 E CAMPBELL AVE

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1975	LONGSHORE MARK S	Pacific Telephone
1963	Chamberlin Dean R	Pacific Telephone

176 E CAMPBELL AVE

Year	Uses	Source
1975	GROSS STEPHEN E	Pacific Telephone

180 E CAMPBELL AVE

Year	Uses	Source
1957	Bensons Campbell Cleaners	R. L. Polk Co.

185 E CAMPBELL AVE

Year	Uses	Source
1957	Johnson Ines	R. L. Polk Co.
	JOHNSON INES	Pacific Telephone

186 E CAMPBELL AVE

Year	Uses	Source
1975	SCOLARI DOUGLAS E	Pacific Telephone

187 E CAMPBELL AVE

Year	Uses	Source
1957	Burgess John H	R. L. Polk Co.
	BURGESS JOHN H	Pacific Telephone

FINDINGS

188 E CAMPBELL AVE

Year	Uses	Source
1957	UNITED STATES GOVERNRLENT-(CONTD) POST OFF ICE-(CONTD) SANTA CLARA	Pacific Telephone

189 E CAMPBELL AVE

Year	Uses	Source
1980	Ensminger John Ralph I	Pacific Telephone
1957	Ensminger John Ralph I	R. L. Polk Co.

191 E CAMPBELL AVE

Year	Uses	Source
2009	GELATO CLASSLCO ITALIAN ICE CREAM AN	Cole Information Services

193 E CAMPBELL AVE

Year	Uses	Source
2017	BYR OF BELGIUM	Cole Information Services
	PURE HEALTH BY JUICE ZONE	Cole Information Services
2014	PURE HEALTH BY JUICE ZONE	Cole Information Services
	BYR OF BELGIUM	Cole Information Services
2009	SJ KIM LLC	Cole Information Services
	QUIZNOS	Cole Information Services
	QUIZNOS SUB 4	Cole Information Services

195 E CAMPBELL AVE

Year	Uses	Source
2017	LA PANOTIQ BAKERY & CAFE	Cole Information Services
	SONYA PAZ INC	Cole Information Services
2014	SONYA PAZ INC	Cole Information Services

197 E CAMPBELL AVE

Year	Uses	Source
2017	KALEIDO LAMPS	Cole Information Services
2014	KALEIDO LAMPS	Cole Information Services

199 E CAMPBELL AVE

Year	Uses	Source
2017	FROST CUPCAKE FACTORY	Cole Information Services
2014	FROST CUPCAKE FACTORY	Cole Information Services

FINDINGS

200 E CAMPBELL AVE

Year	Uses	Source
2017	CAMPBELL BREWING COMPANY	Cole Information Services
2014	SONOMA CHICKEN COOP	Cole Information Services
2009	SONOMA CHICKEN COOP	Cole Information Services
2004	NURSING MOTHERS RESOURCE	Cole Information Services
2001	GERENotholas	Haines Company, Inc.
1999	BABYS DIAPER SERVICE	Cole Information Services
1994	TINY TOTS DIAPER SV	Cole Information Services
	TINY TOTS DIAPER SVC	Cole Information Services

201 E CAMPBELL AVE

Year	Uses	Source
2017	CALIFORNIA LOCKSNKEYS	Cole Information Services
	AQUI CALMEX GRILL	Cole Information Services
2014	AQUI CALMEX GRILL	Cole Information Services
	CALIFORNIA LOCKSNKEYS	Cole Information Services
2009	AQUI CAL MEX GRILL	Cole Information Services
2004	DEBORA STEVENSEN	Cole Information Services
2001	ASSOCTD	Haines Company, Inc.
	MAINTENANCE	Haines Company, Inc.
1999	ASSOCIATED MAINTENANCE	Cole Information Services
1994	AMERICAN BARTER CLUB	Cole Information Services
1991	AUTO SAFE ELECTRONICS	PACIFIC BELL WHITE PAGES
	Auto Safe Electronics	PACIFIC BELL WHITE PAGES
1986	Classic Metal Graphics	Pacific Bell
	A Classic Button	Pacific Bell
	Classic Copies	Pacific Bell
1985	CLASSIC COPIES	Pacific Bell
	CLASSIC METAL GRAPHICS	Pacific Bell
	CLASSIC SECRETARIAL SERVICE	Pacific Bell
	A CLASSIC BUTTON	Pacific Bell
1963	Werthmann Paul A MD	Pacific Telephone
1957	Werthmann Paul A MD	R. L. Polk Co.
	Nelson Grain & Supply Co	R. L. Polk Co.
	BERGERON EUGENE J MIRS	Pacific Telephone
	NELSON GRAIN & SUPPLY CO	Pacific Telephone

FINDINGS

211 E CAMPBELL AVE

Year	Uses	Source
1975	MARCS FOR HAIR	Pacific Telephone

220 E CAMPBELL AVE

Year	Uses	Source
2017	ROCKET FIZZ	Cole Information Services
2014	ROCKET FIZZ	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
	TRAILSLOGGERS OUTDOOR DISCOVERY GEAR	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines Company, Inc.
1999	STEWART TITLE OF CALIFORNIA	Cole Information Services
1994	CAMPBELL GRAPHICS INC	Cole Information Services
1991	POOR PAT S PAPERBACKS	PACIFIC BELL WHITE PAGES
	Poor Pats Paperbacks	PACIFIC BELL WHITE PAGES
1986	CAMPBELL GRAPHICS INC	Pacific Bell
	Copy & Quick Print Division	Pacific Bell
1985	CAMPBELL GRAPHICS INC	Pacific Bell
1980	Bartels Medical Supply	Pacific Telephone
1975	CAMPBELL LIQUORS	Pacific Telephone
1963	Campbell Liquors & Sporting Goods	Pacific Telephone

221 E CAMPBELL AVE

Year	Uses	Source
1957	Ziegler John W dntst	R. L. Polk Co.
	ZIEGLER JOHN W DNTST	Pacific Telephone

231 E CAMPBELL AVE

Year	Uses	Source
2014	CARRIAGE SERVICES	Cole Information Services
2009	DARLING FISCHER MORTUARIES	Cole Information Services
	CARRIAGE SERVICES	Cole Information Services
	DARLING FISCHER CAMPBELL MEMORIAL CH	Cole Information Services
	CAMPBELL MEMORIAL CHAPEL	Cole Information Services
2004	DARLING & FISCHER CAMBEL MMRL	Cole Information Services
2001	CAMPBELL MMRL	Haines Company, Inc.
	CHPL DARLING FISCHER	Haines Company, Inc.
	MORTUARIES FISCHERJACK	Haines Company, Inc.

FINDINGS

Year	Uses	Source
1999	DARLING-FISCHER MORTUARIES	Cole Information Services
	FISCHER JACK G CAMPBELL MEMORIAL CHAPEL	Cole Information Services
	CAMPBELL MEMORIAL CHAPEL	Cole Information Services
1994	JOHN W STANDER	Cole Information Services
	BRIAN T MC GEE	Cole Information Services
	WILLIAM M SMITH	Cole Information Services
	JEFF L FISCHER	Cole Information Services
	DARLING & FISCHERS CHAPEL	Cole Information Services
1991	DARLIN G & FIS CHE R S CAMPBE LL ME MORIAL CHAPE L	PACIFIC BELL WHITE PAGES
	STANDER J W DOC CAMPBELL MEMORLEL CHAPEL FUNRL D IR	PACIFIC BELL WHITE PAGES
	DARLING & FISCHERS CAMPBELL MEMORIAL CHAPEL	PACIFIC BELL WHITE PAGES
	Stander	PACIFIC BELL WHITE PAGES
1986	CAMPBELL MEMORIAL CHAPEL	Pacific Bell
	DARLING & FISCHERS CAMPBELL MEMORIAL CHAPEL	Pacific Bell
	Fischer Jack G Campbell Memorial Chapel	Pacific Bell
	Stander J W Doc Campbell Memorial Chapel funrl dir	Pacific Bell
1985	CAMPBELL MEMORIAL CHAPEL	Pacific Bell
	DARLING & FISCHER S CAMPBELL MEMORIAL CHAPEL	Pacific Bell
	FISCHER JACK G CAMPBELL MEMORIAL CHAPEL	Pacific Bell
	STANDER J W DOC CAMPBELL MEMORIAL CHAPEL FUNRL DIR	Pacific Bell
1980	CAMPBELL MEMORIAL CHAPEL	Pacific Telephone
	FISCHER CLYDE L Campbell Memorial Chapel	Pacific Telephone
	FISCHER JACK G Campbell Memorial Chapel	Pacific Telephone
1975	DARLING & FISCHER S CAMPBELL MEMORIAL CHAPEL	Pacific Telephone
	CAMPBELL MEMORIAL CHAPEL	Pacific Telephone
	FISCHER CLYDE L CAMPBELL MEMORIAL CHAPEL	Pacific Telephone
	FISCHER JACK G CAMPBELL MEMORIAL CHAPEL	Pacific Telephone
	SOSSO AUGUST J	Pacific Telephone

FINDINGS

Year	Uses	Source
1975	STANDER J W DOC CAMPBELL MEMORIAL CHAPEL FUNRL DIR	Pacific Telephone
1963	Boulton J Albert	Pacific Telephone
	Boulton Thelma	Pacific Telephone
	CAMPBELL MEMORIAL CHAPEL	Pacific Telephone
	FABER JOHN E Campbell Memrl Chapel	Pacific Telephone
	FISCHER CLYDE L Campbell Memrl Chapel	Pacific Telephone
	FISCHER JACK G Campbell Memrl Chap	Pacific Telephone
1957	CAMPBELL MEMORIAL CHAPEL	R. L. Polk Co.
	Faber John E Campbell Memrl Chapel	R. L. Polk Co.
	Fischer Clyde L Campbell Memrl Chapel i	R. L. Polk Co.
	Fischer Jack G Campbell Memrl Chapel i :	R. L. Polk Co.
	Green Geo	R. L. Polk Co.
	CAMPELL MEMORIAL CHAPEL	Pacific Telephone
	FABERJOHN E CAMPBELL MEMRL CHAPEL	Pacific Telephone
	FISCHER CLYDE L CAMPBELL MEMRL CHAPEL	Pacific Telephone
	FISCHERJACK G CAMPBEL I MEMRL CHAPEL	Pacific Telephone

232 E CAMPBELL AVE

Year	Uses	Source
2017	THE OLIVE BAR	Cole Information Services
2014	OLIVE BAR THE	Cole Information Services
2009	THE OLIVE BAR	Cole Information Services
2001	XX 0 X	Haines Company, Inc.
	XXXX	Haines Company, Inc.
1999	NORTH AMERICAN TITLE INCORPORATED	Cole Information Services
1991	NICK S JEWELRY & WATCHES	PACIFIC BELL WHITE PAGES
	Nicks Jewelry & Watches	PACIFIC BELL WHITE PAGES
1985	NICK S JEWELRY & WATCHES	Pacific Bell
1980	AGA Corp	Pacific Telephone
1975	DAHL J M RL EST & INS	Pacific Telephone
1963	JONES NEIL M INSURANCE	Pacific Telephone
	CONLEY INSURANCE AGCY	Pacific Telephone

FINDINGS

234 E CAMPBELL AVE

Year	*Uses*	*Source*
2017	TESSORAS	Cole Information Services
2014	TESSORAS	Cole Information Services
2009	GAROFALOS	Cole Information Services
	CENTURY 21 SCVA	Cole Information Services
2004	GEM ENTERPRISES INC	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	INTRAVESTRLESTSV	Haines Company, Inc.
	ESTPROPMNG GEM PROPERTY MN	Haines Company, Inc.
	CORNISHACAREYRL	Haines Company, Inc.
	CENTURY 21 SCVA	Haines Company, Inc.
1999	QUELLAR REAL ESTATE	Cole Information Services
	INTRAVEST REAL ESTATE SERVICES	Cole Information Services
	GEM PROPERTY MANAGEMENT	Cole Information Services
	CENTURY 21 SCVA	Cole Information Services
	CORNISH & CAREY RESIDENTIAL REAL EST PROP MANAGEMENT	Cole Information Services
	CORNISH & CAREY SALES OFFICES	Cole Information Services
1994	INTRAVEST REAL ESTATE SVC	Cole Information Services
	BETTER HOMES REALTY	Cole Information Services
	SANTA CLARA VALLEY ASSOC INC	Cole Information Services
1991	Coast To Coast Properties VID	PACIFIC BELL WHITE PAGES
	COAST TO COAST PROPERTIES VID	PACIFIC BELL WHITE PAGES
	Red Carpet	PACIFIC BELL WHITE PAGES
1986	Red Carpet	Pacific Bell
1985	RED CARPET SALES OFFICES	Pacific Bell
	Red Carpet	Pacific Bell
	Red Carpet	Pacific Bell
1980	Red Carpeit Wilkin Enelrprises Inc .	Pacific Telephone
	Red Carpet Real Estate Property Exchangers	Pacific Telephone
	Red Carpet	Pacific Telephone
	Campbell	Pacific Telephone
	RED CARPET	Pacific Telephone
1963	HELENS SHOP	Pacific Telephone
1957	Helens Juvenile Shop	R. L. Polk Co.
	HELEN S JUVENILE SHOP	Pacific Telephone

FINDINGS

238 E CAMPBELL AVE

Year	Uses	Source
1980	Rim Of The World Properties inc	Pacific Telephone
	Serra Pacific Inc	Pacific Telephone
1975	FRANKS MINUTE MAN SHOE REPAIR	Pacific Telephone
	MINUTE MAN SHOE REPAIR FRANK S	Pacific Telephone
1963	FRANKS MINUTE MAN SHOE REPAIR	Pacific Telephone
1957	DEL CARON SHOP	Pacific Telephone
	Del Caron Shop	R. L. Polk Co.

239 E CAMPBELL AVE

Year	Uses	Source
1957	Phipps A E	R. L. Polk Co.
	SMITIL CLAUDE	Pacific Telephone
	Smith Claude	R. L. Polk Co.

240 E CAMPBELL AVE

Year	Uses	Source
2001	EXPRESSIONS FROM	Haines Company, Inc.
	THE HEART	Haines Company, Inc.

241 E CAMPBELL AVE

Year	Uses	Source
2017	REDEMPTION	Cole Information Services
	RECYCLE BOOK STORE WEST	Cole Information Services
2014	OVER THE RAINBOW	Cole Information Services
	SIMPLY SMASHING	Cole Information Services
2009	VINTAGE & VOGUE	Cole Information Services
	SIMPLY SMASHING	Cole Information Services
2004	SHANELS SPRING FLOWERS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	DISCOUNT	Haines Company, Inc.
	DOSS Davet LZ PREMIUMSSUPER	Haines Company, Inc.
1999	LZ PREMIUMS SUPER DISCOUNT	Cole Information Services
1994	JEFFERS MENS WEAR	Cole Information Services
1991	JEFFERS MENS WEAR	PACIFIC BELL WHITE PAGES
	JE FFE RS ME N S W E AR	PACIFIC BELL WHITE PAGES
1986	JEFFERS MENS & BOYS WEAR	Pacific Bell
1985	JEFFERS MENS & BOYS WEAR	Pacific Bell
1980	Jeffers L	Pacific Telephone

Year	Uses	Source
1980	IJEFFERS MENS & BOYS WEAR	Pacific Telephone
1975	JEFFERS MENS & BOYS WEAR	Pacific Telephone
1963	Jeffers Mens & Boys Wear	Pacific Telephone

245 E CAMPBELL AVE

Year	Uses	Source
2009	KIRBY CO OF CAMPBELL	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	KIRBY COMPANY OF CAMPBELL	Cole Information Services
1994	KIRBY VACUUM CLEANER CO	Cole Information Services
1991	KIRBY COMPANY OF CAMPBELL	PACIFIC BELL WHITE PAGES
	KIRBY COMPANZ OF CAMPBE LL	PACIFIC BELL WHITE PAGES
	KIRBY CO OF CAMPBELL	PACIFIC BELL WHITE PAGES
1986	KIRBY COMPANY OF CAMPBELL	Pacific Bell

247 E CAMPBELL AVE

Year	Uses	Source
2009	TWIST CAFE	Cole Information Services
2004	TWIST CAFE	Cole Information Services
	URBAN ICE CREAM & CAFE	Cole Information Services
2001	PIGNATAROCharles PIGNATAROSHOERPR	Haines Company, Inc.
1994	PIGNATARO SHOE REPAIR	Cole Information Services
1991	PIGN ATARO S HOE RE PAIR	PACIFIC BELL WHITE PAGES
	PIGNATARO SHOE REPAIR	PACIFIC BELL WHITE PAGES
1986	PIGNATARO SHOE REPAIR	Pacific Bell
1980	PIGNATARO SHOE REPAIR & NEW SHOES	Pacific Telephone
1975	GODDESS HAIR FASHIONS	Pacific Telephone
1963	WILLY WALLY QUALITY MEATS	Pacific Telephone

250 E CAMPBELL AVE

Year	Uses	Source
1963	Fear Jas N	Pacific Telephone
1957	COOPER GERALD L	Pacific Telephone

253 E CAMPBELL AVE

Year	Uses	Source
2017	NICE TWICE DOLL SHOP	Cole Information Services
2014	NICE TWICE DOLL SHOP	Cole Information Services
2009	NICE TWICE DOLL SHOP	Cole Information Services

FINDINGS

Year	Uses	Source
2004	TWICE NICE	Cole Information Services
	NICKS JEWELRY & WATCHES	Cole Information Services
	NICE TWICE DOLL SHOP	Cole Information Services
2001	PIGNATAROCharles	Haines Company, Inc.
	NICKS	Haines Company, Inc.
	NICETWICEDOLLSHP	Haines Company, Inc.
	JEWELRY&WATCHES	Haines Company, Inc.
1999	NICKS JEWELRY & WATCHES	Cole Information Services
	NICE TWICE DOLL SHOP	Cole Information Services
1994	ANTAYAS ELECTROLOGY CTR	Cole Information Services
	NICKS JEWELRY & WATCHES	Cole Information Services
	NICE TWICE DOLL SHOP	Cole Information Services
1991	Nice Twice Doll Shop	PACIFIC BELL WHITE PAGES
	ANTAYA S ELECTROLOGY CENTER	PACIFIC BELL WHITE PAGES
	NICE TWICE DOLL SHOP	PACIFIC BELL WHITE PAGES
	Antayas Electrology Center	PACIFIC BELL WHITE PAGES
1986	Eunice Mason Interiors	Pacific Bell
	Nice Twice Doll Shop	Pacific Bell
1985	MASON EUNICE INTERIORS	Pacific Bell
1980	Christ Scientist In Boston Massachusetts Campbell First Church	Pacific Telephone
	Reasding Room	Pacific Telephone
	MASON EUNICE INTERIORS	Pacific Telephone
	Mason Eunice Interiors	Pacific Telephone
1975	VALLEY DIAPER SERVICE	Pacific Telephone
1963	Morrisons Cleaners Laundry & Diaper Service	Pacific Telephone

254 E CAMPBELL AVE

Year	Uses	Source
1963	Windbigler J F	Pacific Telephone

255 E CAMPBELL AVE

Year	Uses	Source
2017	WHITE LIGHT CATERING	Cole Information Services
2014	WHITE LIGHT CATERING	Cole Information Services
2009	F & V BOOKKEEPING SERVICES	Cole Information Services
2004	ALICIAS GIFT & COLLECTIBLES	Cole Information Services
2001	OIFT&COLLECTIBLES	Haines Company, Inc.
	ALICIAS	Haines Company, Inc.

FINDINGS

Year	Uses	Source
1994	FIRST CHURCH CAMPBELL	Cole Information Services
1991	CHRISTIAN SCIENCE READING ROOMS FIRST CHURCH	PACIFIC BELL WHITE PAGES
1986	Reading Room	Pacific Bell
	Christian Science Reading Rooms	Pacific Bell
	First Church Campbell	Pacific Bell
	Church	Pacific Bell
1985	CHRISTIAN SCIENCE READING ROOMS	Pacific Bell
	CHURCHES OF CHRIST SCIENTIST	Pacific Bell

257 E CAMPBELL AVE

Year	Uses	Source
2017	ALLSTATE INSURANCE FRANK MERCADO	Cole Information Services
	CARL KING	Cole Information Services
	COMMUNITY PROPERTIES INC	Cole Information Services
2014	LAURIE MCCLELLAN ALLSTATE INSURANC	Cole Information Services
	COMMUNITY PROPERTIES INC	Cole Information Services
2009	DIVERSIFIED LOAN SERVICES INC	Cole Information Services
	CONDER INSURANCE AGENCY	Cole Information Services
	COMMUNITY PROPERTIES INC	Cole Information Services
2004	COMMUNITY PROPERTIES INC	Cole Information Services
	ALLISTATE INSURANCE	Cole Information Services
2001	ALLSTATE INS SALES	Haines Company, Inc.
	COMNTYPROPERTIES	Haines Company, Inc.
	CONDERDALE	Haines Company, Inc.
	CAMPBELLAVE 905 UBC DIVERSFD LOAN	Haines Company, Inc.
	SERVS	Haines Company, Inc.
	OREWJon	Haines Company, Inc.
1999	OCCUPANT UNKNOWN	Cole Information Services
	DIVERSIFIED LOAN SERVICES INCORPORATED	Cole Information Services
	ALLSTATE INSURANCE COMPANIES	Cole Information Services
	COMMUNITY PROPERTIES INCORPORATED	Cole Information Services
	CONDER DALE INS	Cole Information Services
1994	COMMUNITY PROPERTIES INC	Cole Information Services
1991	KEN KEITH DESIGNS	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	Campbell	PACIFIC BELL WHITE PAGES
	Allstate Insurance Companies Sales Offices Los Gates	PACIFIC BELL WHITE PAGES
	Allstate Insurance Companies Cond Sales Offices Contd San Jose Contd	PACIFIC BELL WHITE PAGES
	Campbell	PACIFIC BELL WHITE PAGES
	Noble Computing Laboratory	PACIFIC BELL WHITE PAGES
	ALLSTATE INSURANCE COMPANIES (COND) SALES OFFICES (CONTD)	PACIFIC BELL WHITE PAGES
	NOBLE COMPUTING LABORATORY	PACIFIC BELL WHITE PAGES
	Ken Keith Designs	PACIFIC BELL WHITE PAGES
1986	A Thousand Words	Pacific Bell
	AAAAA Insurance Service	Pacific Bell
	HARDING DON INS SERVICES	Pacific Bell
	Noble Computing Laboratory	Pacific Bell
	Print Works	Pacific Bell
	Thousand Words A	Pacific Bell
	WALTERS & REESE	Pacific Bell
1985	AAAAA INSURANCE SERVICE	Pacific Bell
	HARDING DON INS SERVICES	Pacific Bell
	NOBLE COMPUTING LABORATORY	Pacific Bell
	PRINT WORKS	Pacific Bell
	WALTERS & REESE	Pacific Bell
1980	JONES NEIL MI INS SERVICES	Pacific Telephone
	Jones Neil M Real Estate	Pacific Telephone
1975	COVEY S WINE CRAFTS	Pacific Telephone
	SPENF REALTY	Pacific Telephone
1963	Snow Byron atty	Pacific Telephone
	BEALER EDW H ins	Pacific Telephone
	MFB CONSTRUCTION CO INC	Pacific Telephone

259 E CAMPBELL AVE

Year	Uses	Source
2017	RHEE BEVERE PHOTOGRAPHY	Cole Information Services
	CHEN ASSOCIATES	Cole Information Services
2014	PENINSULA INSURANCE ADJUSTERS	Cole Information Services
	CHEN ASSOCIATES	Cole Information Services
2009	PENINSULA INSURANCE ADJUSTERS	Cole Information Services
2004	CELLULAR PHONE WORKS	Cole Information Services
	PENINSULA INSURANCE ADJUSTERS	Cole Information Services

FINDINGS

Year	Uses	Source
2004	AEM AUTO SALES	Cole Information Services
2001	PENINSLA INSU	Haines Company, Inc.
	DREWJON	Haines Company, Inc.
	BOYDS REAL ESTATE	Haines Company, Inc.
	ADJUSTERS	Haines Company, Inc.
1999	KENT BETTY	Cole Information Services
	DREW JON	Cole Information Services
	PENINSULA INSURANCE ADJUSTERS	Cole Information Services
1994	INTRA STATE APPRAISAL SVC	Cole Information Services
	REALTY CENTER	Cole Information Services
1991	Intra State Appraisal Service Inc	PACIFIC BELL WHITE PAGES
	INTRA-STATE APPRAISAL SERVICE INC	PACIFIC BELL WHITE PAGES
1986	Burkhouse Construction Inc	Pacific Bell
	BURKHOUSE CONSTRUCTION INC	Pacific Bell
	Burkhouso Construction Inc	Pacific Bell
1985	BURKHOUSE CONSTRUCTION INC	Pacific Bell
1982	Burkhouse Construction Inc	Pacific Telephone
1980	Libra Electric Co	Pacific Telephone
	Book Stop A	Pacific Telephone
	A Book Stop	Pacific Telephone
1975	NIRVANA	Pacific Telephone
	BROWN SYLVIA NIRVANA	Pacific Telephone
	BRAE PACIFIC PROPERTIES REALTORS	Pacific Telephone
	LOUGHEAD CLYDE M REALTOR	Pacific Telephone
1963	OLTMAMN W O pub acct	Pacific Telephone

260 E CAMPBELL AVE

Year	Uses	Source
2014	THE CARDIFF LOUNGE	Cole Information Services
2009	ON THE ROCKS LLC	Cole Information Services
2004	ON THE ROCKS LLC DBA	Cole Information Services
	GARY SHIFLET	Cole Information Services
2001	RAFFANTIRobed	Haines Company, Inc.
	CARDIFFLOUNGE	Haines Company, Inc.
1999	CARDIFF LOUNGE	Cole Information Services
1994	CARDIFF LOUNGE	Cole Information Services
1991	CARDIFF LOUNGE	PACIFIC BELL WHITE PAGES
	Cardiff Lounge	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1986	Cardiff Lounge	Pacific Bell
1985	CARDIFF LOUNGE	Pacific Bell
1980	Beehive Lounge	Pacific Telephone
1975	BEE HIVE LOUNGE	Pacific Telephone
1963	CAMPBELL CLEANERS	Pacific Telephone
	BENSONS CAMPBELL CLEANERS	Pacific Telephone
1957	Braniff International Airways	R. L. Polk Co.

266 E CAMPBELL AVE

Year	Uses	Source
2017	EL GUAPOS	Cole Information Services
2014	EL GUAPOS	Cole Information Services
2009	BED & BACK SHOP	Cole Information Services
	GLORIOUS GIFT BASKETS	Cole Information Services
2004	GLORIOUS GIFT BASKETS	Cole Information Services
2001	IN THE CUP GOLF	Haines Company, Inc.
	GIFTS QUALITY GRAPHICS	Haines Company, Inc.
	SHANELS SPRING	Haines Company, Inc.
	FLWR VILLAGEBISTROTHE	Haines Company, Inc.
1999	BARADOS COFFEE COMPANY	Cole Information Services
	SHANELS SPRING FREEZE DRIED FLOWERS	Cole Information Services
1994	SHANELS SPRING FREEZE FLOWERS	Cole Information Services
	DOWNTOWN FINE ART & FRAME	Cole Information Services
1986	Sun Ray Supply	Pacific Bell
1985	SUN-RAY JANITORIAL SUPPLY	Pacific Bell
1980	Middleton Associates Inc	Pacific Telephone
	WICKER OF CALIFORNIA	Pacific Telephone

267 E CAMPBELL AVE

Year	Uses	Source
2017	WILLOW GLEN FROZEN YOGURT AT CAMPBEL	Cole Information Services
	STARBUCKS	Cole Information Services
	STARBUCKS COFFEE	Cole Information Services
	ESSENCE OF NATURE	Cole Information Services
	LOOMIS & CO CERTIFIED PUBLIC ACCTS	Cole Information Services
	MTECH FUEL SAVER INC	Cole Information Services
	AMERITRUST MORTGAGE GROUP	Cole Information Services

Year	Uses	Source
2017	CAMBELL CHAMBER OF COMMERCE	Cole Information Services
2014	STARBUCKS COFFEE	Cole Information Services
	ESSENCE OF NATURE	Cole Information Services
	WILLOW GLEN FROZEN YOGURT AT CAMPBEL	Cole Information Services
	AMERITRUST MORTGAGE GROUP	Cole Information Services
	LOOMIS & CO CERTIFIED PUBLIC ACCTS	Cole Information Services
2009	LUMINOUS NETWORKS	Cole Information Services
	STARBUCKS COFFEE	Cole Information Services
	POCKETMAIL INC	Cole Information Services
	BLENDZ INC	Cole Information Services
	FURNITUREFORUS COM	Cole Information Services
2004	BLENDZ	Cole Information Services
	STARBUCKS COFFEE	Cole Information Services
	MIKKELSON DESIGN	Cole Information Services
	GELFUZION INC	Cole Information Services
	WEST POINT FUNDING	Cole Information Services
	RECREATION USA	Cole Information Services
2001	DEVRIESGregory STARBUCKS COFFEE	Haines Company, Inc.
1999	ANTELOPE MOUNTAIN SPORTS	Cole Information Services
1994	CAMPBELL EXPRESS	Cole Information Services
1991	CAMBRIAN NEWS	PACIFIC BELL WHITE PAGES
	CAMPBELL EXPRESS	PACIFIC BELL WHITE PAGES
	Cambrian News	PACIFIC BELL WHITE PAGES
1986	CAMPBELL GRAPHICS INC	Pacific Bell
	Printing Division	Pacific Bell
1985	CAMPBELL GRAPHICS INC	Pacific Bell
1980	CAMPBELL GRAPHICS INC	Pacific Telephone
1975	CAMPBELL GRAPHICS INC	Pacific Telephone
1963	Campbell Blueprint & Supply Co	Pacific Telephone

268 E CAMPBELL AVE

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

271 E CAMPBELL AVE

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1999	HOUSE OF ENGRAVING BY FORSMAN	Cole Information Services

Year	Uses	Source
1994	HOUSE OF ENGRAVING BY FORSMAN	Cole Information Services
1991	HOUS E OF E N GRAVIN G BY FORS MAN	PACIFIC BELL WHITE PAGES
1963	Pink Cameo Fashions	Pacific Telephone

272 E CAMPBELL AVE

Year	Uses	Source
2009	GOLDEN GATE KITCHENS	Cole Information Services
2004	GOLDEN GATE KITCHENS	Cole Information Services
2001	GOLDEN GATE	Haines Company, Inc.
	KITCHENS	Haines Company, Inc.
	HALLThomas	Haines Company, Inc.
1999	GOLDEN GATE KITCHENS	Cole Information Services
1985	KIRBY COMPANY OF CAMPBELL	Pacific Bell
	KINGS TOE	Pacific Bell
	I KIRBY CO OF CAMPBELL	Pacific Bell
	BRINER CENTER	Pacific Bell
1980	KIRBV CO OF CAMPBELL	Pacific Telephone
1975	BRINER HALL	Pacific Telephone
	KIRBY COMPANY OF CAMPBELL	Pacific Telephone

274 E CAMPBELL AVE

Year	Uses	Source
2014	GARGOYLES	Cole Information Services
	PALAZZI	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
	PALAZZI OF CAMPBELL	Cole Information Services
2004	GARGOYLES A SALON	Cole Information Services
2001	GARGOYLES A SALON	Haines Company, Inc.
1999	GARGOYLES A SALON	Cole Information Services
1991	S OUTH BAY S PORTS & S PIN E CE N TE R	PACIFIC BELL WHITE PAGES
1986	JACOBSEN WARREN G ARCHITECTS	Pacific Bell
	South Bay Sports & Spine Center	Pacific Bell

275 E CAMPBELL AVE

Year	Uses	Source
2014	RECYCLE BOOK STORE WEST	Cole Information Services
2004	SILVER BUCKLE WESTERN WEAR	Cole Information Services
2001	GERANicholas SILVER BUCKLE	Haines Company, Inc.

Year	Uses	Source
2001	WSTRN	Haines Company, Inc.
1999	SILVER BUCKLE WESTERN WEAR	Cole Information Services
1994	SILVER BUCKLE WESTERN WEAR	Cole Information Services
1991	S ILVE R BUCKLE W E S TE RN W E AR	PACIFIC BELL WHITE PAGES
	SILVER BUCKLE WESTERN WEAR	PACIFIC BELL WHITE PAGES
1986	SILVER BUCKLE WESTERN WEAR	Pacific Bell
1985	SILVER BUCKLE WESTERN WEAR	Pacific Bell
1980	TULLY OFFICE FURNISHINGS INC	Pacific Telephone
1975	CAMPBELL OFFICE MACHINES & FURNITURE	Pacific Telephone
1963	NELSON HARDWARE	Pacific Telephone

276 E CAMPBELL AVE

Year	Uses	Source
2004	ODD FELLOWS HALL	Cole Information Services
2001	HALLLODGE	Haines Company, Inc.
	ODD FELLOWS	Haines Company, Inc.
1999	ODD FELLOWS HALL MORNING LIGHT LODGE 42	Cole Information Services
1994	ODD FELLOWS HALL	Cole Information Services
1991	Odd Fellows Hall	PACIFIC BELL WHITE PAGES
	ODD FELLOWS HALL	PACIFIC BELL WHITE PAGES
1986	ODay Wm A	Pacific Bell
	Odd Fellows Hall	Pacific Bell
1985	ODD FELLOWS HALL	Pacific Bell
1980	Odd Fellows Hall	Pacific Telephone
1975	ODD FELLOWS HALL	Pacific Telephone
1963	Ribble D W Campbell Statnry	Pacific Telephone
	Ribbles Campbell Stationery	Pacific Telephone
	CAMPBELL STATIONERY	Pacific Telephone
1957	Ribble D 0 W Campbell Statnry	R. L. Polk Co.
	:	R. L. Polk Co.
	Campbell Stationery	R. L. Polk Co.
	RIBBLE O W CAMPBELL STATNRY	Pacific Telephone
	CAMPBELL STATIONERY	Pacific Telephone

278 E CAMPBELL AVE

Year	Uses	Source
2017	MOS	Cole Information Services
2014	MOS	Cole Information Services

FINDINGS

279 E CAMPBELL AVE

Year	Uses	Source
1963	Wanetas Beauty Shoppe	Pacific Telephone

286 E CAMPBELL AVE

Year	Uses	Source
1963	DAHL J M rl est & ins	Pacific Telephone
1957	Fergu Lson Robert L drftsmn	R. L. Polk Co.
	FERGUSON ROBERT L DRTTSNI	Pacific Telephone
	DAHL J M RL EST & INS	Pacific Telephone

287 E CAMPBELL AVE

Year	Uses	Source
2017	CAMPBELL FURNITURE GALLERY	Cole Information Services
2014	CAMPBELL FURNITURE GALLERY	Cole Information Services
2009	INTERIOR SERVICES LOS GATOS	Cole Information Services
	INTERIOR SERVICES CAMPBELL SHOWROOM	Cole Information Services
	SUNBRIGHT CONSTRUCTION CO	Cole Information Services
	STONE GRIFFIN GALLERY	Cole Information Services
2004	ISLG	Cole Information Services
	HARRY DABROWSKI	Cole Information Services
2001	CLOCK DOCTORTHE	Haines Company, Inc.
	KAVALESKICarol 00 U SKIS ROYAL	Haines Company, Inc.
	FURNITURE	Haines Company, Inc.
1999	DENIM DEPOT	Cole Information Services
	SECURITY PLUS SAFETY	Cole Information Services
	SKIS ROYAL FURNITURE	Cole Information Services
1994	SKIS ROYAL FURNITURE & APPL	Cole Information Services
1991	S KI S ROYAL FURN ITURE & APPLIAN CE	PACIFIC BELL WHITE PAGES
	SKIS ROYAL FURNITURE & APPLIANCE	PACIFIC BELL WHITE PAGES
1986	SKIS ROYAL FURNITURE & APPLIANCE	Pacific Bell
1985	SKI S ROYAL FURNITURE & APPLIANCE	Pacific Bell
1980	ROYAL APPLIANCES Skis Royal Furniture & Appliance	Pacific Telephone
	SKIS ROYAL FURNITURE & APPLIANCE	Pacific Telephone
1975	SKI S ROYAL FURNITURE & APPLIANCE	Pacific Telephone
	ROYAL APPLIANCES SKI S ROYAL FURNITURE & APPLIANCES	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	SPANGLERS FURNITURE & APPLIANC	Pacific Telephone
1957	ACCARODS HOME APPLIAT CES	Pacific Telephone

295 E CAMPBELL AVE

Year	Uses	Source
2017	BOMBSHELL BOUTIQUE	Cole Information Services
2014	BOMBSHELL BOUTIQUE	Cole Information Services
2004	CAMPBELL MUSEUM STORE	Cole Information Services
2001	SGUALTIERIG 518a	Haines Company, Inc.
	STORE	Haines Company, Inc.
	CAMPBELLMUSEUM	Haines Company, Inc.
1999	CLOCK DOCTOR THE	Cole Information Services
1994	CLOCK DOCTOR	Cole Information Services
1991	Clock Doctor The	PACIFIC BELL WHITE PAGES
	CLOCK DOCTOR THE	PACIFIC BELL WHITE PAGES
1986	Clock Doctor The	Pacific Bell
1985	CLOCK DOCTOR THE	Pacific Bell
1975	BIG MUDDY RIVER POTTERY	Pacific Telephone

296 E CAMPBELL AVE

Year	Uses	Source
2017	HOUSE OF BRASS	Cole Information Services
2014	HOUSE OF BRASS	Cole Information Services
2009	HOUSE OF BRASS	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines Company, Inc.
1999	INTER-CITY OFFICE MACHINES	Cole Information Services
1986	GAMETABLE	Pacific Bell
1985	GAMETABLE	Pacific Bell
1980	Pacifi Con	Pacific Telephone
	GAMETABLE	Pacific Telephone
1975	PAST & PRESENT	Pacific Telephone
1963	Blue Bell Cafe	Pacific Telephone
1957	BLUE BELL CAFE	Pacific Telephone

298 E CAMPBELL AVE

Year	Uses	Source
1957	Morgan W R dntst	R. L. Polk Co.
	MORGAN W R DNTST	Pacific Telephone

FINDINGS

299 E CAMPBELL AVE

Year	Uses	Source
2004	DANTE	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	DANTE	Haines Company, Inc.
1999	DANTE	Cole Information Services
1994	DANTE	Cole Information Services
1991	BOXWOOD ANTIQUES	PACIFIC BELL WHITE PAGES
	Boxwood Antiques	PACIFIC BELL WHITE PAGES
1986	Boxwood Antiques	Pacific Bell
1985	BOXWOOD ANTIQUES	Pacific Bell
1980	Boxwood Antiques	Pacific Telephone
1975	TRENI E S TROPHIE S	Pacific Telephone
	HELEN S ENGRAVING	Pacific Telephone
	TRENI E S TROPHIE S	Pacific Telephone
1963	De Vries Arlene	Pacific Telephone
	de Vries Bookkeeping Service	Pacific Telephone

301 E CAMPBELL AVE

Year	Uses	Source
2017	BOMBSHELL BOUTIQUE	Cole Information Services
2014	COUTURE TAN	Cole Information Services
2009	BOMBSHELL BOUTIQUE	Cole Information Services
2004	DONNAS ANTIQUES	Cole Information Services
2001	DONNAS ANTIQUES	Haines Company, Inc.
1999	DONNAS ANTIQUES	Cole Information Services
1994	DONNAS ANTIQUES	Cole Information Services
1991	DONNA S ANTIQUES	PACIFIC BELL WHITE PAGES
1985	LA BELLE-DIFFERENCE	Pacific Bell
1975	MARTY S STAMPS & COAINS	Pacific Telephone
1963	Wesco Dental Laboratory	Pacific Telephone
1957	BAY AREA CREDIT SERVICE	R. L. Polk Co.
	BAY AREA CREDIT SERVICE	Pacific Telephone

305 E CAMPBELL AVE

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	PATRICEDARTISTE	Haines Company, Inc.
1999	RADIO DAZE & COLLECTIBLES	Cole Information Services
1994	TOWN & COUNTRY ANTIQUES	Cole Information Services

FINDINGS

Year	Uses	Source
1991	SENTIMENTAL JOURNEYS	PACIFIC BELL WHITE PAGES
	Sentimental Journeys	PACIFIC BELL WHITE PAGES
1986	Art Emporium	Pacific Bell
1985	INTRINSIC INVESTMENTS	Pacific Bell
1980	Distillery Outlet	Pacific Telephone
1975	LONE RANGER THE	Pacific Telephone
1963	Campbell Office Machine Co	Pacific Telephone
1957	FAIRCHILD MYRON L INVESTMNTS	Pacific Telephone
	Fairchild Myron L investmnts	R. L. Polk Co.

309 E CAMPBELL AVE

Year	Uses	Source
2017	JUDY SPA NAILS	Cole Information Services
2014	JUDY SPA NAILS	Cole Information Services
2009	CUSTOM NAIL	Cole Information Services
	JUDYS SPA NAILS	Cole Information Services
2004	CUSTOM NAIL	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	CUSTOM NAIL	Haines Company, Inc.
1999	CUSTOM NAIL	Cole Information Services
1994	CUSTOM NAIL	Cole Information Services
1986	Beckys antiqs	Pacific Bell
1980	Pack Rat The	Pacific Telephone
1975	PACK RAT THE	Pacific Telephone
	THE PACK RAT	Pacific Telephone
1963	CAMPBELL REALTY CO	Pacific Telephone
	Fairchild Myron L Insurance & Investments	Pacific Telephone
	HARMON L W LES Campbell Rity Co	Pacific Telephone

311 E CAMPBELL AVE

Year	Uses	Source
2017	BELA KOI	Cole Information Services
	HEARTWORK STUDIOS	Cole Information Services
	EMBELISH LLC	Cole Information Services
2014	BELA KOI	Cole Information Services
2009	HEARTWORKS STUDIO INC	Cole Information Services
2004	HEARTWORKS STUDIO GALLERY	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

Year	Uses	Source
2001	ART&SOULDESIGN	Haines Company, Inc.
	STUDIO	Haines Company, Inc.
1999	SHARONS CORNER	Cole Information Services
1994	SHARONS CORNER	Cole Information Services
1991	NICHOLS NICK NACKS	PACIFIC BELL WHITE PAGES
	Nichols Nick Nacks	PACIFIC BELL WHITE PAGES
1986	Nichols Nick Necks	Pacific Bell
1985	NICHOLS NICK NACKS	Pacific Bell
1980	Golden Antiques & Collectables	Pacific Telephone
1975	MURRAY ROBERT W	Pacific Telephone
1963	Almas Beauty Studio	Pacific Telephone

313 E CAMPBELL AVE

Year	Uses	Source
2009	RADIO DAZE & COLLECTIBLES	Cole Information Services
2004	RADIO DAZE & COLLECTIBLES	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	DAZE&COLLECTIBLES	Haines Company, Inc.
	RADIO	Haines Company, Inc.
1999	ALL THINGS PAST & PRESENT	Cole Information Services
1994	MEMORY LANE	Cole Information Services
1991	Memory Lane	PACIFIC BELL WHITE PAGES
	MEMORY LANE	PACIFIC BELL WHITE PAGES
1986	Memorytane	Pacific Bell
1980	Buffalo Joes General Store	Pacific Telephone
1957	Morley Lane	R. L. Polk Co.

315 E CAMPBELL AVE

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines Company, Inc.
1975	KIESLE EM N	Pacific Telephone
	TONEY CHAS RAY	Pacific Telephone

317 E CAMPBELL AVE

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1975	F OSTER JOS W	Pacific Telephone
1963	Rivera A P	Pacific Telephone

FINDINGS

Year	Uses	Source
1957	Reynolds Alice Mrs	R. L. Polk Co.
	REYNOLDS ALICE MRS	Pacific Telephone

321 E CAMPBELL AVE

Year	Uses	Source
2017	THE CRUISER SHOP	Cole Information Services
2014	THE CRUISER SHOP	Cole Information Services
2009	SONIA HUCKABONE PROF SKIN CARE	Cole Information Services
	VIS A VIS EUROPEAN SKIN CARE	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	VIS A VIS EUROPEAN SKIN CARE	Cole Information Services
2001	SKIN CARE	Haines Company, Inc.
	VISAVISEUROPEON	Haines Company, Inc.
1999	VIS A VIS EUROPEAN SKIN CARE	Cole Information Services
1994	VIS A VIS EUROPEAN SKIN CARE	Cole Information Services
1991	Mc Neal Valerie Art & Flower Gallery	PACIFIC BELL WHITE PAGES
	MC NEAL VALERIE ART & FLOWER GALLERY	PACIFIC BELL WHITE PAGES
1963	Mc Connell A Ross Dr chirprctr	Pacific Telephone

323 E CAMPBELL AVE

Year	Uses	Source
2017	COURTYARD HAIRSTYLISTS	Cole Information Services
2014	COURTYARD HAIRSTYLISTS	Cole Information Services
2009	COURTYARD CABANA SALON	Cole Information Services
	COURTYARD HAIRSTYLISTS	Cole Information Services
2004	COURTYARD HAIRSTYLISTS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	SALON	Haines Company, Inc.
	COURTYARD CABANA	Haines Company, Inc.
1999	COURTYARD CABANA SALON	Cole Information Services
1994	COURTYARD HAIR STYLISTS	Cole Information Services
1986	COURTYARD HAIR STYLISTS	Pacific Bell
1985	COURTYARD DR	Pacific Bell
1980	COURTYARD HAIR STYLIST	Pacific Telephone
	COURTYARD HAIR STYLIST	Pacific Telephone
1975	LAWN-A-PAC	Pacific Telephone
	COURTYARD BEAUTY-SALON	Pacific Telephone
1963	Ashby Industrial Food Service	Pacific Telephone

FINDINGS

325 E CAMPBELL AVE

Year	Uses	Source
2017	CALI MUSCLE	Cole Information Services
2014	CALI MUSCLE	Cole Information Services
2001	XXXX	Haines Company, Inc.
1991	Second Time Around	PACIFIC BELL WHITE PAGES
	SECOND TIME AROUND	PACIFIC BELL WHITE PAGES
1986	Second Time Around	Pacific Bell
1985	MOLKENBUHR ENTERPRISES	Pacific Bell

327 E CAMPBELL AVE

Year	Uses	Source
2017	HEARTWORK STUDIO	Cole Information Services
	CAMPBELL CONSIGNMENT	Cole Information Services
2014	CAMPBELL CONSIGNMENT	Cole Information Services
	HEARTWORK STUDIO	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	SECONDTIME AROUND	Haines Company, Inc.
1999	SECOND TIME AROUND	Cole Information Services
1994	SECOND TIME AROUND	Cole Information Services
1991	JWCaterers	PACIFIC BELL WHITE PAGES
	JW CATERERS	PACIFIC BELL WHITE PAGES
1986	Little Charmers	Pacific Bell
1985	LITTLE CHARMERS	Pacific Bell

328 E CAMPBELL AVE

Year	Uses	Source
2017	CHIQUE JEWELRY	Cole Information Services
2014	CHIQUE JEWELRY	Cole Information Services
2009	CHIQUE JEWELRY	Cole Information Services
2004	MICHAEL MENBARI	Cole Information Services
2001	CHIQUE JEWELRY	Haines Company, Inc.
1999	G TEK K	Cole Information Services
	EXPRESSIONS FROM THE HEART	Cole Information Services
1994	G TEK K	Cole Information Services
1991	TOYS	PACIFIC BELL WHITE PAGES
	KLASSIC KIDS NEW & SEDi CLOT 1 HES &	PACIFIC BELL WHITE PAGES
1986	CHAMBER OF COMMERCE CAMPBELL	Pacific Bell
	Youth Employment Service	Pacific Bell

FINDINGS

Year	Uses	Source
1985	CHAMBER OF COMMERCE CAMPBELL	Pacific Bell
	YOUTH EMPLOYMENT SERVICE	Pacific Bell
1980	Campbell Ofc	Pacific Telephone
	Youth Employment Service	Pacific Telephone
1957	Baptist Leonard G Jr Hse of Carpts & Furn The	R. L. Polk Co.
	BAPTIST LEONARD G JR HSE OF CARPTS & FUR THE	Pacific Telephone
	HOUSE OF CARPETS & FURNITURE THE	Pacific Telephone

329 E CAMPBELL AVE

Year	Uses	Source
2017	LETS TALK DOLLS	Cole Information Services
2014	LETS TALK DOLLS	Cole Information Services
2009	LETS TALK DOLLS	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	LETSTALK DOLLS 4 B	Haines Company, Inc.
1999	LETS TALK DOLLS	Cole Information Services
1994	JUSTINES ANTIQUES	Cole Information Services
1991	Justines Antiques	PACIFIC BELL WHITE PAGES
	JUSTINE S ANTIQUES	PACIFIC BELL WHITE PAGES
1986	Justines Antiques	Pacific Bell
1985	JUSTINE S ANTIQUES	Pacific Bell
1963	Rozanne Shop	Pacific Telephone
1957	ROZANNE SHOP	Pacific Telephone

330 E CAMPBELL AVE

Year	Uses	Source
2017	EMERGENCY 1 LOCKSMITH	Cole Information Services
	THE SPOTDOWNTOWN CAMPBELL	Cole Information Services
2014	SPOT DOWNTOWN CAMPBELL THE	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	OBLANCATOSalvatore FREE RANGE CHICKEN	Haines Company, Inc.
1999	FREE-RANGE CHICKEN RANCH	Cole Information Services

331 E CAMPBELL AVE

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1980	Petty Hershel O	Pacific Telephone

FINDINGS

334 E CAMPBELL AVE

Year	Uses	Source
2017	CAMPBELL EXPRESS	Cole Information Services
	REPS	Cole Information Services
2014	REPS	Cole Information Services
	CAMPBELL EXPRESS	Cole Information Services
2009	REPS GRAPHIC DESIGN	Cole Information Services
	REAL ESTATE PROMOTIONAL SERVICES	Cole Information Services
	CAMPBELL EXPRESS	Cole Information Services
	HANCHETT PUBLISHING INC	Cole Information Services
2004	KATHRYN HANCHETT	Cole Information Services
	REPS	Cole Information Services
	CAMPBELL EXPRESS	Cole Information Services
2001	CAMPBELL EXPRESS	Haines Company, Inc.
	SANFILIPPOEugene	Haines Company, Inc.
1999	CAMPBELL EXPRESS	Cole Information Services
1994	WINDOW SHOPPE	Cole Information Services
	HAND MADE USA	Cole Information Services
1986	Sanford Steve Photo Lab	Pacific Bell
1985	SANFORD STEVE PHOTO LAB	Pacific Bell
1975	CIRIMELE PHOTOGRAPHY	Pacific Telephone
1957	Guarantee Shoe Store	R. L. Polk Co.
	GUARANTEE SHOE STORE	Pacific Telephone

341 E CAMPBELL AVE

Year	Uses	Source
1957	DIANE S BEAUTY SHOP	Pacific Telephone

342 E CAMPBELL AVE

Year	Uses	Source
2017	23 SKIDOO	Cole Information Services
2014	23 SKIDOO	Cole Information Services
2009	23 SKIDOO	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	23 SKIDOO	Cole Information Services
2001	ALLTHINGS	Haines Company, Inc.
	PAST&PRESENT	Haines Company, Inc.
	OMARTIN Murray	Haines Company, Inc.
1999	TICKLED PINK COSTUME RENTAL	Cole Information Services

Year	Uses	Source
1994	TICKLED PINK VINTAGE CLOTHING	Cole Information Services
1991	Tickled Pink	PACIFIC BELL WHITE PAGES
	TICKLED PINK	PACIFIC BELL WHITE PAGES
1986	Tickled Pink	Pacific Bell
1985	TICKLED PINK	Pacific Bell
1975	SILVER S JEWELRY & LOAN CO	Pacific Telephone
1963	Carter Roy Roys Appl Serv Co	Pacific Telephone
	ROYS APPLIANCE SERVICE CO	Pacific Telephone

346 E CAMPBELL AVE

Year	Uses	Source
2017	STEEPERS	Cole Information Services
2014	STEEPERS	Cole Information Services
2001	HEDLEYManlee	Haines Company, Inc.
1991	Hedley Marlee	PACIFIC BELL WHITE PAGES
	HEDLEY MARLEE	PACIFIC BELL WHITE PAGES
1986	Hedley And Stark Associated Architects	Pacific Bell
1985	HEDLEY AND STARK ASSOCIATED ARCHITECTS	Pacific Bell
1975	HEDLEY WM W JR ARCHITECT & ASSOCIATES	Pacific Telephone
1963	CAMPBELL WATER CO	Pacific Telephone
1957	CAMPBELL WATER CO	Pacific Telephone

347 E CAMPBELL AVE

Year	Uses	Source
2017	THERAPY STORES INC	Cole Information Services
2014	THERAPY STORES INC	Cole Information Services
2004	THE LAW OFFICE OF PATRICK CLHN	Cole Information Services
	KENSINGTON ART CTR INC	Cole Information Services
	JC INC	Cole Information Services
	THE LAW OFFICE OF NANCY RBRT	Cole Information Services
	SCOTT SAGARIA ATTY AT LAW	Cole Information Services
	AIR SUN SCREEN & AWNING INC	Cole Information Services
	PATRICK CALHOUN	Cole Information Services
2001	GALLERIES	Haines Company, Inc.
	STRATFORD	Haines Company, Inc.
	CNTR REBECCAS WELL	Haines Company, Inc.
	CALHOUNPATKATTY 408 374 7 U	Haines Company, Inc.
	KENSINGTON ART 408 37 B 0231	Haines Company, Inc.

Year	Uses	Source
1999	REBECCAS WELL	Cole Information Services
	PIZZA PICTURE FRAMERS	Cole Information Services
	CALHOUN PATRICK ATTORNEY	Cole Information Services
	PATRICK CALHOUN	Cole Information Services
	KENSINGTON ART CENTRE	Cole Information Services
1994	PATRICK CALHOUN	Cole Information Services
	SANCHEZ, EDITH	Cole Information Services
	GOLDEN MORTGAGE	Cole Information Services
	ABMC FINANCIAL CONSULTANT	Cole Information Services
1991	Ainsley Development Inc	PACIFIC BELL WHITE PAGES
	AINSLEY DEVELOPMENT INC	PACIFIC BELL WHITE PAGES
1986	ERA Phillips & Associate Realtors	Pacific Bell
	Home Buyers Exchange	Pacific Bell
1985	CHARGIN DENNIS A BUILDER DEVELOPER INC	Pacific Bell
	CHARGIN DENNIS A BUILDERDEVELOPER INC	Pacific Bell
	ERA PHILLIPS & ASSOCIATE REALTORS SSSN	Pacific Bell
	SNEAKERS OF NORTHERN CALIFORNIA	Pacific Bell
	HOME BUYERS EXCHANGE	Pacific Bell
	HEIRLOOM COUNTRY INNS	Pacific Bell

349 E CAMPBELL AVE

Year	Uses	Source
2017	ORCHARD VALLEY COFFEE	Cole Information Services
2014	ORCHARD VALLEY COFFEE	Cole Information Services
2009	ORCHARD VALLEY COFFEE	Cole Information Services
2004	ORCHARD VALLEY COFFEE	Cole Information Services
	JOHN BENJAMIN	Cole Information Services
2001	OCHARDVLY COFFEE	Haines Company, Inc.
1999	ORCHARD VALLEY COFFEE	Cole Information Services
1994	ORCHARD VALLEY COFFEE ROASTERY	Cole Information Services
1991	SANTA CLARA PROPERTIES	PACIFIC BELL WHITE PAGES
	WO CONSTRUCTION INC	PACIFIC BELL WHITE PAGES
	I WE Mason Inc	PACIFIC BELL WHITE PAGES
	Santa Clara Properties	PACIFIC BELL WHITE PAGES
1986	North Face The	Pacific Bell
1985	NORTH FACE THE	Pacific Bell

Year	Uses	Source
1963	Santa Clara County of	Pacific Telephone
	Campbell	Pacific Telephone
	Campbell Public Library	Pacific Telephone

350 E CAMPBELL AVE

Year	Uses	Source
2017	JEWEL BOX	Cole Information Services
2014	JEWEL BOX	Cole Information Services
2009	BELLA JAMES	Cole Information Services
2004	RUG & YARN HUT	Cole Information Services
2001	RUG&YARNHUTTHE	Haines Company, Inc.
1994	RICHARD HARO DRAFTING & PLNG	Cole Information Services
1991	HARO RICHARD DRAFTIN G & PLAN N IN G S E RVICE S IN C	PACIFIC BELL WHITE PAGES
1963	Vinces Guarantee Shoe Store	Pacific Telephone
1957	Campbell Liquors & Sporting Goods	R. L. Polk Co.

354 E CAMPBELL AVE

Year	Uses	Source
2017	CELTIC SHOPPE	Cole Information Services
2014	CELTIC SHOPPE	Cole Information Services
2009	CELTIC SHOPPE	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	BRIANS CUSTOM FRAMING	Cole Information Services
2001	FRAMING	Haines Company, Inc.
	BLANCATOSalvatore BRIANS CUSTOM	Haines Company, Inc.
1999	BRIANS CUSTOM FRAMING	Cole Information Services
1994	CLUB YOGA MEDITATION AMERICA	Cole Information Services
1991	Sports Company The	PACIFIC BELL WHITE PAGES
	SPORTS COMPANY THE CAMPBELLL 379 544	PACIFIC BELL WHITE PAGES
1986	Ramonas Satin Lady	Pacific Bell
	Satin lady Boutique	Pacific Bell
1985	SATIN LADY BOUTIQUE	Pacific Bell
1980	Musical Americana Talking Machine Co	Pacific Telephone
1975	IRON APPLE	Pacific Telephone
1963	Busy Bee Tonys	Pacific Telephone
1957	TONY S BUSY BEE	Pacific Telephone

FINDINGS

360 E CAMPBELL AVE

Year	Uses	Source
2017	CAFE CAMPBELL	Cole Information Services
2014	CAFE CAMPBELL	Cole Information Services
2004	ALIES CORNER CAFE	Cole Information Services
	SALVATORE BLANCATO	Cole Information Services
2001	ALIES CORNER CAFE	Haines Company, Inc.
	BLANCATOSalvatore	Haines Company, Inc.
1999	ALIES CORNER CAFE	Cole Information Services
1994	MUSICAL MEMORIES	Cole Information Services
1991	MOS AIC	PACIFIC BELL WHITE PAGES
	MOSAIC	PACIFIC BELL WHITE PAGES
1986	Griffon Computer Inc	Pacific Bell
1980	LIFETIME STAINLESS STEEL	Pacific Telephone
	Natural Hygienic Consultations	Pacific Telephone
	Pal Relax Bar	Pacific Telephone
	Religious School Of Natural Hygiene	Pacific Telephone
1975	LIFETIME POOLS INC	Pacific Telephone
	Lifetime Stainless Steel	Pacific Telephone
	LIFETIME STAINLESS STEEL	Pacific Telephone
	WESTERN LIFETIME HOUSEWARES	Pacific Telephone
1957	Jeffers G E Mens & Boys Wear	R. L. Polk Co.

365 E CAMPBELL AVE

Year	Uses	Source
2017	ALLIED FINANCIAL NETWORK	Cole Information Services
2014	ALLIED FINANCIAL NETWORK	Cole Information Services
	STARLINE INSURANCE CENTER	Cole Information Services
2009	BRUNO MARCELIC AIA ARCHITECT	Cole Information Services
2004	BRUNO MARCELIC	Cole Information Services
	BRUNO MARCELIC AIA ARCHITECT	Cole Information Services
2001	POWER SOURCE	Haines Company, Inc.
1999	DORNBUSH-LEWIS INS AGENCY	Cole Information Services
1994	DORNBUSH LEWIS INSURANCE	Cole Information Services
1991	G & G DESIGN	PACIFIC BELL WHITE PAGES
	G & G Design	PACIFIC BELL WHITE PAGES
1986	Campbell Building Investment Co	Pacific Bell
	Farland R W	Pacific Bell
	PARLEY INS AGENCY	Pacific Bell
	Hardy Robert R Ph D clinical psychologist	Pacific Bell

FINDINGS

Year	Uses	Source
1985	CAMPBELL BUILDING INVESTMENT CO	Pacific Bell
	PARLEY INS AGENCY	Pacific Bell
	HARDY DICK & MARGARET ANN	Pacific Bell
	HARDY MARGARET ANN & DICK	Pacific Bell
	HARDY ROBERT R PH D CLINICAL PSYCHOLOGIST	Pacific Bell
1980	Dixon John Farley Ins Agcy	Pacific Telephone
	FARLEY INS AGENCY	Pacific Telephone
1975	DIXON JOHN FARLEY INS AGCY CAMPBELL 37835	Pacific Telephone
	FARLEY CARLTON W	Pacific Telephone
1963	Dixon John Farley Ins Agcy	Pacific Telephone
	Farley G E ins	Pacific Telephone
	FARLEY INSURANCE AGCY	Pacific Telephone
1957	FARLEY G E RL EST	Pacific Telephone

368 E CAMPBELL AVE

Year	Uses	Source
2017	ALLIED FINANCIAL NETWORK	Cole Information Services
	O M GALLERY	Cole Information Services
2014	O M GALLERY	Cole Information Services
	GREEN PLANET YARN	Cole Information Services
2009	SANCO PIPELINES INC	Cole Information Services
	GREEN PLANET YARN	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines Company, Inc.
1999	B & J AUTOMOTIVE	Cole Information Services
1994	B & J AUTOMOTIVE	Cole Information Services
1991	B&J AUTOMOTIVE	PACIFIC BELL WHITE PAGES
	B&J AUTOMOTIVE	PACIFIC BELL WHITE PAGES
1986	Century Automotive	Pacific Bell
1985	CENTURY AUTOMOTIVE	Pacific Bell
1980	Alexander Auto	Pacific Telephone
1975	CENTRAL FOREIGN AUTO REPAIR	Pacific Telephone
1963	SMITHS SHELL SERVICE	Pacific Telephone
1957	Schoenbergers Stiell Service	R. L. Polk Co.
	SCHOENTBERGER S SHELL SERVICE	Pacific Telephone

FINDINGS

369 E CAMPBELL AVE

Year	Uses	Source
2017	KATIE BLOOMS IRISH PUB RESTAURANT	Cole Information Services
2014	KATIE BLOOMS IRISH PUB RESTAURANT	Cole Information Services
2009	KATIE BLOOMS IRISH PUB RESTAURANT	Cole Information Services
2004	KATIE BLOOMS	Cole Information Services
2001	PUB RSTRNT	Haines Company, Inc.
	KATIE BLOOMS IRISH	Haines Company, Inc.
1994	CAMPBELL STATIONERY	Cole Information Services
1991	CAMPBELL STATIONERY	PACIFIC BELL WHITE PAGES
	Campbell Stationery	PACIFIC BELL WHITE PAGES
1986	Campbell Stationery	Pacific Bell
1985	CAMPBELL STATIONERY	Pacific Bell
1980	CAMVPBELL STATIONERY	Pacific Telephone
1975	CAMPBELL STATIONERY	Pacific Telephone
1963	Campbell Hardware Co	Pacific Telephone
1957	Campbell Hardware Co	R. L. Polk Co.
	CAMPBELL HARDWARE CO	Pacific Telephone

370 E CAMPBELL AVE

Year	Uses	Source
2014	MICHELLE KROOK	Cole Information Services

373 E CAMPBELL AVE

Year	Uses	Source
2017	LA PIZZERIA	Cole Information Services
2014	LA PIZZERIA	Cole Information Services
2009	LA PIZZERIA	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	DR ARIEL KLEIN DC CST BT	Cole Information Services
2001	A CENTER FOR	Haines Company, Inc.
	NATURAL HEALING A CENTER FOR	Haines Company, Inc.
	NATURAL HEALING ADOMSHICKRENEE	Haines Company, Inc.
1999	A CENTER FOR NATURAL HEALING	Cole Information Services
1975	STATE FARM INSURANCE COS	Pacific Telephone
	MELBY MELVIN C INS AGT	Pacific Telephone

FINDINGS

376 E CAMPBELL AVE

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1975	CAMPBELL FIRST CHURCH	Pacific Telephone
1963	Smith Claude R Surety Lnd Co	Pacific Telephone

378 E CAMPBELL AVE

Year	Uses	Source
2017	FAUX SALON	Cole Information Services
2014	FAUX SALON	Cole Information Services
2009	AMY BLEILER	Cole Information Services
	FAUX SALON	Cole Information Services
2004	FAUX SALON	Cole Information Services
2001	DODGE Rober 00 a FAUX SALON	Haines Company, Inc.
1999	FAUX SALON	Cole Information Services
1994	FAUX SALON	Cole Information Services
1991	FAUX SALON	PACIFIC BELL WHITE PAGES
	Faux Salon	PACIFIC BELL WHITE PAGES
1986	LIGHT BRIGADE GLASS WORKS	Pacific Bell
1985	LIGHT BRIGADE GLASS WORKS	Pacific Bell
1980	LIGHT BRIGADE GLASS WORKS	Pacific Telephone
1963	CAMPBELL BEAUTY COLLEGE	Pacific Telephone
1957	FIELD S GROCERY STORE	Pacific Telephone

379 E CAMPBELL AVE

Year	Uses	Source
2017	LIQUID BREAD	Cole Information Services
2014	LIQUID BREAD	Cole Information Services
2004	WINE LIBRARY	Cole Information Services
	JEF MYERS	Cole Information Services
2001	WYATTJef Irey YESTERYEARS	Haines Company, Inc.
	ANTIOUES&CLLCTBLS	Haines Company, Inc.
1999	YESTERYEARS ANTIQUES & COLLECTIBLES	Cole Information Services
1994	SANFORD & MYERS PHOTO GRAPHIC	Cole Information Services
	AMERICAN YEARBOOK CO	Cole Information Services
1991	SANFORD & MYERS PHOTO GRAPHIC INC	PACIFIC BELL WHITE PAGES
	Sanford & Myers Photo Graphic Inc	PACIFIC BELL WHITE PAGES
	American Yearbook Co A Division Jostens Printing & Publishing	PACIFIC BELL WHITE PAGES

Year	Uses	Source
1991	AMERICAN YEARBOOK CO-A DIVISION JOSTENS PRINTING & PUBLISHING	PACIFIC BELL WHITE PAGES
1986	Sanford & Myers Photo Graphic Inc	Pacific Bell
	American Yearbook Co A Division Of Jostens	Pacific Bell
1985	SANFORD & MYERS PHOTO GRAPHIC INC I I	Pacific Bell
	AMERICAN YEARBOOK CO-A DIVISION OF JOSTENS	Pacific Bell
1980	Jostens Publications American Yearbook Co	Pacific Telephone
	Sanford & Myers Photo Graphic Inc	Pacific Telephone
1975	AMERICAN PHOTO GRAPHIC	Pacific Telephone
	JOSTEN S PUBLICATIONS-AMERICAN YEARBOOK CO	Pacific Telephone
	SANFORD & MYERS PHOTO GRAPHIC INC	Pacific Telephone

381 E CAMPBELL AVE

Year	Uses	Source
2017	PETITE PETAL COMPANY	Cole Information Services
	IN STYLE SHOE	Cole Information Services
2014	IN STYLE SHOE	Cole Information Services
2004	BRUCE BOWEN	Cole Information Services
2001	GARDEN	Haines Company, Inc.
	INSIDEOUTHOMEAND	Haines Company, Inc.
1985	COORDINATORS INTERNATIONAL	Pacific Bell
1980	TIMERYTHE	Pacific Telephone
1975	DOUTHIT DAVID R INTERIORS	Pacific Telephone
1963	Grizzle Verle O jwlr	Pacific Telephone

383 E CAMPBELL AVE

Year	Uses	Source
2017	VILLA DE STYLE	Cole Information Services
2014	VILLA DE STYLE	Cole Information Services
2004	GRAND ELEGANCE	Cole Information Services
	VILLA DE STYLE	Cole Information Services
	CAROLYN JEAN	Cole Information Services
2001	BBS BEAUTY	Haines Company, Inc.
	ILDIS BETTER IMAGE	Haines Company, Inc.
	HAIR 8 NAILS ILDIKO	Haines Company, Inc.
1999	ILDIS BETTER IMAGE	Cole Information Services

FINDINGS

Year	Uses	Source
1999	BARRIENTOS ALFRED R HAIRDRSR	Cole Information Services
1994	MAIN STREET HAIR SALON	Cole Information Services
1991	MAIN S TRE E T HAIR S ALON	PACIFIC BELL WHITE PAGES
	MAIN STREET HAIR SALON	PACIFIC BELL WHITE PAGES
	ILDIKO	PACIFIC BELL WHITE PAGES
1986	MAIN STREET BEAUTY SALON	Pacific Bell
1985	MAIN STREET BEAUTY SALON	Pacific Bell
1980	Barrientos Alfred Jr	Pacific Telephone
1975	MAIN STREET BEAUTY SALON	Pacific Telephone
	BARRIENTOS ALFRED JR	Pacific Telephone
1963	SALS SALON OF BEAUTY	Pacific Telephone

384 E CAMPBELL AVE

Year	Uses	Source
2017	NASCHMARKT RESTAURANT	Cole Information Services
2014	NASCHMARKT RESTAURANT	Cole Information Services
2009	24 HOURS EMERGENCY LOCKSMITH	Cole Information Services
	OLIO INC	Cole Information Services
2004	MIO CAMPBELL	Cole Information Services
	LOCKS & LOCKSMITH 24 HOUR	Cole Information Services
	VICINO C MIO	Cole Information Services
2001	MIOVICINO	Haines Company, Inc.
	BLANCATOSaluarore MIOVICINO	Haines Company, Inc.
1999	MIO VICINO	Cole Information Services
1994	RAINBOW RESTAURANT	Cole Information Services
1991	BRIGITTES	PACIFIC BELL WHITE PAGES
	Brigittes	PACIFIC BELL WHITE PAGES
1986	Brigittes	Pacific Bell
1985	BRIGITTES	Pacific Bell
1980	Krazy Apron Coffee Shop	Pacific Telephone
1975	TASTE GOOD BAKERY	Pacific Telephone
1963	Taste Good Bakery	Pacific Telephone
	Campbell Taste Good Bakery	Pacific Telephone
1957	Campbell Taste Good Bakery	R. L. Polk Co.
	CAMPBELL TASTE GOOD BAKERY	Pacific Telephone
	TASTE GOOD BAKERY	Pacific Telephone

FINDINGS

389 E CAMPBELL AVE

Year	Uses	Source
2017	EUROPEAN COBBLERY	Cole Information Services
2014	EUROPEAN COBBLERY	Cole Information Services
2004	BENSON INTERIORS	Cole Information Services
1999	CAMPBELL TRAVEL SERVICE	Cole Information Services
1994	CAMPBELL TRAVEL SVC	Cole Information Services
1991	CAMPBE LL TRAVE L S E RVICE	PACIFIC BELL WHITE PAGES
	CAMPBELL TRAVEL SERVICE	PACIFIC BELL WHITE PAGES
1986	Campbell Travel Service	Pacific Bell
1985	CAMPBELL TRAVEL SERVICE	Pacific Bell
	CAMPBELL TRAVEL SERVICE	Pacific Bell
1980	CAMPBELL TRAVEL SERVICE	Pacific Telephone
	CAMPBELL TRAVEL SERVICE	Pacific Telephone
1975	CAMPBELL TRAVEL SERVICE	Pacific Telephone
1963	WOODMEN OF THE WORLD	Pacific Telephone

393 E CAMPBELL AVE

Year	Uses	Source
2017	HIGHLAND PROPERTIES	Cole Information Services
	B & C HOMES INC	Cole Information Services
	SCTR COMPANY	Cole Information Services
	HIGHLAND FINANCIAL	Cole Information Services
2014	HIGHLAND FINANCIAL	Cole Information Services
	SCTR COMPANY	Cole Information Services
	B & C HOMES INC	Cole Information Services
	HIGHLAND PROPERTIES	Cole Information Services
2004	HIGHLAND FINANCIAL	Cole Information Services
	SILER PAT AT HIGHLAND PRPRTY	Cole Information Services
2001	ANASTASIAOSTILIANO	Haines Company, Inc.
	BOWEN Bruce HIGHLAND FINANCIAL	Haines Company, Inc.
	HIGHLAND FINANCIAL	Haines Company, Inc.
	MORTGAGE HIGHLAND	Haines Company, Inc.
	PROPERTIES SILERPATAT	Haines Company, Inc.
	HIGHLAND PROPERTY	Haines Company, Inc.
1999	ANASTASIA & STILIANOS THE TAILORS	Cole Information Services
1994	SKIN DEEP	Cole Information Services
	HOPE MONDALEE HAIR DESIGN	Cole Information Services
	ANASTASIA & STILIANOS TLRS	Cole Information Services
1991	ANASTASIA & STILIANOS THE TAILORS	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	DRAUGHTING ROOM	PACIFIC BELL WHITE PAGES
	GRAPE LINE TOURS	PACIFIC BELL WHITE PAGES
	Anastasia & Stilianos The Tailors	PACIFIC BELL WHITE PAGES
	Draughting Room	PACIFIC BELL WHITE PAGES
	Grape Line Tours	PACIFIC BELL WHITE PAGES
1986	Anastasia & Stilianos The Tailors	Pacific Bell
	Draughting Room The	Pacific Bell
	Sanders Michael	Pacific Bell
	Dover Promotions	Pacific Bell
1985	SANDERS MICHAEL	Pacific Bell
	ANASTASIA & STILIANOS THE TAILORS	Pacific Bell
	DOVER PROMOTIONS	Pacific Bell
	THE DRAUGHTING ROOM	Pacific Bell
1980	Anastasia & Stilianos The Tailors	Pacific Telephone
1975	AMERICAN POSTAL WORKERS UNION SJ AREA LOCAL THE	Pacific Telephone
	CENTRAL GARDENS LANDSCAPING	Pacific Telephone
	RHYNES & ROWE ASSOCIATES	Pacific Telephone
	FOREVER GREEN LANDSCAPE	Pacific Telephone
1963	ZINSCO ELECTRICAL PRODUCTS	Pacific Telephone
	A A Answering Service	Pacific Telephone
	Dorsey Thos U mtge loans	Pacific Telephone
	JEFFRIES TRANSFORMER CO DIVISION ZINSCO ELECTRICAL PRODUCTS	Pacific Telephone

394 E CAMPBELL AVE

Year	Uses	Source
2017	RENDEZVOUS WINE BAR	Cole Information Services
	BUSINESS SECURITY SYSTEMS	Cole Information Services
2009	GRAY MARK FINE ART & SPORTS ILLUSTRA	Cole Information Services
	BRUNI THE JAZZ MASTERS SERIES	Cole Information Services
	BRUNI GALLERY	Cole Information Services
	MUSICAL MEMORIES	Cole Information Services
2004	BRUNI GALLERY	Cole Information Services
2001	BRUNI GALLERY	Haines Company, Inc.
1999	VALLEY PHOTO	Cole Information Services
	MARKET QUEST COM	Cole Information Services
	ARIA MUSIC & ENTERTAINMENT	Cole Information Services

FINDINGS

Year	Uses	Source
1994	A STEP BACK IN TIME	Cole Information Services
1986	Campbell Collective	Pacific Bell
1985	CAMPBELL COLLECTIVE	Pacific Bell
1980	Yesterdays	Pacific Telephone
	ICE CREAM PARLOR & COMPANY	Pacific Telephone
	Unicorn Interiors	Pacific Telephone
	Village Smithy The	Pacific Telephone
	Mehrvash Gallery paintigs	Pacific Telephone
1963	GOLDEN RULE DEPT STORE	Pacific Telephone
1957	GOLDEN RULE RHEA S	Pacific Telephone
	RHEA S GOLDEN RULE	Pacific Telephone

395 E CAMPBELL AVE

Year	Uses	Source
2017	URBAN GIRL	Cole Information Services
2014	URBAN GIRL	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	MOONFYRE METAPHYSICAL	Cole Information Services
2001	MARYLOUS	Haines Company, Inc.
	ANTIOUES&COLLECTB	Haines Company, Inc.
1999	MARY LOUS ANTIQUES & COLLECTIBLES	Cole Information Services
1994	KNIGHTS PURPLE COW	Cole Information Services
1991	KNIGHTS PURPLE COW	PACIFIC BELL WHITE PAGES
	KN IGHT S PURPLE COW	PACIFIC BELL WHITE PAGES
1986	Little Something Special	Pacific Bell
1985	A LITTLE SOMETHING SPECIAL	Pacific Bell
	LITTLE SOMETHING SPECIAL	Pacific Bell
1980	SER JOBS FOR PROGRESS INC	Pacific Telephone
1975	ROLAND IRA L DR OPTMTRST	Pacific Telephone
1963	Roland Ira L Dr optmtrst	Pacific Telephone

397 E CAMPBELL AVE

Year	Uses	Source
2017	BROWNS CHICKEN	Cole Information Services
2014	BROWN CHICKEN BROWN COW	Cole Information Services
2001	XXXX	Haines Company, Inc.
1994	DAVID R DOUTHIT INTERIORS	Cole Information Services
1991	DOUTHIT DAVID RINTERIORS	PACIFIC BELL WHITE PAGES

Year	Uses	Source
1991	DOUTHIT DAVID RIN TE RIORS	PACIFIC BELL WHITE PAGES
1986	DOUTHIT DAVID R INTERIORS	Pacific Bell
	Douthit J N Company	Pacific Bell
	Wine Cabinets Ltd	Pacific Bell
1985	DOUTHIT DAVID R INTERIORS	Pacific Bell
	DOUTHIT N COMPANY	Pacific Bell
	WINE CABINETS LTD	Pacific Bell
1980	Wine Cabinets Ltd	Pacific Telephone
	DOUTHIT DAVID R INTERIORS	Pacific Telephone
1975	GARNIER STUDIOS	Pacific Telephone
1963	Pinkerton Associates	Pacific Telephone

400 E CAMPBELL AVE

Year	Uses	Source
2004	BRIAN THARP	Cole Information Services
	GASLIGHTER THEATRE	Cole Information Services
2001	THARP Brian	Haines Company, Inc.
	GASLIGHTER THEATER	Haines Company, Inc.
1999	GASLIGHTER THEATER	Cole Information Services
1994	GASLIGHTER THEATER	Cole Information Services
1991	GASUGHTER THEATER	PACIFIC BELL WHITE PAGES
	GAS UGHTE R THE ATE R	PACIFIC BELL WHITE PAGES
1986	GASLIGHTER THEATER	Pacific Bell
1985	GASLIGHTER THEATER	Pacific Bell
1975	GASLLGHTER THEATER	Pacific Telephone
1963	Campbell Theatre	Pacific Telephone

401 E CAMPBELL AVE

Year	Uses	Source
2017	FRINGE HAIR STUDIO	Cole Information Services
	MOONFYRE METAPHYSICAL	Cole Information Services
2014	MOONFYRE METAPHYSICAL	Cole Information Services
	FRINGE HAIR STUDIO	Cole Information Services
2009	TOWN SQUARE BEAUTY SALON	Cole Information Services
2004	JEANNIE AT VICTORIAN HOUSE	Cole Information Services
	LULU BELLE	Cole Information Services
	CJ HAIR DESIGN	Cole Information Services
	TOWN SQUARE BEAUTY SALON	Cole Information Services
	LESLI DIAMOND	Cole Information Services

FINDINGS

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	JASMINE	Haines Company, Inc.
	YSIS JEANNIE AT VICTORIAN	Haines Company, Inc.
	HOUSE NOVUS	Haines Company, Inc.
	w NOVUSENTERPRISES	Haines Company, Inc.
	DEMARIAAnthony o IAMOND LESLIE	Haines Company, Inc.
	DBSMITHCO	Haines Company, Inc.
	TOWNSOUARE BTY	Haines Company, Inc.
1999	D B SMITH COMPANY	Cole Information Services
	TOWN SQUARE BEAUTY SALON	Cole Information Services
	JASMINE SKINCARE & ELECTROLYSIS	Cole Information Services
	GARGOYLES ETC	Cole Information Services
	NOVUS ENTERPRISES	Cole Information Services
1994	TOWN SQUARE BEAUTY SALON	Cole Information Services
1991	AT YOUR FINGERTIPS	PACIFIC BELL WHITE PAGES
	At Your Fingertips	PACIFIC BELL WHITE PAGES
	NAIL CO THE	PACIFIC BELL WHITE PAGES
	TOWN SQUARE BEAUTY SALON	PACIFIC BELL WHITE PAGES
	Town Square Beauty Salon	PACIFIC BELL WHITE PAGES
1986	Coordinators International	Pacific Bell
1980	Town Square Beauty Salon	Pacific Telephone
1963	Garnier & Jensen	Pacific Telephone
	Towne Square Beauty Salon	Pacific Telephone

408 E CAMPBELL AVE

Year	Uses	Source
1980	Gaslighter Theater	Pacific Telephone

412 E CAMPBELL AVE

Year	Uses	Source
2017	AUDIBLE ARTS	Cole Information Services
2014	AUDIBLE ARTS	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	XXXX	Haines Company, Inc.
1999	CHARLIE ROSE GRAPHICS	Cole Information Services
	ROSE CHARLIE BASEBALL	Cole Information Services
1994	CHARLIE ROSE GRAPHICS	Cole Information Services
1991	Rose Charlie Baseball	PACIFIC BELL WHITE PAGES
	ROSE CHARLIE BASEBALL	PACIFIC BELL WHITE PAGES

Year	Uses	Source
1991	Charlie Rose Baseball	PACIFIC BELL WHITE PAGES
	CHARLIE ROSE BASEBALL	PACIFIC BELL WHITE PAGES
1986	Campbell Rock Shop	Pacific Bell
1985	CAMPBELL ROCK SHOP	Pacific Bell
1975	CAMPBELL ROCK SHOP	Pacific Telephone

401A E CAMPBELL AVE

Year	Uses	Source
1985	TOWN SQUARE BEAUTY SALON	Pacific Bell

E CCAMPUELL AVE

323 E CCAMPUELL AVE

Year	Uses	Source
1991	COURTYARD HAIR S TYLIS TS	PACIFIC BELL WHITE PAGES

GRANT

156 GRANT

Year	Uses	Source
1957	SEIMERS J A	Pacific Telephone

161 GRANT

Year	Uses	Source
2001	SHANNON Foster HDr	Haines Company, Inc.

247 GRANT

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

251 GRANT

Year	Uses	Source
2001	CAVALLARDOOaid	Haines Company, Inc.

300 GRANT

Year	Uses	Source
2001	AINSLEY HOUSE	Haines Company, Inc.

FINDINGS

GRANT AVE

161 GRANT AVE

Year	Uses	Source
1974	Vacant	R. L. Polk Co.
1970	Campbell Engineering Dept shop	R. L. Polk & Co.

247 GRANT AVE

Year	Uses	Source
1996	Capozzi Lori	Pacific Bell
1974	Spedding Phillip	R. L. Polk Co.
1970	Kollmer Kath Mrs	R. L. Polk & Co.

251 GRANT AVE

Year	Uses	Source
1974	Engelmsan Anit	R. L. Polk Co.
1970	Frederick James	R. L. Polk & Co.

GRANT CT

314 GRANT CT

Year	Uses	Source
1957	BRAUN J H	Pacific Telephone

GRANT ST

122 GRANT ST

Year	Uses	Source
1963	De Franco T	Pacific Telephone
	Naab Lee	Pacific Telephone
	Naab Marion	Pacific Telephone
1960	De Franco Anthony	R. L. Polk Co.
	Horton Amy M Mrs	R. L. Polk Co.
1957	DE FRANCA T R	Pacific Telephone
1955	De Franco Anthony CY	R. L. Polk Co.
	1/2 Lazzarino Chester	R. L. Polk Co.
1950	De Franco Tony	R. L. Polk & Co.
1945	De Franco Tony	R. L. Polk Co.
1940	De Franco Tony	R. L. Polk Co.
1935	De Franco Anthony o	R. L. Polk & Co. of California
1925	De Franco Antonio	R. L. Polk & Co.

Year	Uses	Source
1922	De Franco Antonio	R. L. Polk Co.

125 GRANT ST

Year	Uses	Source
1957	BUS WARREN	Pacific Telephone
	Auto Spot I	R. L. Polk Co.

130 GRANT ST

Year	Uses	Source
1960	Mahovit Louis	R. L. Polk Co.
1955	Bryan Anna M Mrs	R. L. Polk Co.
1950	Pardini M C Mrs	R. L. Polk & Co.
1945	De Franco V P	R. L. Polk Co.
	Kelly R C	R. L. Polk Co.
1940	Pardini Dominic	R. L. Polk Co.
1935	Pardini Dominic	R. L. Polk & Co. of California
1925	Hansen Mrs Delpha	R. L. Polk & Co.
1922	Holmes E A	R. L. Polk Co.

137 GRANT ST

Year	Uses	Source
1966	RODRIGUEZ LEO	R. L. Polk & Co.
1963	Dominguez Henry F	Pacific Telephone
	Dominguez Josephine	Pacific Telephone
1960	Lozano Andres	R. L. Polk Co.
1957	Bardo Andrew	R. L. Polk Co.
1955	Navarro Rafael	R. L. Polk Co.
1950	Bardo Mary Mrs	R. L. Polk & Co.
1940	Myers L F	R. L. Polk Co.
1935	Myers Leroy	R. L. Polk & Co. of California
1925	Vinci Frank	R. L. Polk & Co.
1922	Vinci Frank	R. L. Polk Co.

139 GRANT ST

Year	Uses	Source
1963	Karnes Marie V	Pacific Telephone
	Tantillo J	Pacific Telephone
1960	Tantillo Jack	R. L. Polk Co.
1957	TANTLLO J	Pacific Telephone
	Tantillo J	R. L. Polk Co.

FINDINGS

Year	Uses	Source
1955	Tantillo Jack	R. L. Polk Co.
	Martello Cosimo J	R. L. Polk Co.
1950	Tantillo Jack	R. L. Polk & Co.
1945	Anastasi Pietro	R. L. Polk Co.
	Schrunk O M Mrs	R. L. Polk Co.
1940	Emery Gerald	R. L. Polk Co.
	Anastasi Pietro	R. L. Polk Co.
1935	Anastasi Pietro	R. L. Polk & Co. of California
1925	Padgett R E	R. L. Polk & Co.
1922	Bensao Louis	R. L. Polk Co.

141 GRANT ST

Year	Uses	Source
2014	RAMIN AKHBARI	Cole Information Services
1966	SAN JOSE NURSING HOME	R. L. Polk & Co.
1963	San Jose Nursing Home	Pacific Telephone
1960	San Jose Nursing Home	R. L. Polk Co.
	Calloway Elsie Mrs	R. L. Polk Co.
1957	SOUTHWEST AIRWAYS CO	Pacific Telephone
	WHISENANT PAULINE	Pacific Telephone
	San Jose Nurs Tng Home	R. L. Polk Co.
1955	San Jose Nursing Home	R. L. Polk Co.
1950	Anastasi Pietro	R. L. Polk & Co.
1945	Vacant	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1935	Anastasi Cath gro	R. L. Polk & Co. of California

150 GRANT ST

Year	Uses	Source
1963	Matranga John	Pacific Telephone
1960	Martanga John P	R. L. Polk Co.
1957	Matranga John r	R. L. Polk Co.
1955	Matranga John P	R. L. Polk Co.
1950	Matranga J P	R. L. Polk & Co.
1945	Kelly H L	R. L. Polk Co.
1940	Kelly H L	R. L. Polk Co.

FINDINGS

156 GRANT ST

Year	*Uses*	*Source*
1966	GARCIA DANL P	R. L. Polk & Co.
1963	Altamirano Frank	Pacific Telephone
	Chavez Librado	Pacific Telephone
1960	Jones Warren G	R. L. Polk Co.
	1/2 Seimers Jos A	R. L. Polk Co.
1955	Kelly John E	R. L. Polk Co.
	1/2 Seimers J A	R. L. Polk Co.
1950	Kelly J E	R. L. Polk & Co.
	1/2 Symons W J	R. L. Polk & Co.
1945	Kelly J E	R. L. Polk Co.
	1/2 Daley Frank	R. L. Polk Co.
1940	Matranga S J	R. L. Polk Co.
	Kelly J E	R. L. Polk Co.
1935	1/2 Vacant	R. L. Polk & Co. of California
	Kelly J E o	R. L. Polk & Co. of California
1925	Kelly John	R. L. Polk & Co.
1922	Kelly John	R. L. Polk Co.

158 GRANT ST

Year	*Uses*	*Source*
1966	MEDINA RIT	R. L. Polk & Co.
1963	Medina Isabel E	Pacific Telephone
1960	Medina Isabel E	R. L. Polk Co.
1957	Med Ba Isabel E	R. L. Polk Co.
1955	Lastra Geo P	R. L. Polk Co.
1950	Puck R P	R. L. Polk & Co.
1945	Valdez Margt Mrs	R. L. Polk Co.
1940	Martinelli Alvina Mrs	R. L. Polk Co.
1935	Costanza Jack	R. L. Polk & Co. of California
1925	Hill Mrs Rose	R. L. Polk & Co.

159 GRANT ST

Year	*Uses*	*Source*
1963	Tuminia Angelo L	Pacific Telephone
1960	Porter Thos L	R. L. Polk Co.
1957	Porter Thos L	R. L. Polk Co.
1955	Tuminia Angelo L	R. L. Polk Co.
1950	Cleveland C A pntr	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1945	Matranga J P	R. L. Polk Co.
1940	Matranga John	R. L. Polk Co.
1935	Matranga John o	R. L. Polk & Co. of California
1925	Matrango Demetro	R. L. Polk & Co.
1922	Adam R C	R. L. Polk Co.
	Horner Ulric	R. L. Polk Co.

160 GRANT ST

Year	Uses	Source
1940	Pickett T M	R. L. Polk Co.
1935	Vacant	R. L. Polk & Co. of California
1930	Mejia Louis	R. L. Polk Co. of California

161 GRANT ST

Year	Uses	Source
2014	MICHAEL MITOMA	Cole Information Services
2009	JONATHAN CONTA	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	JONATHAN CONTA	Cole Information Services
1957	EBNERT LOUIS I CO T&TTR	Pacific Telephone
	Ebner Louis I: Co contr	R. L. Polk Co.
1955	Kelly House Movers	R. L. Polk Co.
1950	Kelly Bros house movers	R. L. Polk & Co.
1945	Kelly G A house mover	R. L. Polk Co.

163 GRANT ST

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
1963	Irons M	Pacific Telephone
1960	No Return	R. L. Polk Co.

164 GRANT ST

Year	Uses	Source
1935	Goitia Steph	R. L. Polk & Co. of California
	Vacant	R. L. Polk & Co. of California
1930	Vacant	R. L. Polk Co. of California
	Genette Basil	R. L. Polk Co. of California

FINDINGS

165 GRANT ST

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
1963	Starina Iva	Pacific Telephone
	Starina Lane	Pacific Telephone
	Starina Louise	Pacific Telephone
1960	Kelly Howard L	R. L. Polk Co.

166 GRANT ST

Year	Uses	Source
1963	Rodriguez M G	Pacific Telephone
1960	Rodriguez Max G	R. L. Polk Co.
1957	RODRIGUEZ M G R	Pacific Telephone
	Rodriguez M G r	R. L. Polk Co.
1955	Rodriguez Max G	R. L. Polk Co.
1950	Rodriguez M G	R. L. Polk & Co.
1945	Mata S E	R. L. Polk Co.
1940	Vacant	R. L. Polk Co.
1935	Guglielmo L J o	R. L. Polk & Co. of California
1930	Herrera Theo	R. L. Polk Co. of California

167 GRANT ST

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
1960	Herbs Ambulance Serv	R. L. Polk Co.
	Furth Herbert E	R. L. Polk Co.

168 GRANT ST

Year	Uses	Source
1966	POLIZZI JOHN N	R. L. Polk & Co.
1963	Polizzi John	Pacific Telephone
1960	Polizzi John	R. L. Polk Co.
1955	Rolizzi John	R. L. Polk Co.
1950	Meyer E C	R. L. Polk & Co.
	Amato Fanny Mrs	R. L. Polk & Co.
1945	Benevedez Manuel	R. L. Polk Co.
1940	La Rocca L J	R. L. Polk Co.

169 GRANT ST

Year	Uses	Source
1957	AVEIRO MONICA MRS L	Pacific Telephone

Year	Uses	Source
1957	Aveiro Monica Mrs I	R. L. Polk Co.

172 GRANT ST

Year	Uses	Source
1980	Garco Manufacturing	Pacific Telephone
1925	Alvarado Emilio	R. L. Polk & Co.
	Martinez John rear	R. L. Polk & Co.
1922	Espinosa Gabriel	R. L. Polk Co.

174 GRANT ST

Year	Uses	Source
1925	Chavarria Mrs Mary	R. L. Polk & Co.

175 GRANT ST

Year	Uses	Source
1970	Q Santa Clara Well Casing Works	R. L. Polk & Co.

178 GRANT ST

Year	Uses	Source
1935	Vacant	R. L. Polk & Co. of California
1930	Espino Epigmenio	R. L. Polk Co. of California
1925	Vacant	R. L. Polk & Co.
1922	Barbata Tony	R. L. Polk Co.

180 GRANT ST

Year	Uses	Source
1930	Garcia Manuel	R. L. Polk Co. of California
1925	Morano Jos	R. L. Polk & Co.

190 GRANT ST

Year	Uses	Source
1966	VACANT	R. L. Polk & Co.
	GARCIA ROBT	R. L. Polk & Co.
	MATHIS PAUL	R. L. Polk & Co.
	LA CLAIR ARLENE MRS	R. L. Polk & Co.
	VACANT	R. L. Polk & Co.
	HERRERA ANTHONY	R. L. Polk & Co.
	GRAN DEN APARTMENTS	R. L. Polk & Co.
1963	Tokunaga Linnea	Pacific Telephone
	Tokunaga Bill	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Apodaca Manuel	Pacific Telephone
1960	Larson Wallace B	R. L. Polk Co.
	Gran Den Apartments	R. L. Polk Co.
	Cullison Lois M	R. L. Polk Co.
	Salamida John J	R. L. Polk Co.
	Coatney Richd L	R. L. Polk Co.
	Schade Carol R	R. L. Polk Co.
	Cooley Morgan K	R. L. Polk Co.

247 GRANT ST

Year	Uses	Source
2017	GREGORY KOMPELIEN	Cole Information Services
2014	DEREK YODER	Cole Information Services
2009	JENNIFER MACVICAR	Cole Information Services
2004	ELIEL VELAZQUEZ	Cole Information Services
1999	JENNIFER MACVICAR	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

251 GRANT ST

Year	Uses	Source
2014	JOSEPHINE DINARDO	Cole Information Services
2009	DAVID CAVALLERO	Cole Information Services
2004	DAVID CAVALLERO	Cole Information Services
1999	DAVID CAVALLERO	Cole Information Services
1994	FLADAGER, TOM	Cole Information Services

252 GRANT ST

Year	Uses	Source
1991	VALDIVIA SAMUEL A	PACIFIC BELL WHITE PAGES
1957	WENTZEL J	Pacific Telephone

254 GRANT ST

Year	Uses	Source
1991	VIDAL ANGEL	PACIFIC BELL WHITE PAGES

256 GRANT ST

Year	Uses	Source
1991	SEDENO A	PACIFIC BELL WHITE PAGES

FINDINGS

271 GRANT ST

Year	Uses	Source
2017	MANUEL VIVEROS	Cole Information Services
2014	MANUEL VIVEROS	Cole Information Services
2009	MANUEL VIVEROS	Cole Information Services
2004	MANUEL VIVEROS	Cole Information Services
1999	MANUEL VIVEROS	Cole Information Services

275 GRANT ST

Year	Uses	Source
2017	TERESA JACKSON	Cole Information Services
2014	TERESA JACKSON	Cole Information Services
2009	TERESA JACKSON	Cole Information Services
2004	TERESA JACKSON	Cole Information Services
1999	TERESA JACKSON	Cole Information Services

300 GRANT ST

Year	Uses	Source
1999	AINSLEY HOUSE	Cole Information Services
	CAMPBELL CITY OF RECREATION DEPARTMENT	Cole Information Services
1957	PECHIN FERDINAND R	Pacific Telephone

320 GRANT ST

Year	Uses	Source
1957	LANFRI C R	Pacific Telephone

321 GRANT ST

Year	Uses	Source
1957	WRIGHT ROBT C	Pacific Telephone

323 GRANT ST

Year	Uses	Source
1957	DOTEN ALFRED	Pacific Telephone

325 GRANT ST

Year	Uses	Source
1957	CARNOVA JACK	Pacific Telephone

326 GRANT ST

Year	Uses	Source
1957	MATRANGA DOMENICA	Pacific Telephone

FINDINGS

327 GRANT ST

Year	Uses	Source
1957	GOURLEY MARY E	Pacific Telephone

328 GRANT ST

Year	Uses	Source
1957	GILEVICH JOS G MRS R	Pacific Telephone

333 GRANT ST

Year	Uses	Source
1957	ZITO JIM	Pacific Telephone

336 GRANT ST

Year	Uses	Source
1957	BCLLEW MATTLE	Pacific Telephone

371 GRANT ST

Year	Uses	Source
1957	HOWW A H COL	Pacific Telephone

372 GRANT ST

Year	Uses	Source
1957	GARCIA JOSEPHINE	Pacific Telephone

415 GRANT ST

Year	Uses	Source
1957	PRITCHARD NIMIE	Pacific Telephone

428 GRANT ST

Year	Uses	Source
1957	GANEFF DELCHO	Pacific Telephone

N 1

25 N 1

Year	Uses	Source
1991	STEVENS MICHAEL B FAMILY HEALTH CENTER OF SAN JOSE MEDICAL CENTER	PACIFIC BELL WHITE PAGES

39 N 1

Year	Uses	Source
1991	PEREZ ESTHER	PACIFIC BELL WHITE PAGES

FINDINGS

41 N 1

Year	*Uses*	*Source*
1991	ERWIN EMORY L	PACIFIC BELL WHITE PAGES

79 N 1

Year	*Uses*	*Source*
1991	LOPEZ HIAREO MORAN	PACIFIC BELL WHITE PAGES

177 N 1

Year	*Uses*	*Source*
1991	FLORES PRISCILLA	PACIFIC BELL WHITE PAGES

N 1 AIF 28 884

3 N 1 AIF 28 884

Year	*Uses*	*Source*
1991	RADIOGRAPH REDUCTIINA	PACIFIC BELL WHITE PAGES

N 1 GLNDNNLNG AV SNTA CLRA

23 N 1 GLNDNNLNG AV SNTA CLRA

Year	*Uses*	*Source*
1957	MOODY HAROLD	Pacific Telephone

N 1 OTH

121 N 1 OTH

Year	*Uses*	*Source*
1957	PICKENS CURT JR	Pacific Telephone

123 N 1 OTH

Year	*Uses*	*Source*
1957	SCHMITZ OTHELIA MRS	Pacific Telephone

N 1\D

28 N 1

Year	*Uses*	*Source*
1957	DRAWING BOARD DRAFTING	Pacific Telephone

FINDINGS

N 1H_T

25 N 1H_T

Year	Uses	Source
1991	TOBBAGI HABIB A MD INTERNAL MEDICINE A NEPHROLOGY	PACIFIC BELL WHITE PAGES

N 1LOD OR @CAMPBELL@

71 N 1LOD OR @CAMPBELL@

Year	Uses	Source
1986	Catl CJ	Pacific Bell

N 1OTH CY PRESS

216 N 1OTH CY PRESS

Year	Uses	Source
1957	GAUGER MABEL M MRS RN R	Pacific Telephone

N 1ST

6 N 1ST

Year	Uses	Source
1991	S S ORTHODONTIC CROWN 8 BRIDGE LABORATORTY	PACIFIC BELL WHITE PAGES

8 N 1ST

Year	Uses	Source
1991	TOWNTEND	PACIFIC BELL WHITE PAGES

33 N 1ST

Year	Uses	Source
1975	HILL WM J PUB ACCT	Pacific Telephone

63 N 1ST

Year	Uses	Source
1975	DIXON GLEN C	Pacific Telephone

088 N 1ST

Year	Uses	Source
1991	PRESBYTERY OF SAN JOSE BICENTENNIAL FUND	PACIFIC BELL WHITE PAGES

FINDINGS

150 N 1ST

Year	Uses	Source
1980	Warwick B Wayne	Pacific Telephone

193 N 1ST

Year	Uses	Source
1985	LEOPARDI JACK	Pacific Bell

N 1ST ST

1 N 1ST ST

Year	Uses	Source
1991	E-Z-1 MOTE LS IN C	PACIFIC BELL WHITE PAGES
	WILLIAMS SPENCER JUDGE	PACIFIC BELL WHITE PAGES
1970	Kennamer David	R. L. Polk & Co.

2 N 1ST ST

Year	Uses	Source
1957	WALK-OVER SHOE CO	Pacific Telephone

8 N 1ST ST

Year	Uses	Source
1975	PESCHIERA ALFONSO	Pacific Telephone

14 N 1ST ST

Year	Uses	Source
1957	LIPSKY P A DR DNTST LL	Pacific Telephone

15 N 1ST ST

Year	Uses	Source
1970	Vacant	R. L. Polk & Co.

18 N 1ST ST

Year	Uses	Source
2017	SORELLE SALON & SPA	Cole Information Services
2014	SORELLE SALON & SPA	Cole Information Services
	LUU VAN	Cole Information Services

20 N 1ST ST

Year	Uses	Source
1991	LE VIN GS TON N ORMA)IODIN C	PACIFIC BELL WHITE PAGES

FINDINGS

21 N 1ST ST

Year	Uses	Source
1994	ALBS ESQUIRE BARBER SHOP	Cole Information Services
1970	Carlsons T V	R. L. Polk & Co.

25 N 1ST ST

Year	Uses	Source
1957	HOEFLER S COFFEE SHOP	Pacific Telephone

28 N 1ST ST

Year	Uses	Source
1991	COMMERCIAL BLDG	PACIFIC BELL WHITE PAGES
	MUSTON MICHAEL G ATTY	PACIFIC BELL WHITE PAGES
1957	STONER NORMAN A ATTY	Pacific Telephone
	FREDERLCKSON FRED HUTTON E F & CO BRKRS	Pacific Telephone
	ATCHISON TOPEKA & SANTA FE RAILWAY CO SEE SANTA FE RAILWAY CO	Pacific Telephone
	DE VRIES FRANCIS K OAKLND HWY MIPTS	Pacific Telephone

33 N 1ST ST

Year	Uses	Source
2017	BMC ROUNDTABLE	Cole Information Services
	BTB CAPITAL CORP	Cole Information Services
	BUSINESS TO BUSINESS CAPITAL	Cole Information Services
2014	BUSINESS TO BUSINESS CAPITAL	Cole Information Services
	BMC ROUNDTABLE	Cole Information Services
	MOBILE LOCK & SAFE	Cole Information Services
	ADT SECURITY SERVICES	Cole Information Services
	BAKER MANAGEMENT COMPANY LLC	Cole Information Services
2009	BAKER MANAGEMENT CO LLC	Cole Information Services
2004	LAURIE AVENUE LLC	Cole Information Services
	ON THE ROAD PROMOTIONS	Cole Information Services
	REALTY WORLD HOWELL & ASSOCS	Cole Information Services
	BAKER MANAGEMENT CO	Cole Information Services
1999	DEVRIES DATA SYSTEMS INCORPORATED	Cole Information Services
1994	MELROSE STUDIO FOR HAIR	Cole Information Services
1991	LYN NKE LLYHA!R DE S IGN	PACIFIC BELL WHITE PAGES
1980	BOOTSIES FOR BEAUTY	Pacific Telephone

FINDINGS

Year	Uses	Source
1974	b Ferguson Robt L bldg designer	R. L. Polk Co.
	a Hill Wm J acct	R. L. Polk Co.
	Bootaies For Beauty beauty shop	R. L. Polk Co.
1970	b Ferguson Robt L bldg designer	R. L. Polk & Co.
	a Hill Wm J acct	R. L. Polk & Co.
	Almas Beautv Studio	R. L. Polk & Co.

35 N 1ST ST

Year	Uses	Source
1999	OCCUPANT UNKNOWN	Cole Information Services

40 N 1ST ST

Year	Uses	Source
1991	FENCING POST THE	PACIFIC BELL WHITE PAGES
1957	BERRYESSA WM N INS	Pacific Telephone

43 N 1ST ST

Year	Uses	Source
1957	MARSHAL S TOGS	Pacific Telephone

45 N 1ST ST

Year	Uses	Source
2017	THOMAS DESIGN	Cole Information Services
	COMMUNITY BANK OF THE BAY	Cole Information Services
	INSIGHT CONTROL SYSTEMS	Cole Information Services
	REALTY VISION	Cole Information Services
	CHAN ASSOCIATES	Cole Information Services
	EAST VALLEY BOOKEEPING	Cole Information Services
	MARK BROXON CONSULTING	Cole Information Services
2014	INSIGHT CONTROL SYSTEMS	Cole Information Services
	MARK BROXON CONSULTING	Cole Information Services
	TIANMA MICRO ELECTRONICS USA	Cole Information Services
	REALTY VISION	Cole Information Services
	EAST VALLEY BOOKEEPING	Cole Information Services
2009	GRAHAM & ASSOCIATES INC J MICHEAL	Cole Information Services
	REALTYVISION COM INC	Cole Information Services
	EAST VALLEY BOOKKEEPING	Cole Information Services
	PROVEN WINNERS NORTH AMERICA LLC	Cole Information Services
2004	MICHAELIS INSURANCE SERVICES	Cole Information Services

Year	Uses	Source
2004	J MICHAEL GRAHAM & ASSOCS INC	Cole Information Services
	KIRILL DMITRIEV CONSULTING	Cole Information Services
	PROVEN WINNERS NORTH AMRC LLC	Cole Information Services
	MARK BROXON CONSULTING	Cole Information Services
	EAST VALLEY BOOKEEPING	Cole Information Services
	SCHMIDT PETER DESIGN ASSOCS	Cole Information Services
	CO MICHAELIS INSURANCE SRVC	Cole Information Services
	O MICHAELIS	Cole Information Services
	JAMES GRAHAM	Cole Information Services
1999	MICHAELIS INSURANCE SERVICES	Cole Information Services
	SCHMIDT PETER DESIGN ASSOCIATES	Cole Information Services
	VALERIES EXECUTIVE SECRETARIAL SERVICE	Cole Information Services
	GRAHAM J MICHEAL EA	Cole Information Services
1996	D VALERIES EXECUTIVE SECRETARIAL SERVICE	Pacific Bell
	B DEVINE DESIGN BODY SCUPLTING	Pacific Bell
	B SCHMIDT PETER DESIGN ASSOCIATES	Pacific Bell
	MICHAELIS INSURANCE SERVICES	Pacific Bell
	ARECHIGA & GRAHAM	Pacific Bell
1994	CALIFORNIA ASSOCIATION OF TEMP	Cole Information Services
	ARECHIGA GRAHAM & TYLKE	Cole Information Services
	PRECISION INFO & DOCUMENTATION	Cole Information Services
	UNI PRO	Cole Information Services
	CENTRAL REAL ESTATE NETWORK	Cole Information Services
1974	Wrinkle Rose Mrs	R. L. Polk Co.
1970	Wrinkle Rose Mrs	R. L. Polk & Co.
1957	TURCO EA DR	Pacific Telephone
	ADAMS REAL ESTATE	Pacific Telephone
	ROSE E E SAN JOSE POST-RECORD NEWSPR	Pacific Telephone

46 N 1ST ST

Year	Uses	Source
1957	JORDAN J W MIRS R	Pacific Telephone

50 N 1ST ST

Year	Uses	Source
1991	T LGIA WM LJR CPA	PACIFIC BELL WHITE PAGES

FINDINGS

52 N 1ST ST

Year	Uses	Source
1957	UNITED AIR LINES	Pacific Telephone

53 N 1ST ST

Year	Uses	Source
1974	Fisher Donna Mrs	R. L. Polk Co.
	Johnson Roy M	R. L. Polk Co.
1970	Fisher Donna Mrs	R. L. Polk & Co.
	Luekenga Evelyn Mrs	R. L. Polk & Co.
1957	STOKES LEADING TAMALE PARLOR	Pacific Telephone

55 N 1ST ST

Year	Uses	Source
1957	MADE-IS WAN H IITRLN & CO IIIVE! TINT	Pacific Telephone

63 N 1ST ST

Year	Uses	Source
2009	ASANTE REAL ESTATE ADVISORS	Cole Information Services
	NETWORK FUNDING ASSOCIATES	Cole Information Services
2004	NETWORK FUNDING ASSOCS INC	Cole Information Services
1974	Libhart Charles H	R. L. Polk Co.
	a N Barnes Lili M Mrs	R. L. Polk Co.
	b Dorsett Lura Mrs	R. L. Polk Co.
	N Dixen Glen	R. L. Polk Co.
1970	a Hart Arth H	R. L. Polk & Co.
	Libhart Charles H	R. L. Polk & Co.
	i Humphrey Nora V Mrs	R. L. Polk & Co.
	b Dorsett Lura Mrs	R. L. Polk & Co.
1957	HEIDE S NATURAL FOOD CENTER	Pacific Telephone

65 N 1ST ST

Year	Uses	Source
1957	SPALLONE D TIR	Pacific Telephone

66 N 1ST ST

Year	Uses	Source
1957	MYREN GEO B CALIFORNIAN PACIFIC TITLE INSURANCE COMPANY	Pacific Telephone
	CALIF TITLE INSURANCOC PACLFIC	Pacific Telephone

FINDINGS

67 N 1ST ST

Year	Uses	Source
1957	ANGELUS HOTEL	Pacific Telephone

69 N 1ST ST

Year	Uses	Source
1991	SATO JACK M	PACIFIC BELL WHITE PAGES

73 N 1ST ST

Year	Uses	Source
2017	JONATHAN MICHAEL	Cole Information Services
2014	CYNTHIA HOLIDAY	Cole Information Services
2009	ERIC TYSON	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	ERIC TYSON	Cole Information Services
1985	KINCHEN IDA B	Pacific Bell
1975	PFAU DAVID	Pacific Telephone
1974	N Pfeu David	R. L. Polk Co.
1970	Ponce Rubin	R. L. Polk & Co.
1957	MANUFACTURERS SHOE OUTLET	Pacific Telephone

75 N 1ST ST

Year	Uses	Source
2017	LYNN VANANTWERP	Cole Information Services
2014	LYNN VANANTWERP	Cole Information Services
2009	CYNTHIA HOLIDAY	Cole Information Services
2004	CYNTHIA HOLIDAY	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	CYNTHIA HOLIDAY	Cole Information Services
1994	CORDELL, JOCELYN	Cole Information Services
1980	Walsh Kevin W	Pacific Telephone
1974	Vacant	R. L. Polk Co.
1970	Puckett John T	R. L. Polk & Co.
1957	CORTIER-STUDLO	Pacific Telephone

77 N 1ST ST

Year	Uses	Source
1999	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

80 N 1ST ST

Year	Uses	Source
1991	BRADY MICHAEL J ROPERS MALESKI KOHN BENTLEY WAGNER & KANE ATTYS	PACIFIC BELL WHITE PAGES
	RUBENS JOHN M ROPERS MALESKI KOHN BENTLEY WAGNER &KANEATTYS	PACIFIC BELL WHITE PAGES

81 N 1ST ST

Year	Uses	Source
2017	TODD LONAC	Cole Information Services
2014	TODD LONAC	Cole Information Services
2009	TODD LONAC	Cole Information Services
2004	TODD LONAC	Cole Information Services
1999	TODD LONAC	Cole Information Services
1980	Bazan Thos J	Pacific Telephone
	Gonzales Anthony	Pacific Telephone
1975	ADAMS L	Pacific Telephone
1974	Rear N Adams Lynda	R. L. Polk Co.
	N Peschiera Alfonso	R. L. Polk Co.
1970	Goldie Jerry J Reai Me Donald Ethel Mrs	R. L. Polk & Co.
1957	BARNETT BERGER & CO	Pacific Telephone

82 N 1ST ST

Year	Uses	Source
1957	COOPER-CHALLEN REALTY CO	Pacific Telephone

86 N 1ST ST

Year	Uses	Source
1991	HARMAN & SHAHEEN ASSOCIATES INC S	PACIFIC BELL WHITE PAGES

88 N 1ST ST

Year	Uses	Source
1957	GAFFNEY HARRY H SCHIWABACHER & CO	Pacific Telephone

89 N 1ST ST

Year	Uses	Source
1957	FIRST STREET MDSE HOUSE	Pacific Telephone

FINDINGS

91 N 1ST ST

Year	Uses	Source
1996	Schroeder Herbert R	Pacific Bell
1994	SCHROEDER, HERBERT R	Cole Information Services
1980	Schroeder Herbert R	Pacific Telephone
1974	Schroeder Herbert	R. L. Polk Co.
1970	Schroeder Herbert	R. L. Polk & Co.
1957	FIRST STREET NEWS	Pacific Telephone

97 N 1ST ST

Year	Uses	Source
1957	TOMMY S PLACE CAFE	Pacific Telephone

98 N 1ST ST

Year	Uses	Source
1957	HARRIS PARK AMERICAN OFC APPIS INC	Pacific Telephone
	NATIONAL ADDING MBACINES AGCY	Pacific Telephone
	AUDOGRAPH DICTATING EQUIPMENT CO	Pacific Telephone
	HARRIS BOB A-1 CASH REGISTER COMPANY	Pacific Telephone
	A-1 CASH REGISTER COMPANY	Pacific Telephone

051 N 1ST ST

Year	Uses	Source
1991	SALAMIDA JOE	PACIFIC BELL WHITE PAGES

109 N 1ST ST

Year	Uses	Source
2009	ST MARYS ASSYRIAN CHALDEAN CTH	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1994	ORCHARD CITY GRANGE	Cole Information Services
1985	ORCHARD CITY GRANGE	Pacific Bell
1975	ORCHARD CITY GRANGE	Pacific Telephone
1974	Orchard City Grange 333 ha U	R. L. Polk Co.
1970	Orchard City Grange 333 hall	R. L. Polk & Co.

115 N 1ST ST

Year	Uses	Source
1991	HESS CCLARENCE	PACIFIC BELL WHITE PAGES

FINDINGS

121 N 1ST ST

Year	Uses	Source
2017	SAINT MARY ASSYRIAN CHALDEAN CATHOLI	Cole Information Services
2014	ST MARYS ASSYRIAN CHALDEAN CATHOLI	Cole Information Services
2004	YOSHIA SANA	Cole Information Services
	ST MARYS ASYRN CHLDN CTHLC	Cole Information Services
1999	ST MARYS ASSYRIAN CHALDEAN CATHOLIC CHURCH	Cole Information Services
1996	CHALDEAN CATHOLIC CHURCH	Pacific Bell
	ST MARYS ASSYRIAN	Pacific Bell
1994	PLUS SECURITY & PATROL	Cole Information Services
1974	Green Geo W	R. L. Polk Co.
1970	Green Geo W	R. L. Polk & Co.

131 N 1ST ST

Year	Uses	Source
2017	MICHAEL BEROTA	Cole Information Services
2014	SANA YOSHIA	Cole Information Services
2009	YOSHIA SANA	Cole Information Services
2004	OLIVIA SAHAGUN	Cole Information Services
1999	YOSHIA SANA	Cole Information Services
1994	CUSTOM LINE FINANCIAL	Cole Information Services
1974	N Jones Bertha	R. L. Polk Co.
1970	Carreon Raymond	R. L. Polk & Co.

145 N 1ST ST

Year	Uses	Source
1991	GARCIA PM	PACIFIC BELL WHITE PAGES

150 N 1ST ST

Year	Uses	Source
2017	GLENN LOVELY	Cole Information Services
	JOHN MORGENTHALER	Cole Information Services
2014	GLENN LOVELY	Cole Information Services
	ELIZABETH RECKTENWALD	Cole Information Services
2009	ELIZABETH RECKTENWALD	Cole Information Services
	JOE KING	Cole Information Services
	AARON HALL	Cole Information Services
2004	ELIZABETH RECKTENWALD	Cole Information Services

FINDINGS

Year	Uses	Source
2004	JOHN MORGENTHALER	Cole Information Services
	JOE KING	Cole Information Services
	JILL WELDON	Cole Information Services
	JOHN ERICSSON	Cole Information Services
1999	JOE KING	Cole Information Services
	AARON HALL	Cole Information Services
	ELIZABETH RECKTENWALD	Cole Information Services
1996	4 Neely W Shields	Pacific Bell
1980	Randell Michael A	Pacific Telephone
1975	LA LONDE ROBT J	Pacific Telephone
1974	Vacant	R. L. Polk Co.
	Apartments	R. L. Polk Co.
	N Schultz Janice	R. L. Polk Co.
	Villeca Louise R	R. L. Polk Co.
	N La Londe C	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.
	Utterback Raymond D	R. L. Polk & Co.
	Novak David	R. L. Polk & Co.
	Apartments	R. L. Polk & Co.

151 N 1ST ST

Year	Uses	Source
2017	CHIROPRACTIC WELLNESS CENTER	Cole Information Services
2014	CHIROPRACTIC HEALTH CENTER	Cole Information Services
2009	CHIROPRACTIC HEALTH CENTER	Cole Information Services
2004	ROBERT D MARTINES DC	Cole Information Services
	ROBERT MARTINES	Cole Information Services
1999	LABAMBA	Cole Information Services
	VICTORIAN HOUSE SALON THE	Cole Information Services
	C J HAIR DESIGN	Cole Information Services
1996	YOUNG J L	Pacific Bell
	LA BAMBA	Pacific Bell
1994	LA BAMBA	Cole Information Services
	YOUNG J L	Cole Information Services
1985	KIGER GALL	Pacific Bell
1974	Wirth Seymour A Jr	R. L. Polk Co.
1970	Wirth Seymour A Jr	R. L. Polk & Co.

FINDINGS

158 N 1ST ST

Year	Uses	Source
2017	ROBERT BERRY	Cole Information Services
2014	ROBERT BERRY	Cole Information Services
2009	L SCHAUP	Cole Information Services
2004	SURANON UIPRAPATH	Cole Information Services
1999	L SCHAUP	Cole Information Services
1980	Rojo Ron	Pacific Telephone
1974	Harrington Peter H	R. L. Polk Co.
1970	Jordan Ernest W	R. L. Polk & Co.

159 N 1ST ST

Year	Uses	Source
2017	TIMOTHY KRAUS	Cole Information Services
2014	TIMOTHY KRAUS	Cole Information Services
2009	JULIE MCVAY	Cole Information Services
2004	JULIE MCVAY	Cole Information Services
1999	JULIE MCVAY	Cole Information Services
1974	Stanifer Rick E	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

166 N 1ST ST

Year	Uses	Source
2017	STEVEN SMITH	Cole Information Services
2014	STEVEN SMITH	Cole Information Services
2009	AN AFFAIR 2 REMEMBER LLC	Cole Information Services
	STEVEN SMITH	Cole Information Services
2004	JASON VANBENTHUYSEN	Cole Information Services
1999	STEVEN SMITH	Cole Information Services
1996	Campbell Otis	Pacific Bell
1994	CAMPBELL, OTIS	Cole Information Services
1980	Campbell Izetta	Pacific Telephone
	Campbell Otis	Pacific Telephone
1975	CAMPBELL IZETTA	Pacific Telephone
	CAMPBELL OTIS	Pacific Telephone
1974	Campbel Otis F	R. L. Polk Co.
1970	Campbell Otis V	R. L. Polk & Co.

FINDINGS

170 N 1ST ST

Year	Uses	Source
1957	BALISTRERW CLFARA	Pacific Telephone

171 N 1ST ST

Year	Uses	Source
2017	KERRY SMITH	Cole Information Services
2014	KERRY SMITH	Cole Information Services
2009	KERRY SMITH	Cole Information Services
2004	KERRY SMITH	Cole Information Services
1999	KERRY SMITH	Cole Information Services
1974	Henry Geo	R. L. Polk Co.
1970	Henry Geo	R. L. Polk & Co.

173 N 1ST ST

Year	Uses	Source
1991	S E H AME RICA IN C	PACIFIC BELL WHITE PAGES

176 N 1ST ST

Year	Uses	Source
2017	JOAR WINGFORS	Cole Information Services
2014	KARIM WINGFORS	Cole Information Services
2009	JAMES DUNCAN	Cole Information Services
2004	REX ROGGASCH	Cole Information Services
1999	JAMES DUNCAN	Cole Information Services
1974	Rogash Rex	R. L. Polk Co.
1970	Roggasch Rex R	R. L. Polk & Co.

180 N 1ST ST

Year	Uses	Source
1999	OCCUPANT UNKNOWN	Cole Information Services

181 N 1ST ST

Year	Uses	Source
2017	THOMAS BRUACHT	Cole Information Services
2014	DREBRA VALENTINI	Cole Information Services
2009	THOMAS BRUACHT	Cole Information Services
2004	STEPHEN KOSHLAND	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	THOMAS BRUACHT	Cole Information Services
1994	KOSHLAND, STEPHEN P	Cole Information Services

FINDINGS

Year	Uses	Source
1974	Kallas Myrtle Mrs	R. L. Polk Co.
1970	Vacant	R. L. Polk & Co.

186 N 1ST ST

Year	Uses	Source
2017	WALDEMAR SOMMER	Cole Information Services
2014	WALDEMAR SOMMER	Cole Information Services
2009	WALDEMAR SOMMER	Cole Information Services
2004	WALDEMAR SOMMER	Cole Information Services
1999	WALDEMAR SOMMER	Cole Information Services
1996	Sommer Waldemar Jr	Pacific Bell
1994	SOMMER, W JR	Cole Information Services
1974	Goodwin Roy J	R. L. Polk Co.
1970	Goodwin Roy J	R. L. Polk & Co.

190 N 1ST ST

Year	Uses	Source
1999	OCCUPANT UNKNOWN	Cole Information Services
1994	EDMONDS, R	Cole Information Services

193 N 1ST ST

Year	Uses	Source
2017	JACK LEOPARDI	Cole Information Services
2014	JACK LEOPARDI	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
	CLASSICS & HOT RODS	Cole Information Services
2004	JIACCHINO LEOPARDI	Cole Information Services
	CLASSICS & HOT RODS	Cole Information Services
	J & R DESIGN & MFG	Cole Information Services
1996	Leopardi Jack	Pacific Bell
1994	LEOPARDI, JACK	Cole Information Services
1974	Rodway Evelyn E	R. L. Polk Co.
1970	Rodway Evelvn E Mrs Mrs	R. L. Polk & Co.

198 N 1ST ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	STEVE SZIGETI	Cole Information Services
2004	STEVE SZIGETI	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

Year	Uses	Source
1999	STEVE SZIGETI	Cole Information Services
1974	Parrish Labelle	R. L. Polk Co.
1970	Parrish Labelle	R. L. Polk & Co.

203 N 1ST ST

Year	Uses	Source
2017	MATTHEW PENDO	Cole Information Services
2014	IGNACIO OCHOA	Cole Information Services
2009	IGNACIO OCHOA	Cole Information Services
2004	IGNACIO OCHOA	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
1985	PETERSON BILL & TERI	Pacific Bell
1974	Burns Jerry J	R. L. Polk Co.
1970	Rinauro Joseph P	R. L. Polk & Co.

204 N 1ST ST

Year	Uses	Source
2017	JAMES ARMSTRONG	Cole Information Services
2014	JAMES ARMSTRONG	Cole Information Services
1985	ARMSTRONG JAS W	Pacific Bell
1980	Armstrong Jas W	Pacific Telephone
1974	Armstrong James W	R. L. Polk Co.
1970	Armstrong James W	R. L. Polk & Co.

214 N 1ST ST

Year	Uses	Source
1957	ALDERMAN EARL P RL EST & INS	Pacific Telephone
	ALDERMAN EARL P JR ALDERMAN EARL P RL EST & INS	Pacific Telephone

215 N 1ST ST

Year	Uses	Source
2017	SALLY GRISEDALE	Cole Information Services
2014	SALLY GRISEDALE	Cole Information Services
2009	MICHAEL BLAIR	Cole Information Services
2004	MICHAEL BLAIR	Cole Information Services
1999	MICHAEL BLAIR	Cole Information Services
1996	Hergenroether D	Pacific Bell
1994	HERGENROETHER, DANNY J	Cole Information Services
1975	MC CONNER D C	Pacific Telephone

FINDINGS

Year	Uses	Source
1974	Mc Connor Donald C	R. L. Polk Co.
1970	I Am a m	R. L. Polk & Co.
	Vacant	R. L. Polk & Co.

216 N 1ST ST

Year	Uses	Source
2017	IENNE GREY	Cole Information Services
2014	IENNE GREY	Cole Information Services
2009	ROBERT GREY	Cole Information Services
2004	ROBERT GREY	Cole Information Services
1999	ROBERT GREY	Cole Information Services
1994	GREY, R J	Cole Information Services
1980	Mc Dowell J A	Pacific Telephone
1975	SOLNRZANO TONY	Pacific Telephone
1974	Seleshankas Daniel L	R. L. Polk Co.
1970	Adams Craig W	R. L. Polk & Co.

220 N 1ST ST

Year	Uses	Source
1991	RITZ CHINESE RESTAURANT & DANCING CLUB	PACIFIC BELL WHITE PAGES

225 N 1ST ST

Year	Uses	Source
2009	DIANA HEBERT	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	DIANA HEBERT	Cole Information Services
1974	N Dwyer Don W	R. L. Polk Co.
1970	No Return	R. L. Polk & Co.

226 N 1ST ST

Year	Uses	Source
2017	PAUL RESNIKOFF	Cole Information Services
2014	PAUL RESNIKOFF	Cole Information Services
2009	PAUL RESNIKOFF	Cole Information Services
2004	JACK SANFORD	Cole Information Services
1999	PAUL RESNIKOFF	Cole Information Services
1974	Cucchiara Darlene Mrs	R. L. Polk Co.
1970	Cucchiara Joseph	R. L. Polk & Co.

FINDINGS

227 N 1ST ST

Year	*Uses*	*Source*
1991	OLSSON ANDREW W ATTY	PACIFIC BELL WHITE PAGES

230 N 1ST ST

Year	*Uses*	*Source*
1999	OCCUPANT UNKNOWN	Cole Information Services

231 N 1ST ST

Year	*Uses*	*Source*
1957	CAMPEN ALDEN B RL EST	Pacific Telephone

N 1T

45 N 1T

Year	*Uses*	*Source*
1957	U S ARMY RESERVE UNIT INSTRUCTOR	Pacific Telephone

N 1TH

98 N 1TH

Year	*Uses*	*Source*
1991	VINSON MACK SR	PACIFIC BELL WHITE PAGES

N 2

12 N 2

Year	*Uses*	*Source*
1991	Roborts C Budd N	PACIFIC BELL WHITE PAGES

N 2 D

25 N 2 D

Year	*Uses*	*Source*
1957	JOHNSON & TEMPLE RL EST & INS	Pacific Telephone

N 2El D

81 N 2El D

Year	*Uses*	*Source*
1957	GRAHAI W G	Pacific Telephone

FINDINGS

N 2LD

4 N 2LD

Year	*Uses*	*Source*
1991	ZIOTOFF STANIEY A	PACIFIC BELL WHITE PAGES

N 2ND

2 N 2ND

Year	*Uses*	*Source*
1991	COHEN MARC MULLEN & FIRIPPI ATTYS	PACIFIC BELL WHITE PAGES
	CUMMINGS ENVIRONMENTAL WATER POLLUTION CONTROL	PACIFIC BELL WHITE PAGES
	DAVILA EDWARD J ATTY	PACIFIC BELL WHITE PAGES
	DAVILA & POLVERINO ATTYS	PACIFIC BELL WHITE PAGES
	HARRY S DOWNTOWN	PACIFIC BELL WHITE PAGES
	HEATH MAUREEN A MULLEN & FILIPPI ATTYS	PACIFIC BELL WHITE PAGES
	HORIZON CE N TE R	PACIFIC BELL WHITE PAGES
	JE N N IN GS W ILLIAM A LAW FIRM	PACIFIC BELL WHITE PAGES
	JOHNSON DEANNA	PACIFIC BELL WHITE PAGES
	KIELY BARBARA K MULLEN & FILIPPI ATTYS	PACIFIC BELL WHITE PAGES
	KOINOK ONDREJ M A P C	PACIFIC BELL WHITE PAGES
	LACH LINDA E FATTY	PACIFIC BELL WHITE PAGES
	LEE KENNETH D ATTY	PACIFIC BELL WHITE PAGES
	LORIGAN THOMAS JATTY	PACIFIC BELL WHITE PAGES
	MATTHEWS JAMES FATTY	PACIFIC BELL WHITE PAGES
	MCKE N N E Y KE VIN E STENBERG MC KENNEY AND SUNSERI LAW OFFICES	PACIFIC BELL WHITE PAGES
	BALLOON S E TC	PACIFIC BELL WHITE PAGES
	MULLE N&F!LL PPLATTYS	PACIFIC BELL WHITE PAGES
	N UTRI-S YS TE MS W E IGHT LOS S CE N TE RS	PACIFIC BELL WHITE PAGES
	OLSON MARTHA J ATTY	PACIFIC BELL WHITE PAGES
	PADILLA JOHN M ATTORN E Y	PACIFIC BELL WHITE PAGES
	PHOTO EXPRESS	PACIFIC BELL WHITE PAGES
	PICKARD CAROL HILL S MINOGR MC KERNOA AND SUNRSRL LAW OFFICES	PACIFIC BELL WHITE PAGES
	POLVERINO SAM JATTY	PACIFIC BELL WHITE PAGES
	PRINTMASTERS	PACIFIC BELL WHITE PAGES

Year	Uses	Source
1991	RAVEL & LACH ATTORNEYS AT LAW	PACIFIC BELL WHITE PAGES
	RAVEL STEPHEN ATTY	PACIFIC BELL WHITE PAGES
	RODRIGUE Z CURTIS V ATTY	PACIFIC BELL WHITE PAGES
	ROE PATRICIA M GRE E N STENBERGA MC KENNA AND SUNSERI LAW OTL ICAS	PACIFIC BELL WHITE PAGES
	S AIN JOS E IN N	PACIFIC BELL WHITE PAGES
	SMITH PETER H MULLEN & FILIPPI ATTYS	PACIFIC BELL WHITE PAGES
	S TE N BE RGMCKE N N E YAN DS UN S E RI LAW OFFICE S	PACIFIC BELL WHITE PAGES
	S UN S E RI S ALVATORE J STENBERG MC KENNEY AND SUNSERI LAW OFFICES	PACIFIC BELL WHITE PAGES
	THOMAS SCOTT L ATTY	PACIFIC BELL WHITE PAGES
	THORSEN ROSALIE ATTY	PACIFIC BELL WHITE PAGES
	WHITTAKER MARION A BAKER JOHNSON & WHITTAKER LAW OFFICES OF	PACIFIC BELL WHITE PAGES
	BAKER AVA J BAKER JOHNSON & WHITTAKER LAW OFFICES OF	PACIFIC BELL WHITE PAGES
	BAKER JOHNSON & WHITTAKER LAW OFFICES OF IJ	PACIFIC BELL WHITE PAGES
	BALLOONS E TC	PACIFIC BELL WHITE PAGES
	CAMPOS JMANUEL ATTY	PACIFIC BELL WHITE PAGES
	CALIF ADMINISTRATION INSURANCE SERVICES INC	PACIFIC BELL WHITE PAGES
	BOEHM THOMAS M ATTY	PACIFIC BELL WHITE PAGES
	BLACK J M JR PACIFIC BELL	PACIFIC BELL WHITE PAGES
	BE W LE Y J MICHAE L LAW OFFICE OF	PACIFIC BELL WHITE PAGES
	BEWLEY J MICHAEL ATTY	PACIFIC BELL WHITE PAGES
	BATES SUSAN ATTY	PACIFIC BELL WHITE PAGES
	MCKOIN W AN DA C LAW CORPORATION	PACIFIC BELL WHITE PAGES

4 N 2ND

Year	Uses	Source
1991	CEGLIA-ANDERSON B J ATTY	PACIFIC BELL WHITE PAGES
	CHAMPION LAW OFFICES	PACIFIC BELL WHITE PAGES
	CUMMINS & CHANDLER	PACIFIC BELL WHITE PAGES
	CUMMINS CHARLES & ANNE	PACIFIC BELL WHITE PAGES
	ESAU GREGORY DATTY	PACIFIC BELL WHITE PAGES
	FLEMATE EUGENE	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	FLEMATE EUGENE ATTORNEY AT LAW	PACIFIC BELL WHITE PAGES
	FLORE S LUN A & BARRIOS ATTYS	PACIFIC BELL WHITE PAGES
	FLORES SIDNEY C ATTY	PACIFIC BELL WHITE PAGES
	GREENBERG DIANE S	PACIFIC BELL WHITE PAGES
	GUGGNHE HO RICHARD R ATTY	PACIFIC BELL WHITE PAGES
	HARMS S E N ROBE RT HATTY	PACIFIC BELL WHITE PAGES
	HAYES JOHN PATTY	PACIFIC BELL WHITE PAGES
	HURS TTHOMAS OLAW OFFICE S	PACIFIC BELL WHITE PAGES
	JOSEPH M WILSON ATTY	PACIFIC BELL WHITE PAGES
	KEY MECHANICAL SERVICE	PACIFIC BELL WHITE PAGES
	KNOPF SHARON L SASAKI & KNOPF ATTORNEYS AT LAW	PACIFIC BELL WHITE PAGES
	MALERSTEIN SARAH E ATTY	PACIFIC BELL WHITE PAGES
	MELINO JOSEPH C ATTY	PACIFIC BELL WHITE PAGES
	S AMORA R E U ATTORN E Y AT LAW	PACIFIC BELL WHITE PAGES
	SANFORD HARMSSEN & WILSON ATTYS	PACIFIC BELL WHITE PAGES
	SASAKI DALE SASAK I & KNOPF ATTORNEYS AT LAW	PACIFIC BELL WHITE PAGES
	SUMNER JAMES D ATTORNEY AT LAW	PACIFIC BELL WHITE PAGES
	TWIN PEAKS GROUP	PACIFIC BELL WHITE PAGES
	ZECHER ALBERT MICHAEL ATTY	PACIFIC BELL WHITE PAGES
	ZELTZER SOLOMON LAW OFFICES OF	PACIFIC BELL WHITE PAGES
	CALIFORNIA COMMERCE BANK	PACIFIC BELL WHITE PAGES
	BUSINESS VOLUNTEERS FOR THE ARTS	PACIFIC BELL WHITE PAGES
	BOYCE ELIZABETH JACOBS	PACIFIC BELL WHITE PAGES
	BROWN COMPANY ADVERTISING INC	PACIFIC BELL WHITE PAGES
	AN DE RS ON CE GLIABJ ATTY .	PACIFIC BELL WHITE PAGES
	ARTS COUNCIL OF SANTA CLARA COUNTY THE	PACIFIC BELL WHITE PAGES
	BANKRUPTCY ADVICE & CON S ULTATION	PACIFIC BELL WHITE PAGES
	BLOIS MARSDEN S ATTY	PACIFIC BELL WHITE PAGES
	BLUER PHILIP-PROFESSIONAL GROUP	PACIFIC BELL WHITE PAGES
	BLUER & ZIOTOFF	PACIFIC BELL WHITE PAGES
	BLUER & ZIOTOFF	PACIFIC BELL WHITE PAGES

02 N 2ND

Year	Uses	Source
1991	HERNANDEZ GALDINO G -4	PACIFIC BELL WHITE PAGES

FINDINGS

12 N 2ND

Year	Uses	Source
1957	GLUFFRLDA SAM K PICTURE RITY CO	Pacific Telephone

15 N 2ND

Year	Uses	Source
1991	COPYMAN	PACIFIC BELL WHITE PAGES

17 N 2ND

Year	Uses	Source
1991	IMMIGRATION & LEGAL SERVICES	PACIFIC BELL WHITE PAGES

19 N 2ND

Year	Uses	Source
1991	HOLME S TYPOGRAPHYIN C	PACIFIC BELL WHITE PAGES
	HUMPHRIE S IN S URAN CE	PACIFIC BELL WHITE PAGES
	KIGER DESIGN DIRECT RESPONSE	PACIFIC BELL WHITE PAGES
	ZOLEZI FRED LREALTY	PACIFIC BELL WHITE PAGES
1986	Sweeney Plumber F	Pacific Bell

20 N 2ND

Year	Uses	Source
1991	GARN E RGRAPKKS	PACIFIC BELL WHITE PAGES

21 N 2ND

Year	Uses	Source
1991	GOLDIE S OAKWOOD BAR-B-QUE	PACIFIC BELL WHITE PAGES
1957	BECK FRED EMPEY & JOHNSON RITY CO	Pacific Telephone
	MORGAN GRACE I EMPEY & JOHNSON RITY CO	Pacific Telephone

25 N 2ND

Year	Uses	Source
1991	VENUS BEAUTY CARE	PACIFIC BELL WHITE PAGES

39 N 2ND

Year	Uses	Source
1957	PARTON VAN & STORAGE CO SEE SAN JOSE MOVING & STORAGE CO	Pacific Telephone

FINDINGS

41 N 2ND

Year	Uses	Source
1986	Tobar Michelle	Pacific Bell

60 N 2ND

Year	Uses	Source
1957	SAN JOSE PRODUCTION CREDIT ASSN	Pacific Telephone
	SANTA CLARA COUNTY FIRE INSURANCE CO	Pacific Telephone

62 N 2ND

Year	Uses	Source
1986	Duffy Joseph H	Pacific Bell
1980	Duffy Joseph H	Pacific Telephone

63 N 2ND

Year	Uses	Source
1986	Moore Andrew R	Pacific Bell
	Tayor Sasha	Pacific Bell

65 N 2ND

Year	Uses	Source
1991	W E S T COAS T LE GAL S E RVICE	PACIFIC BELL WHITE PAGES
	W LS WEST COAST LEGAL SERVICE	PACIFIC BELL WHITE PAGES
	EXPRESS LEGAL SERVICE	PACIFIC BELL WHITE PAGES

70 N 2ND

Year	Uses	Source
1991	SMARKETLNG	PACIFIC BELL WHITE PAGES
	HERITAGE MEETINGS & INCENTIVES	PACIFIC BELL WHITE PAGES
	CENTER FOR CONCEPT DEVELOPMENT	PACIFIC BELL WHITE PAGES
	BATTE N BE RG FILLHARDT & W RIGHT IN C ADVGAGENCIES&COUNSLRS	PACIFIC BELL WHITE PAGES
	BANKLER COMPANIES INC	PACIFIC BELL WHITE PAGES

81 N 2ND

Year	Uses	Source
1991	HAWES RICHARD	PACIFIC BELL WHITE PAGES
	EPISCOPAL DIOCESE OF EL CAMINO REAL	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	EPISCOPAL CATHEDRAL TRINITY	PACIFIC BELL WHITE PAGES
1957	MURDOCK WM B REV TRINITY EPISCOPAL CHRCH	Pacific Telephone

82 N 2ND

Year	Uses	Source
1991	BOWERS DAVID H	PACIFIC BELL WHITE PAGES

83 N 2ND

Year	Uses	Source
1994	EIDT, ERIK	Cole Information Services
1991	Roberts Tim & Kathy	PACIFIC BELL WHITE PAGES
1986	Roberts Tim & Kathy	Pacific Bell
1985	RICKEY GENE & SUSAN	Pacific Bell
1980	Guina Bernard B	Pacific Telephone

86 N 2ND

Year	Uses	Source
1991	Goularte Michael P	PACIFIC BELL WHITE PAGES
1986	Goularte Michael P	Pacific Bell
	Goularte Michael P	Pacific Bell
1980	Goularte Michael P	Pacific Telephone
	Goularte Michael P	Pacific Telephone

101 N 2ND

Year	Uses	Source
1986	Griswold E M	Pacific Bell
	Russell Ron	Pacific Bell
1980	Griswold EM	Pacific Telephone

112 N 2ND

Year	Uses	Source
1991	Tuttle Thos O	PACIFIC BELL WHITE PAGES
1986	Tuttle Thos O	Pacific Bell
1985	TUTTLE THOS	Pacific Bell

113 N 2ND

Year	Uses	Source
1991	Teppola Kim	PACIFIC BELL WHITE PAGES

FINDINGS

125 N 2ND

Year	Uses	Source
1991	Conway AM	PACIFIC BELL WHITE PAGES
1986	Kimmel Frank	Pacific Bell
	Conway A M	Pacific Bell
1980	Sullivan Frederick	Pacific Telephone

156 N 2ND

Year	Uses	Source
1991	Lamar David	PACIFIC BELL WHITE PAGES
1986	Jensen Oliver C	Pacific Bell
1980	Jensen Oliver C	Pacific Telephone

161 N 2ND

Year	Uses	Source
1986	Lamar David	Pacific Bell

169 N 2ND

Year	Uses	Source
1991	Hurst Steve	PACIFIC BELL WHITE PAGES

174 N 2ND

Year	Uses	Source
1991	Gault Richard	PACIFIC BELL WHITE PAGES
1986	Gault Geoffrey	Pacific Bell
	Gault John M	Pacific Bell
1980	Roberts Robin	Pacific Telephone

175 N 2ND

Year	Uses	Source
1986	Rill James F	Pacific Bell
1980	Ril James F	Pacific Telephone

188 N 2ND

Year	Uses	Source
1980	Cristich P	Pacific Telephone

200 N 2ND

Year	Uses	Source
1991	Kamlin A & R	PACIFIC BELL WHITE PAGES

FINDINGS

210 N 2ND

Year	Uses	Source
1980	Olds Corwin Rev Dr	Pacific Telephone

213 N 2ND

Year	Uses	Source
1991	Reld Jack	PACIFIC BELL WHITE PAGES
1986	Reid Jack	Pacific Bell

N 2ND C

13 N 2ND C

Year	Uses	Source
1957	FAIRCHILD LESLIE C Z	Pacific Telephone

24 N 2ND C

Year	Uses	Source
1957	COLEMAN ARTHUR B	Pacific Telephone

25 N 2ND C

Year	Uses	Source
1957	JOHNSON MELVIN H JOHNSON & TEMPLE RT EST & INS	Pacific Telephone
	TRACY L AND & WATER CO	Pacific Telephone

29 N 2ND C

Year	Uses	Source
1957	SEVRENS DONALD P	Pacific Telephone

46 N 2ND C

Year	Uses	Source
1957	SMITH EDNA F MRS	Pacific Telephone

54 N 2ND C

Year	Uses	Source
1957	BARKER EDITH P	Pacific Telephone

55 N 2ND C

Year	Uses	Source
1957	LLOYD WIN H REV	Pacific Telephone

FINDINGS

56 N 2ND C

Year	Uses	Source
1957	MC KENZIE J W	Pacific Telephone

61 N 2ND C

Year	Uses	Source
1957	GUINA BERNARD B	Pacific Telephone

63 N 2ND C

Year	Uses	Source
1957	DE SELLE CHAS E	Pacific Telephone

66 N 2ND C

Year	Uses	Source
1957	LANTZ ALBERT N	Pacific Telephone

69 N 2ND C

Year	Uses	Source
1957	MC COY CLIFFORD N	Pacific Telephone

75 N 2ND C

Year	Uses	Source
1957	ROST FRED E	Pacific Telephone

80 N 2ND C

Year	Uses	Source
1957	COWDERY NELSON	Pacific Telephone

101 N 2ND C

Year	Uses	Source
1957	FREY E E	Pacific Telephone

102 N 2ND C

Year	Uses	Source
1957	JENSEN OLIVER C	Pacific Telephone

112 N 2ND C

Year	Uses	Source
1957	ROUSE BILL F	Pacific Telephone

113 N 2ND C

Year	Uses	Source
1957	BENEVENTO FRANK	Pacific Telephone

FINDINGS

120 N 2ND C

Year	*Uses*	*Source*
1957	BERSINGER ELIZABETH	Pacific Telephone

121 N 2ND C

Year	*Uses*	*Source*
1957	DAVES HECTOR	Pacific Telephone

151 N 2ND C

Year	*Uses*	*Source*
1957	RHEA ZELIA M	Pacific Telephone

185 N 2ND C

Year	*Uses*	*Source*
1957	MURPHY JAS H	Pacific Telephone

189 N 2ND C

Year	*Uses*	*Source*
1957	RAAB W J	Pacific Telephone

191 N 2ND C

Year	*Uses*	*Source*
1957	RHINE ANNA MRS	Pacific Telephone

210 N 2ND C

Year	*Uses*	*Source*
1957	OLDS CORWIN REV	Pacific Telephone

N 2ND C FRNK IN

188 N 2ND C FRNK IN

Year	*Uses*	*Source*
1957	CRISTICH P CEMENT CONTR	Pacific Telephone

N 2ND COVE N

30 N 2ND COVE N

Year	*Uses*	*Source*
1957	FORRI S GARAGE	Pacific Telephone

FINDINGS

N 2ND ST

2 N 2ND ST

Year	Uses	Source
1991	HAMMON WALTER PIERCE ATTY	PACIFIC BELL WHITE PAGES
	PIN O AN THONZ S PLUMBIN G & HE ATIN G & ROOTE R S E RVICE	PACIFIC BELL WHITE PAGES

4 N 2ND ST

Year	Uses	Source
1991	CHAPTE R	PACIFIC BELL WHITE PAGES

12 N 2ND ST

Year	Uses	Source
1957	PICTURE REALTY CO MAIN OFC	Pacific Telephone
	NATIONAL TAX ADVISORY SERVICE	Pacific Telephone
	GIUFFRIDA SAM K INSURANCE AGCY	Pacific Telephone

15 N 2ND ST

Year	Uses	Source
1957	ATKINSON WL & CO RL EST & INS	Pacific Telephone
	ATKINSON DAVID K ATKINSON W L & CO	Pacific Telephone

17 N 2ND ST

Year	Uses	Source
1957	PUGH CHAS A RL EST	Pacific Telephone

19 N 2ND ST

Year	Uses	Source
1999	OCCUPANT UNKNOWN	Cole Information Services
1991	GARZA TONY	PACIFIC BELL WHITE PAGES
	KEOKI DESIGN GRAPHIC DESIGN	PACIFIC BELL WHITE PAGES
	THEISE R	PACIFIC BELL WHITE PAGES
1985	SWEENEY PLUMBER F	Pacific Bell
1957	CONDON ROGER COMI ARTST	Pacific Telephone
	HOLMES TYPOGRAPHY	Pacific Telephone
	LONG ADVERTISING INC	Pacific Telephone

20 N 2ND ST

Year	Uses	Source
1991	SNCHE E	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1957	KAWASAKI STANLEY	Pacific Telephone

21 N 2ND ST

Year	Uses	Source
2017	CAMPBELL AVENUE RESIDENTIAL	Cole Information Services
	SHAUN CROFTS	Cole Information Services
	ALEXANDER KRIMOTAT	Cole Information Services
	CHARLES STROUSS	Cole Information Services
	RICHA GUPTA	Cole Information Services
	DIVYA KUMAR	Cole Information Services
	FRANCIS DUGGAN	Cole Information Services
	FERNANDO ENCISO	Cole Information Services
	DAVID GONI	Cole Information Services
	LEILY KAZEMI	Cole Information Services
	SCOTT MCLEOD	Cole Information Services
	STEVEN RECKTENWALD	Cole Information Services
	SHAUN FACKRELL	Cole Information Services
	MARC LAVESON	Cole Information Services
	DAVID MEAD	Cole Information Services
	KESHAV ATTREY	Cole Information Services
	MICHAEL FREIER	Cole Information Services
	ANDREW MEAD	Cole Information Services
	YAN REN	Cole Information Services
	CORY FREDERICK	Cole Information Services
2014	CAMPBELL AVENUE RESIDENTIAL	Cole Information Services
	ERIK EIDT	Cole Information Services
	KEVIN DUGGAN	Cole Information Services
	CHRISTOPHER HUBER	Cole Information Services
	CHARLES STROUSS	Cole Information Services
	MELISSA SHAWHAN	Cole Information Services
	RICHA GUPTA	Cole Information Services
	DIVYA KUMAR	Cole Information Services
	ANDREW BARKLEY	Cole Information Services
	FERNANDO ENCISO	Cole Information Services
	KATHERINE HUBER	Cole Information Services
	SCOTT MCLEOD	Cole Information Services
	DAVID GONI	Cole Information Services
	LEILY KAZEMI	Cole Information Services
	STEVEN RECKTENWALD	Cole Information Services

FINDINGS

Year	Uses	Source
2014	MARC LAVESON	Cole Information Services
	DAVID MEAD	Cole Information Services
	EUGENE KOPECKY	Cole Information Services
	KESHAV ATTREY	Cole Information Services
	JOHN COLYAR	Cole Information Services
	ANDREW MEAD	Cole Information Services
	ASHLEY MINE	Cole Information Services
	MICHAEL FREIER	Cole Information Services
	YAN REN	Cole Information Services
	SHAUN CROFTS	Cole Information Services
	WILLIAM CHAMBERLIN	Cole Information Services
2009	SOOHYUN HAM	Cole Information Services
	MICHAEL FREIER	Cole Information Services
	CHRISTIAN HOFFMAN	Cole Information Services
	MAUREEN FAHEY	Cole Information Services
	ALAN HENLEY	Cole Information Services
	BRIAN DIXON	Cole Information Services
	FERNANDO ENCISO	Cole Information Services
	GREGORY AMOS	Cole Information Services
	SUMMER DOWLING	Cole Information Services
	VLADIMIR GLUZMAN	Cole Information Services
	WILLIAM HIRSCHMAN	Cole Information Services
1999	SOOHYUN HAM	Cole Information Services
	VLADIMIR GLUZMAN	Cole Information Services
	SUMMER DOWLING	Cole Information Services
	ALAN HENLEY	Cole Information Services
	GREGORY AMOS	Cole Information Services
	WILLIAM HIRSCHMAN	Cole Information Services
	BRIAN DIXON	Cole Information Services
	CHRISTIAN HOFFMAN	Cole Information Services
	FERNANDO ENCISO	Cole Information Services
	MAUREEN FAHEY	Cole Information Services
	MICHAEL FREIER	Cole Information Services
1991	WELTER DON	PACIFIC BELL WHITE PAGES
1957	CHALLEN VICTOR RI EST & INS	Pacific Telephone
	EMPEY & JOHNSON REALTY CO	Pacific Telephone

FINDINGS

24 N 2ND ST

Year	Uses	Source
1957	MOENNING M G RL EST	Pacific Telephone
	ZOLEZZI FRED REALTY	Pacific Telephone
	BAUGH MAX C MTGE	Pacific Telephone

25 N 2ND ST

Year	Uses	Source
1957	MARTIN RAY W JOHNSON & TEMPLE RLEAT & INS	Pacific Telephone

26 N 2ND ST

Year	Uses	Source
1957	CIRINCLONE D LINCOLN NATT LIFE INS CO	Pacific Telephone
	MOREALI CANREN MOREALI & COMPANY RL EST & INS	Pacific Telephone
	MOREALI & COMPANY RI CST & INS	Pacific Telephone
	RATTO G TAACHR	Pacific Telephone

30 N 2ND ST

Year	Uses	Source
1991	VICARI SALVATORE	PACIFIC BELL WHITE PAGES

31 N 2ND ST

Year	Uses	Source
1957	THOMSON MOTOR CO	Pacific Telephone

38 N 2ND ST

Year	Uses	Source
1957	BON ROSE HOTEL	Pacific Telephone
	ASGAARD HOLGER	Pacific Telephone

40 N 2ND ST

Year	Uses	Source
2009	NANCY MAY	Cole Information Services
1999	NANCY MAY	Cole Information Services
1957	GUERRA MICHAEL RLTR	Pacific Telephone
	GUERRA PETER GUERRA MICHAEL RLTR	Pacific Telephone

FINDINGS

41 N 2ND ST

Year	Uses	Source
2001	WERTHMANN Stephen	Haines Company, Inc.
	BLAKESLEETom	Haines Company, Inc.
	BLAKESLEETom 40 B	Haines Company, Inc.
1994	T & A ELECTRICAL CONTRACTOR	Cole Information Services
1991	SWIFT SAMUAL R ALLTTY	PACIFIC BELL WHITE PAGES
1985	WERTHMANN PAUL	Pacific Bell
1975	SALAZAR IGNACIO G	Pacific Telephone
	DAVIS D	Pacific Telephone
1957	SASSER M Z	Pacific Telephone

46 N 2ND ST

Year	Uses	Source
2017	GATEWAY ADVISORS	Cole Information Services
2014	PLM LENDER SERVICES INC	Cole Information Services
2009	P L M LENDER SERVICES INC	Cole Information Services
2004	OPAL GRAHAM	Cole Information Services
2001	GRAHAM Opal	Haines Company, Inc.

48 N 2ND ST

Year	Uses	Source
1957	SCHNEIDER EDW F CO	Pacific Telephone

50 N 2ND ST

Year	Uses	Source
1957	PAGES PRINTERY	Pacific Telephone
	BROWNLEE & CO RUBBR STMPS	Pacific Telephone

54 N 2ND ST

Year	Uses	Source
1975	TREVETHAN G E	Pacific Telephone

55 N 2ND ST

Year	Uses	Source
1975	PIERCE CHAS A	Pacific Telephone

60 N 2ND ST

Year	Uses	Source
1957	SPALDING C H SANTA CLARA CO FIRE INS CO I	Pacific Telephone

Year	Uses	Source
1957	PRODUCTION CREDIT ASSN SAN JOSE	Pacific Telephone
	PETERSON E A SANTA CLARA CO FIRE INS CO	Pacific Telephone
	WATER CONSERVATIOLI SNTA CLARA VLY DIST	Pacific Telephone
	SOUTHWEST AIRWAYS CO	Pacific Telephone
	SEQUOIA INS CO	Pacific Telephone
	SANTA CLARA VALLEY WATER CONSERVATION DISTRICT	Pacific Telephone
	JOHNSON REALTY CO	Pacific Telephone
	KAY E W SAN JOSE NATI FARM LOAN ASSN	Pacific Telephone
	NATIONAL FARM LOAN ASSN SAN JOSE :	Pacific Telephone

62 N 2ND ST

Year	Uses	Source
2017	CARRIE WILLIAMS	Cole Information Services
2014	AGNERINA LOERA	Cole Information Services
2009	NEXERRA FINANCIAL SERVICES IN	Cole Information Services
	CHICAGO REGIONAL COUNCIL OF CARPENT	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2004	KHANG LY	Cole Information Services
2001	LYKhang	Haines Company, Inc.
1985	DUFFY JOSEPH H	Pacific Bell
1975	SMITH EDNA F MRS	Pacific Telephone

63 N 2ND ST

Year	Uses	Source
2017	LAURA MOORE	Cole Information Services
2014	LAURA MOORE	Cole Information Services
2009	SARA SHAW	Cole Information Services
2004	PATRICK BYRNES	Cole Information Services
	ANDREW MOORE	Cole Information Services
2001	MOORE Andrew	Haines Company, Inc.
1999	SARA SHAW	Cole Information Services
1975	DE SELLE CHAS E	Pacific Telephone

FINDINGS

64 N 2ND ST

Year	Uses	Source
1991	SABATINI DON & CHRYL	PACIFIC BELL WHITE PAGES

70 N 2ND ST

Year	Uses	Source
1957	EDWARDS L P SAN JOSE ABSTRACT & TITLE CO	Pacific Telephone
	TAGGART M R SAN JOSE ABSTRACT & TITLE CO	Pacific Telephone
	SANI JOSE ABSTRACT & TITLE CO	Pacific Telephone

71 N 2ND ST

Year	Uses	Source
1957	LAASAN JOE	Pacific Telephone

74 N 2ND ST

Year	Uses	Source
2017	LINDA TSAI	Cole Information Services
2014	LINDA TSAI	Cole Information Services
2009	LINDA TSAI	Cole Information Services
2004	LINDA TSAI	Cole Information Services
2001	TSAI Linda	Haines Company, Inc.
1999	LINDA TSAI	Cole Information Services
1985	DUNN LARRY	Pacific Bell
1957	SEMONDL GOO V	Pacific Telephone

75 N 2ND ST

Year	Uses	Source
2017	JULIE DEWHIRST	Cole Information Services
2014	MATT LORD	Cole Information Services
2009	MATTHEW LORD	Cole Information Services
2004	MICHAEL STEFFEE	Cole Information Services
2001	JARBOEJi II	Haines Company, Inc.
1999	MATTHEW LORD	Cole Information Services
1975	WHITE R L	Pacific Telephone

77 N 2ND ST

Year	Uses	Source
1957	KLAPPER DAVID	Pacific Telephone

FINDINGS

81 N 2ND ST

Year	Uses	Source
1991	TRINITY EPISCOPAL CATHEDRAL	PACIFIC BELL WHITE PAGES
1957	TRINITY EPISCOPAL CHURCH	Pacific Telephone
	EPISCOPAL CHURCH TRINITY	Pacific Telephone

82 N 2ND ST

Year	Uses	Source
1991	PRIORITY REALTY SERVICE	PACIFIC BELL WHITE PAGES
1957	DAVISON CLINTON P RLTR	Pacific Telephone
	COSTA JOS LTR	Pacific Telephone
	AMARAL EDWARD A DR	Pacific Telephone
	FELLOWS EDW M AL LY	Pacific Telephone
	DI SOPA CHAUNCEY R	Pacific Telephone
	SUTTON LAWRENCE T ATTY	Pacific Telephone
	WESTINGHOUSE ELECTRIC SUPPLY CO	Pacific Telephone

83 N 2ND ST

Year	Uses	Source
2017	ERIK EIDT	Cole Information Services
	ERIK EIDT	Cole Information Services
2014	ERIK EIDT	Cole Information Services
	ERIK EIDT	Cole Information Services
2009	RICHARD THOMPSON	Cole Information Services
	RICHARD THOMPSON	Cole Information Services
2004	ERIK EIDT	Cole Information Services
	ERIK EIDT	Cole Information Services
2001	EIDTErk	Haines Company, Inc.
1999	RICHARD THOMPSON	Cole Information Services
	RICHARD THOMPSON	Cole Information Services
1975	GAINA BERNARD B	Pacific Telephone

86 N 2ND ST

Year	Uses	Source
2017	ELIZABETH UPCHURCH	Cole Information Services
2014	DUSTIN MCDONALD	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	JOSEPH MOORE	Cole Information Services
2001	MOORE Josephrne	Haines Company, Inc.
	GOULARTE MUchael P	Haines Company, Inc.

Year	Uses	Source
1994	GOULARTE, MICHAEL	Cole Information Services
1985	GOULARTE MICHAEL P	Pacific Bell
	GOULARTE MICHAEL P	Pacific Bell
1975	GOULARTE MICHAEL P	Pacific Telephone

90 N 2ND ST

Year	Uses	Source
2017	TERAH DONOVAN	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
1957	AERO MAYFLOWER MOVING & STORAGE SERVICE S	Pacific Telephone

91 N 2ND ST

Year	Uses	Source
2017	BEAU BARNES	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	BEAU BARNES	Cole Information Services
2001	SFIN Oavid	Haines Company, Inc.
1975	DUFFY JOS H	Pacific Telephone

96 N 2ND ST

Year	Uses	Source
1957	S & H GREEN STAMP CO THE	Pacific Telephone

101 N 2ND ST

Year	Uses	Source
2017	VICTORIA BROOKS	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	VICKY BROOKS	Cole Information Services
2001	CHRISTENBERRDois GRISWOLD E M	Haines Company, Inc.
1994	GRISWOLD, E M	Cole Information Services
1991	GRISWOLD E M	PACIFIC BELL WHITE PAGES
1985	GRISWOID EM	Pacific Bell
	RUSSELL RON	Pacific Bell
1975	MASSETTI JERRY	Pacific Telephone
	GRISWOLD E M	Pacific Telephone
1957	BEPP Y	Pacific Telephone

FINDINGS

110 N 2ND ST

Year	Uses	Source
1957	SCOTT ROBT MRS	Pacific Telephone

112 N 2ND ST

Year	Uses	Source
2017	JULIE STEEVES	Cole Information Services
2014	MARC TUTTLE	Cole Information Services
2009	AUDREE TUTTLE	Cole Information Services
2004	AUDREE TUTTLE	Cole Information Services
2001	STUTTLE Thos D	Haines Company, Inc.
1999	AUDREE TUTTLE	Cole Information Services
1994	TUTTLE, THOMAS O	Cole Information Services

113 N 2ND ST

Year	Uses	Source
2017	KIM YOUNG	Cole Information Services
2014	KIM YOUNG	Cole Information Services
2009	KIM YOUNG	Cole Information Services
2004	KIM YOUNG	Cole Information Services
2001	YOUNG Kim	Haines Company, Inc.
1999	KIM YOUNG	Cole Information Services
1985	ROSE MAUREEN	Pacific Bell
	CARY HENRY B	Pacific Bell

125 N 2ND ST

Year	Uses	Source
2017	ARLYENE CONWAY	Cole Information Services
2014	ARLYENE CONWAY	Cole Information Services
2009	KETAN PATEL	Cole Information Services
2004	ARLYENE CONWAY	Cole Information Services
2001	CONWAYAM	Haines Company, Inc.
	GRIMMEISON LOUes Jr	Haines Company, Inc.
1999	KETAN PATEL	Cole Information Services
	C HARDEN	Cole Information Services
	ARLYENE CONWAY	Cole Information Services
1994	CONWAY, A M	Cole Information Services
1985	CONWAY A M	Pacific Bell
	KIMMEL FRANK	Pacific Bell
1975	CONWAY DON W	Pacific Telephone

FINDINGS

126 N 2ND ST

Year	Uses	Source
2017	WILLIAM BUCKLEY	Cole Information Services
2014	WILLIAM BUCKLEY	Cole Information Services
2009	KAY BUCKLAY	Cole Information Services
2004	HELEN YERKOVICH	Cole Information Services
2001	YERKOVICH Helen	Haines Company, Inc.
1999	KAY BUCKLAY	Cole Information Services
1975	YERKOVICH CHESTER	Pacific Telephone

144 N 2ND ST

Year	Uses	Source
1957	EMANUELSON HELEN M MRS L	Pacific Telephone

149 N 2ND ST

Year	Uses	Source
2017	LILA LAM	Cole Information Services
2014	DAVID CHU	Cole Information Services
2009	DAVID CHU	Cole Information Services
2004	TAKE ACTION INC	Cole Information Services
	RICHARD WRIGHT	Cole Information Services
2001	STONEY RIDGE	Haines Company, Inc.
	CONSTRUCTION	Haines Company, Inc.
	ROSINGANAHarry	Haines Company, Inc.
1999	DAVID CHU	Cole Information Services
1975	CHRISTY RALPH E	Pacific Telephone

156 N 2ND ST

Year	Uses	Source
2017	JOE GALLEGOS	Cole Information Services
2014	DAVID LAMAR	Cole Information Services
2009	DAVID LAMAR	Cole Information Services
2004	DAVID LAMAR	Cole Information Services
2001	LAMAR David	Haines Company, Inc.
1999	DAVID LAMAR	Cole Information Services
1985	JENSEN OLIVER C	Pacific Bell
1975	JENSEN OLIVER C	Pacific Telephone

158 N 2ND ST

Year	Uses	Source
2001	XXXX	Haines Company, Inc.

FINDINGS

161 N 2ND ST

Year	Uses	Source
2014	GENE RICKEY	Cole Information Services
2009	CHRISTOPHER BENSON	Cole Information Services
2004	BARBARA BUDETTI	Cole Information Services
2001	XXXX	Haines Company, Inc.
1999	CHRISTOPHER BENSON	Cole Information Services
1985	LAMAR DAVID	Pacific Bell
1975	LITTLE ELETTE	Pacific Telephone

169 N 2ND ST

Year	Uses	Source
2014	ERIC RICKEY	Cole Information Services
	EMILY KOHL	Cole Information Services
	FERNANDO SOARES	Cole Information Services
2009	NANCY SUSSMAN	Cole Information Services
2004	JAMES BELDOCK	Cole Information Services
2001	PAYNEDJ	Haines Company, Inc.
	CHRISTENSEN Shara	Haines Company, Inc.
	RICKEYJoan	Haines Company, Inc.
1999	NANCY SUSSMAN	Cole Information Services
1994	FLURY, RENEE	Cole Information Services
1991	HURST STEVE	PACIFIC BELL WHITE PAGES
1975	WYATT R D	Pacific Telephone

174 N 2ND ST

Year	Uses	Source
2017	CHRIS SOBCZYN	Cole Information Services
2014	CMS BUILDERS INC	Cole Information Services
	CHRIS SOBCZYN	Cole Information Services
2009	SHARON TIMONER	Cole Information Services
	CMS BUILDERS	Cole Information Services
2004	SHARON TIMONER	Cole Information Services
2001	TIMONER Sharon	Haines Company, Inc.
1999	SHARON TIMONER	Cole Information Services
1994	GAULT, RICHARD	Cole Information Services
1985	GAULT JOHN M	Pacific Bell

FINDINGS

175 N 2ND ST

Year	Uses	Source
2017	JENNIFER HARTLEY	Cole Information Services
2014	CHARLES VANEVERY	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	MARLYS RILL	Cole Information Services
2001	RILLJames F	Haines Company, Inc.
1994	RILL, JAMES F	Cole Information Services
1991	RILL JAMES F	PACIFIC BELL WHITE PAGES
1985	RILL JAMES F	Pacific Bell

188 N 2ND ST

Year	Uses	Source
2017	MARILYN FRITCHEN	Cole Information Services
2014	MARILYN FRITCHEN	Cole Information Services
2009	MARILYN FRITCHEN	Cole Information Services
2004	JEFFREY KLEIN	Cole Information Services
	HAROLD FRITCHEN	Cole Information Services
2001	FPITCHENHarold	Haines Company, Inc.
1999	MARILYN FRITCHEN	Cole Information Services
1975	CRISTICH P	Pacific Telephone

189 N 2ND ST

Year	Uses	Source
2014	MATTHEW MINIC	Cole Information Services
2009	MATTHEW MINIC	Cole Information Services
2004	JOSEPH ABOUD	Cole Information Services
2001	ABOUDJoseph B	Haines Company, Inc.
1999	MATTHEW MINIC	Cole Information Services
1985	NIPPER R C	Pacific Bell

200 N 2ND ST

Year	Uses	Source
2017	NEAL LOCKE	Cole Information Services
2014	NEAL LOCKE	Cole Information Services
2009	NEAL LOCKE	Cole Information Services
2004	NEAL LOCKE	Cole Information Services
1999	NEAL LOCKE	Cole Information Services

FINDINGS

201 N 2ND ST

Year	Uses	Source
2017	PAUL REID	Cole Information Services
2014	DAVID CAVALLARO	Cole Information Services
2009	DAVID CAVALLARO	Cole Information Services
2004	DAVID CAVALLERO	Cole Information Services
2001	CAVALLARODavid	Haines Company, Inc.
1999	DAVID CAVALLARO	Cole Information Services
1975	RHEA ZEILA M	Pacific Telephone

202 N 2ND ST

Year	Uses	Source
2001	LOCKESXn Oa	Haines Company, Inc.

210 N 2ND ST

Year	Uses	Source
2017	M GREEN SOFTWAARE	Cole Information Services
	LARRY HALE	Cole Information Services
2014	LARRY HALE	Cole Information Services
	M GREEN SOFTWAARE	Cole Information Services
	ROBIN LU	Cole Information Services
2009	ROBIN LU	Cole Information Services
	LARRY HALE	Cole Information Services
2004	LARRY HALE	Cole Information Services
1999	ROBIN LU	Cole Information Services
	LARRY HALE	Cole Information Services
1975	OLDS CORWIN REV OR	Pacific Telephone

213 N 2ND ST

Year	Uses	Source
2017	GLENN GIBB	Cole Information Services
2014	GLENN GIBB	Cole Information Services
2004	RITA REID	Cole Information Services
2001	REIDRia	Haines Company, Inc.
1985	REID JACK	Pacific Bell
1975	REID JACK	Pacific Telephone

214 N 2ND ST

Year	Uses	Source
1991	BARA AS EMILIANO & SOCORRO	PACIFIC BELL WHITE PAGES

FINDINGS

216 N 2ND ST

Year	Uses	Source
2001	HALELarry	Haines Company, Inc.

222 N 2ND ST

Year	Uses	Source
2017	ZION YOUNG	Cole Information Services
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	PEDRO PLACERES	Cole Information Services
2001	KEASTChas P	Haines Company, Inc.
1985	KEAST CHAS P	Pacific Bell
1975	KEAST CHAS P	Pacific Telephone

223 N 2ND ST

Year	Uses	Source
2017	PAUL LEDESMA	Cole Information Services
2014	PAUL LEDESMA	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	JUDY RYAN	Cole Information Services
2001	RYANJudy	Haines Company, Inc.
1999	OCCUPANT UNKNOWN	Cole Information Services
1994	GRAHAM, ANGEL	Cole Information Services
1975	GOLDMAN M	Pacific Telephone

N CENTRAL AVE

1 N CENTRAL AVE

Year	Uses	Source
1957	Tedford Gordie I	R. L. Polk Co.

4 N CENTRAL AVE

Year	Uses	Source
1991	M R L INDUSTRIES	PACIFIC BELL WHITE PAGES

6 N CENTRAL AVE

Year	Uses	Source
1986	Woodward Stephen L S	Pacific Bell

FINDINGS

8 N CENTRAL AVE

Year	Uses	Source
1957	Pritchard Jewel A a	R. L. Polk Co.

14 N CENTRAL AVE

Year	Uses	Source
2009	LE SPA	Cole Information Services
2004	LE SPA	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1980	Ittner Harry	Pacific Telephone
1963	Sales Offices	Pacific Telephone
	STATE FARM INSURANCE COS	Pacific Telephone
	MELBY MELVIN C State Farm Ins Cos	Pacific Telephone

18 N CENTRAL AVE

Year	Uses	Source
2014	LE SPA	Cole Information Services
2004	BROWN FAMILY CHIROPRACTIC	Cole Information Services
	BROWN LYNDA D DC	Cole Information Services
1999	BROWN GORDON DC	Cole Information Services
	RAPA LAUNA DC	Cole Information Services
	BROWN LYNDA D DC	Cole Information Services
1994	JACOBSON CLINIC	Cole Information Services
1980	Tipton Lillian O	Pacific Telephone
	EDWARDS RUTH A chirprctr	Pacific Telephone
	EDWARDS RUTH A chirprctr	Pacific Telephone
1963	TIPTON CHIROPRACTIC	Pacific Telephone
	Tipton Jesse A Jr chirprctr	Pacific Telephone

26 N CENTRAL AVE

Year	Uses	Source
1957	Phipps Nelle Mrs	R. L. Polk Co.
	PHLPPS NELLE MRS	Pacific Telephone

29 N CENTRAL AVE

Year	Uses	Source
2017	LOUIS PONCE	Cole Information Services
2014	CHRISTAL ARROYO	Cole Information Services
2009	BROOKSTONE GROUP	Cole Information Services
	TAURINO CONTRERAS	Cole Information Services
2004	SKY WINDOW CLEANING	Cole Information Services

Year	Uses	Source
1999	TAURINO CONTRERAS	Cole Information Services

31 N CENTRAL AVE

Year	Uses	Source
2017	HMC OF CAMPBELL	Cole Information Services
2014	PRIMROSE SPA	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
	PACIFIC COMMUNICATION SYSTEMS INC	Cole Information Services
1999	INTERBAHN NET	Cole Information Services
	COMMUNICATION NATION	Cole Information Services
1994	CACHON	Cole Information Services
1991	Ing Allan	PACIFIC BELL WHITE PAGES
	ng Greg G & Associates	PACIFIC BELL WHITE PAGES
	ING ALLAN	PACIFIC BELL WHITE PAGES
1986	Conrad Jeff & Cathy	Pacific Bell
	I Conrad Len Photography	Pacific Bell
	A Complete Passport Photo Service	Pacific Bell
1985	LUCAS ELECTRIC	Pacific Bell
1975	ME KINLEY-YOUNG ELECTRIC	Pacific Telephone
1963	Mc Kinley Young Electric	Pacific Telephone
1957	MC KINLEY-YOUNG ELECTRIC	Pacific Telephone

32 N CENTRAL AVE

Year	Uses	Source
1991	Pur CBll M S	PACIFIC BELL WHITE PAGES
	PUR CBLL M S	PACIFIC BELL WHITE PAGES

34 N CENTRAL AVE

Year	Uses	Source
1957	PROUT J H MRS	Pacific Telephone
	Prout J H Mrs	R. L. Polk Co.

39 N CENTRAL AVE

Year	Uses	Source
2004	LARRY SHAW	Cole Information Services
1986	Franzwa Suzanne	Pacific Bell
1963	Maxson Sadie	Pacific Telephone
	Stanford Gertrude	Pacific Telephone
1957	MAXSON SADIE	Pacific Telephone

Year	Uses	Source
1957	STANFORD GERTRUDE	Pacific Telephone
	Stanford Gertrude	R. L. Polk Co.
	Maxson Sadie	R. L. Polk Co.

42 N CENTRAL AVE

Year	Uses	Source
1980	Champion Packaging Container Div	Pacific Telephone

44 N CENTRAL AVE

Year	Uses	Source
1980	Caddeta Bill	Pacific Telephone
	Mee D	Pacific Telephone
1957	Ferro Catherine Mrs	R. L. Polk Co.
	FERRO CATHERINE MRS	Pacific Telephone

51 N CENTRAL AVE

Year	Uses	Source
2017	CITY OF CAMPBELL	Cole Information Services
2014	CITY OF CAMPBELL	Cole Information Services
2009	CAMPBELL HISTORICAL MUSEUM & AINSLEY	Cole Information Services
	CITY OF CAMPBELL	Cole Information Services
2004	CAMPBELL MUSEUM HSTRCL HOUSE	Cole Information Services
1980	FIRE DEPT STA NO	Pacific Telephone
	CAMPBELL CITY OF	Pacific Telephone
1963	Fire Dept	Pacific Telephone
	Campbell City of	Pacific Telephone
1957	Campbell City of	R. L. Polk Co.
	Fire Dept	R. L. Polk Co.
	CIT OFFICES	Pacific Telephone

54 N CENTRAL AVE

Year	Uses	Source
2017	VENTURA BARNETT PROPERTIES	Cole Information Services
	BETTER HOMES & GARDENS REAL ESTATE	Cole Information Services
	EBAY ENTERPRISES	Cole Information Services
2014	BETTER HOMES & GARDENS REAL ESTATE	Cole Information Services
	VENTURA BARNETT PROPERTIES	Cole Information Services
2009	PEARSON COMMUNICATIONS	Cole Information Services

FINDINGS

Year	Uses	Source
2009	VENTURA BARNETT PROPERTIES	Cole Information Services
	B & C HOMES INC	Cole Information Services
	SILVERLIGN GROUP INC	Cole Information Services
2004	PEARSON BRANDED	Cole Information Services
	GET PEARSON	Cole Information Services
1999	HIGHLAND FINANCIAL MORTGAGE	Cole Information Services
	B & C HOMES INCORPORATED	Cole Information Services
	HIGHLAND PROPERTIES	Cole Information Services
1991	Chamber Of Commerce Campbell	PACIFIC BELL WHITE PAGES
	CHAMBER OF COMMERCE CAMPBELL	PACIFIC BELL WHITE PAGES
	SUMMER JOBS FOR YOUTH	PACIFIC BELL WHITE PAGES
	Summer Jobs For Youth	PACIFIC BELL WHITE PAGES
1963	Prout J H Mrs	Pacific Telephone
1957	Sabbatini Jerome	R. L. Polk Co.

60 N CENTRAL AVE

Year	Uses	Source
1957	SCOTT JACK B	Pacific Telephone

61 N CENTRAL AVE

Year	Uses	Source
1957	Cole Katherine W	R. L. Polk Co.
	Bohn T M	R. L. Polk Co.
	Anderson Carl A	R. L. Polk Co.
	ANDERSON CARL A	Pacific Telephone
	BOAN T M	Pacific Telephone
	COLE KATHERINE W	Pacific Telephone

64 N CENTRAL AVE

Year	Uses	Source
1963	Ferro Catherine Mrs	Pacific Telephone
1957	GRATTAN LAVINIA MRS	Pacific Telephone

65 N CENTRAL AVE

Year	Uses	Source
1957	Fablinger Mary	R. L. Polk Co.
	SWANE FRANCES	Pacific Telephone
	FABLINGER MARY	Pacific Telephone
	SCHMNEDES JOHN	Pacific Telephone

70 N CENTRAL AVE

Year	Uses	Source
2004	WILLIAM MURRELL	Cole Information Services
1986	Campbell Library	Pacific Bell
	Campbell Public Library	Pacific Bell
1985	CAMPBELL PUBLIC LIBRARY	Pacific Bell
	CAMPBELL LIBRARY	Pacific Bell
1980	SURVEYING Unincorporated Area Only Engineering Surveying	Pacific Telephone
	Campbell Historical Museum	Pacific Telephone
	Campbell	Pacific Telephone
	Campbell Public Library	Pacific Telephone
	Campbell Library	Pacific Telephone
	Senior Center	Pacific Telephone
	CAMPBELL CITY OF	Pacific Telephone
1975	CAM PBELL UBLIC LIBRARY	Pacific Telephone
	SANTA CLARA	Pacific Telephone
	CAMPBELL LIBRARY	Pacific Telephone

73 N CENTRAL AVE

Year	Uses	Source
1975	MALONE DOYLE	Pacific Telephone

74 N CENTRAL AVE

Year	Uses	Source
1963	Teixeira Manuel	Pacific Telephone
1957	TEIXEIRA MANUEL	Pacific Telephone
	Teixeira Manuel	R. L. Polk Co.

75 N CENTRAL AVE

Year	Uses	Source
1999	CAMPBELL CITY OF	Cole Information Services
1980	Emergency Calls Only	Pacific Telephone
	CAMPBELL CITY OF	Pacific Telephone
	CAMPBELL CITY OF	Pacific Telephone
	City Offices	Pacific Telephone
1975	COMPLAINTS& BITES	Pacific Telephone
	CITY OFFICES	Pacific Telephone
1963	Emergency calls only	Pacific Telephone
	Campbell City of	Pacific Telephone
	City Offices	Pacific Telephone

FINDINGS

Year	Uses	Source
1963	Campbell City of	Pacific Telephone
1957	Campbell City of	R. L. Polk Co.
	Police Dept	R. L. Polk Co.
	CIT OFFICES	Pacific Telephone

78 N CENTRAL AVE

Year	Uses	Source
1957	LA PLANTE JAS F	Pacific Telephone
	WOODBRIDGE ALLEN	Pacific Telephone
	Woodbridge Allen	R. L. Polk Co.

81 N CENTRAL AVE

Year	Uses	Source
1957	Montagno Jos S	R. L. Polk Co.
	TATUM ANNIE	Pacific Telephone

82 N CENTRAL AVE

Year	Uses	Source
1957	Tatum Annie	R. L. Polk Co.

87 N CENTRAL AVE

Year	Uses	Source
1963	Stearns Duane G	Pacific Telephone
	Falconer Danl S	Pacific Telephone
	Cole Katherine W	Pacific Telephone
	Stearns Patricia A	Pacific Telephone

88 N CENTRAL AVE

Year	Uses	Source
1963	Pritchard Jewel A	Pacific Telephone
1957	PRITCHARD JEWEL A	Pacific Telephone

93 N CENTRAL AVE

Year	Uses	Source
1991	KHARTOUM	PACIFIC BELL WHITE PAGES

100 N CENTRAL AVE

Year	Uses	Source
1963	Scott Jack B	Pacific Telephone

FINDINGS

101 N CENTRAL AVE

Year	Uses	Source
1963	Tatum Annie	Pacific Telephone
	Tatum Claude	Pacific Telephone

102 N CENTRAL AVE

Year	Uses	Source
1957	Houghton E J Jr	R. L. Polk Co.
	HOUGHTON EJ JR	Pacific Telephone

104 N CENTRAL AVE

Year	Uses	Source
1957	Dalton Dorothy	R. L. Polk Co.
	DALTON DOROTHY	Pacific Telephone

110 N CENTRAL AVE

Year	Uses	Source
1957	TEDFORD GORDIE	Pacific Telephone

116 N CENTRAL AVE

Year	Uses	Source
1980	Galvan Victor	Pacific Telephone
1975	RAMIREZ JESSE	Pacific Telephone

122 N CENTRAL AVE

Year	Uses	Source
1980	Regalado Julia	Pacific Telephone
1963	Tammar Karl	Pacific Telephone

125 N CENTRAL AVE

Year	Uses	Source
1963	Pfeffer Edgar	Pacific Telephone

130 N CENTRAL AVE

Year	Uses	Source
1985	MR CLEAN HSE CLING	Pacific Bell
1980	Mr Clean hse clng	Pacific Telephone
	MR CHEFS FISH & CHIX	Pacific Telephone
1975	MR CLEAN HSECING	Pacific Telephone
	SUBIA JOHN	Pacific Telephone
1957	STEERS CARRIE MRIS	Pacific Telephone

FINDINGS

139 N CENTRAL AVE

Year	Uses	Source
1963	Noonkester Maggie	Pacific Telephone

140 N CENTRAL AVE

Year	Uses	Source
1957	Triguelro Mvlary S	R. L. Polk Co.
	TRIGUEIRO MARY S	Pacific Telephone

142 N CENTRAL AVE

Year	Uses	Source
2009	SMITH MARKETING GROUP	Cole Information Services
	REALTY WORLD MYRTHA & ASSOCS	Cole Information Services
2004	LRC MULTI COMMUNICATIONS INC	Cole Information Services
	ROSALIE CORONA-HALLINAN	Cole Information Services
1999	INTERGRATED COMPUTER ENGINEERING INCORPORATED	Cole Information Services
1994	GORDON BROWN DC	Cole Information Services
	LAUNA RAPA DC	Cole Information Services
1986	Shepardson & Blythe	Pacific Bell
	Blythe Hildegard Shepardson & Blythe	Pacific Bell
1985	SHEPARDSON & BIYTHE	Pacific Bell
1963	Jones Jas L SMS	Pacific Telephone
	Brown Newton W	Pacific Telephone
1957	Glover Marvin R	R. L. Polk Co.
	GLOVER MARVIN R	Pacific Telephone

144 N CENTRAL AVE

Year	Uses	Source
2017	KAREN RICHARDSON	Cole Information Services
2014	KAREN RICHARDSON	Cole Information Services
2009	KAREN RICHARDSON	Cole Information Services
2004	KAREN RICHARDSON	Cole Information Services
1999	KAREN RICHARDSON	Cole Information Services
1994	RAPA, STEPHEN J	Cole Information Services
1991	Salmon Lisa	PACIFIC BELL WHITE PAGES
	SALMON LISA	PACIFIC BELL WHITE PAGES

147 N CENTRAL AVE

Year	Uses	Source
2017	JEREMY POMER	Cole Information Services

FINDINGS

Year	Uses	Source
2014	ELAINA JULIUS	Cole Information Services
2009	CATHY AUDYSKI	Cole Information Services
2004	CATHY AUDYSKI	Cole Information Services
1999	CATHY AUDYSKI	Cole Information Services
1994	CROSS, LORIN R	Cole Information Services
1991	SCOTT LEE B	PACIFIC BELL WHITE PAGES
	Scott Lee B	PACIFIC BELL WHITE PAGES
1986	Scott Lee B	Pacific Bell
1985	SCOTT LEE B	Pacific Bell
1980	Pannell Maud	Pacific Telephone
1975	PANNELL MAUD	Pacific Telephone

149 N CENTRAL AVE

Year	Uses	Source
2017	GREGORY BRADBURN	Cole Information Services
2014	GREGORY BRADBURN	Cole Information Services
2009	GREGORY BRADBURN	Cole Information Services
2004	DAVID WOLF-BLOOM	Cole Information Services
1999	GREGORY BRADBURN	Cole Information Services
1986	Padgett A	Pacific Bell
1957	GENASCI L	Pacific Telephone

150 N CENTRAL AVE

Year	Uses	Source
1957	DANIEL JOHN	Pacific Telephone

151 N CENTRAL AVE

Year	Uses	Source
2014	GEORGE LOUIE	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	PAUL ASANO	Cole Information Services

153 N CENTRAL AVE

Year	Uses	Source
2017	JOHN ESCUDERO	Cole Information Services
2014	GERALD WEISER	Cole Information Services
2009	GERALD WEISER	Cole Information Services
2004	SCOTT WEISER	Cole Information Services
1999	GERALD WEISER	Cole Information Services
1994	STANTON, JON	Cole Information Services

FINDINGS

Year	Uses	Source
1986	Ballard Jimmy	Pacific Bell

155 N CENTRAL AVE

Year	Uses	Source
2017	MICHAEL BRADLEY	Cole Information Services
2014	MICHAEL BRADLEY	Cole Information Services
2009	MICHAEL BRADLEY	Cole Information Services
2004	MICHAEL BRADLEY	Cole Information Services
1999	MICHAEL BRADLEY	Cole Information Services
1986	Roberson Cam	Pacific Bell
1985	GLOVER TOM	Pacific Bell

156 N CENTRAL AVE

Year	Uses	Source
2014	EDEEQ BETROUS	Cole Information Services
	BO HEBENSTREIT	Cole Information Services
2009	BO HEBENSTREIT	Cole Information Services
2004	HEIDI SIMPSON	Cole Information Services
	MICHAEL KNAEBEL	Cole Information Services
	ELI MILLER	Cole Information Services
1999	BO HEBENSTREIT	Cole Information Services
1991	CHRISTOFFERSON BRUCE M	PACIFIC BELL WHITE PAGES
	Christofferson Bruce M	PACIFIC BELL WHITE PAGES
1986	Jarvis William	Pacific Bell
1985	JARVIS WILLIAM	Pacific Bell
	WOODWARD STEPHEN L	Pacific Bell
1980	Myers Michelle	Pacific Telephone
1975	BERRY M	Pacific Telephone
	CREAMIER L B	Pacific Telephone
	MYERS MICHELLE	Pacific Telephone

157 N CENTRAL AVE

Year	Uses	Source
2017	CHRISTOPHER KUNZMANN	Cole Information Services
2014	TIM HOO	Cole Information Services
2009	TIM HOO	Cole Information Services
2004	L HOO	Cole Information Services
1999	TIM HOO	Cole Information Services
1986	Luongo Bonnie	Pacific Bell

Year	Uses	Source
1985	LUONGO LOUIS & BONNIE	Pacific Bell
1957	SERPA JOHN A	Pacific Telephone

159 N CENTRAL AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	YASSINE HINNACH	Cole Information Services
2004	ERIC MADIA	Cole Information Services
1999	YASSINE HINNACH	Cole Information Services

161 N CENTRAL AVE

Year	Uses	Source
2017	MARK ALLAN	Cole Information Services
2014	MARK ALLAN	Cole Information Services
2009	MARK ALLAN	Cole Information Services
2004	MARK ALLAN	Cole Information Services
1999	MARK ALLAN	Cole Information Services
1986	Riesco Baudilio	Pacific Bell
1980	Metcalfe George	Pacific Telephone
1975	RELFE J T	Pacific Telephone
1963	Reidie J T	Pacific Telephone
1957	Hayes Winfred	R. L. Polk Co.
	HAYES WINFRED	Pacific Telephone

166 N CENTRAL AVE

Year	Uses	Source
2017	JULI LLOYD	Cole Information Services
2014	JULI LLOYD	Cole Information Services
2009	JULI LLOYD	Cole Information Services
2004	LLOYD JULI	Cole Information Services
1999	JULI LLOYD	Cole Information Services
1986	Meyers Greg	Pacific Bell
1985	MEYERS GREG	Pacific Bell
1980	Dalton Glenn	Pacific Telephone
1963	Scorpiniti Frank	Pacific Telephone

168 N CENTRAL AVE

Year	Uses	Source
2017	JESSE LLOYD	Cole Information Services
2014	JESSE LLOYD	Cole Information Services

Year	Uses	Source
2009	JESSE LLOYD	Cole Information Services
2004	JESSE LLOYD	Cole Information Services
1999	JESSE LLOYD	Cole Information Services
1994	WILLIAMS, CHUCK	Cole Information Services
1991	Williams Chuck & Mary	PACIFIC BELL WHITE PAGES
	WILLIAMS CHUCK & MARY	PACIFIC BELL WHITE PAGES
1963	King Donald W	Pacific Telephone
1957	PAULS LEONARD	Pacific Telephone
	Pauls Leonard	R. L. Polk Co.

169 N CENTRAL AVE

Year	Uses	Source
1963	Buttram Pall	Pacific Telephone

177 N CENTRAL AVE

Year	Uses	Source
2017	RICK BADERTSCHER	Cole Information Services
2014	RICK BADERTSCHER	Cole Information Services
2009	RICK BADERTSCHER	Cole Information Services
2004	JAMES PARKER	Cole Information Services
1999	RICK BADERTSCHER	Cole Information Services
1994	DONALDSON, JIM	Cole Information Services
	PARKER, JAMES W	Cole Information Services

S 1 S

2 S 1 S

Year	Uses	Source
1991	CHRISTENSEN TM	PACIFIC BELL WHITE PAGES

16 S 1 S

Year	Uses	Source
1991	CHRISTENSEN WALACE M	PACIFIC BELL WHITE PAGES

S 1 AATIN S CIARA

2 S 1 AATIN S CIARA

Year	Uses	Source
1991	PRICE ENNETH G S	PACIFIC BELL WHITE PAGES

FINDINGS

S 1 AM TEMPLE 660

1 S 1 AM TEMPLE 660

Year	*Uses*	*Source*
1957	HYSTAD INGARD A	Pacific Telephone

S 1 BANFF

7 S 1 BANFF

Year	*Uses*	*Source*
1957	DI NAPOLI A L	Pacific Telephone

S 1 H

20 S 1 H

Year	*Uses*	*Source*
1991	QUILAY STEVN S	PACIFIC BELL WHITE PAGES

S 1 LARIA LTN

7 S 1 LARIA LTN

Year	*Uses*	*Source*
1991	ERVIN JON	PACIFIC BELL WHITE PAGES

S 1 LLNCIN SNTA CLRA

14 S 1 LLNCIN SNTA CLRA

Year	*Uses*	*Source*
1957	FARFAN FRANK	Pacific Telephone

S 1 LTH

16 S 1 LTH

Year	*Uses*	*Source*
1957	MANNHG MRS	Pacific Telephone

S 1 MARTINVALELN

1 S 1 MARTINVALELN

Year	*Uses*	*Source*
1991	DPI	PACIFIC BELL WHITE PAGES

FINDINGS

S 1 MORSE

10 S 1 MORSE

Year	*Uses*	*Source*
1957	KELLEY E G	Pacific Telephone

S 1 PARH AV CLERA S

28 S 1 PARH AV CLERA S

Year	*Uses*	*Source*
1991	CRPLE D CHILDRE N S S OCE TYOF S AN TACLARACOUN TYIC	PACIFIC BELL WHITE PAGES

S 1 SCFAREVW

1 S 1 SCFAREVW

Year	*Uses*	*Source*
1957	HOFFMAN JACK H	Pacific Telephone

S 1 SRTCT C

48 S 1 SRTCT C

Year	*Uses*	*Source*
1991	SABATLNL FRANK	PACIFIC BELL WHITE PAGES

S 1 THE ALARNEDA

16 S 1 THE ALARNEDA

Year	*Uses*	*Source*
1957	KOCHER JANET MRS	Pacific Telephone

S 1ST

1 S 1ST

Year	*Uses*	*Source*
1957	MADEMOISELLE SION R	Pacific Telephone
	STETSON L	Pacific Telephone

6 S 1ST

Year	*Uses*	*Source*
1957	OSTROFF ALBERT OPTMTRST	Pacific Telephone

16 S 1ST

Year	Uses	Source
1957	MONTGOMERY WARD & CO RETI DEPTSTR	Pacific Telephone

26 S 1ST

Year	Uses	Source
1957	NWRIS WINNIE R	Pacific Telephone

40 S 1ST

Year	Uses	Source
1957	UNITY TRUTH CENTER	Pacific Telephone
	JEFFORDS DONALD D AMER EMPLYMNT SERVS	Pacific Telephone
	WARENSKJOLD B DR	Pacific Telephone

42 S 1ST

Year	Uses	Source
1957	ACGUSTICON LEE CO	Pacific Telephone
	WILLIAMS EDWIN H AFTY	Pacific Telephone
	RICHARDSON DONALD B SR	Pacific Telephone

S 1ST ST

5 S 1ST ST

Year	Uses	Source
1957	TOZER ARDATLH MRS R B	Pacific Telephone

09 S 1ST ST

Year	Uses	Source
1957	SHERNNAN CLAY & CO	Pacific Telephone

12 S 1ST ST

Year	Uses	Source
1991	WOMEN IN COMMUNITY SERVICE JOB CORPS-WOMEN	PACIFIC BELL WHITE PAGES
	WISEMAN JACK M ATTY	PACIFIC BELL WHITE PAGES
	VERBICA ROBERT REALTOR	PACIFIC BELL WHITE PAGES
	CHILDREN S DISCOVERY MUSEUM OF SAN JOSE	PACIFIC BELL WHITE PAGES
	CHANTEL MODEL INTERNATL	PACIFIC BELL WHITE PAGES
	CALIFORNIA CELLULAR CAR PHONE	PACIFIC BELL WHITE PAGES
	BENECKE NORBERT LAW OFFICES	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	BANKRUPTCY S E RVICE CONSUMERS PARALEGAL SERVICE	PACIFIC BELL WHITE PAGES
	A L WILLIAMS GILBERTO R RAMIREZ	PACIFIC BELL WHITE PAGES
	EMPEY & JOHNSON REALTY CO	PACIFIC BELL WHITE PAGES
	ENVIRONMENTAL MANAGEMENT ASSOCIATES	PACIFIC BELL WHITE PAGES
	FENNELL JIM CRE A-CRA	PACIFIC BELL WHITE PAGES
	FOUNTAIN LANE HAIR FASHIONS	PACIFIC BELL WHITE PAGES
	HE RRIN G ARLO MFG JE W E LE R & GE MOLOGIS T	PACIFIC BELL WHITE PAGES
	JOB COR$-WOMEN	PACIFIC BELL WHITE PAGES
	METRO TRAFFIC CONTROL INC	PACIFIC BELL WHITE PAGES
	MUSKCIAN S REFERRAL SERICE LOCAL 153	PACIFIC BELL WHITE PAGES
	ONE STOP REAL ESTATE SHOP	PACIFIC BELL WHITE PAGES
	SERVICE	PACIFIC BELL WHITE PAGES
	S TE ARN S PATRICIA H ATTY	PACIFIC BELL WHITE PAGES
	THOMPSON PUBLICATION	PACIFIC BELL WHITE PAGES
1957	GREA L AMERICAN GROUP OF INS CO	Pacific Telephone
	DONALD KENNETH DEPENDABLE AGCY	Pacific Telephone
	PROVIDENT LIFE INSURANCE CO	Pacific Telephone
	PEGGY S SNACK SHOP	Pacific Telephone

15 S 1ST ST

Year	Uses	Source
1957	STRATFORD S	Pacific Telephone

19 S 1ST ST

Year	Uses	Source
1957	SADLR R R R	Pacific Telephone

26 S 1ST ST

Year	Uses	Source
1957	BLUM S BEAUTYSALON	Pacific Telephone
	BLUM S WOMEN S APPAREL	Pacific Telephone

30 S 1ST ST

Year	Uses	Source
1991	LIDO RESTAURANT	PACIFIC BELL WHITE PAGES
1957	TOWN HOUSE	Pacific Telephone

FINDINGS

32 S 1ST ST

Year	Uses	Source
1991	GRAN T S S AGIN AW JE W E LRY	PACIFIC BELL WHITE PAGES
1957	GORDON S STANLEY OPTMTRST	Pacific Telephone

33 S 1ST ST

Year	Uses	Source
1957	HAGENER FRED R OPTMTRST	Pacific Telephone

35 S 1ST ST

Year	Uses	Source
1991	TRAN GIANG JEWELER	PACIFIC BELL WHITE PAGES
1974	Frazier Ona G Mrs	R. L. Polk Co.
1970	Frazier Ona G Mrs	R. L. Polk & Co.
1957	KENT S REXALL PHARMACY	Pacific Telephone

37 S 1ST ST

Year	Uses	Source
1957	CROWN JEWELERS INC	Pacific Telephone

40 S 1ST ST

Year	Uses	Source
1957	HEROLDS	Pacific Telephone

42 S 1ST ST

Year	Uses	Source
1957	RELIABLE MERCNTL	Pacific Telephone

46 S 1ST ST

Year	Uses	Source
1991	DI HELDA ATTY	PACIFIC BELL WHITE PAGES
1974	Villanuena Mary Mrs	R. L. Polk Co.
1970	Villanuena Mary Mi rs	R. L. Polk & Co.

48 S 1ST ST

Year	Uses	Source
1957	PYES SAM! IWLRY	Pacific Telephone

50 S 1ST ST

Year	Uses	Source
1957	CAMPI S FRANK MUSIC CD	Pacific Telephone

FINDINGS

52 S 1ST ST

Year	Uses	Source
1991	S UPPLY &	PACIFIC BELL WHITE PAGES

56 S 1ST ST

Year	Uses	Source
1991	BAILEY WIL	PACIFIC BELL WHITE PAGES
1974	Johnson W Ray	R. L. Polk Co.
1970	Terrasas John	R. L. Polk & Co.
1957	MARCUS THE FURRIER	Pacific Telephone
	KAUFMAN LEE P	Pacific Telephone

58 S 1ST ST

Year	Uses	Source
1957	ROSE TONY PHOTGRPHR	Pacific Telephone

S 1TH

3 S 1TH

Year	Uses	Source
1991	SWIM JAS T	PACIFIC BELL WHITE PAGES

S 2

1 S 2

Year	Uses	Source
1957	DESLMONE S CYCLE & TOY SHOP Z	Pacific Telephone

6 S 2

Year	Uses	Source
1991	ROBERTS AWARDS SPECIALTIES	PACIFIC BELL WHITE PAGES

11 S 2

Year	Uses	Source
1957	KLINT WC	Pacific Telephone

S 2 S

2 S 2 S

Year	Uses	Source
1991	AREA FINANCAL SERVICES	PACIFIC BELL WHITE PAGES

FINDINGS

6 S 2 S

Year	*Uses*	*Source*
1991	DELDW KA	PACIFIC BELL WHITE PAGES

S 2 BFRRE IA

2 S 2 BFRRE IA

Year	*Uses*	*Source*
1957	H ROBERT L OR SARATOGA AV	Pacific Telephone

S 2 DISTRIBUTORS INC

1 S 2 DISTRIBUTORS INC

Year	*Uses*	*Source*
1957	H M V CORP PROCESS SYS -65 UNIV AV	Pacific Telephone

S 2 ESNTA CLARA

4 S 2 ESNTA CLARA

Year	*Uses*	*Source*
1957	BOYNTON MARIE R MRS	Pacific Telephone

S 2 FRANKLN SNITA CLIRA

32 S 2 FRANKLN SNITA CLIRA

Year	*Uses*	*Source*
1957	FLANNERY MARGARET	Pacific Telephone

S 2 JOHNSN AV CUPRTNO

01 S 2 JOHNSN AV CUPRTNO

Year	*Uses*	*Source*
1957	BAZDARICH ANTHONY F	Pacific Telephone

S 2 LENNON WY P

1 S 2 LENNON WY P

Year	*Uses*	*Source*
1957	BERGECR H C	Pacific Telephone

FINDINGS

S 2 LEVIN MIPTS

3 S 2 LEVIN MIPTS

Year	*Uses*	*Source*
1991	GARCA ERNEST & PHUONG	PACIFIC BELL WHITE PAGES

S 2 LLNCLN SNTA CRA

12 S 2 LLNCLN SNTA CRA

Year	*Uses*	*Source*
1957	LAHERRAN JOS	Pacific Telephone

S 2 LS PADRS BISNTA CLRA

6 S 2 LS PADRS BISNTA CLRA

Year	*Uses*	*Source*
1957	COTTA RICHARD P	Pacific Telephone

S 2 LUIS PRADCN 01

6 S 2 LUIS PRADCN 01

Year	*Uses*	*Source*
1991	BICKFORD BARBARA D	PACIFIC BELL WHITE PAGES

S 2 MONICA LR

5 S 2 MONICA LR

Year	*Uses*	*Source*
1980	Mills Michael B	Pacific Telephone

S 2 SWEETBEY OR SOYVL

8 S 2 SWEETBEY OR SOYVL

Year	*Uses*	*Source*
1991	ROBHRTS DOEN	PACIFIC BELL WHITE PAGES

S 2 WAINWRGHT DRC

8 S 2 WAINWRGHT DRC

Year	*Uses*	*Source*
1957	SAUNLDERS L J	Pacific Telephone

FINDINGS

S 2ND

1 S 2ND

Year	Uses	Source
1991	PARKVIEW ELEMENTARY SCHOOL	PACIFIC BELL WHITE PAGES
1957	TOWN TAVERN	Pacific Telephone

22 S 2ND

Year	Uses	Source
1991	Methodics Inc	PACIFIC BELL WHITE PAGES
	Associated Management Institute	PACIFIC BELL WHITE PAGES

24 S 2ND

Year	Uses	Source
1986	Tandem Electrical Contractors	Pacific Bell
	JP Elecrtric Company	Pacific Bell
1985	FIRESTONE C HARRY GENI CONTR	Pacific Bell

28 S 2ND

Year	Uses	Source
1957	CLOSE ALLEN J SN CARIOS HOT I	Pacific Telephone

34 S 2ND

Year	Uses	Source
1986	Frogdesign Harmut Esslinger Inc	Pacific Bell
1957	BOUCI(KHOUT JOHN INTERIORS	Pacific Telephone

S 2ND C

12 S 2ND C

Year	Uses	Source
1957	SCRIBNER TRESSIE	Pacific Telephone

36 S 2ND C

Year	Uses	Source
1957	MARTIN DAVID	Pacific Telephone
	HALL RUTH MRS	Pacific Telephone

42 S 2ND C

Year	Uses	Source
1957	MC DONALD HATTIE MRS	Pacific Telephone

FINDINGS

S 2ND C FRNK IN

12 S 2ND C FRNK IN

Year	Uses	Source
1957	HOLLENBERG DELBERT E REV	Pacific Telephone
	THOMAS RONALD	Pacific Telephone

S 2ND CY PRESS

32 S 2ND CY PRESS

Year	Uses	Source
1957	CAVANAUGH S	Pacific Telephone

S 2ND ST

5 S 2ND ST

Year	Uses	Source
1957	FERREIRA EVA MRS	Pacific Telephone

05 S 2ND ST

Year	Uses	Source
1957	PIUMMER MABEL I	Pacific Telephone

07 S 2ND ST

Year	Uses	Source
1957	STILL E A MRS Z	Pacific Telephone

11 S 2ND ST

Year	Uses	Source
1957	FOX-TIFFANY STUDIOS	Pacific Telephone

12 S 2ND ST

Year	Uses	Source
1991	PAUL LUCEROS HAIRSTYLING	PACIFIC BELL WHITE PAGES

14 S 2ND ST

Year	Uses	Source
1957	LOIRNBARDOA S BEAUTY SALON	Pacific Telephone

16 S 2ND ST

Year	Uses	Source
1991	EDWARDS ELLA M	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1957	MINJOULET AUG P INS	Pacific Telephone

17 S 2ND ST

Year	Uses	Source
1991	JON MARX THE	PACIFIC BELL WHITE PAGES
	JOHN-MARX THE	PACIFIC BELL WHITE PAGES
1957	STANLEY WARREN SHOP THE BRBR	Pacific Telephone

19 S 2ND ST

Year	Uses	Source
1991	DOW N TOW N CHE CKCAS HIN G	PACIFIC BELL WHITE PAGES
1957	RUBENSTEIN NATHAN EAST SIDE PRESS	Pacific Telephone
	OWL SHQE HOSPITAL	Pacific Telephone

22 S 2ND ST

Year	Uses	Source
2009	HELP U SELL REAL ESTATE	Cole Information Services
2004	HELP U SELL FIRST PLACE	Cole Information Services
	FIRST PLACE TAX SERVICE	Cole Information Services
	JATCOM CORP	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2001	MORTGAGE	Haines Company, Inc.
	FIRST PLACE	Haines Company, Inc.
1999	FIRST PLACE MORTGAGE	Cole Information Services
1994	METHODICS INC	Cole Information Services
	PRODUCT UNLIMITED	Cole Information Services
1985	MEYER WAYNE & ASSOCIATES INC	Pacific Bell

24 S 2ND ST

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
2001	SIMMSJames	Haines Company, Inc.
1994	SAMARITAN PHYSICIANS EXCHANGE	Cole Information Services
1991	BOINGOC COFFEE SHOP	PACIFIC BELL WHITE PAGES
1985	TANDEM ELECTRICAL CONTRACTORS	Pacific Bell
	JP ELECRTRIC COMPANY	Pacific Bell
1975	IMPERIAL HARDWARE & SUPPL	Pacific Telephone
1957	SAN JOSE TRUCK BODY WORKS	Pacific Telephone

FINDINGS

26 S 2ND ST

Year	Uses	Source
2001	XXXX	Haines Company, Inc.
1991	SAM KEE	PACIFIC BELL WHITE PAGES
1957	YOUNG PIANO STORE	Pacific Telephone
	ALLEN E YOUNG & SON YOUNG S PIANO STR	Pacific Telephone
	YOUNG S PIANO STORE	Pacific Telephone

28 S 2ND ST

Year	Uses	Source
1957	HOTEL SAN CARLOS	Pacific Telephone
	SAN CARLOS HOTEL	Pacific Telephone

29 S 2ND ST

Year	Uses	Source
1957	JUNTGEN RO SALIND READING LEE SRHART HATS	Pacific Telephone
	LEE READING SMART HATS	Pacific Telephone

30 S 2ND ST

Year	Uses	Source
1991	LAS CAZUELAS	PACIFIC BELL WHITE PAGES
1957	BARBER M	Pacific Telephone
	MODERNE BEAUTY SALON	Pacific Telephone

31 S 2ND ST

Year	Uses	Source
1957	C EUGENE L	Pacific Telephone

33 S 2ND ST

Year	Uses	Source
2017	THE WAX BAR	Cole Information Services
2014	THE WAX BAR	Cole Information Services
2009	THE WAX BAR	Cole Information Services
1957	ROYAL HOTEL	Pacific Telephone
	WILLIAMS R D	Pacific Telephone

34 S 2ND ST

Year	Uses	Source
2017	BOZZUTO INSURANCE SERVICES INC	Cole Information Services
2014	BOZZUTO INSURANCE SERVICES INC	Cole Information Services

Year	Uses	Source
2014	ADT SECURITY SERVICES	Cole Information Services
2009	BLOSSOM RIDGE TEACHERS PROFESSIONAL	Cole Information Services
2004	BLOSSOM RIDGE TEACHERS PRFSNL	Cole Information Services
	UNITED TEACHER UNISERV CTR	Cole Information Services
2001	UNITDTCHRS CTA NEA	Haines Company, Inc.
	BLOSSMRIDGETCHRS	Haines Company, Inc.
	CATEACHERSASN NEA	Haines Company, Inc.
	CAMPBELL ELM TCHRS	Haines Company, Inc.
1999	UNITED TEACHERS OF SANTA CLARA CTA NEA	Cole Information Services
	CAMPBELL ELEMENTARY TEACHERS ASSOCIATION CTA NEA	Cole Information Services
	CALIFORNIA TEACHERS ASSOCIATION NEA PRO SERVICES	Cole Information Services
1994	BLOSSM RIDGE TCHRS	Cole Information Services
	CA TEACHERS ASN NEA	Cole Information Services
	CAMPBELL ELEMENTARY TEACHERS	Cole Information Services
	CALIFORNIA TEACHERS ASSN NEA	Cole Information Services
1991	WORLD ELECTRONICS	PACIFIC BELL WHITE PAGES
1985	FROGDESIGN HARMUT ESSLINGER INC	Pacific Bell
1957	PARRISH WM LYMAN BOUCKHOUT JOHN INTRS	Pacific Telephone

35 S 2ND ST

Year	Uses	Source
2017	CAMPBELL VENTURES INCORPORATED	Cole Information Services
	ALL DAY & NIGHT EMERGENCY LOCKSMITH	Cole Information Services
	VILLA RAGUSA	Cole Information Services
2014	VILLA RAGUSA	Cole Information Services
2001	GERE Nicholas	Haines Company, Inc.
1957	CURTAIN STORE THE	Pacific Telephone

36 S 2ND ST

Year	Uses	Source
1991	BUS STOP FOOD STORE	PACIFIC BELL WHITE PAGES
1957	GLORIA S BLJDAL SALON	Pacific Telephone
	GLORIA S	Pacific Telephone

FINDINGS

37 S 2ND ST

Year	Uses	Source
1957	TARLOW A E TARLOW S FURS	Pacific Telephone
	LANE JAS M	Pacific Telephone
	TARLOW S FURS	Pacific Telephone
	HI EDNA MRS	Pacific Telephone

38 S 2ND ST

Year	Uses	Source
1991	KIM LOAN	PACIFIC BELL WHITE PAGES
1957	PARLOW S SHOES	Pacific Telephone

40 S 2ND ST

Year	Uses	Source
1991	ALLEN PETER J ALIEN S FURNITURE	PACIFIC BELL WHITE PAGES
	ALLE N S FURN ITURE	PACIFIC BELL WHITE PAGES

S CENTRAL AVE

1 S CENTRAL AVE

Year	Uses	Source
1957	SCHULTZ WM F	Pacific Telephone

9 S CENTRAL AVE

Year	Uses	Source
1957	DERBY T R	Pacific Telephone
	Derby T R	R. L. Polk Co.

25 S CENTRAL AVE

Year	Uses	Source
2017	IMPORT CONNECTION	Cole Information Services
2014	FARHAD GHAMGOSAR	Cole Information Services
	IMPORT CONNECTION	Cole Information Services
2009	FARHAD GHAMGOSAR	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	FARHAD GHAMGOSAR	Cole Information Services
1994	CAN AM TRUCK & AUTO REPAIR	Cole Information Services
1991	American Remanufactured Engines	PACIFIC BELL WHITE PAGES
	CAN AM TRUCK & AUTO REPAIR	PACIFIC BELL WHITE PAGES
	CAN-AM TRUCK & AUTO RE PAIR	PACIFIC BELL WHITE PAGES

FINDINGS

Year	Uses	Source
1991	AMERICAN REMANUFACTURED ENGINES	PACIFIC BELL WHITE PAGES
1986	GRAYS MUFFLER SERVICE	Pacific Bell
	CAN AM TRUCK & AUTO REPAIR	Pacific Bell
1985	GRAY S MUFFLER SERVICE	Pacific Bell
	CAN-AM TRUCK & AUTO REPAIR	Pacific Bell
1980	CAN AM TRUCK & AUTO REPAIR	Pacific Telephone
1975	BOTT S GARAGE	Pacific Telephone
1963	Botts Garage	Pacific Telephone
1957	Botts Garage	R. L. Polk Co.
	BOTTS GARAGE	Pacific Telephone

29 S CENTRAL AVE

Year	Uses	Source
1991	Minard Mike & Dave	PACIFIC BELL WHITE PAGES
	MINARD MIKE & DAVE	PACIFIC BELL WHITE PAGES
1985	RAMIRER GARY	Pacific Bell

30 S CENTRAL AVE

Year	Uses	Source
1991	ZAPP S GILBERT	PACIFIC BELL WHITE PAGES
	GILBERT ZAPP S	PACIFIC BELL WHITE PAGES
	BODE SARA & STEVEN	PACIFIC BELL WHITE PAGES
	Zapps Gilbert	PACIFIC BELL WHITE PAGES
	Gilbert Zapps	PACIFIC BELL WHITE PAGES
	Bodega	PACIFIC BELL WHITE PAGES
1986	Zapps Gilbert	Pacific Bell
	Bombay Speedways	Pacific Bell
	Bodega	Pacific Bell
1985	GILBERT ZAPP S	Pacific Bell
	BOMBAY SPEEDWAYS	Pacific Bell
	BODEGA	Pacific Bell
	ZAPP S GILA PSLRBERT	Pacific Bell
1982	Brown John B M	Pacific Telephone
1980	BODEGA	Pacific Telephone
1975	CAR TOP SAILS	Pacific Telephone
	CAMPBELL OFFICE MACHINES & FURNITURE	Pacific Telephone
	BECKER FOODS CO	Pacific Telephone

FINDINGS

33 S CENTRAL AVE

Year	Uses	Source
2017	A EMERGENCY LOCKSMITH	Cole Information Services
	BELLAGIO	Cole Information Services
2014	BELLAGIO	Cole Information Services
2009	A BELLAGIO	Cole Information Services
	GIUSEPPE ITALIAN RESTAURANT	Cole Information Services
2004	GIUSEPPE ITALIAN RESTAURANT	Cole Information Services
1999	GUISEPPE ITALIAN RESTAURANT	Cole Information Services
	GIUSEPPE ITALIAN RESTAURANT	Cole Information Services
	KINGS HEAD PUB & RESTAURANT THE	Cole Information Services
1994	GIUSEPPE ITALIAN RESTAURANT	Cole Information Services
	LOS PERICOS RESTAURANT	Cole Information Services
1991	LOS PE RICOS RE S TAURAN T	PACIFIC BELL WHITE PAGES
	LOS PERICOS RESTAURANT	PACIFIC BELL WHITE PAGES
1986	LOS PERICOS RESTAURANT	Pacific Bell
	Smokey Mountain Saloon	Pacific Bell
1985	SMOKEY MOUNTAIN SALOON CAMPBELL	Pacific Bell
	LOS PERICOS RESTAURANT	Pacific Bell
1980	LOS PERICOS RESTAURANT	Pacific Telephone
	Smokey Mountain	Pacific Telephone
1975	FILICE WINERY	Pacific Telephone

46 S CENTRAL AVE

Year	Uses	Source
1963	Campbell Cooperative Dryer	Pacific Telephone

86 S CENTRAL AVE

Year	Uses	Source
1986	SIKUT MARY N	Pacific Bell
	Sikut Mary N	Pacific Bell

119 S CENTRAL AVE

Year	Uses	Source
1991	HERSHMAN JOHN	PACIFIC BELL WHITE PAGES

FINDINGS

S CENTRAL AVE N

13 S CENTRAL AVE N

Year	*Uses*	*Source*
1975	CANELO JAS C	Pacific Telephone

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
01 S 2 JOHNSN AV CUPRTNO	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
02 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
05 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
051 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
07 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
088 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
09 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 1 AM TEMPLE 660	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 1 MARTINVALELN	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 1 SCFAREVW	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 2	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
1 S 2 DISTRIBUTORS INC	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 2 LENNON WY P	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
1 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
10 S 1 MORSE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
100 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 N 2ND ST	2014, 2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
101 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
102 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
102 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
104 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
109 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
109 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
109 N 1ST ST	2017, 2014, 2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
11 S 2	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
11 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
110 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
110 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
112 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
112 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
112 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
112 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
112 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
112 N 2ND ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
113 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
113 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
113 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
113 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
113 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
113 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
115 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
116 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
116 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
119 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 N 2	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 S 2 LLNCLN SNTA CRA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 S 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 S 2ND C FRNK IN	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
12 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
120 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 N 1 OTH	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
121 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 N 1ST ST	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
121 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
122 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
122 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1946, 1942, 1936, 1931, 1930, 1926
122 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
123 N 1 OTH	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 N 2ND ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
125 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
126 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
126 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
126 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
13 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
13 S CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
130 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
130 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926
130 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
131 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
131 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
131 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
137 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1946, 1945, 1942, 1936, 1931, 1930, 1926
139 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1946, 1942, 1936, 1931, 1930, 1926
139 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
14 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
14 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
14 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
14 N CENTRAL AVE	2017, 2014, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
14 S 1 LLNCIN SNTA CLRA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
14 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
140 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
141 CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
141 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1946, 1942, 1936, 1931, 1930, 1926, 1925, 1922
141 GRANT ST	2017, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
142 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
142 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
142 N CENTRAL AVE	2017, 2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
144 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
144 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
144 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
144 N CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
145 CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
145 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
147 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
147 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
147 N CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
149 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
149 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
149 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
149 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
149 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
149 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
15 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
15 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
15 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
15 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
150 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
150 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
150 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
150 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
150 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
150 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
151 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
151 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
151 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
151 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
151 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
151 N CENTRAL AVE	2017, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
153 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
153 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
153 N CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
155 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
155 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
155 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 GRANT	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1957, 1946, 1942, 1936, 1931, 1930, 1926
156 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
156 N CENTRAL AVE	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
156 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
157 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
157 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
157 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
158 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1946, 1942, 1936, 1931, 1930, 1926, 1922
158 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
158 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
158 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
159 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
159 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
159 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1946, 1942, 1936, 1931, 1930, 1926
159 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
159 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
159 N CENTRAL AVE	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
16 S 1 S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
16 S 1 LTH	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
16 S 1 THE ALARNEDA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
16 S 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
16 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
160 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1936, 1931, 1926, 1925, 1922
161 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 GRANT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 GRANT AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1946, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 GRANT ST	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 N 2ND ST	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
161 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
163 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
164 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1931, 1926, 1925, 1922
165 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
166 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1946, 1942, 1936, 1931, 1926, 1925, 1922
166 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
166 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
167 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1963, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
168 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
168 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1957, 1946, 1942, 1936, 1935, 1931, 1930, 1926, 1925, 1922
168 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
168 N CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
169 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 N 2ND ST	2017, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
169 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
17 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
17 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
17 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
170 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
170 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
171 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
171 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
171 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
172 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
172 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926
173 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
174 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
174 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
174 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
174 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
174 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1922
174 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
174 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
174 N 2ND ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
175 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
175 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
175 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
175 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
175 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
175 N 2ND ST	2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
176 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
176 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
176 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
176 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
177 N 1	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
177 N CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
178 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1931, 1926
18 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
18 N 1ST ST	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
18 N CENTRAL AVE	2017, 2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
18 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
180 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
180 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1926, 1922
180 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
181 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
181 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
185 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
185 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
186 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
186 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
186 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
186 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
187 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
188 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
188 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
188 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
188 N 2ND C FRNK IN	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
188 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
188 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
189 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
189 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
189 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
189 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
189 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
189 N 2ND ST	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
19 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
19 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
19 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
19 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
19 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
19 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
190 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1965, 1964, 1962, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
190 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
191 E CAMPBELL AVE	2017, 2014, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
191 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
193 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
193 E CAMPBELL AVE	2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
193 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
193 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
193 N 1ST ST	2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
195 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
197 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
198 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
198 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
198 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
198 N 1ST ST	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
199 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
2 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
2 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
2 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
2 S 1 S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
2 S 1 AATIN S CIARA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
2 S 2 S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
2 S 2 BFRRE IA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
20 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
20 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
20 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
20 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
20 S 1 H	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
200 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
200 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
200 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
200 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
200 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
201 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
201 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
202 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
203 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
203 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
203 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
204 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
204 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
204 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
204 N 1ST ST	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
207 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
21 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
21 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
21 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
21 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
21 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
21 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
21 N 2ND ST	2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
210 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
210 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
210 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
210 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
210 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
210 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
211 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
213 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
213 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
213 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
213 N 2ND ST	2009, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
214 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
214 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
215 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
215 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
215 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
216 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
216 N 1OTH CY PRESS	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
216 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
216 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
216 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
22 2ND S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
22 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
22 S 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
22 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
22 S 2ND ST	2017, 2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
220 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
220 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
220 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
220 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
220 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
221 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
222 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
222 N 2ND ST	2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
223 N 2ND ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
223 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
225 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
225 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
225 N 1ST ST	2017, 2014, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
226 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
226 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
226 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
227 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
23 N 1 GLNDNNLNG AV SNTA CLRA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
230 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
231 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
231 E C CAOMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
231 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
231 E CAMPBELL AVE	2017, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
231 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
232 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
232 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
232 E CAMPBELL AVE	2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
234 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
234 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
234 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
238 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
238 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
239 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
24 2ND ST S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
24 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
24 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
24 S 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
24 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
24 S 2ND ST	2017, 2014, 2009, 2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
240 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
241 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
241 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
241 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
245 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
245 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
245 E CAMPBELL AVE	2017, 2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
247 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
247 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
247 E CAMPBELL AVE	2017, 2014, 2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
247 GRANT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
247 GRANT AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
247 GRANT ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 N 1	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
25 N 1H_T	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 N 2 D	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
25 S CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
250 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
250 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
251 GRANT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
251 GRANT AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
251 GRANT ST	2017, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
252 CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
252 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
253 CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
253 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
253 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
253 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
254 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
254 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
255 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
255 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
255 E CAMPBELL AVE	2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
256 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
257 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
257 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
257 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
259 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
259 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
259 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
26 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
26 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
26 S 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
26 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
26 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
260 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
260 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
260 E CAMPBELL AVE	2017, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
266 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
266 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
266 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
267 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
267 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
267 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
268 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
271 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
271 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
271 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
271 GRANT ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
272 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
272 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
272 E CAMPBELL AVE	2017, 2014, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
274 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
274 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
274 E CAMPBELL AVE	2017, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
275 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
275 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
275 E CAMPBELL AVE	2017, 2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
275 GRANT ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
276 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
276 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
276 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
278 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
279 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
28 N 1\D	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
28 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
28 S 1 PARH AV CLERA S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
28 S 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
28 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
286 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
287 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
287 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
287 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
29 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
29 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
29 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
29 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
29 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
29 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
295 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
295 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
295 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
296 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
296 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
296 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
298 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
299 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
299 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
299 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
3 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
3 N 1 AIF 28 884	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
3 S 1TH	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
3 S 2 LEVIN MIPTS	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
30 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
30 N 2ND COVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
30 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
30 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
30 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
30 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
300 GRANT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
300 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
300 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
301 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
301 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
301 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
305 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
305 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
305 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
309 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
309 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
309 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
31 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
31 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
31 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
31 N CENTRAL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
31 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
311 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
311 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
311 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
313 CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
313 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
313 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
313 E CAMPBELL AVE	2017, 2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
314 GRANT CT	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
315 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
315 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
315 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
317 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
317 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
32 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
32 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
32 S 2 FRANKLN SNITA CLIRA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
32 S 2ND CY PRESS	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
320 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
321 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
321 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
321 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
321 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
323 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
323 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
323 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
323 E CCAMPUELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
323 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
325 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
325 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
325 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
325 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
326 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
327 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
327 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
327 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
327 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
328 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
328 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
328 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
328 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
329 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
329 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
329 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 S 2ND ST	2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 S CENTRAL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
33 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
330 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
330 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
330 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
331 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
333 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
334 CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
334 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
334 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
334 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
336 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
34 2ND S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
34 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
34 S 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
34 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
34 S 2ND ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
341 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
342 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
342 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
342 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
346 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
346 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
346 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
347 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
347 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
347 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
349 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
349 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
349 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
35 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
35 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
35 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
35 S 2ND ST	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
350 E CAMPBELL AVE	2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
350 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
354 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
354 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
354 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
36 S 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
36 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
360 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
360 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
360 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
365 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
365 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
365 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
368 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
368 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
368 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
369 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
369 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
369 E CAMPBELL AVE	2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
37 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
37 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
370 E CAMPBELL AVE	2017, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
371 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
372 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
373 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
373 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
373 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
376 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
376 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
378 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
378 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
378 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
379 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
379 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
379 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
38 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
38 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
381 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
381 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
381 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
383 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
383 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
383 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
384 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
384 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
384 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
389 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
389 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
389 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
39 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
39 N 1	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
39 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
39 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
39 N CENTRAL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
393 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
394 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
394 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
394 E CAMPBELL AVE	2014, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
395 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
397 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
397 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
397 E CAMPBELL AVE	2009, 2006, 2004, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
4 N 2LD	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
4 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
4 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
4 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
4 S 2 ESNTA CLARA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 N 2ND ST	2017, 2014, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 S 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
40 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
400 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
400 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
400 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
401 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
401 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
401 E CAMPBELL AVE	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
401A E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
408 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
41 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
41 N 1	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
41 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
41 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
41 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
412 CAMPBELL AVE E	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
412 E CAMPBELL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
412 E CAMPBELL AVE	2009, 2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
415 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 S 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
42 S 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
428 GRANT ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
43 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
44 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
44 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 CIVIC CENTER DR	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
45 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
45 N 1T	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 N 2ND ST	2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
46 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
48 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
48 S 1 SRTCT C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
48 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
5 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
5 S 2 MONICA LR	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
5 S 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
50 CENTRAL AVE S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
50 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
50 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
50 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
51 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
51 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
51 N CENTRAL AVE	2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
52 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
52 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
53 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
53 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
54 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
54 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
54 CIVIC CENTER DR	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
54 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
54 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
54 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
54 N CENTRAL AVE	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
55 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
55 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
55 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
55 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
56 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
56 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
58 S 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 S 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 S 2	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 S 2 S	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 S 2 LS PADRS BISNTA CLRA	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
6 S 2 LUIS PRADCN 01	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
60 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
60 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
60 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
61 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
61 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
62 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
62 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
62 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
62 N 2ND ST	2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 1ST ST	2017, 2014, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
63 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
64 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
64 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
64 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
65 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
65 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
65 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
66 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
66 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
67 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
69 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
69 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
7 S 1 BANFF	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
7 S 1 LARIA LTN	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
70 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
70 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
70 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
70 N CENTRAL AVE	2017, 2014, 2009, 2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
71 N 1LOD OR @CAMPBELL@	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
71 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
73 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
73 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
73 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
73 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
74 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
74 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
74 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
74 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 N 1ST ST	2006, 2001, 2000, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
75 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
75 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
77 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
77 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
78 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
78 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
79 N 1	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
8 N 1ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
8 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
8 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
8 S 2 SWEETBEY OR SOYVL	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
8 S 2 WAINWRGHT DRC	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
80 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
80 N 2ND C	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1978, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 N 1ST ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
81 N 2EI D	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
81 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
82 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
82 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
82 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
82 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 N 2ND ST	2006, 2001, 2000, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
83 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
86 2ND N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
86 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
86 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
86 N 2ND	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1985, 1982, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
86 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
86 N 2ND ST	2006, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
86 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
87 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
88 CENTRAL AVE N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
88 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
88 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
89 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
9 S CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
90 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
90 N 2ND ST	2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
91 1ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
91 2ND ST N	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
91 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
91 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1994, 1991, 1986, 1985, 1982, 1978, 1975, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
91 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
91 N 2ND ST	2006, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
93 N CENTRAL AVE	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
96 N 2ND ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
97 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
98 N 1ST ST	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922
98 N 1TH	2017, 2014, 2009, 2006, 2004, 2001, 2000, 1999, 1996, 1994, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
70 North 1st Street	2006, 2000, 1991, 1986, 1985, 1982, 1980, 1978, 1975, 1974, 1970, 1968, 1966, 1965, 1964, 1963, 1962, 1960, 1957, 1955, 1950, 1946, 1945, 1942, 1940, 1936, 1935, 1931, 1930, 1926, 1925, 1922

California Regional Water Quality Control Board
San Francisco Bay Region

Terry Tamminen
Secretary for Environmental Protection

1515 Clay Street, Suite 1400, Oakland, California 94612
(510) 622-2300 • Fax (510) 622-2460
http://www.swrcb.ca.gov/rwqcb2

Arnold Schwarzenegger
Governor

PUBLIC WORKS ADMINISTRATION
AUG 12 2004
RECEIVED

August 6, 2004
File No: 1280.01-013 (BGS)

City of Campbell
Attn: Mr. Bill Helms
70 N. First Street
Campbell, CA 95008

SUBJECT: No Further Action for Environmental Monitoring of MtBE and Other Fuel Oxygenates at Campbell Police Department, 70 N. First Street, Campbell, Santa Clara County

Dear Mr. Helms:

In December 2002, you were required to submit a work plan, and subsequently perform environmental monitoring for methyl tertiary butyl ether (MtBE) to determine if groundwater beneath the site has been impacted from undetected releases from the existing UST system. Thank you for submitting the analytical results for groundwater samples collected in August 2003. Upon reviewing of the report dated August 27, 2003, prepared by Sierra Environmental, Inc., we have determined that groundwater beneath the subject site has not been impacted from undetected releases from the existing UST system. Since MtBE is currently prohibited for use in fuel there is no ongoing threat posed by the leakage of MTBE and other fuel oxygenates from your UST system. No further action related to monitoring for MtBE or other fuel oxygenates is required at this time.

Thank you for your willingness and promptness in responding to our inquiries concerning the existing underground storage tank(s) at the above site. Please direct all questions and correspondence regarding this matter to Barbara Sieminski at 510-622-2423 or email at bgs@rb2.swrcb.ca.gov.

Sincerely,

Bruce H. Wolfe
Executive Officer

cc:
Mr. James Crowley
SCVWD
5750 Almaden Expwy
San Jose, CA 95118

Mr. John Justice
Santa Clara County Fire Dept.
14700 Winchester Boulevard
Los Gatos, CA 95032-1818

Ms. Shahla Farahnak
SWRCB
P.O. Box
Sacramento, CA 95812-0100

CORNERSTONE EARTH GROUP

General Environmental Questionnaire

Cornerstone Earth Group is performing a Phase I environmental site assessment (ESA). The purpose of the ESA is to evaluate current and historic uses of the property that may have involved the use, generation, or storage of hazardous materials. Please respond to these questions to the best of your knowledge.

Return the completed, signed questionnaire by fax at (408) 245-4620 or by mail to the address below. Alternatively, a copy can be emailed to sfoster@cornerstoneearth.com. The completed questionnaire will be attached to the ESA report. Thank you for your assistance and timely response.

GENERAL PROPERTY INFORMATION

1) Site Address(es) and Assessor's Parcel Number(s): Please list all current and former addresses. Some sites have multiple addresses; all are needed, even if they are not in current use.

Address(es)	APN Number(s)
70 N First Street Campbell CA 95008	279-41-067
400 Grant Street Campbell CA 95008	279-41-068
77 Harrison Avenue Campbell CA 95008	279-41-063

2) Property Size: _____ Sq. Ft. or Acres

3) Current site owner(s) and purchase date:

Current Owner Name	Year Purchased
City of Campbell	1970?

4) Previous site owner(s) and dates of ownership:

Prior Owner Name	Year Purchased	Year Sold
N/A		

STRUCTURES AND OCCUPANTS

5) Please describe all on-site buildings:

Building Size (sq. ft)	Building Use	Date of Construction

Potable Water Source (*e.g.*, city or other water agency, on-site well, etc.): SJWC

Sewage Disposal System (*e.g.*, city sewer, septic tank, etc.): WVSD

Heating/Cooling System and Fuel Source (*e.g.*, electric, natural gas, fuel oil, etc.): _____

6) Current site tenant(s), site use, and years of occupancy:

Tenant	Site Use	Years of Occupancy (*e.g.*, From 1995 to 2007)
City Hall / PD		Since 1971

7) Prior site tenant(s), site use, and years of occupancy:

Tenant	Site Use	Years of Occupancy (*e.g.*, From 1975 to 1983)

OTHER SITE FEATURES AND INFORMATION

8) Please indicate if you are aware of any of the following structures, features, or activities <u>currently or formerly</u> at the site.

Structure/Feature	Yes	No	Do Not Know
Aboveground Storage Tanks (ASTs)			X
Agricultural fields			X
Agricultural or drinking water supply wells			X
Air emission control systems		X	
Areas where garbage or other wastes have been disposed on-site		X	
Boilers		X	
Chemical mixing or processing activities		X	
Chemical storage areas		X	
Current or former drainage ditches, ponds, or streams		X	
Dry cleaning equipment		X	
Dry wells		X	
Elevators		X	
Emergency generators	X		
Equipment maintenance or repair areas		X	
Fill materials placed on-site (*i.e.,* fill used to build up the site elevation to current level)			X
Ground water monitoring wells			X
Ground water or soil remediation systems			X
Hydraulic lifts		X	
Incinerators		X	
Manufacturing machinery		X	
Medical Waste		X	
Oil or gas wells		X	
Petroleum pipelines		X	
Railroad lines		X	
Septic tanks		X	
Stockpiles of soil or debris		X	
Storage sheds	X		
Sumps, clarifiers, oil/water separators, or similar structures		X	
Transformers		X	
Underground Storage Tanks (USTs)	X		
Vapor or dust control hoods and ducting		X	
Waste burning areas (i.e. burn pit) or ash disposal area		X	

If you checked yes to any of the above, please provide additional information here or attach to this questionnaire.

Field check confirmed underground storage tank for fuel dispenser. Various storage sheds, with no hazardous materials. Small portable generator with integrated fuel tank in area of interest.

9) Please indicate if, to your knowledge, any of the following documents exist:

Document	Yes	No	Do Not Know
Environmental site assessments			X
Environmental permits or violation notices			X
Underground or above ground storage tank documents/permits	X		
Geotechnical reports or hydrogeologic studies	X		
Risk assessments			X
Hazardous materials management plans or chemical inventories			X
Safety/emergency response plans or spill prevention plans			X
Compliance audits or community right-to-know plans			X
Asbestos or lead based paint surveys			X

If you checked yes to any of the above, please indicate the location of the documents.
Can copies be provided? Yes X No _____

Copies already provided

10) Have significant quantities of hazardous materials been used, stored, or generated on-site?
Yes X No _____

If so, please list types and quantities and where these materials are or were located.
Gasoline for fueling police vehicles

11) Are you aware of commonly known or reasonably ascertainable information about the site that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, do you know of past uses of the site, specific chemicals that were or are present at the site, have knowledge of spills or other chemical releases at the site, or any environmental cleanups at the site.
Yes _____ No X

If so, please briefly describe below, including whether reports documenting the activities are available for review by Cornerstone Earth Group.

12) Are you aware of any environmental cleanup liens against the site that are filed or recorded under federal, tribal, state, or local law?
Yes _____ No X

13) Are you aware of any activity or use limitations (UALs), such as engineering controls, land use restrictions, or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state, or local law?

Yes _____ No X

If so, please briefly describe below.

---

14) Are you aware of 1) any pending, threatened or past litigation, or administrative proceedings relevant to hazardous substances or petroleum products at the site, or 2) any notices from any governmental entity regarding possible violations of environmental laws or possible liability related to hazardous substances or petroleum products?

Yes X No _____

If so, please briefly describe below.

See attached letter from the California Regional Water Quality Control Board

---

---

15) Completed by:

Roger Storz		City of Campbell	5/6/2021
Name (print)	Signature	Company	Date

APPENDIX E

Noise and Vibration Assessment

MEASURE O CIVIC CENTER IMPROVEMENTS PROJECT NOISE AND VIBRATION ASSESSMENT

Campbell, California

April 27, 2021

Prepared for:

Mike Campbell, AICP, CPSWQ
Project Manager
David J. Powers & Associates, Inc.
1871 The Alameda, Suite 200
San José, CA 95126

Prepared by:

Michael S. Thill

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality
429 East Cotati Avenue
Cotati, CA 94931
(707) 794-0400

Project: 21-025

INTRODUCTION

The Measure O Civic Center Improvements would construct a new Police Operations Building, to be located at the northwest quadrant of the Civic Center Complex, and renovate the existing Campbell Library, located at 77 Harrison Avenue. Additional project elements include renovating the existing police facilities within the Civic Center Complex at 70 North First Street, and the erection of a temporary, approximately 1,000-square-foot library facility at a yet to be determined location. The proposed Police Operations Building, which includes a 9-1-1 dispatch center and emergency operations center, would not facilitate an increase in personnel or expansion of the Campbell Police Department's service area.

This report evaluates the project's potential to result in significant noise impacts with respect to applicable California Environmental Quality Act (CEQA) guidelines. The report is divided into two sections: 1) the Setting Section provides a brief description of the fundamentals of environmental noise and vibration, summarizes applicable regulatory criteria, and discusses existing noise conditions; and 2) the Impacts and Mitigation Measures Section describes the significance criteria used to evaluate project impacts, provides a discussion of each project impact, and presents mitigation measures, where necessary, to reduce the impacts to less than significant levels.

SETTING

Fundamentals of Environmental Noise

Noise may be defined as unwanted sound. Noise is usually objectionable because it is disturbing or annoying. The objectionable nature of sound could be caused by its *pitch* or its *loudness*. *Pitch* is the height or depth of a tone or sound, depending on the relative rapidity (*frequency*) of the vibrations by which it is produced. Higher pitched signals sound louder to humans than sounds with a lower pitch. *Loudness* is intensity of sound waves combined with the reception characteristics of the ear. Intensity may be compared with the height of an ocean wave in that it is a measure of the amplitude of the sound wave.

In addition to the concepts of pitch and loudness, there are several noise measurement scales which are used to describe noise in a particular location. A *decibel (dB)* is a unit of measurement which indicates the relative amplitude of a sound. The zero on the decibel scale is based on the lowest sound level that the healthy, unimpaired human ear can detect. Sound levels in decibels are calculated on a logarithmic basis. An increase of 10 decibels represents a ten-fold increase in acoustic energy, while 20 decibels is 100 times more intense, 30 decibels is 1,000 times more intense, etc. There is a relationship between the subjective noisiness or loudness of a sound and its intensity. Each 10 decibel increase in sound level is perceived as approximately a doubling of loudness over a fairly wide range of intensities. Technical terms are defined in Table 1.

There are several methods of characterizing sound. The most common in California is the *A-weighted sound level (dBA).* This scale gives greater weight to the frequencies of sound to which the human ear is most sensitive. Representative outdoor and indoor noise levels in units of dBA are shown in Table 2. Because sound levels can vary markedly over a short period of time, a

method for describing either the average character of the sound or the statistical behavior of the variations must be utilized. Most commonly, environmental sounds are described in terms of an average level that has the same acoustical energy as the summation of all the time-varying events. This *energy-equivalent sound/noise descriptor* is called L_{eq}. The most common averaging period is hourly, but L_{eq} can describe any series of noise events of arbitrary duration.

The scientific instrument used to measure noise is the sound level meter. Sound level meters can accurately measure environmental noise levels to within about plus or minus 1 dBA. Various computer models are used to predict environmental noise levels from sources, such as roadways and airports. The accuracy of the predicted models depends upon the distance the receptor is from the noise source. Close to the noise source, the models are accurate to within about plus or minus 1 to 2 dBA.

Since the sensitivity to noise increases during the evening and at night -- because excessive noise interferes with the ability to sleep -- 24-hour descriptors have been developed that incorporate artificial noise penalties added to quiet-time noise events. The *Community Noise Equivalent Level* (*CNEL*) is a measure of the cumulative noise exposure in a community, with a 5 dB penalty added to evening (7:00 pm - 10:00 pm) and a 10 dB addition to nocturnal (10:00 pm - 7:00 am) noise levels. The *Day/Night Average Sound Level* (*DNL* or L_{dn}) is essentially the same as CNEL, with the exception that the evening time period is dropped and all occurrences during this three-hour period are grouped into the daytime period.

Effects of Noise

Sleep and Speech Interference

The thresholds for speech interference indoors are about 45 dBA if the noise is steady and above 55 dBA if the noise is fluctuating. Outdoors the thresholds are about 15 dBA higher. Steady noises of sufficient intensity (above 35 dBA) and fluctuating noise levels above about 45 dBA have been shown to affect sleep. Interior residential standards for multi-family dwellings are set by the State of California at 45 dBA L_{dn}. Typically, the highest steady traffic noise level during the daytime is about equal to the L_{dn} and nighttime levels are 10 dBA lower. The standard is designed for sleep and speech protection and most jurisdictions apply the same criterion for all residential uses. Typical structural attenuation is 12-17 dBA with open windows. With closed windows in good condition, the noise attenuation factor is around 20 dBA for an older structure and 25 dBA for a newer dwelling. Sleep and speech interference is therefore possible when exterior noise levels are about 57-62 dBA L_{dn} with open windows and 65-70 dBA L_{dn} if the windows are closed. Levels of 55-60 dBA are common along collector streets and secondary arterials, while 65-70 dBA is a typical value for a primary/major arterial. Levels of 75-80 dBA are normal noise levels at the first row of development outside a freeway right-of-way. In order to achieve an acceptable interior noise environment, bedrooms facing secondary roadways need to be able to have their windows closed, those facing major roadways and freeways typically need special glass windows.

Annoyance

Attitude surveys are used for measuring the annoyance felt in a community for noises intruding into homes or affecting outdoor activity areas. In these surveys, it was determined that the causes for annoyance include interference with speech, radio and television, house vibrations, and interference with sleep and rest. The L_{dn} as a measure of noise has been found to provide a valid correlation of noise level and the percentage of people annoyed. People have been asked to judge the annoyance caused by aircraft noise and ground transportation noise. There continues to be disagreement about the relative annoyance of these different sources. When measuring the percentage of the population highly annoyed, the threshold for ground vehicle noise is about 50 dBA L_{dn}. At a L_{dn} of about 60 dBA, approximately 12 percent of the population is highly annoyed. When the L_{dn} increases to 70 dBA, the percentage of the population highly annoyed increases to about 25-30 percent of the population. There is, therefore, an increase of about 2 percent per dBA between a L_{dn} of 60-70 dBA. Between a L_{dn} of 70-80 dBA, each decibel increase increases by about 3 percent the percentage of the population highly annoyed. People appear to respond more adversely to aircraft noise. When the L_{dn} is 60 dBA, approximately 30-35 percent of the population is believed to be highly annoyed. Each decibel increase to 70 dBA adds about 3 percentage points to the number of people highly annoyed. Above 70 dBA, each decibel increase results in about a 4 percent increase in the percentage of the population highly annoyed.

TABLE 1 Definition of Acoustical Terms Used in this Report

Term	Definition
Decibel, dB	A unit describing the amplitude of sound, equal to 20 times the logarithm to the base 10 of the ratio of the pressure of the sound measured to the reference pressure. The reference pressure for air is 20 micro Pascals.
Sound Pressure Level	Sound pressure is the sound force per unit area, usually expressed in micro Pascals (or 20 micro Newtons per square meter), where 1 Pascal is the pressure resulting from a force of 1 Newton exerted over an area of 1 square meter. The sound pressure level is expressed in decibels as 20 times the logarithm to the base 10 of the ratio between the pressures exerted by the sound to a reference sound pressure (e. g., 20 micro Pascals). Sound pressure level is the quantity that is directly measured by a sound level meter.
Frequency, Hz	The number of complete pressure fluctuations per second above and below atmospheric pressure. Normal human hearing is between 20 Hz and 20,000 Hz. Infrasonic sound are below 20 Hz and Ultrasonic sounds are above 20,000 Hz.
A-Weighted Sound Level, dBA	The sound pressure level in decibels as measured on a sound level meter using the A-weighting filter network. The A-weighting filter de-emphasizes the very low and very high frequency components of the sound in a manner similar to the frequency response of the human ear and correlates well with subjective reactions to noise.
Equivalent Noise Level, L_{eq}	The average A-weighted noise level during the measurement period.
L_{max}, L_{min}	The maximum and minimum A-weighted noise level during the measurement period.
L_{01}, L_{10}, L_{50}, L_{90}	The A-weighted noise levels that are exceeded 1%, 10%, 50%, and 90% of the time during the measurement period.
Day/Night Noise Level, DNL or L_{dn}	The average A-weighted noise level during a 24-hour day, obtained after addition of 10 decibels to levels measured in the night between 10:00 pm and 7:00 am.
Community Noise Equivalent Level, CNEL	The average A-weighted noise level during a 24-hour day, obtained after addition of 5 decibels in the evening from 7:00 pm to 10:00 pm and after addition of 10 decibels to sound levels measured in the night between 10:00 pm and 7:00 am.
Ambient Noise Level	The composite of noise from all sources near and far. The normal or existing level of environmental noise at a given location.
Intrusive	That noise which intrudes over and above the existing ambient noise at a given location. The relative intrusiveness of a sound depends upon its amplitude, duration, frequency, and time of occurrence and tonal or informational content as well as the prevailing ambient noise level.

Source: Handbook of Acoustical Measurements and Noise Control, Harris, 1998.

TABLE 2 Typical Noise Levels in the Environment

Common Outdoor Activities	Noise Level (dBA)	Common Indoor Activities
	110 dBA	Rock band
Jet fly-over at 1,000 feet		
	100 dBA	
Gas lawn mower at 3 feet		
	90 dBA	
Diesel truck at 50 feet at 50 mph		Food blender at 3 feet
	80 dBA	Garbage disposal at 3 feet
Noisy urban area, daytime		
Gas lawn mower, 100 feet	70 dBA	Vacuum cleaner at 10 feet
Commercial area		Normal speech at 3 feet
Heavy traffic at 300 feet	60 dBA	
		Large business office
Quiet urban daytime	50 dBA	Dishwasher in next room
Quiet urban nighttime	40 dBA	Theater, large conference room
Quiet suburban nighttime		
	30 dBA	Library
Quiet rural nighttime		Bedroom at night, concert hall (background)
	20 dBA	
		Broadcast/recording studio
	10 dBA	
	0 dBA	

Source: Technical Noise Supplement (TeNS), California Department of Transportation, September 2013.

Fundamentals of Groundborne Vibration

Ground vibration consists of rapidly fluctuating motions or waves with an average motion of zero. Several different methods are typically used to quantify vibration amplitude. One method is the Peak Particle Velocity (PPV). The PPV is defined as the maximum instantaneous positive or negative peak of the vibration wave. In this report, a PPV descriptor with units of mm/sec or in/sec is used to evaluate construction generated vibration for building damage and human complaints. Table 3 displays the reactions of people and the effects on buildings that continuous or frequent intermittent vibration levels produce. The guidelines in Table 3 represent syntheses of vibration criteria for human response and potential damage to buildings resulting from construction vibration.

Construction activities can cause vibration that varies in intensity depending on several factors. The use of pile driving and vibratory compaction equipment typically generates the highest construction related groundborne vibration levels. Because of the impulsive nature of such activities, the use of the PPV descriptor has been routinely used to measure and assess groundborne vibration and almost exclusively to assess the potential of vibration to cause damage and the degree of annoyance for humans.

The two primary concerns with construction-induced vibration, the potential to damage a structure and the potential to interfere with the enjoyment of life, are evaluated against different vibration limits. Human perception to vibration varies with the individual and is a function of physical setting and the type of vibration. Persons exposed to elevated ambient vibration levels, such as people in an urban environment, may tolerate a higher vibration level.

Structural damage can be classified as cosmetic only, such as paint flaking or minimal extension of cracks in building surfaces; minor, including limited surface cracking; or major, that may threaten the structural integrity of the building. Safe vibration limits that can be applied to assess the potential for damaging a structure vary by researcher. The damage criteria presented in Table 3 include several categories for ancient, fragile, and historic structures, the types of structures most at risk to damage. Most buildings are included within the categories ranging from “Historic and some old buildings” to “Modern industrial/commercial buildings”. Construction-induced vibration that can be detrimental to the building is very rare and has only been observed in instances where the structure is at a high state of disrepair and the construction activity occurs immediately adjacent to the structure.

The annoyance levels shown in Table 3 should be interpreted with care since vibration may be found to be annoying at lower levels than those shown, depending on the level of activity or the sensitivity of the individual. To sensitive individuals, vibrations approaching the threshold of perception can be annoying. Low-level vibrations frequently cause irritating secondary vibration, such as a slight rattling of windows, doors, or stacked dishes. The rattling sound can give rise to exaggerated vibration complaints, even though there is very little risk of actual structural damage.

TABLE 3 Reaction of People and Damage to Buildings from Continuous or Frequent Intermittent Vibration Levels

Velocity Level, PPV (in/sec)	Human Reaction	Effect on Buildings
0.01	Barely perceptible	No effect
0.04	Distinctly perceptible	Vibration unlikely to cause damage of any type to any structure
0.08	Distinctly perceptible to strongly perceptible	Recommended upper level of the vibration to which ruins and ancient monuments should be subjected
0.1	Strongly perceptible	Virtually no risk of damage to normal buildings
0.25	Strongly perceptible to severe	Threshold at which there is a risk of damage to historic and some old buildings.
0.3	Strongly perceptible to severe	Threshold at which there is a risk of damage to older residential dwellings such as plastered walls or ceilings
0.5	Severe - Vibrations considered unpleasant	Threshold at which there is a risk of damage to newer residential structures

Source: Transportation and Construction Vibration Guidance Manual, California Department of Transportation, April 2020.

Regulatory Background – Noise

The State of California, Santa Clara County, and the City of Campbell have established regulatory criteria that are applicable in this assessment. The State of California Environmental Quality Act (CEQA) Guidelines, Appendix G, are used to assess the potential significance of impacts pursuant to local General Plan policies, Municipal Code standards, or the applicable standards of other agencies. A summary of the applicable regulatory criteria is provided below.

State CEQA Guidelines. CEQA contains guidelines to evaluate the significance of effects of environmental noise attributable to a proposed project. Under CEQA, noise impacts would be considered significant if the project would result in:

(a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local General Plan or Noise Ordinance, or applicable standards of other agencies;

(b) Generation of excessive groundborne vibration or groundborne noise levels; or

(c) For a project located within the vicinity of a private airstrip or an airport land use plan or where such a plan has not been adopted within two miles of a public airport or public use airport, if the project would expose people residing or working in the project area to excessive noise levels.

Santa Clara County Airport Land Use Commission Comprehensive Land Use Plan. The Comprehensive Land Use Plan adopted by the Santa Clara County Airport Land Use Commission contains standards for projects within the vicinity of San José International Airport. Libraries are considered to be "Generally Acceptable" in noise environments of 60 dBA CNEL or less. Office buildings, business commercial and professional, and retail land uses (most similar land uses to the proposed Police Operations Building) are considered to be "Generally Acceptable" in noise environments of 65 dBA CNEL or less.

City of Campbell General Plan. The Noise Element of the City of Campbell General Plan 2040 provides goals and policies to guide compatible land uses and the incorporation of noise attenuation measures for new uses to protect people living and working in the City from an excessive noise environment. The following goals and policies are applicable to the proposed project:

Goal N-1 Preserve and enhance the quality of existing and future land uses by minimizing exposure to harmful and excessive noise

Policies

N-1.1 Consider the noise compatibility of existing and future development when making land use planning decisions with an emphasis on protecting neighborhoods and people from excessive noise levels, while still accommodating new development and uses.

N-1.2 Require development projects and changes to existing uses to be consistent with the standards indicated in Table N-1 to ensure acceptable noise levels for existing and future development.

N-1.3 Require new development to reduce excessive noise to the standards indicated in Tables N-1 and N-2 through best practices, including building location and orientation, building design features, placement of noise-generating equipment away from sensitive receptors, shielding of noise-generating equipment, placement of noise-tolerant features between noise sources and sensitive receptors, and use of noise minimizing materials.

N-1.5 Encourage the use of open spaces, trees, and landscaping to buffer new and existing development from noise sources. Use fences and sound walls for sound attenuation only when other measures are not practical or when recommended by an acoustical expert as part of a mitigation measure. When sound walls are required for compliance with noise standards, ensure sounds walls are built to be visually compatible with the surrounding area, at the minimum height necessary to achieve the required sound attenuation. As feasible, sound walls should incorporate treatments to resist graffiti.

N-1.6 Require acoustical studies for new noise-generating and noise-sensitive developments, and transportation improvements that would increase roadway capacity, move traffic closer to sensitive receptors, or add traffic to areas that do not currently have notable exposure to roadway noise.

N-1.7 Continue to recognize that "late night activities" (land use activities operating from 11:00 p.m. to 6:00 a.m., not including the lawful, reasonable and customary use of residential uses or professional offices that does not interfere with the reasonable use and enjoyment of other properties) may present a potential noise impact, and should be carefully reviewed to ensure compatibility with adjacent residences.

N-1.8 For projects that are required to prepare an acoustical study, the following stationary and transportation noise source criteria shall be used to determine the significance of those impacts.

Stationary and Non-Transportation Noise Sources

- A significant impact will occur if the project results in an exceedance of the noise level standards contained in this element, or for instances where the ambient noise level is already above the standards contained in this element, the project will result in an increase in ambient noise levels by more than 3 dB.

    - This does not apply to construction activities which are conducted according to the best practices contained in Chapter 18.04 of the Campbell Municipal Code, and outlined in Action N 1f. Compliance with these requirements shall be sufficient to reduce construction-related noise impacts to a less than significant level.

Transportation Noise Sources

- Where existing traffic noise levels are 60 dB L_{dn} or less at the outdoor activity areas of noise sensitive uses, a +5 dB L_{dn} increase in roadway noise levels will be considered significant;

- Where existing traffic noise levels are greater than 60 dB L_{dn} and up to 65 dB L_{dn} at the outdoor activity areas of noise-sensitive uses, a +3 dB L_{dn} increase in roadway noise levels will be considered significant; and

- Where existing traffic noise levels are greater than 65 dB L_{dn} at the outdoor activity areas of noise-sensitive uses, a + 1.5 dB L_{dn} increase in roadway noise levels will be considered significant.

N-1.10 Regional and pass-thru truck traffic shall be limited to specific routes as described in Chapter 10.40 of the Campbell Municipal Code (Restricted-Unrestricted Streets).

N-1.11 Require developers to prepare a construction management plan that defines best management practices to reduce construction noise, and includes proposed truck routes as part of the entitlement process.

N-1.13 Continue to ensure that existing development is protected, to the greatest extent feasible from noise impacts due to construction on adjacent or nearby properties.

N-1.16 Require non-transportation related noise from site specific noise sources to comply with the standards shown in Table N-2.

N-1.17 Require construction activities to comply with standard best practices (see Action N 1h and Chapter 18.04 of the Municipal Code). Construction activities outside of the permitted construction hours identified in the Campbell Municipal Code (Chapter 18.04 - Building Code) may be approved on a case by case basis by the Building Official.

N-1.20 Temporary emergency operations or emergency equipment usage may be exempt from noise standard criteria set by this element.

Goal N-2 Provide vibrant commercial and mixed-use areas in Campbell, while protecting existing and future sensitive uses from excessive noise levels.

Policies

N-2.1 Require commercial and mixed-use projects to minimize noise exposure for nearby residential areas through the use of noise attenuating building materials, engineering techniques, and site design practices. Site design practices may include locating mechanical equipment, loading bays, parking lots, driveways, and trash enclosures away from residential uses, and providing noise-attenuating screening features on-site.

N-2.2 Through the development review process, the City may elect to allow new noise-sensitive land uses on a case by case basis in proximity to transportation noise sources and commercial or mixed-use areas that fall within the Conditionally Acceptable Land Use Compatibility Standards in Table N-1. Noise mitigation, including an acoustical analysis, shall be required to reduce interior space noise levels to 45 dB L_{dn}, or less, for sensitive receptors. Exterior noise levels may be reduced using building orientation, construction and design features; however ultimately, noise levels may fall within the Conditionally Acceptable noise standards identified in Table N-1.

N-2.3 Ensure that existing residential development is protected from excessive noise created by commercial, mixed-use, and other development projects or uses. New development and/or new uses shall demonstrate that impacts to nearby residential properties comply with standards identified in Table N-1 and N-2.

N-2.4 Require noise-generating business operations, including waste and recycling disposal, to be conducted during appropriate times to reduce nighttime noise in nearby residential areas.

Table N-1: Land Use Compatibility for Community Noise Environment

Land Use Category	Exterior Noise Exposure (Ldn)					
	55	60	65	70	75	80
Single-Family Residential						
Multi-Family Residential, Hotels, and Motels						
Outdoor Sports and Recreation, Neighborhood Parks and Playgrounds						
Schools, Libraries, Museums, Hospitals, Personal Care, Public Assembly						
Office Buildings, Business Commercial, and Professional						
Industrial						

Note: Residential components of Mixed-Use developments are subject to the Multi-Family Residential Noise Standards unless otherwise allowed in conjunction with Policy N 2-2.

NORMALLY ACCEPTABLE
Specified land use is satisfactory, based upon the assumption that any buildings involved are of normal conventional construction, without any special insulation requirements

CONDITIONALLY ACCEPTABLE
Specified land use may be permitted only after detailed analysis of the noise reduction requirements and needed noise insulation features included in the design

UNACCEPTABLE
New construction or development should generally not be undertaken because mitigation was found to be infeasible to comply with noise element policies

Table N-2: Stationary (Non-Transportation) Noise Source Standards

Land Use Receiving the Noise	Hourly Noise-Level Descriptor	Exterior Noise-Level Standardd (dBA)	
		Daytime (7am-10pm)	Nighttime (10pm-7am)
Residential	L_{eq}	55	45
	L_{max}	70	65

Notes:

a) The residential standards apply to all properties that are zoned for residential use. The exterior noise level standard is to be applied at the property line of the receiving land use or at a designated outdoor activity area. For mixed-use projects, the exterior noise level standard may be waived (at the discretion of the decision-making body) if the residential portion of the project does not include a designated activity area and mitigation of property line noise is not practical.

b) Each of the noise levels specified above shall be lowered by 5 dBA for tonal noises characterized by a whine, screech, or hum, noises consisting primarily of speech or music, or recurring impulsive noises. In no case shall mitigation be required to a level that is less than existing ambient noise levels, as determined through measurements conducted during the same operational period as the subject noise source.

c) In situations where the existing noise level exceeds the noise levels indicated in the above table, any new noise source must include mitigation that reduces the noise level of the noise source to the existing level plus 3 dB.

Tonal Noises are characterized by a whine, screech, beep, or hum, consisting primarily of speech or music, or recurring impulsive noises. Tonal noises can cause unpleasant experiences in spaces adjacent to areas that produce tonal noise, which annoys occupants and, in turn, lead to increased complaints from nearby sensitive receptors.

City of Campbell Municipal Code. Chapter 18.04.052 of City of Campbell's Municipal Code states that construction activity shall be limited between the hours of 8 a.m. and 5 p.m. Monday through Friday, and between the hours of 9 a.m. and 4 p.m. Saturday. There shall be no construction activity on Sundays or Public holidays. Construction activity, under contracts awarded by the city for public improvements, shall be allowed during the working hours specified by the city engineer, as described in the construction project contract documents. Such working hours shall be designed to prevent unnecessary hazard or inconvenience to members of the public.

Chapter 21.16.090 of City of Campbell's Municipal Code states that uses, activities, and processes shall not generate ground vibration that is perceptible without instruments by average person at any point along or beyond the property line of the parcel containing the activities. Vibrations from temporary construction, demolition and vehicles that enter and leave the subject parcel (e.g., construction equipment, trains, trucks, etc.) shall be exempt.

Existing Noise Environment

Due to regional shelter-in-place restrictions implemented by the State of California at the time of this study, traffic volumes along the surrounding roadways were reduced and not representative of typical conditions. Therefore, a noise monitoring survey was not completed to document ambient noise levels. Instead, noise data contained in the existing General Plan were reviewed to estimate noise levels in the site vicinity. Figure 1 shows the traffic noise contours expected at the buildout of the General Plan. The time at which full development ("buildout") was assumed to be 15-25 years in the future (2016-2026); therefore, these noise contours are assumed to credibly represent existing conditions in 2021. The noise contour data and prior measurements[1] reveal that existing noise levels in the area, away from major roadways, are less than 60 dBA L_{dn}, and are likely 55 dBA L_{dn} or less based on experience with similar settings.

1 Illingworth & Rodkin, Inc., Trojan Storage Facility Noise and Vibration Assessment, January 15, 2019.

FIGURE 1 Noise Measurements from Previous Studies in Relation to Project Site



Source: The City of Campbell General Plan, Adopted November 6, 2001, Land Use and Transportation Element Update Adopted August 19, 2014, Housing Element Adopted February 17, 2015.

NOISE AND VIBRATION IMPACTS AND MITIGATION MEASURES

This section describes the significance criteria used to evaluate project impacts under CEQA, provides a discussion of each project impact.

Significance Criteria

The following criteria were used to evaluate the significance of environmental noise resulting from the project:

- **Temporary or Permanent Noise Increases in Excess of Established Standards:** A significant impact would be identified if project operations or construction would result in a substantial temporary or permanent increase in ambient noise levels at sensitive receivers in excess of the local noise standards contained in the Campbell General Plan or Municipal Code, as follows:

    - Temporary Noise Increase. A significant noise impact would be identified if construction-related noise would temporarily increase ambient noise levels at sensitive receptors.

    - Operational Noise in Excess of Standards. A significant noise impact would be identified if the project would expose persons to or generate noise levels that would exceed applicable noise standards presented in the Campbell General Plan or Municipal Code.

    - Permanent Noise Increase. A noise increase of 5 dBA L_{dn} or greater would be considered significant when projected noise levels would continue to meet those considered satisfactory for the affected land use (60 dBA L_{dn}). A permanent increase of 3 dBA L_{dn} or greater at noise-sensitive receptors would be considered significant where existing noise levels range from 60 dB L_{dn} to 65 dB L_{dn}. A permanent increase of 1.5 dBA L_{dn} or greater at noise-sensitive receptors would be considered significant where existing noise levels exceed 65 dB L_{dn}.

- **Groundborne Vibration from Construction:** The City of Campbell exempts vibrations from temporary construction, demolition and vehicles that enter and leave the subject parcel from its vibration criteria. To avoid structural damage, the California Department of Transportation recommends a vibration limit of 0.5 in/sec PPV for buildings structurally sound and designed to modern engineering standards, 0.3 in/sec PPV for buildings that are found to be structurally sound but where structural damage is a major concern. A conservative limit of 0.08 in/sec PPV is recommended for historic buildings or buildings that are documented to be structurally weakened.

- **Exposure to Aircraft Noise:** A significant noise impact would be identified if the project would expose people residing or working in the project area to excessive aircraft noise levels.

Impact 1a: **Construction Noise.** The construction of the project would temporarily increase ambient noise levels in the project vicinity, but the impact would be **less than significant impact** with the implementation of the best practices contained in Chapter 18.04 of the Campbell Municipal Code and outlined in General Plan Action N 1f.

Construction activities generate considerable amounts of noise, especially during earth-moving activities when heavy equipment is used. Phases of the project would include demolition, site preparation, grading/excavation, trenching/foundations, construction of the building shell, interior finishing/architectural coatings, and paving. The hauling of exported soil and imported materials would generate truck trips on local roadways as well. Interior renovations of the Library and existing Police Department Building would produce minimal noise levels off-site.

During each stage of construction, there would be a different mix of equipment operating, and noise levels would vary by stage and vary within stages, based on the amount of equipment in operation and the location at which the equipment is operating. Typical construction noise levels at 50 feet are shown in Tables 4 and 5. Table 4 shows the average noise level ranges, by construction phase, and Table 5 shows the maximum noise level ranges for different construction equipment. Most construction noise falls with the range of 80 to 90 dBA at 50 feet from the source.

TABLE 4 Typical Ranges of Construction Noise Levels at 50 Feet, L_{eq} (dBA)

	Domestic Housing		Office Building, Hotel, Hospital, School, Public Works		Industrial Parking Garage, Religious Amusement & Recreations, Store, Service Station		Public Works Roads & Highways, Sewers, and Trenches	
	I	II	I	II	I	II	I	II
Ground Clearing	83	83	84	84	84	83	84	84
Excavation	88	75	89	79	89	71	88	78
Foundations	81	81	78	78	77	77	88	88
Erection	81	65	87	75	84	72	79	78
Finishing	88	72	89	75	89	74	84	84

I - All pertinent equipment present at site.
II - Minimum required equipment present at site.

Source: U.S.E.P.A., Legal Compilation on Noise, Vol. 1, p. 2-104, 1973.

TABLE 5 Construction Equipment 50-foot Noise Emission Limits

Equipment Category	L_{max} Level (dBA)[1,2]	Impact/Continuous
Arc Welder	73	Continuous
Auger Drill Rig	85	Continuous
Backhoe	80	Continuous
Bar Bender	80	Continuous
Boring Jack Power Unit	80	Continuous
Chain Saw	85	Continuous
Compressor[3]	70	Continuous
Compressor (other)	80	Continuous
Concrete Mixer	85	Continuous
Concrete Pump	82	Continuous
Concrete Saw	90	Continuous
Concrete Vibrator	80	Continuous
Crane	85	Continuous
Dozer	85	Continuous
Excavator	85	Continuous
Front End Loader	80	Continuous
Generator	82	Continuous
Generator (25 KVA or less)	70	Continuous
Gradall	85	Continuous
Grader	85	Continuous
Grinder Saw	85	Continuous
Horizontal Boring Hydro Jack	80	Continuous
Hydra Break Ram	90	Impact
Impact Pile Driver	105	Impact
Insitu Soil Sampling Rig	84	Continuous
Jackhammer	85	Impact
Mounted Impact Hammer (hoe ram)	90	Impact
Paver	85	Continuous
Pneumatic Tools	85	Continuous
Pumps	77	Continuous
Rock Drill	85	Continuous
Scraper	85	Continuous
Slurry Trenching Machine	82	Continuous
Soil Mix Drill Rig	80	Continuous
Street Sweeper	80	Continuous
Tractor	84	Continuous
Truck (dump, delivery)	84	Continuous
Vacuum Excavator Truck (vac-truck)	85	Continuous
Vibratory Compactor	80	Continuous
Vibratory Pile Driver	95	Continuous
All other equipment with engines larger than 5 HP	85	Continuous

Notes:

1 Measured at 50 feet from the construction equipment, with a "slow" (1 sec.) time constant.

2 Noise limits apply to total noise emitted from equipment and associated components operating at full power while engaged in its intended operation.

3 Portable Air Compressor rated at 75 cfm or greater and that operates at greater than 50 psi.

Source: Mitigation of Nighttime Construction Noise, Vibrations and Other Nuisances, National Cooperative Highway Research Program, 1999.

As shown in Table 4, construction noise levels produced by the project would typically range from 77 to 89 dBA L_{eq} at a distance of 50 feet from the source with all pertinent equipment present at the site. With the minimum required equipment present at the site, construction noise levels produced by the project would typically range from 71 to 83 dBA L_{eq} at a distance of 50 feet from the source. Construction-generated noise levels drop off at a rate of about 6 dBA per doubling of the distance between the source and receptor. Shielding by buildings or terrain can provide an additional 5 to 10 dBA noise reduction at distant receptors.

The nearest sensitive receptors would be located approximately 130 to 270 feet from the acoustic centers of the construction sites (i.e., center of buildings). Construction noise levels at 130 feet would range from 69 to 81 dBA L_{eq} with all pertinent equipment present at the site and from 63 to 75 dBA L_{eq} with the minimum required equipment present at the site. At 270 feet, construction noise levels would range from 62 to 74 dBA L_{eq} with all pertinent equipment present at the site and from 56 to 68 dBA L_{eq} with the minimum required equipment present at the site. Construction noise levels would at times substantially exceed existing ambient noise levels in the area.

Per City General Plan policies N-1.11, N-1.13, N-1.17, the City shall develop a construction noise control plan and shall require the construction crew to adhere to the following construction best management practices to reduce construction noise levels emanating from the site and minimize disruption and annoyance at existing noise-sensitive receptors in the project vicinity to the extent feasible. Best practices and requirements include, but are not limited to, the following available controls:

- The construction contractor shall utilize “quiet” models of air compressors and other stationary noise sources where technology exists.

- At all times during project grading and construction, stationary noise-generating equipment shall be located as far as practicable from sensitive receptors and placed so that emitted noise is directed away from residences.

- Unnecessary idling of internal combustion engines shall be prohibited.

- Construction staging areas shall be established at locations that will create the greatest distance between the construction-related noise sources and noise-sensitive receptors nearest the project site during all project construction activities, to the extent feasible.

- The required construction-related noise mitigation plan shall also specify that haul truck deliveries are to occur within the same range of hours specified for construction equipment.

- The construction contractor shall designate a “noise disturbance coordinator” who will be responsible for responding to any local complaints about construction noise. The disturbance coordinator shall be responsible for determining the cause of the noise complaint (e.g., starting too early, poor muffler, etc.) and instituting reasonable measures as warranted to correct the problem. A telephone number for the disturbance coordinator shall be conspicuously posted at the construction site.

Reasonable regulation of the hours of construction, as specified in Chapter 18.04.052 of City of Campbell's Municipal Code, as well as regulation of the arrival and operation of heavy equipment and the delivery of construction material, are necessary to protect the health and safety of persons, promote the general welfare of the community, and maintain the quality of life. The construction noise control plan shall be implemented during all phases of construction activity to reduce the noise exposure of neighboring properties. Implementation of the above controls would reduce construction noise levels emanating from the site, minimizing disruption and annoyance. These controls, in combination with the limitations on hours set forth in the Municipal Code, would reduce the impact to a less than significant level.

Impact 1b: **Noise Levels in Excess of Standards.** Mechanical equipment proposed by the project could generate noise in excess of standards established in the City's General Plan at nearby properties. This a **less than significant impact with the incorporation of mitigation**.

Various mechanical equipment for heating, ventilation, and cooling purposes (HVAC), exhaust fans, emergency generators, and other similar equipment associated with the proposed Police Operations Building could produce noise levels exceeding ambient conditions when located near existing residential land uses. The proposed Police Operations Building would be approximately 65 feet from the nearest receptors to the north, opposite Grant Street, and 80 feet from the nearest receptors to the west, opposite N. 1st Street. No new significant noise-generating mechanical equipment is proposed as part of the interior renovations associated with the Library or Police Department buildings.

Table N-2 of the City's Noise Element limits noise levels from stationary equipment to 55 dBA L_{eq} during the daytime and 45 dBA L_{eq} at night. Maximum noise levels from stationary equipment are limited to 70 dBA L_{max} during the daytime and 65 dBA L_{max} at night.

The project design is not far enough along at this point that mechanical equipment that will service the Police Operations Building have been selected. It is likely that the equipment would be located on the rooftop within a mechanical equipment well and shielded from view of the nearest receptors. Similar studies conducted by I&R have revealed that sound levels produced by rooftop equipment such as air-handling units could produce noise levels that would reach 53 dBA at 50 feet. At distances of 65 to 80 feet, which would represent the closest property lines of noise-sensitive land uses to the north and west, respectively, noise levels attributable to unshielded rooftop mechanical equipment would range from 49 to 51 dBA. Assuming a minimum of 5 dBA of noise reduction would be provided by the rooftop parapet, operational noise levels at the nearest residences would range from 44 to 46 dBA L_{eq}. No equipment is anticipated for a project of this scale that would make meeting the applicable noise limits with standard noise control measures difficult. However, during final design of the mechanical systems, the noise levels from the various pieces of equipment on the rooftop should be calculated to ensure compliance with the City's General Plan.

The project also proposes a Cummins Model DQCB – 1904736 750 kW emergency generator on the north boundary of the project site, approximately 55 feet from the nearest residential properties opposite Grant Street. Manufacturer's data for the proposed generator show that the unit would be housed within a sound attenuated enclosure, and operational noise levels would reach 75 dBA at

a distance of 23 feet. The proposed generator would produce a noise level of 68 dBA during testing and operation as measured at a distance of 55 feet. The City's General Plan noise level limits are not normally applied to equipment such as emergency generators recognizing the infrequency of use and emergency conditions requiring such a use.

It is expected that noise from non-emergency mechanical equipment would meet the City's applicable noise limits. However, noise levels from this mechanical equipment should be examined in detail once the specific equipment has been selected to ensure compliance with the City's L_{eq}/L_{max} thresholds. This is a less-than-significant impact with the incorporation of mitigation.

Mitigation Measure 1b:

The following mitigation measure shall be included in the project to reduce operational noise levels to a less-than-significant level:

- Prior to the issuance of building permits, Police Operations Building rooftop mechanical equipment shall be selected and designed to reduce impacts on nearby residential uses to meet the City's requirements. A qualified acoustical consultant shall be retained by the project applicant to review mechanical noise as the equipment systems are selected in order to determine specific noise reduction measures necessary to reduce noise to comply with the City's noise limits at the property line. Noise reduction measures could include, but are not limited to, selection of equipment that emits low noise levels and/ or installation of noise barriers such as mechanical equipment screens or enclosures.

Impact 1c: **Permanent Noise Increase due to Project Traffic.** Traffic generated by the proposed by the project would not substantially increase ambient noise levels in the project vicinity. This a **less than significant impact**.

A noise increase of 5 dBA L_{dn} or greater would be considered significant when projected noise levels would continue to meet those considered satisfactory for the affected land use (60 dBA L_{dn}). A permanent increase of 3 dBA L_{dn} or greater at noise-sensitive receptors would be considered significant where existing noise levels range from 60 dB L_{dn} to 65 dB L_{dn}. A permanent increase of 1.5 dBA L_{dn} or greater at noise-sensitive receptors would be considered significant where existing noise levels exceed 65 dB L_{dn}. For reference, existing traffic volumes would have to double for traffic noise levels to increase by 3 dBA L_{dn}, and triple for traffic noise levels to increase by 5 dBA L_{dn}, where traffic is the primary source of environmental noise levels.

Project trip generation data were reviewed to estimate the increase in noise levels resulting from project generated traffic. Approximately 1,103 daily trips would be added by the project with 69 trips occurring in the AM Peak Hour and 91 trips occurring in the PM Peak Hour. Vehicular access to the site would be from Grant Street.

PM Peak Hour traffic volumes are calculated to produce traffic noise levels of approximately 50 dBA L_{eq} at the nearest residences to the north. For the purposes of this assessment, the PM Peak Hour traffic noise level is assumed to equal the L_{dn} noise level. When added to ambient noise conditions in the area, traffic noise levels would be expected to increase by up to 1 dBA L_{dn},

reaching 56 dBA L_{dn}. Therefore, the impact is less-than-significant as the project would not increase overall noise levels by 5 dBA L_{dn} or more when projected noise levels would continue to meet those considered satisfactory for the affected land use (60 dBA L_{dn}).

Impact 2: **Exposure to Excessive Groundborne Vibration due to Construction.** Construction-related vibration levels would not exceed 0.08 in/sec PPV at the nearest historic resources or 0.3 in/sec PPV at the nearest buildings of conventional construction. **This is a less than significant impact.**

Construction activities can produce vibration levels that may damage nearby structures depending on the sensitivity of the building to vibration and the proximity of the building to the construction activity. Potential damage can be categorized as cosmetic, minor, or major. Cosmetic damage (also known as threshold damage) is defined as hairline cracking in plaster, the opening of old cracks, the loosening of paint or the dislodging of loose objects. Minor damage is defined as hairline cracking in masonry or the loosening of plaster. Major structural damage is defined as wide cracking or the shifting of foundation or bearing walls.

In order to avoid cosmetic damage to structures, the California Department of Transportation recommends a vibration limit of 0.5 in/sec PPV for buildings structurally sound and designed to modern engineering standards, 0.3 in/sec PPV for buildings that are found to be structurally sound but where structural damage is a major concern. A conservative limit of 0.08 in/sec PPV is recommended for historic buildings or buildings that are documented to be structurally weakened.

Several designated historic landmarks and designated structures of merit are located west and north of the project site (i.e., 63, 73-75, 81, 91, 131, 151, and 158 First Street, N.) opposite First Street, N. and Grant Street. Designated structures of merit are also located south and north of the project site (i.e., 43, 149, 167, and 179 Harrison Avenue, N.) opposite Civic Center Drive and Grant Street. The Ainsley House, a designated historic landmark, is located on the Civic Center property itself at 300 Grant Street. The remaining buildings in the project vicinity are assumed to be of normal conventional construction.

Construction activities associated with the project would include demolition, site preparation, foundation work, and new building framing and finishing. Foundation construction techniques involving impact or vibratory pile driving, which can cause excessive vibration, are not anticipated as part of the project. Heavy vibration-generating construction equipment, such as vibratory rollers or the dropping of heavy equipment (e.g., clam shovel drops), would have the potential to produce vibration levels of 0.08 in/sec PPV or more at historic resource located within 60 feet of the project site, and vibration levels of 0.3 in/sec PPV or more at buildings of normal conventional construction located within 20 feet of the project site.

The proposed Police Operations Building would be constructed approximately 95 feet from the nearest designated structure of merit (Ethel Swope Davis House – 131 First Street, N.) and approximately 120 feet from the nearest designated historic landmark (Gilman House - 151 First Street, N.). Vibration levels at 95 feet and beyond would be 0.05 in/sec PPV or less, which is below the 0.08 in/sec PPV threshold for historic resources.

The proposed Police Operations Building would be constructed approximately 65 feet from the nearest building of normal conventional construction at 150 First Street, N.). Vibration levels at 65 feet and beyond would be 0.07 in/sec PPV or less, which is below the 0.3 in/sec PPV threshold for normal buildings.

The Library renovation project would occur approximately 95 feet southeast of the Ainsley House, and the Police Operations Building would be constructed approximately 180 feet west of the Ainsley House. Vibration levels at 95 feet and beyond would be 0.05 in/sec PPV or less, which is below the 0.08 in/sec PPV threshold for historic resources.

The Library renovation project would occur approximately 80 feet from the nearest building of normal conventional construction to the south. Vibration levels at 80 feet and beyond would be 0.06 in/sec PPV or less, which is below the 0.3 in/sec PPV threshold for normal buildings.

Table 6 summarizes the calculated construction vibration levels at nearby buildings. At these locations, and in other surrounding areas where vibration would not be expected to cause damage, vibration levels may still be perceptible. However, as with any type of construction, this would be anticipated and would not be considered significant, given the intermittent and short duration of the phases that have the highest potential of producing vibration. By use of administrative controls, such as notifying neighbors of scheduled construction activities and scheduling construction activities with the highest potential to produce perceptible vibration during hours with the least potential to affect nearby residences and businesses, perceptible vibration can be kept to a minimum. This is a less than significant impact.

TABLE 6 Construction Vibration Levels at Nearby Buildings

Equipment		PPV (in/sec)				
		Source Level at 25 ft	**Vibration Level at 65 ft**	**Vibration Level at 80 ft**	**Vibration Level at 95 ft**	**Vibration Level at 120 ft**
Clam shovel drop		0.202	0.071	0.056	0.047	0.036
Hydromill (slurry wall)	in soil	0.008	0.003	0.002	0.002	0.001
	in rock	0.017	0.006	0.005	0.004	0.003
Vibratory Roller		0.210	0.073	0.058	0.048	0.037
Hoe Ram		0.089	0.031	0.025	0.020	0.016
Large bulldozer		0.089	0.031	0.025	0.020	0.016
Caisson drilling		0.089	0.031	0.025	0.020	0.016
Loaded trucks		0.076	0.027	0.021	0.018	0.014
Jackhammer		0.035	0.012	0.010	0.008	0.006
Small bulldozer		0.003	0.001	0.001	0.001	0.001

Source: Transit Noise and Vibration Impact Assessment Manual, Federal Transit Administration, Office of Planning and Environment, U.S. Department of Transportation, FTA Report No. 0123, September 2018, as modified by Illingworth & Rodkin, Inc., March 2021.

Impact 3: **Excessive Aircraft Noise.** The project site is located approximately 4.5 miles from Norman Y. Mineta San José International Airport, and the proposed project would not expose people working or visiting the site to excessive aircraft noise. **This is a less than significant impact.**

Libraries are considered to be "Generally Acceptable" in noise environments of 60 dBA CNEL or less. Office buildings, business commercial and professional, and retail land uses (most similar land uses to the proposed Police Operations Building) are considered to be "Generally Acceptable" in noise environments of 65 dBA CNEL or less.

Norman Y. Mineta San José International Airport is the closest public-use airport to the project site, located approximately 4.5 miles to the northeast. Figure 2 shows that the project site lies well outside the 2037 60 dBA CNEL noise contour of the airport, according to the City's new Airport Master Plan Environmental Impact Report.[2] This means that future exterior noise levels due to aircraft would not exceed 60 dBA CNEL. Similarly, Reid-Hillview Airport and Moffett Federal Airfield are located over 7 and 9 miles from the project site, respectively, and these airports produce considerably less environmental noise as compared to Norman Y. Mineta San José International Airport. Noise levels produced by Reid-Hillview Airport and Moffett Federal Airfield aircraft are insignificant at the site and would be clearly compatible with the proposed land use. This is a less than significant impact.

[2] David J. Powers & Associates, Inc., Integrated Final Environmental Impact Report, Amendment to Norman Y. Mineta San Jose International Airport Master Plan, April 2020.

FIGURE 2 2037 CNEL Noise Contours for SJIA Relative to Project Site

Figure 5
Scenario 2: With Project 2037 Noise Contour Map

SAN JOSE INTERNATIONAL AIRPORT | Environmental Impact Report FINAL | October 2019



NORMAN Y. MINETA SAN JOSE INTERNATIONAL AIRPORT

- Noise Monitoring Station
- 101 Site ID
- Runway
- 75 dBA and Greater CNEL Contour
- 70 dBA and Greater CNEL Contour
- 65 dBA and Greater CNEL Contour
- 60 dBA and Greater CNEL Contour

Figure 5 Scenario 2: With Project 2037 Noise Contour Map

Source: BridgeNet International 2019

APPENDIX F

Site Access, Circulation and Parking Analysis

HEXAGON TRANSPORTATION CONSULTANTS, INC.

Memorandum

Date:	July 16, 2021 (Revised July 30, 2021 to correct “Parking Analysis” section)
To:	Mr. Danny DeBrito, David J. Powers & Associates
From:	Gary Black
	Selvi Sivaraj
Subject:	Site Access, Circulation and Parking Analysis for Proposed Revisions to the Civic Center Complex (CCC) in Campbell, California

Hexagon Transportation Consultants, Inc. completed a site access, site circulation and parking analysis for the proposed improvements at the Civic Center Complex in Campbell, California. The proposed project improvements include the construction of a 25,000 square-foot (s.f.) police operations building and the renovation of the existing 25,000 s.f. library. The project would reconfigure the existing parking lots and would pave the gravel parking lot located at the northeast corner. The new police building would take the place of the existing parking lot in the northwest part of the site. This memorandum evaluates and documents the on-site access, circulation and parking operations based on feedback received from the City Council at the May 4, 2021 Council Meeting (see Figure1).

Vehicular and Pedestrian Site Access and Circulation

Vehicle access to the public parking lot located at the southwest corner of the site would be provided via one existing full-access driveway on N 1st Street. Currently there is a second driveway to this parking lot, which would be moved along the block, and converted to one-way operation. The reconfigured parking lot would provide 29 parking spaces versus 41 spaces today. There would be a secured police station parking lot at approximately the same location as the existing secured police parking lot. The lot would increase in size from 27 parking spaces to 61 parking spaces. There are two existing driveways along Grant Street that provide access to the secured parking lot. The driveways currently operate as one-way in and one-way out. Both driveways would be widened, moved along the block, and converted to two-way operation. Access to the gravel parking lot would be provided via an existing full-access driveway along Grant Street.

According to the City’s Zoning Code (21.28.090), a two-way driveway should be a minimum of 20 feet wide and a one-way driveway should be a minimum of 10 feet wide for projects including non-residential uses. Based on the project site plan, the two-way driveway along N 1st Street and both the driveways along Grant Street would be a minimum of 25 feet wide, which meets the City’s standard. The one-way driveway along N 1st Street would be a minimum of 10 feet wide, which meets the City’s standard.



Figure 1
Project Site Plan

NORTH
Not to Scale

The project would provide 90-degree parking throughout both parking lots. All parking areas would have 25-foot drive aisles for two-way traffic, which meets the City's standard for two-way circulation. Circulation would be efficient with no dead-end aisles within the secured parking lot. In the public parking lot, the aisle would terminate in a dead end at the south end. A turn-around area would be provided in case motorists get to the end of the lot and cannot find a vacant space. The drive aisle in the gravel parking lot would terminate at its east end with three parking stalls. Therefore, drivers would be required to do multiple turns to back out of those parking spaces.

Pedestrian access to the project site is provided via sidewalks on N. 1st Street and Grant Street and crosswalks at the intersections of N. 1st Street /Grant Street and N. 1st Street/Civic Center Drive. The project would maintain the existing detached 5-foot sidewalk on N. 1st Street and Grant Street. The pedestrian/public access to the proposed Police Department would be provided from a Lower Courtyard, next to the public parking lot. The project would add stairs and ramps down to the lower level to provide pedestrian and ADA access from the parking lot to the Lower Courtyard. Public access to the existing City Hall building would remain unchanged.

The existing bicycle routes on N 1st Street and Grant Street provide adequate connectivity between the project site and the adjacent neighborhoods.

Sight Distance

The driveway locations were evaluated to determine if the sight distance at the driveways would be adequate. Adequate sight distance reduces the likelihood of a collision at driveways and provides drivers with the ability to locate sufficient gaps in traffic to exit a driveway. Sight distance of a driveway is evaluated based on the stopping sight distance recommended by Caltrans for a given design speed.

The speed limit on N 1st Street, Grant Street and Harrison Avenue is 25 mph. Therefore the Caltrans stopping sight distance is 200 feet (based on a design speed of 30 mph). As shown in Figures 2 and 3, the visibility from the N 1st Street two-way driveway towards Civic Center Drive and Grant Street are adequate. Over 400 feet of upstream and downstream visibility is afforded. The one-way exit only driveway from the public parking lot is located within 100 feet of the two-way driveway, and would also have adequate visibility for exiting vehicles. As per Figures 4 and 5, the visibility from both Grant Street driveways towards Harrison Avenue and N 1st Street are adequate. Over 400 feet of visibility is afforded towards Harrison Avenue and 500 feet towards N 1st Street from the existing outbound driveway along Grant Street. Similarly, there is adequate sight distance at the existing gravel parking lot driveway located along Grant Street. Any project landscaping and signage should be located in such a way to ensure an unobstructed view for drivers exiting the site (lower than three feet in height).

Figure 2
Visibility from N 1st Street Driveway Looking Toward Civic Center Drive

Figure 3
Visibility from N 1st Street Driveway Looking Toward Grant Street

Figure 4
Visibility from Grant Street Driveway Looking Toward Harrison Avenue

Figure 5
Visibility from Grant Street Driveway Looking Toward N 1st Street

Corner Sight Distance and Cross Walk at N 1st Street and Grant Street

The corner site distance was evaluated to determine if the sight distance would be adequate for westbound traffic on Grant Street at N 1st Street with the proposed two-story police building. The police building would also include an outdoor recreation area, which was assumed to be fenced for the sight distance analysis. Sight distance of a driveway is evaluated based on the stopping sight distance recommended by Caltrans for a given design speed.

The speed limit on N 1st Street is 25 mph, and the Caltrans stopping sight distance is 200 feet (based on a design speed of 30 mph). As shown in Figure 6, the visibility from the Grant Street decision point towards N 1st street is more than 200 feet, which is adequate. Up to 330 feet of visibility is afforded by creeping a few feet past the stop line. Any project landscaping and signage should be located in such a way to ensure an unobstructed view for drivers stopping at the westbound stop line at Grant Street (lower than three feet in height).

It should be noted that an implied crosswalk legally exists across each leg of an intersection, even though it may not be marked. Crosswalks should be marked at all intersections where there could be substantial conflict between vehicle and pedestrian movements and at appropriate points of pedestrian concentration. Since Downtown commercial development is located south of Civic Center Drive, it is not expected that a significant number of pedestrians are crossing or would cross N 1st Street. Therefore, a marked crosswalk is not necessary to cross N 1st Street at Grant Street.

Truck Access

The site plan does not include designated loading areas for truck access to the site. However, the existing site development also does not have loading areas, so presumably they are not needed. The occasional delivery truck would most likely load and unload in the drive aisle of the parking lot While this may temporarily block access to parking spaces, deliveries are assumed to infrequently.

Garbage Collection

The site plan shows a trash area located at the northwest side of the gravel parking lot. The trash area would be accessed through an existing driveway along Grant Street.

Parking Analysis

The existing parking lots at the Civic Center complex provide 62 parking spaces in the N. City Hall parking lot, 41 parking spaces in S. City Hall parking lot and 27 parking spaces in the secure police parking lot. After reconfiguration, the proposed project would eliminate the N. City Hall parking lot, provide 29 parking spaces in S. City Hall parking lot and 61 parking spaces in secure police parking lot. The police department currently is using parking spaces in the N. City Hall parking lot because their existing lot of 27 spaces is too small. This would result in the loss of 40 public parking spaces. There is a gravel lot located in the northeast corner of the site that would be paved to provide a new parking lot. Access to the gravel lot would be provided via an existing driveway along Grant Street, 100 feet west of Harrison Avenue. Paving and striping the gravel lot would add 24 public parking spaces to the Civic Center complex. The paving and striping of the lot would result in a net loss of 16 total parking spaces (62 + 41 + 27 – 29 - 61 - 24 = 16).



Figure 6
Corner Site Distance at N 1st Street and Grant Street Intersection

NORTH
Not to Scale